



Making things easy

© MCS Electronics , 1995-2012

# **BASCOM-AVR** user manual

### Introduction

by MCS Electronics

Dear reader.

Thank you for your interest in BASCOM.

BASCOM was "invented" in 1995. It was intended for personal usage only. I decided to make it public as I found no other tool that was so simple to use. Since that time, a lot of options and extensions were added. Without the help and patience of the many users, BASCOM would not be what it is today : "the best and most affordable tool for fast proto typing".

We hope that BASCOM will contribute in making your work with microprocessors Easy and enjoyable.

Please notice that the samples in the manual are intended as simple samples. You should have a look at the sample code provided in the SAMPLES directory.

The MCS Electronics Team

# **BASCOM-AVR**

#### © 2012 MCS Electronics

All rights reserved. No parts of this work may be reproduced in any form or by any means - graphic, electronic, or mechanical, including photocopying, recording, taping, or information storage and retrieval systems - without the written permission of the publisher.

Products that are referred to in this document may be either trademarks and/or registered trademarks of the respective owners. The publisher and the author make no claim to these trademarks.

While every precaution has been taken in the preparation of this document, the publisher and the author assume no responsibility for errors or omissions, or for damages resulting from the use of information contained in this document or from the use of programs and source code that may accompany it. In no event shall the publisher and the author be liable for any loss of profit or any other commercial damage caused or alleged to have been caused directly or indirectly by this document.

Printed: 24-2-2012

#### Publisher

MCS Electronics

Managing Editor M.C.Alberts

Technical Editors M.C.Alberts

**Cover Designer** 

B.F.de Graaff

#### Special thanks to:

All the people who contributed to this document, all the forum members that contributed in a positive way, all beta testers , and all customers.

While there is not enough space to mention all contributors, there are a few that I feel must be mentioned

*Josef Franz Vögel. He wrote the Trig libraries, the AVR-DOS file system and the DOUBLE library.* 

Luciano, Ian, Adrian and Kimmi, they are very active on the user forum. They take the time to give other forum members free help and advise. They do this for free just to help other BASCOM users.

MWS for his help and debugging.

MAK for pushing XMEGA, his samples and testing.

# **Table of Contents**

	Foreword	0
Part I	Index	22
1	Keyword Reference	23
2	About MCS Electronics	
	Custom Designs	28
	Application Notes	
Part II	Installation	31
1	Installation of BASCOM	
2	Updates	
3	Move to new PC	45
4	Installation on multiple computers	45
Part III	BASCOM IDE	47
1	Running BASCOM-AVR	
2	File New	50
3	File Open	50
4	File Close	50
5	File Save	50
6	File Save As	51
7	File Print Preview	51
8	File Print	51
9	File Project	51
10	File Exit	53
11	Edit Undo	54
12	Edit Redo	54
13	Edit Cut	54
14	Edit Copy	54
15	Edit Paste	54
16	Edit Find	54
17	Edit Find Next	57
18	Edit Replace	57
19	Edit Goto	58
20	Edit Toggle Bookmark	58
21	Edit Goto Bookmark	58
	Edit Indent Block	
	Edit Unindent Block	
24	Edit Remark Block	58
	Edit Encrypt Selected Code	
26	View PinOut	60

### Contents

27	View PDF viewer	64
28	View Error Panel	
29	View Tip	
30	Program Compile	
	Program Syntax Check	
	Program Show Result	
	Program Simulate	
	Program Send to Chip	
	Tools Terminal Emulator	
36	Tools LCD Designer	
37	Tools LIB Manager	
38	Tools Graphic Converter	
39	Tools Stack Analyzer	
40	Tools Plugin Manager	
41	Tools Batch Compile	90
42	Tools PDF Update	93
43	Tools Resource Editor	94
44	Options Compiler	
	Options Compiler Chip	
	Options Compiler Output	
	Options Compiler Communication Options Compiler I2C, SPI, 1WIRE	
	Options Compiler LCD	
45	Options Communication	
46	Options Environment	
47	•	
48	Options Programmer	
10	Supported Programmers	
	ISP programmer	
	PG302 programmer	
	Sample Electronics cable programmer	
	KITSRUS Programmer	
		112
	MCS Universal Interface Programmer	
		113
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader	
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer	
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer	
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader	
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY	113 115 118 119 119 119 128 130
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY FLIP	113 115 118 119 119 128 130 131
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY FLIP USBprog Programmer / AVR ISP mkll	113 115 115 118 119 119 128 130 131 134
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY FLIP	113 115 115 118 119 119 128 130 131 134 134
	MCS Universal Interface Programmer. STK500 Programmer. Lawicel BootLoader. AVR ISP Programmer. USB-ISP Programmer. MCS Bootloader. PROGGY. FLIP USBprog Programmer / AVR ISP mkll. KamProg for AVR.	113 115 115 118 119 119 128 130 131 134 134 134 135
	MCS Universal Interface Programmer. STK500 Programmer. Lawicel BootLoader. AVR ISP Programmer. USB-ISP Programmer. MCS Bootloader. PROGGY. FLIP USBprog Programmer / AVR ISP mkII. KamProg for AVR. USBASP.	113 115 118 119 119 128 130 131 134 134 135 136
	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY FLIP USBprog Programmer / AVR ISP mkII. KamProg for AVR USBASP STK600. ARDUINO	113 115 118 119 119 128 130 131 134 134 134 135 136 139 139
49	MCS Universal Interface Programmer STK500 Programmer Lawicel BootLoader AVR ISP Programmer USB-ISP Programmer MCS Bootloader PROGGY FLIP USBprog Programmer / AVR ISP mkII KamProg for AVR USBASP STK600 ARDUINO.	113 115 118 119 119 128 130 131 134 134 134 135 136 139 139

#### BASCOM-AVR

51	Window Cascade	
52	Window Tile	
53	Window Arrange Icons	
54	Windows Maximize All	
55	Window Minimize All	
56	Help About	
57	Help Index	
58	Help MCS Forum	
59	Help MCS Shop	
60	Help Support	
61	Help Knowledge Base	
62	Help Credits	
63	BASCOM Editor Keys	
64	Program Development Order	
65	PlugIns	
	Font Editor	156
Part IV	BASCOMHARDWARE	160
1	Additional Hardware	
2	AVR Internal Hardware	
3	AVR Internal Registers	
4	AVR Internal Hardware TIMER0	
5	AVR Internal Hardware TIMER1	
6	AVR Internal Hardware Watchdog timer	
7	AVR Internal Hardware Port B	
8	AVR Internal Hardware Port D	
9	Adding XRAM	
10	Attaching an LCD Display	
11	Memory usage	
12	Using the UART	
13	USING RS485	
14	Using the I2C protocol	
15	Using the 1 WIRE protocol	
16	Using the SPI protocol	
17	Power Up	
18	Chips	
	AT86RF401	
	AT90S1200	

 AT90S2313
 209

 AT90S2323
 210

 AT90S2333
 211

 AT90S2343
 211

 AT90S4414
 213

 AT90S4433
 213

 AT90S4434
 213

#### Contents

AT90S8515	
AT90S8535	
АТ90РWM2-3	
АТ90РWM216	
AT90CAN128	
AT90USB162	
ATtiny12	
ATtiny13	
ATtiny15	
ATtiny20	
ATtiny22	
ATtiny24	
ATtiny25	
ATtiny26	
ATtiny44	
ATtiny45	
ATtiny48	
ATtiny84	
A tuny64	
A tunyoo ATtiny88	
A runyoo ATtiny167	
ATtiny261	
ATtiny461	
ATtiny861	
ATtiny2313	
ATtiny4313	
ATMEGA8	
ATMEGA16	
ATMEGA16U4	
ATMEGA32	
ATMEGA16M1_32M1_64M1	
ATMEGA8U2_162_32U2	
ATMEGA16U4_32U4	
ATMEGA48	
ATMEGA48P	
ATMEGA88	
ATMEGA88P	
ATMEGA64	
ATMEGA103	
ATMEGA128	
ATMEGA128RFA1	
ATMEGA1284P	
ATMEGA161	
ATMEGA162	
ATMEGA163	
ATMEGA164P	
ATMEGA165	
ATMEGA168	
ATMEGA168P	
ATMEGA168P	
ATMEGA323	
ATMEGA324P	
ATMEGA325	
ATMEGA3250P	
ATMEGA328	
ATMEGA328P	
ATMEGA329	

	ATMEGA406	253
	ATMEGA603	
	ATMEGA645 ATMEGA649	
		260
	ATMEGA8515	262
	ATMEGA8535	
	ATXMEGA	263
	ATXMEGA16A4	267
	ATXMEGA16D4	268
	ATXMEGA32A4	269
	ATXMEGA32D4	269
	ATXMEGA64A1	
	ATXMEGA128A1 ATXMEGA128A3	
	ATXMEGA128D4	
	ATXMEGA192A3	278
	ATXMEGA192D3	279
	ATXMEGA256A3	280
	ATXMEGA256A3B	
	ATXMEGA256D3	
19	Reference Designs	
	EM4095 RFID ReaderUSB162 module	
Part V	USB162 module	
	USB162 module BASCOM Language Fundamentals	<sup>292</sup> 295
1	USB162 module	<sup>292</sup> 295 . 295
1 2	USB162 module	292 295 . 295 . 296
1 2	USB162 module	292 295 . 295 . 296
1 2 3	USB162 module	292 295 . 295 . 296 . 308
1 2 3	USB162 module	292 295 . 295 . 296 . 308 . 313
1 2 3 4 5	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318
1 2 3 4 5 6	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319
1 2 3 4 5 6 7	USB162 module	292 295 . 295 . 308 . 313 . 318 . 319 . 323
1 2 3 4 5 6 7 8	USB162 module	292 295 . 295 . 308 . 313 . 318 . 319 . 323 . 324
1 2 3 4 5 6 7 8 9	USB162 module	292 295 . 295 . 308 . 313 . 318 . 319 . 323 . 324
1 2 3 4 5 6 7 8 9	USB162 module	292 295 . 295 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1 2	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329 . 329
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1 2 3	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329 . 329 . 321
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1 2 3 4	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329 . 329 . 329 . 321 . 331
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1 2 3 4 5	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329 . 329 . 329 . 331 . 331 . 331
1 2 3 4 5 6 7 8 9 <b>Part VI</b> 1 2 3 4 5 6	USB162 module	292 295 . 295 . 296 . 308 . 313 . 318 . 319 . 323 . 324 . 325 329 . 329 . 329 . 329 . 329 . 321 . 331 . 331 . 331 . 332

		Contents	9
8	\$BIGSTRINGS		
9	\$BOOT		
10	\$CRYPT		
11	\$CRYSTAL		
12	\$DATA		
13	\$DBG		
	\$DEFAULT		
15	\$EEPLEAVE		
16	\$EEPROM		
17	\$EEPROMHEX		
	\$EEPROMSIZE		
19	\$EXTERNAL		
20	\$FILE		
21	\$FRAMESIZE		
	\$HWSTACK		
	\$HWCHECK, \$SWCHECK, \$SOFTCHECK		
	\$INC		
25	\$INCLUDE		
	\$INITMICRO		
	\$LCD		
	\$LCDPUTCTRL		
	\$LCDPUTDATA		
	\$LCDRS		
	\$LCDVFO		
	\$LIB		
	\$LOADER		
	\$LOADERSIZE		
	\$MAP		
	\$NOCOMPILE		
	\$NOINIT		
	\$NORAMCLEAR		
	\$NORAMPZ		
	\$NOTRANSFORM		
-	\$PROJECTTIME		
	\$PROG		
	\$PROGRAMMER		
	\$REGFILE		
	\$RESOURCE		
	\$ROMSTART		
	\$SERIALINPUT		
	\$SERIALINPUT1		
	\$SERIALINPUT2LCD		

50	\$SERIALOUTPUT	400
51	\$SERIALOUTPUT14	401
52	\$SIM	401
53	\$SWSTACK	402
54	\$TIMEOUT	404
55	\$TINY	406
56	\$VERSION	407
57	\$WAITSTATE	408
58	\$XA	408
59	\$XRAMSIZE	409
60	\$XRAMSTART4	410
61	\$XTEAKEY	411
62	1WIRECOUNT	411
63	1WRESET	414
64	1WREAD	416
65	1WSEARCHFIRST	418
66	1WSEARCHNEXT	
67	1WVERIFY	
68	1WWRITE	425
	ABS	
70	ACOS	
	ADR , ADR2	
	AESDECRYPT	
	AESENCRYPT	
	ALIAS	
	ASC	-
-	ASIN	
	ATN	
••	ATN2	
	BASE64DEC	
	BASE64ENC	
	BAUD	
	BAUD1	
-	BCD	
	BIN	
-	BINVAL	
	BINZGRAY	
	BITWAIT	
		-
	BLOAD	
	BOX	
91	BOXFILL	458

92	BSAVE	459
93	BUFSPACE	460
94	BYVAL	460
95	CALL	461
96	CHARPOS	463
97	CHECKFLOAT	464
98	CHECKSUM CHECKSUMXOR	466
99	CHR	467
100	CIRCLE	468
101	CLEAR	471
102	CLS	472
103	CLOCKDIVISION	475
104	CLOSE	476
105	CLOSESOCKET	478
106	CONFIG	481
107	CONFIG 1WIRE	483
108	CONFIG ACI	487
109	CONFIG ACXX	488
110	CONFIG ADC	490
111	CONFIG ADCx	492
112	CONFIG ATEMU	494
113	CONFIG BASE	497
114	CONFIG BCCARD	497
115	CONFIG CLOCK	500
116	CONFIG CLOCKDIV	504
117	CONFIG COM1	505
118	CONFIG COM2	507
	CONFIG COMx	
120		
121		
122	CONFIG DCF77	
124	CONFIG DMA	
125	CONFIG DMACHx	
126	CONFIG DMXSLAVE	
	CONFIG DP	
	CONFIG EEPROM	
	CONFIG ERROR	
	CONFIG EVENT SYSTEM	
	CONFIG HITAG	

134	CONFIG I2CDELAY	542
135	CONFIG I2CSLAVE	545
136	CONFIG INPUT	550
137	CONFIG INTx	551
138	CONFIG KBD	553
139	CONFIG KEYBOARD	554
140	CONFIG LCD	557
141	CONFIG LCDBUS	561
142	CONFIG LCDMODE	564
143	CONFIG LCDPIN	564
144	CONFIG OSC	568
145	CONFIG PORT	569
146	CONFIG POWERMODE	571
147	CONFIG POWER_REDUCTION	573
148	CONFIG PRIORITY	575
149	CONFIG PRINT	576
150	CONFIG PRINTBIN	578
151	CONFIG PS2EMU	578
152	CONFIG RC5	581
153	CONFIG SDA	581
154	CONFIG SCL	582
155		582
156		587
157	CONFIG SINGLE	589
158	CONFIG SHIFTIN	590
159	CONFIG SPI	591
160	CONFIG SPIx	593
161	CONFIG SERVOS	595
162	CONFIG SUBMODE	598
163	CONFIG SYSCLOCK	599
164	CONFIG TCXX	600
165		602
166	CONFIG TIMER0	605
167	CONFIG TIMER1	607
168	CONFIG TIMER2	610
169		612
170	CONFIG TWISLAVE	613
171	CONFIG USB	619
172	CONFIG VPORT	625
173	CONFIG WAITSUART	627
174	CONFIG WATCHDOG	627
175	CONFIG X10	631

		Contents	13
176	CONFIG XPIN		
177	CONFIG XRAM		
178	CONST		
179	COS		
180	COSH		
181	COUNTER0 and COUNTER1		
182	СРЕЕК		
183	СРЕЕКН		
184	CRC8		
185	CRC16		
186	CRC16UNI		
187	CRC32		
188	CRYSTAL		654
189	CURSOR		
190	DATA		
191	DAYOFWEEK		
192	DAYOFYEAR		
193	DATE\$		671
194	DATE		
195	DBG		
196	DCF77TIMEZONE		
197	DEBUG		684
198	DEBOUNCE		
199	DECR		
200	DECLARE FUNCTION		
201	DECLARE SUB		
202	DEFxxx		
203	DEFLCDCHAR		
204	DEG2RAD		
205	DELAY		
206	DELCHAR		
207	DELCHARS		
208	DIM		
209	DIR		
210	DISABLE		707
211	DISKFREE		
212	DISKSIZE		710
213	DISPLAY		711
214	DO-LOOP		714
215	DriveCheck		715
216	DriveGetIdentity		716
217	Drivelnit		

218	DriveReset	718
219	DriveReadSector	718
220	DriveWriteSector	719
221	DTMFOUT	720
222	ECHO	723
223	ELSE	.724
224	ENABLE	726
225	ENCODER	728
226	END	730
227	EOF	731
228	EXIT	732
229	EXP	733
230	FILEATTR	734
231	FILEDATE	735
232	FILEDATETIME	736
233	FILELEN	737
234	FILETIME	738
235	FIX	738
236	FLUSH	739
237	FORMAT	.740
238	FOR-NEXT	.742
239	FOURTHLINE	.744
240	FRAC	.744
241	FREEFILE	.745
242	FUSING	746
243	GET	.747
244	GETADC	750
245	GETATKBD	753
246	GETATKBDRAW	757
247	GETDSTIP	758
248	GETDSTPORT	759
249	GETKBD	759
250	GETRC	761
251	GETRC5	763
252	GETREG	766
253	GETTCPREGS	767
254	GETSOCKET	767
255	GLCDCMD	768
256	GLCDDATA	769
257	GOSUB	769
258	GOTO	.770
259	GRAY2BIN	.771

		Contents	15
260	HEX		772
261	HEXVAL		773
262	HIGH		774
263	HIGHW		774
264	НОМЕ		775
265	I2CINIT		775
266	I2CRECEIVE		776
267	I2CSEND		778
268	I2START,I2CSTOP, I2CRBYTE, I2CWBYTE, I2CREPSTART		779
269	IDLE		785
270	IF-THEN-ELSE-END IF		785
271	INCR		787
272	INITFILESYSTEM		787
273	INITLCD		788
274	INKEY		789
275	INP		791
276	INPUTBIN		792
277	INPUTHEX		793
278	INPUT		794
279	INSERTCHAR		797
280	INSTR		798
281	INT		799
282	IP2STR		800
283	ISCHARWAITING		800
284	KILL		801
285	LCASE		802
286	LCD		803
287	LCDAT		806
288	LCDAUTODIM		808
289	LCDCONTRAST		808
290	LEFT		809
291	LEN		809
292	LINE		810
293	LINEINPUT		813
294	LTRIM		814
295	LOAD		814
296	LOADADR		815
297	LOADLABEL		815
298	LOADWORDADR		816
299	LOC		817
300	LOF		818
301	LOCAL		819


302	LOCATE822
303	LOG822
304	LOG10
305	LOOKDOWN
306	LOOKUP
307	LOOKUPSTR
308	LOW
309	LOWERLINE
310	MACRO
311	MAKEBCD
312	MAKEINT
313	MAKEDEC
314	MAKEMODBUS
315	MAKETCP
316	MAX
317	MEMCOPY
318	MIN
319	MID
320	MOD
321	NBITS
322	ON INTERRUPT
323	ON VALUE
324	OPEN
325	OUT
326	PEEK
327	POKE
328	POPALL
329	POWER
330	POWER MODE
331	POWERDOWN
332	POWERSAVE
333	PRINT
334	PRINTBIN
335	PSET
336	PS2MOUSEXY
	PULSEIN
338	PULSEOUT
	PUSHALL
	PUT
	QUOTE
	RAD2DEG
	RC5SEND

		Contents	17
344	RC5SENDEXT		
345	RC6SEND		
346	READ		
347	READEEPROM		
348	READHITAG		
349	READMAGCARD		
350	READSIG		
351	REM		890
352	REPLACECHARS		
353	RESET		
354	RESTORE		
355	RETURN		
356	RIGHT		
357	RND		
358	ROTATE		
359	ROUND		
360	RTRIM		899
361	SECELAPSED		900
362	SECOFDAY		900
363	SEEK		901
364	SELECT-CASE-END SELECT		
365	SET		904
366	SETFONT		
367	SETREG		
368	SETTCP		
369	SETTCPREGS		911
370	SENDSCAN		913
371	SENDSCANKBD		915
372	SERIN		919
373	SEROUT		921
374	SETIPPROTOCOL		923
375	SGN		925
376	SHIFT		926
377	SHIFTCURSOR		928
378	SHIFTIN		928
379	SHIFTOUT		932
380	SHIFTLCD		933
381	SHOWPIC		934
382	SHOWPICE		934
383	SIN		936
384	SINH		937
385	SOCKETCONNECT		

386	SOCKETLISTEN	940
387	SOCKETSTAT	941
388	SONYSEND	942
389	SORT	945
390	SOUND	947
391	SPACE	948
392	SPC	949
393	SPIIN	950
394	SPIINIT	951
395	SPIMOVE	951
396	SPIOUT	952
397	SPLIT	953
398	SQR	954
399	START	955
400	STCHECK	957
401	STOP	961
402	STR	962
403	STR2DIGITS	963
	STRING	
	SUB	
406	SYSSEC	
		967
407	SYSSECELAPSED	
407 408	SYSSECELAPSED SYSDAY	968
407 408 409	SYSSECELAPSED SYSDAY SWAP	968 969
407 408 409 410	SYSSECELAPSED SYSDAY SWAP TAN	968 969 971
407 408 409 410 411	SYSSECELAPSED SYSDAY SWAP TAN TCPCHECKSUM	968 969 971 971
407 408 409 410 411 412	SYSSECELAPSED	968 969 971 971 975
407 408 409 410 411 412 413	SYSSECELAPSED SYSDAY SWAP TAN TCPCHECKSUM TCPREAD TCPWRITE	968 969 971 971 975 976
407 408 409 410 411 412 413 414	SYSSECELAPSED SYSDAY SWAP TAN TCPCHECKSUM TCPREAD TCPREAD TCPWRITE TCPWRITESTR	968 969 971 971 975 976 976
407 408 409 410 411 412 413 414 415	SYSSECELAPSED SYSDAY SWAP TAN TCPCHECKSUM TCPCHECKSUM TCPREAD TCPWRITE TCPWRITE TCPWRITESTR TANH	968 969 971 971 975 976 976 976 980
407 408 409 410 411 412 413 414 415 416	SYSSECELAPSED SYSDAY SWAP TAN TCPCHECKSUM TCPCHECKSUM TCPREAD TCPWRITE TCPWRITE TCPWRITESTR TANH TANH THIRDLINE	968 969 971 971 975 976 976 980 981
407 408 409 410 411 412 413 414 415 416 417	SYSSECELAPSED	968 969 971 971 975 976 976 980 981 981
407 408 409 410 411 412 413 414 415 416 417 418	SYSSECELAPSEDSYSDAYSWAPSWAP	968 969 971 971 975 976 976 980 981 981 982
407 408 409 410 411 412 413 414 415 416 417 418 419	SYSSECELAPSED	968 969 971 971 975 976 976 980 981 981 981 982 984
407 408 409 410 411 412 413 414 415 416 417 418 419 420	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TOGGLE         TRIM	968 969 971 971 975 976 980 981 981 982 984 984
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TOGGLE         TRIM         UCASE	968 969 971 971 975 976 980 981 981 982 984 984 986 987
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         TIME\$         TIME\$         TIME         TOGGLE         TRIM         UCASE         UDPREAD	968 969 971 971 975 976 976 980 981 981 981 982 984 986 987 988
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TIME         UCASE         UDPWRITE	968 969 971 971 975 976 976 980 981 981 982 984 984 986 987 988 991
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TOGGLE         UCASE         UDPREAD         UDPWRITE         UDPWRITESTR	968 969 971 971 975 976 980 981 981 981 982 984 986 987 988 991
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TIME         TOGGLE         UCASE         UDPWRITESTR         UDPWRITESTR	968 969 971 971 975 976 980 981 981 981 982 984 986 987 988 991 992 996
407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426	SYSSECELAPSED         SYSDAY         SWAP         TAN         TCPCHECKSUM         TCPREAD         TCPWRITE         TCPWRITESTR         TANH         THIRDLINE         TIME\$         TOGGLE         UCASE         UDPREAD         UDPWRITE         UDPWRITESTR	968 969 971 971 975 976 976 980 981 981 981 984 984 987 988 997 988 9991 992 996

	Cor	ntents	19
428	VER		
429	VERSION		
430	WAIT		
	WAITKEY		
-	WAITMS		
	WAITUS		
	WHILE-WEND		
	WRITE		
	WRITEEPROM		
	X10DETECT		
	X10SEND		
Part VII	International Resellers		1015
1	International Resellers		1015
Part VIII	ASM Libraries and Add-Ons		1017
1	EXTENDED I2C		1017
2	FM24C16		1019
3	FM24C64_256		1019
	FM25C256		
5	HEXVAL		1020
	I2C TWI		
	MCSBYTE		
8	MCSBYTEINT		
	LCD		
	LCD4BUSY		
	LCD4.LIB		1023
	LCD4E2		-
	GLCD		
	PCF8533		
	LCD-EPSON		1027
	glcdR7565R		
11	glcdSSD1325_96x64 AVR-DOS		
11	AVR-DOS		
12	CF Card		
	Compact FlashCard Driver		
	Elektor CF-Interface		
	XRAM CF-Interface for simulation		
	New CF-Card Drivers		
13	Floating Point		
	FP_TRIG DOUBLE		
	DOUDLE		

14	4 I2C SLAVE	
	CONFIG I2CSLAVE	1040
	I2C TWI Slave	1040
15	5 SPI	
	SPISLAVE	1041
16	6 DATE TIME	
	EUROTIMEDATE	1044
	DATETIME	1044
17	7 PS2-AT Mouse and Keyboard Emulation	
	AT_EMULATOR	1045
	PS2MOUSE_EMULATOR	1045
18	BCCARD	
	BCCARD	1045
	BCDEF	1047
	BCCALL	1047
	BCRESET	1053
19	9 USB	
	USB Add On	1054
20	) MODBUS Slave/Server	
Part IX	( Tools	1071
1	1 LCD RGB-8 Converter	
	Index	1073



# 1 Index

# BASCOM®AVR®





### Version 2.0.7.4 document build 43

MCS Electronics may update this documentation without notice. Products specification and usage may change accordingly. MCS Electronics will not be liable for any miss-information or errors found in this document.

All software provided with this product package is provided 'AS IS' without any warranty expressed or implied.

MCS Electronics will not be liable for any damages, costs or loss of profits arising from the usage of this product package.

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, for any purpose, without written permission of MCS Electronics.

Copyright MCS Electronics. All rights reserved.

### **1.1 Keyword Reference**

### **1WIRE**

 $\frac{1 \text{Wire routines allow you to communicate with Dallas 1wire chips.}}{\frac{1 \text{WRESET}}{141}, \frac{1 \text{WREAD}}{1000} \text{A16}, \frac{1 \text{WWRITE}}{1000} \text{A26}, \frac{1 \text{WSEARCHFIRST}}{1000} \text{A16}, \frac{1 \text{WSEARCHNEXT}}{1000} \text{A26}, \frac{1 \text{WSEARCHNEXT}}{100$ 

# Conditions

Conditions execute a part of the program depending on a condition being True or False

IF-THEN-ELSE-END IF 7851, WHILE-WEND 10031, ELSE 7241, DO-LOOP 7141, SELECT CASE - END SELECT 10031, FOR-NEXT 7421

# Configuration

Configuration commands initialize the hardware to the desired state. <u>CONFIG</u> [487], <u>CONFIG ACI</u> [487], <u>CONFIG ADC</u> [497], <u>CONFIG ADC</u> [497], <u>CONFIG CLOCK</u> [500], <u>CONFIG COM1</u> [508], <u>CONFIG COM2</u> [507], <u>CONFIG DAC</u> [517], <u>CONFIG DATE</u> [512], <u>CONFIG DMXSLAVE</u> [527], <u>CONFIG EPPROM</u> [530], <u>CONFIG I2CSLAVE</u> [548], <u>CONFIG INPUT</u> [550], <u>CONFIG GRAPHLCD</u> [533], <u>CONFIG ATEMU</u> [494], <u>CONFIG I2CSLAVE</u> [548], <u>CONFIG INPUT</u> [550], <u>CONFIG GRAPHLCD</u> [533], <u>CONFIG KEYBOARD</u> [554], <u>CONFIG</u> <u>TIMER0</u> [606], <u>CONFIG TIMER1</u> [607], <u>CONFIG LCDBUS</u> [561], <u>CONFIG LCDMODE</u> [564], <u>CONFIG 1WIRE</u> [483], <u>CONFIG SPI</u> [504], <u>CONFIG SPI</u> [506], <u>CONFIG SERIALOUT</u> [587], <u>CONFIG SERIALIN</u> [562], <u>CONFIG PRIORITY</u> [576], <u>CONFIG SDA</u> [564], <u>CONFIG SSCLOCK</u> [599], <u>CONFIG DEBOUNCE</u> [527], <u>CONFIG WATCHDOG</u> [627], <u>CONFIG SINGLE</u> [588], <u>CONFIG DEBOUNCE</u> [527], <u>CONFIG WATCHDOG</u> [627], <u>CONFIG SINGLE</u> [588], <u>CONFIG JUITER1</u> [643], <u>CONFIG TCPIP</u> [602], <u>CONFIG USB</u> [613], <u>CONFIG SINGLE</u> [588], <u>CONFIG VPORT</u> [626], <u>CONFIG ERROR</u> [530], <u>CONFIG DP</u> [529], <u>CONFIG TCXX</u> [600], <u>CONFIG VPORT</u> [626], <u>CONFIG ERROR</u> [530], <u>CONFIG SUBMODE</u> [588], <u>CONFIG POWER REDUCTION</u> [577], <u>CONFIG SUBMODE</u> [588], <u>CONFIG POWER REDUCTION</u> [577], <u>CONFIG SUBMODE</u> [588], <u>CONFIG POWERMODE</u> [577], <u>CONFIG XPIN</u> [632]

# Conversion

A conversion routine is a function that converts a number or string from one form to another.

 BCD [448], GRAY2BIN [771], BIN2GRAY [452], BIN [450], MAKEBCD [828], MAKEDEC [830],

 MAKEINT [829], FORMAT [740], FUSING [746], BINVAL [451], CRC8 [647], CRC16 [649], CRC16UNI

 [651], CRC32 [653], HIGH [774], HIGHW [774], LOW [826], AESENCRYPT [435], AESDECRYPT [435]

# DateTime

Date Time routines can be used to calculate with date and/or times. <u>DATE</u> [573], <u>TIME</u> [582], <u>DATE\$</u> [577], <u>TIME\$</u> [587], <u>DAYOFWEEK</u> [667], <u>DAYOFYEAR</u> [576], <u>SECOFDAY</u> [566], <u>SYSSEC</u> [567], <u>SYSSECELAPSED</u> [567]

# Delay

Delay routines delay the program for the specified time. WAIT 999 , WAITMS 1001 , WAITUS 1002 , DELAY 696

# **Directives**

Directives are special instructions for the compiler. They can override a setting from

#### the IDE.

\$ASM[33f], \$BAUD[332], \$BAUD1[333], \$BIGSTRINGS[336], \$BGF[33A], \$BOOT[336], \$CRYSTAL[336], \$DATA[338], \$DBG[340], \$DEFAULT[342], \$EEPLEAVE[343], \$EEPROM[343], \$EEPROMHEX[34A], \$EEPROMSIZE[345], \$EXTERNAL[346], \$HWSTACK[335], \$INC[360], \$INCLUDE[36f], \$INITMICRO[362], \$LCD[363], \$LCDRS[368], \$LCDPUTCTRL[366], \$LCDPUTDATA[367], \$LCDVFO[377], \$LIB[377], \$LOADER[374], \$LOADERSIZE[386], \$MAP[386], \$NOCOMPILE[386], \$NOINIT[387], \$NORAMCLEAR[386], \$NORAMPZ[388], \$PROJECTTIME [389], \$PROG[390], \$PROGRAMMER[397], \$REGFILE[392], \$RESOURCE[393], \$ROMSTART[396], \$SERIALINPUT[397], \$SERIALINPUT1[387], \$SWSTACK[402], \$TIMEOUT[404], \$TINY[406], \$WAITSTATE[408], \$XRAMSIZE[409], \$XRAMSTART[410], \$XA[408], \$CRYPT[337], \$NOTRANSFORM[389], \$FILE[347], \$AESKEY[331], \$XTEAKEY[411]]

### File

File commands can be used with AVR-DOS, the Disk Operating System for AVR. <u>BSAVE</u>[459], <u>BLOAD</u>[455], <u>GET</u>[747], <u>VER</u>[998], <u>DISKFREE</u>[709], <u>DIR</u>[706], <u>DriveReset</u>[718], <u>DriveInit</u>[717], <u>LINE INPUT</u>[813], <u>INITFILESYSTEM</u>[787], <u>EOF</u>[737], <u>WRITE</u>[1004], <u>FLUSH</u>[739], <u>FREEFILE</u>[745], <u>FILEATTR</u>[734], <u>FILEDATE</u>[736], <u>FILETIME</u>[738], <u>FILEDATETIME</u>[736], <u>FILELEN</u> [737], <u>SEEK</u>[907], <u>KILL</u>[807], <u>DriveGetIdentity</u>[716], <u>DriveWriteSector</u>[719], <u>DriveReadSector</u> [718], <u>LOC</u>[817], <u>LOF</u>[818], <u>PUT</u>[870], <u>OPEN</u>[845], <u>CLOSE</u>[476]

### **Graphical LCD**

Graphical LCD commands extend the normal text LCD commands. <u>GLCDCMD</u> 768 , <u>GLCDDATA</u> 769 , <u>SETFONT</u> 906 , <u>LINE</u> 810 , <u>PSET</u> 864 , <u>SHOWPIC</u> 934 , <u>SHOWPICE</u> 934 , <u>CIRCLE</u> 468 , <u>BOX</u> 456

# **I2C**

I2C commands allow you to communicate with I2C chips with the TWI hardware or with emulated I2C hardware. <u>I2CINIT</u> 776, <u>I2CRECEIVE</u> 776, <u>I2CSEND</u> 778, <u>I2CSTART, I2CREPSTART, I2CSTOP,</u> <u>I2CRBYTE,I2CWBYTE</u> 779

# ΙΟ

 $\begin{array}{l} I/O \text{ commands are related to the I/O pins and ports of the processor chip.} \\ \underline{ALIAS}_{[437]}, \underline{BITWAIT}_{[453]}, \underline{TOGGLE}_{[994]}, \underline{RESET}_{[897]}, \underline{SET}_{[994]}, \underline{SHIFTIN}_{[928]}, \underline{SHIFTOUT}_{[932]}, \underline{DEBOUNCE}_{[868]}, \underline{PULSEIN}_{[867]}, \underline{PULSEOUT}_{[868]} \end{array}$ 

# Micro

Micro statements are specific to the micro processor chip. IDLE [785], POWER mode [859], POWERDOWN [860], POWERSAVE [860], ON INTERRUPT [840], ENABLE [726], DISABLE [707], START [955], END [730], VERSION [998], CLOCKDIVISION [475], CRYSTAL [654], STOP [961]

### Memory

Memory functions set or read RAM, EEPROM or flash memory. <u>ADR</u><sup>429</sup>, <u>ADR2</u><sup>429</sup>, <u>WRITEEEPROM</u><sup>1006</sup>, <u>CPEEK</u><sup>640</sup>, <u>CPEEKH</u><sup>640</sup>, <u>PEEK</u><sup>850</sup>, <u>POKE</u><sup>855</sup>, <u>OUT</u><sup>653</sup>, <u>READEEPROM</u><sup>881</sup>, <u>DATA</u><sup>668</sup>, <u>INP</u><sup>791</sup>, <u>READ</u><sup>679</sup>, <u>RESTORE</u><sup>892</sup>, <u>LOOKDOWN</u><sup>1023</sup>, <u>LOOKUP</u><sup>1025</sup>, <u>LOOKUPSTR</u><sup>826</sup>, <u>CPEEKH</u><sup>646</sup>, <u>LOAD</u><sup>814</sup>, <u>LOADADR</u><sup>815</sup>, <u>LOADLABEL</u><sup>815</sup>, <u>LOADWORDADR</u><sup>816</sup>, <u>MEMCOPY</u><sup>1834</sup>, <u>GETREG</u><sup>766</sup>, <u>SETREG</u><sup>509</sup>

### **Remote Control**

Remote control statements send or receive IR commands for remote control. <u>RC5SEND</u><sup>[873]</sup>, <u>RC6SEND</u><sup>[877]</sup>, <u>GETRC5</u><sup>[763]</sup>, <u>SONYSEND</u><sup>[942]</sup>

# **RS-232**

RS-232 are serial routines that use the UART or emulate a UART. <u>BAUD</u>[446], <u>BAUD1[447]</u>, <u>BUFSPACE</u>[460], <u>CLEAR</u>[471], <u>ECHO</u>[723], <u>WAITKEY</u>[1000], <u>ISCHARWAITING</u>[800], <u>INKEY</u>[788], <u>INPUTBIN</u>[792], <u>INPUTHEX</u>[793], <u>INPUT</u>[794], <u>PRINT</u>[861], <u>PRINTBIN</u>[863], <u>SERIN</u>[919], <u>SEROUT</u>[927], <u>SPC</u>[949], <u>MAKEMODBUS</u>[830]

# SPI

SPI routines communicate according to the SPI protocol with either hardware SPI or software emulated SPI. SPIIN 95하, SPIINIT 95하, SPIMOVE 95하, SPIOUT 952

# String

String routines are used to manipulate strings.

ASC [438], CHARPOS [463], UCASE [867], LCASE [802], TRIM [886], SPLIT [953], LTRIM [814], INSTR [798], SPACE [948], STRING [964], RTRIM [899], LEFT [809], LEN [809], MID [837], RIGHT [895], VAL [996], STR [962], CHR [467], CHECKSUM [466], CHECKSUMXOR [466], HEX [772], HEXVAL [773], QUOTE [872], REPLACECHARS [897], STR2DIGITS [963], DELCHAR [697], DELCHARS [698], INSERTCHAR [797]

# TCP/IP

TCP/IP routines can be used with the W3100/IIM7000/IIM7010 modules. BASE64DEC [444], BASE64ENC [445], IP2STR [600], UDPREAD [686], UDPWRITE [991], UDPWRITESTR [692], TCPWRITE [676], TCPWRITESTR [676], TCPREAD [675], GETDSTIP [758], GETDSTPORT [759], SOCKETSTAT [641], SOCKETCONNECT [637], SOCKETLISTEN [640], GETSOCKET [767], CLOSESOCKET [478], SETTCP [609], GETTCPREGS [767], SETTCPREGS [611], SETIPPROTOCOL [623], TCPCHECKSUM [677]

# **Text LCD**

# Trig & Math

Trig and Math routines work with numeric variables.

ACOS [428], ASIN [441], ATN [442], ATN2 [443], EXP [733], RAD2DEG [873], FRAC [744], TAN [971], TANH [980], COS [642], COSH [643], LOG [822], LOG10 [823], ROUND [898], ABS [427], INT [799], MAX [833], MIN [836], SQR [954], SGN [925], POWER [856], SIN [936], SINH [937], FIX [738], INCR [787], DECR [686], DEG2RAD [695], CHECKFLOAT [464], MOD [838]

# Various

This section contains all statements that were hard to put into another group <u>CONST</u> [640], <u>DBG</u> [683], <u>DECLARE FUNCTION</u> [683], <u>DEBUG</u> [684], <u>DECLARE SUB</u> [690], <u>DEFXXX</u>

#### 26 BASCOM-AVR

[694] , DIMDTMFOUT[720] , EXIT[732] , ENCODER[728] , GETADC[750] , GETKBD[759] ,GETATKBD[753] , GETRC[761] , GOSUB[769] , GOTO[770] , LOCAL[819] , ON VALUE[843] , POPALL[856] , PS2MOUSEXY[867] , PUSHALL[869] , RETURN[894] , RND[895] , ROTATE[897] , SENDSCAN[913] , SENDSCANKBD[915] , SHIFT[926] , SOUND[947] , STCHECK[957] , SUB[966] , SWAP[913] , SENDSCANKBD[915] , SHIFT[926] , SOUND[947] , STCHECK[957] , SUB[966] , SWAP[913] , SENDSCANKBD[915] , SHIFT[926] , SOUND[947] , STCHECK[957] , SUB[966] , SWAP[913] , SENDSCANKBD[915] , SHIFT[926] , SOUND[947] , STCHECK[957] , SUB[966] , SWAP[913] , SENDSCANKBD[915] , SHIFT[926] , SOUND[947] , STCHECK[957] , SUB[966] , SWAP[913] , SENDSCANKBD[915] , SUB[927] , SUB[928] , READMAGCARD[886] , REM[890] , BITS[913] , SORT[947] , X100ETECT[1007] , X100ETECT[1007] , HELSE[329] , HENDIF[329] , READHITAG[883] , SORT[945] , SUB[914] 460] , CALL[461] , HIF[329] , HELSE[329] , HENDIF[329] , READHITAG[883] , SORT[945] , STEADECODE[915] 454] , STEADECODE[1012][1012][1012][1012][1012][1012]

### **XMEGA**

READSIG 888

### 1.2 About MCS Electronics

# **About the Founder**

Since I was young, I was intrigued by remote control, robots, transmitters, in short, all electronics. I created countless electronic devices. I designed a lot of PCB's by hand, using ink. When the ATARI came along, with the ST1040 and an affordable PCB design tool, I bought my first real computer.

Dot matrix printers, at that time, did not produce very good print. Design of a PCB was still time consuming. I found that a nice BASIC interpreter, which was similar to GW-BASIC, was included in the OS(TOS). For some reason, I liked this language. It was easy to master and very intuitive.

I found out, that Atmel made the 89c2051, which was a 20 pin chip with flash memory. I was excited to find out that there was a small micro processor that could be erased/reprogrammed without the need to UV erase the EPROM. Before the Atmel chip, I used the 8052AH, with a BASIC interpreter. It worked nice, but code ran too slow. The EPROM's had to be erased by UV light which took a long time.

Those days, electronic circuits consisted of numerous CMOS and TTL chips. I saw the 89C2051, as an ideal replacement, for a lot of CMOS/TTL chips. It would make PCB design much simpler.

The idea to be able to change the behaviour of an electronic circuit, just by reprogramming it, without using a solder iron, intrigued me. Today, it is common practice, to update firmware, to fix bugs or add features. In 1993, it was not so common, at least not to my knowledge.

I initially wrote a complete tool for DOS. I rewrote the tool, when I was reasonably satisfied that Windows 3.1 was stable. The tool was for my own usage. When I discovered, that it would be usable to others, I decided to add Help files and to sell it for a small fee.

In 1995, MCS started to sell BASCOM-LT, a BASIC compiler for Windows 3.1. It was the first Windows application that offered a complete and affordable solution, editor, compiler, simulator and programmer. BASCOM-LT was a 8051 BASIC compiler. The reason it became popular, was that it included a lot of functionality that was easy to use from BASIC. To use an LCD display was simple, just a configuration line to define the used pins and voila, a working application in minutes. When you needed a different LCD display, you could simply change the CONFIG line.

When a different processor was needed, you only had to change the definition file!

Another reason for its success, was that we hid much of the complexity, from the user. No ASM to deal with, simple statements. Of course free updates and support.

Small companies that used the BASIC Stamp also recognized another advantage, that there was no need for expensive modules and the code ran much quicker.

When Windows 95 became more an industry standard, users also wanted a 32 bit version. A big part of BASCOM-LT was rewritten with the additional support for arrays and floating point (single).

With the many different 8051 variants, it was impossible to support all the chips. Having device definition "DAT" files, made it easy for the user to configure the 8051 variants.

When Atmel launched the AVR chip, the 8051 compiler was rewritten, once again, to support the powerful AVR chips. The result was BASCOM-AVR.

The AVR chip has a lot of internal memory. It uses simple linear memory addressing. The best part, is that you can make the chip program itself. No wonder this chip family became so popular.

Since the AVR chip is so powerful, we could extend the compiler as well. We could add features, which are almost impossible to add for the 8051.

With more and more users, there was no way I could manage everything in my spare time. So in order to guarantee the future of BASCOM, I decided to work full time for MCS.

Today, MCS is still a small company, with only 3 employees.

We believe in free updates and support. With the number of (demo) users, it is however not possible to support everybody. You need to realize that reading and answering emails is time consuming.

Not to mention to duplicate used hardware. We are unique, in that we even support hardware!

For a long time, we are working on a more professional version of the software.

We occasionally add new features to the current BASCOM version.

An ARM version is also under development as well.

Note, that we do not provide details or time frames, for these versions, nor do we, for other features.

In order to migrate to a new version, it is important that you keep your software up to date. This will make migration more simple.

Things we find important :

- The environment. We reuse all usable packing material like foam, plastic bubbles, when we ship your order.
- That everybody can use microprocessors. They are like all other chips.
- Customer privacy: We keep your name, details and code confidential.

#### BASCOM-AVR

28

- Little advertisements on our web. You will only find them at our homepage.
- Free updates. They have been free since 1995 but there is no guarantee that they will remain free for ever. The intention is to keep them free.
- Free, but limited, support. Limited only, because we do not have the resources to read/answer all emails.
- Support for new chips. It is important to be able to support newly released chips.
- The customer : We simply add what is requested most. It does not matter what, as long as it is requested a lot.
- That you have fun with electronics, no matter where you live, no matter which religion you are, no matter how old you are or if you are male, female, purple or white.
- That you can use the free demo for free. That you pay for a full version, if you use it commercial. Please do not use cracked software. Only download from the mcselec.com web. Copies from other sites may contain spy ware, virus or other malware. Using cracked software, means the end of all software.

Have fun !

Mark Alberts

MCS Electronics

#### 1.2.1 Custom Designs

MCS does produce hardware to support special options. Like the <u>EM4095 Reference</u> <u>Design</u> and <u>adapter</u> boards. We try not to use SMD parts. In some cases this is not possible however.

For a prototype or small series, through hole components are simple to use. We do this with the hobbyist in mind. So our reference designs use little SMD parts as possible.

We also do custom hard and software projects. Of course we can also produce hardware with SMD parts only. We also produce custom Windows software.

MCS knows a number of BASCOM consultants that can help you with your design. See also  $\frac{About MCS}{26}$ 

#### 1.2.2 Application Notes

When you want to show your application at our web as an example on what you can achieve with BASCOM, we like to publish it our web, but of course with your permission. We never publish anything without your explicit permission.

AN's are also welcome. When you developed a great AN you want to share with other BASCOM users, just send it and we will make an AN out of it. It is important that the comment in the source is in English.

Index	29



# 2 Installation

# 2.1 Installation of BASCOM

After you have downloaded the ZIP file you need to UNZIP the file. On Windows XP, for the DEMO version, run the setupdemo.exe file from within the Zipped file.

The commercial version comes with a license file in the form of a DLL. This file is always on the disk where the file SETUP.EXE is located. When explorer does not show this file, you must set the option in explorer to view system files (because a DLL is a system file).

For the commercial version the setup file is named SETUP.EXE

Some resellers might distribute the DLL file in a zipped file. Or the file might have the extension of a number like "123". In this case you must rename the extension to DLL.

Make sure the DLL is in the same directory as the SETUP.EXE file.

When you are using the DEMO version you don't need to worry about the license file.

When you are installing on a NT machine like NT4 , W2000, XP or Vista, you need to have Administrator rights.

After installing BASCOM you must reboot the computer before you run BASCOM.

The installation example will describe how the FULL version installs. This is almost identical to the installation of the DEMO version.

Run the SETUPDEMO.EXE (or SETUP.EXE) by double clicking on it in explorer.

The following window will appear:

(screen shots may differ a bit)



Click on the **Next button** to continue installation.

The following license info window will appear:

🕞 Setup - BASCOM-AVR	
License Agreement Please read the following important information before continuing.	L &
Please read the following License Agreement. You must accept the terms of this agreement before continuing with the installation.	
BASCOM-AVR	^
MCS Electronics NO-NONSENSE LICENSE STATEMENT AND LIMITED WARRANTY	_
IMPORTANT - READ CAREFULLY This license statement and limited warranty constitutes a legal agreement ("License Agreement") between you (either as an individual or a single entity) and MCS Electronics for the software product ("Software") identified above, including any software, media, and accompanying on-line or	>
accept the agreement	
OI do not accept the agreement	
< <u>B</u> ack <u>N</u> ext >	Cancel

Read the instructions , select 'I accept the agreement' and press the Next button.

The following window will be shown :

1 Setup - BASCOM-AVR	
Information Please read the following important information before continuing.	L.
When you are ready to continue with Setup, click Next.	
Thank you for using BASCOM-AVR	~
This file contains some additional info on BASCOM-AVR.	
When you get an Error 123 you probably don't have a printer installed Install a printer (HP Laserjet 4 for example) and run again. You do not need to connect a printer, but a printerdriver must be installed.	
When you get an OleSysError, reboot Windows and run SETUP again. After rebooting again, run BASCOM again.	
When you install the software on an NT/W2000/XP/VISTA machine you need	
< <u>B</u> ack <u>N</u> ext >	Cancel

Read the additional information and click the **Next button** to continue.

Now the next screen will appear:

🕼 Setup - BASCOM-AVR
Select Destination Location Where should BASCOM-AVR be installed?
Setup will install BASCOM-AVR into the following folder.
To continue, click Next. If you would like to select a different folder, click Browse.
C:\Program Files\MCS Electronics\BASCOM-AVR Browse
At least 18.4 MB of free disk space is required.
< <u>B</u> ack <u>N</u> ext > Cancel

You can select the drive and path where you like BASCOM to be installed. You can also accept the default value which is :

:

C:\Program Files\MCS Electronics\BASCOM-AVR

When you are finished click the **Next Button** to continue.

When the directory exists, because you install a newer version, you will get a warning

Folder E	xists 🛛
?	The folder:
	C:\Program Files\MCS Electronics\BASCOM-AVR
	already exists. Would you like to install to that folder anyway?

In case of this warning, select Yes.

You will now see the following window:

1🕏 Setup - BASCOM-AVR
Select Start Menu Folder Where should Setup place the program's shortcuts?
Setup will create the program's shortcuts in the following Start Menu folder.
To continue, click Next. If you would like to select a different folder, click Browse.
MCS Electronics\BASCOM-AVR Browse
< <u>B</u> ack <u>N</u> ext > Cancel

You can choose to create into a new Program Group named 'BASCOM-AVR', or you can modify the name, or install into an existing Program Group. Press the **Next-button** after you have made your choice.

Now the files will be installed.

After the main files are installed, some additional files will be installed

Setup - BASCOM-AVR	
Additional Files Installing additional files	
Installing additional files	
	<u>N</u> ext>


These additional files can be PDF files when the program is distributed on a CD-ROM.

When the installation is ready you will see the last screen :



You have to reboot your computer when you want to make advantage of the programmers that BASCOM supports. You can also do this at a later stage.

#### The BASCOM-AVR Program folder is created:



You can view the "Read me" and "License" files content and you can start BASCOM-AVR.

BASCOM supports both HTML Help and old Win help(HLP). The HLP file is not distributed in the setup. You need to use the Update Wiz to download it. But it is advised to use the HTML-Help file.

When you used to use the HLP file, and find it missing now, turn on 'Use HTML Help' in Options, Environment, IDE. 102

When the UpdateWiz is not installed, you can download it from the register 3.

### 2.2 Updates

The update process is simple.

- Go to the main MCS website at <a href="http://www.mcselec.com">http://www.mcselec.com</a>
- In the left pane under 'Main Menu' you will find a link named 'Registration/Updates'
- Optional you can enter the address yourself : <u>http://register.mcselec.com</u>



Notice that the website uses two different accounts : one for the forum/shop and one for the registration/updates. You will see the following screen:

Product registration Login		

• Click the link and select 'Create new account'

::Create new account * R	Required Information
User Name :	agooduserName
Password :	kalalalalalalalalalalalala
Enter Password Again :	kalalalalalalalalalalak
Email :	thismustbe@valid.mail
Enter Email again :	thismustbe@valid.mail
Full name :	My Full Name
Company :	
Sending Email notify on updates :	<b>v</b>
	Submit Registration

You need to provide a username, password, email and full name. Company name is optional. When you want to receive notifications when updates are available, select this option.

When you filled in the information, click 'Submit Registration'.

- After you click submit, you can get various error messages. For example that a username already exists. Press the Back-button in your browser, and correct the problem, then try again
- If the registration is successful you will get a message that the registration succeeded.
- Now you can login. You will see the following screen :



#### Product registration Login

- You need to chose 'Product registration'.
- The following screen will be shown:

::Product registration Contract Main page		Logout
Avaiable products : Product serial number (example: CD-0000-12345)	BASCOM-AVR	

- Select a product from the list.
- Enter the serial number

It is important that you enter a **valid** serial number. Do not try to enter serial numbers from cracked versions. When you enter invalid serial numbers, you will loose support and the ability to update. We will also ban your IP number from our web. The valid serial number is shown in the Help, About box.

About		
	BASCOM-AVR	
Compiler version Compiler build IDE version Serial number	: 1.11.8.9.001	
Windows OS Windows SP Explorer Company Owner Windows dir App data dir System dir		
Support	: <u>support@mcselec.com</u>	Cļose

When the product is selected, the serial number is entered and you press 'Register product' you will see the following message :

The page at http://register.mcselec.com says:	×
Your number is now registered	
OK	

- This does mean that you registered successfully.
- MCS Electronics will validate all registrations once in a few days. When the product is validated you will receive an email. After you receive the email, you can login to the register again. When you did not received an email within 1 week, check if the email address was entered correct. If it was correct, send an email to sales.
- Now you need to select 'Download LIC files'. The following screen will be shown:



At the top you can see which products are registered, and which status they have. When you want to do a FULL SETUP, you need to download the full version.

You **do not** need to **uninstall a previous version**. You can install an update into the same directory or a new directory.

You can also order the same update on CD-ROM. You will be directed to the on line shop. Notice that the shop uses a different account/username

When you uninstall a previous version, it will remove the license file which is not part of the setup.exe

So in the event that you do run uninstall first, make a backup of the license dll ;  $\ensuremath{\mathsf{bscavrL.DLL}}$ 

The ZIP file you download contains only one setup.exe. You need to run this executable.

It is also important that you put the license DLL into the same directory as setup.exe Setup will copy this file to the BASCOM application directory. You can also manual copy this file.

The license file is on CD-ROM, diskette, or the media (email) you received it on. It is only supplied once.

Without the file, BASCOM will not run.

The file is named bsc5132L.DLL for BASCOM-8051 and bscavrL.DLL for BASCOM-AVR When you got the license by email, it was zipped and probably had a different extension. Consult the original installation instructions.

The file is only provided once, we can not, and do not provide it again.

40

See <u>Installing BASCOM</u> and how to do a full install.

It is also possible to do a partial update. For example to update some DAT files, or to update to a beta which is only available as an update. For partial updates, you need the Update Wiz.

BASCOM AVR 1.11.8.9	Download	History
BASCOM AVR 1.11.8.8 Latest	Download	History
BASCOM AVR 1.11.8.5	Download	History
BASCOM AVR 1.11.8.4	Download	History
BASCOM AVR 1.11.8.3	Download	History
BASCOM AVR 1.11.8.2	Download	History
BASCOM AVR 1.11.8.1	Download	History
BASCOM AVR 1.11.8.0	Download	History
BASCOM AVR 1.11.8.6	Download	History
BASCOM AVR 1.11.8.7	Download	History
BASCOM 8051 2.0.13.0 Latest	Download	History
BASCOM 8051 2.0.12.0	Download	History

When you do not have the Update Wiz, you can download it. Unzip it to the same directory as BASCOM.


The Update Wiz uses LIC files which you can download. A LIC file is a text file, it is not the LICENSE DLL !

Store the downloaded LIC file in the same directory as the Update Wiz.

When you store the Update Wiz into the same directory as BASCOM, the license DLL already exist there.

When you put the Update Wiz and the LIC files into a separate directory, you need to copy the BASCOM license DLL to this directory too.

When you run the Update Wiz, it will check for a new version and will download this if available. It will then run again.



When the Update Wiz finds a LIC file, it will check if the update/install location is specified. For new downloaded LIC files, the update wiz does not know the update directory, and will ask for the directory you want to update. This can be any (new) directory, but usually is the BASCOM application directory.

Select Directory		
Directory <u>N</u> ame: c:\Program Files\MCS Electronics\BASCOM-	AVR	
Directories:	<u>F</u> iles: (*.*)	
C:\ Program Files MCS Electronics BASCOM-AVR BACKUP LIB	1200DEF.DAT 2313DEF.dat 2323DEF.dat 2333DEF.DAT 2343DEF.dat 4414DEF.dat 4433DEF.DAT	×
💼 pdf 🛛 😒	D <u>r</u> ives:	
	C: [cdisk]	Cancel

After you click Ok, the directory to update is stored in the LIC file. It will not be asked again.



Click the Next button to start the update.

It depends on the downloaded LIC files how many products are found. You will get a similar window :

MCS Auto Update Wiz 1.0.0.14	$\mathbf{X}$
Product Selection MCS Auto Update	CHECKLOPICAS
Select an Installed Product you want to upda	te
BASCOM-AVR 1.11.8.3	Update PWD
BASCOM-AVR 1.11.8.4	When you press the Next-button, the Wiz will check the Internet for
BASCOM-AVR 1.11.8.5	updates
BASCOM-AVR 1.11.8.6	Remove
Help	< <u>B</u> ack <u>N</u> ext > Cancel

You need to select the product that you want to update. In the sample there are multiple choices.

Press the Next-button to continue.

The Wiz will compare files on the web with your local files in the specified directory.

MCS Auto Update Wiz 1.0.0.13	
Available Updates MCS Auto Update	CHECOLOGICAL
Components found to update:	
▶elp.zip	<u>I</u> nfo Select <u>A</u> ll <u>U</u> nselect All
Press the Next-button to download the selected components. Select a	at least 1 component.
Help < Back	Next > Cancel

When it finds packages that are newer, they will be shown in a list. By default they are all selected.

You can unselect the packages you do not want to update. Press Next to download the selected packages.

MCS Auto Update Wiz 1.0.0.13	
Downloading MCS Auto Update	MCS ELECTRONICS DECIDES VYTRIS BASIC COMPLEXS EVVLOPMENT
Downloading help.zip 28%	
2.0.13.0 *** IMPORTANT *** Run setupio8051.exe after the Wizard has finished Setupio8051.exe is located in the BASCOM-8051 Application dir.	
- Vista and Xp-64 supported	>
Help < <u>B</u> ack Next >	Cancel

During the download you will see the history file. When all packages are downloaded, they will be installed/unzipped. Press the Next-button to install the downloaded files.

MCS Auto Update Wiz 1.0.0.13	
Install New Files MCS Auto Update	
Archive Progress	BASCOM.hlp
Help	< <u>B</u> ack <u>Finish</u> Cancel

During the installation you will see the progress. When installation is ready, you need to press the Finish-button.

The Wiz can also backup all files it will replace. Use the Setup button on the main screen of the UpdateWiz to change the settings. A full zipped backup will be made. The name of the backup files has the name of the license file with the ZIP extension.

You can install multiple versions in different directories.

#### 2.3 Move to new PC

When you want to move BASCOM to a new PC. You have a number of options. The most simple is to download a full setup file from <u>http://register.mcselec.com</u> Then, after the installation, copy the license file **bscavrL.DLL** to the bascom-avr application directory of the new PC.


Or let setup.exe do this for you. When you put the license file in the same directory as setup.exe, setup will copy/install the file for you.

### 2.4 Installation on multiple computers

The following applies to the licensed version and the license key.

You may install BASCOM on multiple computers. For example on your laptop and your desk PC. There is no limit to the number of PC's you install the software. But you may only use one PC at the same time. Since you can only operate one PC at the same time, this is not a real restriction.

When you install on multiple PC's and others work on these PC's at the same time as you, you need multiple licenses!



# 3 BASCOM IDE

# 3.1 Running BASCOM-AVR


After you have installed BASCOM, you will find a program entry under MCS *Electronics\BASCOM-AVR* 



Double-click the BASCOM-AVR icon

to run BASCOM.

The following window will appear. (If this is your first run, the edit window will be empty.)



The most-recently opened file will be loaded automatically. Like most Windows programs, there is a menu and a toolbar. The toolbar can be customized. To do this, place the mouse cursor right beside the 'Help' menu. Then right-click. You can turn on/off the toolbars or you can choose 'Customize'.

This will show the following window:

ustomize	
Toolbars Commands Options	
Toolb <u>a</u> rs:	
Main Menu	<u>N</u> ew
<ul> <li>✓ File</li> <li>✓ Edit</li> <li>✓ Program</li> </ul>	R <u>e</u> name
	Delete
View	<u>R</u> eset
	Close

You have the option to create new Toolbars or the reset the toolbars to the default. To place a new button on a menu bar, select the 'Commands' TAB.

ustomize	í.			
Toolbars Categories Default Edit Program Tools Options File Window Help Menus View Description		Options Comm	an <u>d</u> s: Syntax check Compile Show result Simulate Send to chip Reset Chip	
				Close

In the example above, the Program Category has been selected and at the right pane, all buttons that belong to the Program-category are shown.

You can now select a button and drag & drop it to the Toolbar. To remove a button from the Toolbar, you drag it out of the Toolbar and release the left mouse button.

On the Options-TAB you can further customize the Toolbar:

Customize 🛛 🕅
Toolbars       Options         Personalized Menus and Toolbars       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands first       Image: Commands and Toolbars         Image: Menus show recently used commands       Image: Commands and Toolbars         Image: Menus show recently used commands       Image: Commands and Toolbars         Image: Menus show recently used commands       Image: Commands and Toolbars
Other Large icons Show ToolTips on toolbars Show shortcut keys in ToolTips Menu animations: (None)
Close

To preserve screen space there are no large icons available.

Option	Description
Menus show recent used commands first	With this option the IDE will learn the menu options you use. It will show only the most used menu options. The idea is that you can find your option quicker this way.
Show full menus after a short delay	This option will show the remaining menu options after short delay so you do not need to click another menu option to show all menu options.
Reset my usage data	This option will reset the data the IDE has collected about your menu choices.
Show Tool tips on toolbars	This option is on by default and it will show a tool tip when you hold the mouse cursor above a toolbar button
Show shortcut keys in Tool tips	This option is on by default and it will show the shortcut in the tool tip. For example CTRL+C for the Copy button.

# **The Editor**

The editor supports syntax highlighting. Code you enter can be reformatted automatically.

When you press CTRL+J you can select a template. A template is a small piece of code that can be inserted automatically.

When you press CTRL+J you can select a template or you can type the template name and press CTRL+J. If there is only one template starting with that name, the template will be inserted. Otherwise the options are shown.

DoLoop	Do	
DoLoop Until Condition	DoU	
For Start=Value To EndNext	for	EF
For Start=Value To End STEP 1Next	fors	-
If Condition ThenEnd If	if	1
If Condition ThenElseEnd If	ife	Ŧ
COMITY ATTE OPOINT, CODAS	,	14
' the config above will set the p	ort re	gis

Templates are stored in the file bascavr.tpl

### 3.2 File New

This option creates a new window in which you will write your program. The focus is set to the new window. You can have multiple windows open at the same time. Only one window can have the focus. When you execute other functions such as <u>Simulate</u> 70<sup>-</sup> or <u>Program Chip</u> 81<sup>-</sup>, BASCOM will use the files that belong to the current active program. This is in most cases the program which has the focus.

File new shortcut: 1, CTRL + N

#### 3.3 File Open

With this option you can load an existing program from disk.

BASCOM saves files in standard ASCII format. Therefore, if you want to load a file that was made with another editor be sure that it is saved as an ASCII file. Most programs allow you to export the file as a DOS or ASCII file.

Note that you can specify that BASCOM must reformat the file when it opens it with the <u>Options Environment</u> option. This should only be necessary when loading files made with another editor.

File open shortcut : 🖻, CTRL+O

#### 3.4 File Close

Close the current program.

The current editor window will be closed. When you have made changes to the program, you will be asked to save the program first. You can then decide to save, cancel, or not to save the changes you have made.

File close shortcut : 🚞

#### 3.5 File Save

With this option, you save your current program to disk under the same file name. The file name is visible in the Windows caption of the edit window.

If the program was created with the <u>File New</u> 50 option, you will be asked to name the file first. Use the <u>File Save As</u> 51 option to give the file another name.

Note that the file is saved as an ASCII file.

File save shortcut : 🗐, CTRL+S

# 3.6 File Save As

With this option, you can save your current program to disk under a different file name.

When you want to make some changes to your program, but you do not want to make changes to the current version you can use the "Save As" option. It will leave your program as it was saved, and will create a new file with a new name so you end up with two copies. You then make changes to the new created file.

Note that the file is saved as an ASCII file.

File save as shortcut : 🖺

### 3.7 File Print Preview

With this option, you can preview the current program before it is printed. Note that the current program is the program that has the focus.

File print preview shortcut : 🖾

## 3.8 File Print

With this option, you can print the current program. Note that the current program is the program that has the focus.

File print shortcut : 🍓, CTRL+P

### 3.9 File Project

Originally the IDE was not designed to support projects. Each file you open is a project.

Most chips were not even suited for big projects.

Some projects use a lot of include files. It is a good idea to break up your code in modular tested modules.

You can simply include the modules with <u>\$include</u> 36.

In order to make working with a project more convenient, a number of Project options have been added. The Project menu can be found under the File menu. The Project menu has 4 sub menu items.

When in project mode, the main project file will be compiled. In normal mode, the active window is considered the project and will be compiled. The same is true for the simulator and programmer.

A simple project explorer had been added that will list all project files. The active project will be shown in blue. The relative path is shown.

Add       Remove       Set Main         includes\ADDITIONAL_DECLARATIONS.inc         includes\ADDITIONAL_FUNCTIONS.inc         includes\ETH_DHCP.inc         X_W5200_six1.bas
includes ADDITIONAL_FUNCTIONS.inc
X_W5200_six1.bas

You can add a new file to the active project. By default the INC extension will be selected. It will be good practice to give included files the INC extension. The main project should have the BAS extension.

When you add a file to a project, it will be added to the project list. When you double click the file in the list it will be selected. Or when it was not loaded before, it will be loaded from disk.

That a file is part of a project collection does not mean that the file will be used or included : you still need to  $\frac{\text{SINCLUDE}}{\text{SCH}}$  file that you want to use in your project.

You can also remove a file from the project. This will not remove or delete the file from disk. The file will only be removed from the project collection.

Only one file can be the main project. This is the file that will be compiled. The main file is colored in blue.


### **Project New**

This option will close all files and the current project and will query for a project file name. The file will have the PRJ extension.

# **Project Open**

This option will close all open files and let you select an existing project file. A project file has the PRJ extension.

The PRJ file contains no code, it only contains data about the project files. All files from the project will be loaded when they were loaded when you closed the project. The position and size will be set exactly as when you closed.



# **Project Save**

This option will save all project files. It will also save other opened non-project files.

# **Project Close**

This option will close the active project. This will end the project mode. The project mode is started when you open a PRJ file either with OPEN or by clicking a PRJ file from the MRU menu.

When you close bascom and you have the Option 'Auto Load All Files' checked, then like usual, all open files will be saved and when you run bascom again, they will all be opened. This might be confusing since you work in normal mode by default. It is recommended to deactivate the 'Auto Load All Files' when working with projects.

### 3.10 File Exit

With this option, you can leave BASCOM. If you have made changes to your program, you can save them upon leaving BASCOM.

All of the files you have open, at the moment you choose exit, will be remembered. The next time you run BASCOM, they will be opened automatically.

File exit shortcut : 歸

### 3.11 Edit Undo

With this option, you can undo the last text manipulation.

Edit Undo shortcut : 🍤, CTRL+Z

## 3.12 Edit Redo

With this option, you can redo the last undo.

Edit Redo shortcut : 💜, CTRL+SHIFT+Z

# 3.13 Edit Cut

With this option, you can cut selected text into the clipboard.

Edit cut shortcut : 😹, CTRL+X

# 3.14 Edit Copy

With this option, you can copy selected text into the clipboard.

Edit copy shortcut : ៉, CTRL+C

## 3.15 Edit Paste

With this option, you can paste text from the clipboard starting at the current cursor position.

Edit paste shortcut : 🛅, CTRL+V

### 3.16 Edit Find

With this option, you can search for text in your program.

Text at the current cursor position will automatically be placed in the find dialog box. All text you search for is saved so the next time you search, you can retrieve the search phrase from a list.

To clear the history, right click the mouse above the 'Text to Find' label and select 'Clear History' from the popup menu.

Find Text	X	
Find Find in Files		
Interrupts	•	
Options	Direction	
Case sensitive	Forward	
<u>         W</u> hole words only		
Regular expressions		
Scope	Origin	
Observation State Sta	Erom cursor	
Selected text	Intire scope	
	OK Cancel	

The following options available:

Option	Description	
Case Sensitive	When selected, the case must match. Searching for PRINT will not find pRint. With this option turned off, Print will find print, PRINT, PRINT, etc.	
Whole words only	When selected, only whole words are considered. A whole word is a word that is surrounded by spaces, or that is at the start of a line. Looking for PRINT will find : "Print test" and "print" and "print print". But not "printer"	
Regular expressions	<ul> <li>You can use a regular expression to find a match.</li> <li>A circumflex at the start of the string matches the start of a line.</li> <li>A dollar sign at the end of the expression matches the end of a line.</li> <li>A period matches any character.</li> <li>* An asterisk after a string matches any number of occurrences of that string followed by any characters, including zero characters. For example, bo* matches bot, bo and boo but not b.</li> <li>+ A plus sign after a string matches any number of occurrences of that string followed by any characters except zero characters. For example, bo+ matches boo, and booo, but not bo or be.</li> <li>[] Characters in brackets match any one character that appears in the brackets, but no others. For example [bot] matches b, o, or t.</li> <li>[^] A circumflex at the start of the string in brackets means NOT. Hence, [^bot] matches any characters except b, o, or t.</li> <li>[-] A hyphen within the brackets signifies a range of characters. For example, [b-o] matches any character from b</li> </ul>	

	through o.	
	\ A backslash before a wildcard character tells the Code editor to treat that character literally, not as a wildcard. For example, \^ matches ^ and does not look for the start of a line.	
Forward	This is the search direction. By default it will search forward. Specifies the size of the software stack.	
Backward	This is the search direction. You can use backwards in case you pressed F3 too many times and want to go back to the previous found text.	
Global	All the text of the current editor will be searched.	
Selected text	Only the selected text will be searched.	
From cursor	Search from the current cursor position to the end of the code.	
Entire scope	Search from the current cursor position to the end, then search till the start of the cursor position. This will search the entire text.	

# **Find in Files**

The Find in Files option can be used to search for text in files.

Find Text	x
Find Find in Files	
I ext to find:	
Options	Where
Case sensitive	<ul> <li>Search all files in project</li> </ul>
Whole words only	Search all open files
Regular expressions	Search in directories
Clear search results	Search in current file
Search Directory Options	
File <u>m</u> ask: <b>*.bas</b>	Browse
Include subdirectories	
L	
	OK Cancel

Option	Description
Case Sensitive	When selected, the case must match. Searching for PRINT will not find pRint. With this option turned off, Print will find print, PRINT, PRINT, etc.
Whole words only	When selected, only whole words are considered. A whole word is a word that is surrounded by spaces, or that is at the start of a line. Looking for PRINT will find : "Print test" and "print" and "print print". But not "printer"

Regular	You can use a regular expression to find a match.
expressions	^ A circumflex at the start of the string matches the start of a line.
	\$ A dollar sign at the end of the expression matches the end
	of a line. . A period matches any character.
	* An asterisk after a string matches any number of
	occurrences of that string followed by any characters, including zero characters. For example, bo* matches bot, bo and boo but not b.
	+ A plus sign after a string matches any number of occurrences of that string followed by any characters except zero characters. For example, bo+ matches boo, and booo, but not bo or be.
	<ul> <li>[] Characters in brackets match any one character that appears in the brackets, but no others. For example [bot] matches b, o, or t.</li> <li>[^] A circumflex at the start of the string in brackets means NOT. Hence, [^bot] matches any characters except b, o, or t.</li> <li>[-] A hyphen within the brackets signifies a range of characters. For example, [b-o] matches any character from b</li> </ul>
	through o.
	$\land$ A backslash before a wildcard character tells the Code editor to treat that character literally, not as a wildcard. For example, $\uparrow$ matches $\uparrow$ and does not look for the start of a line.
Search all project files	This option will search through all project files. Files considered are \$INCLUDE files. Nested \$include files are not considered.
Search all open files	This option will search though all open files. This are loaded files visible in the TABS
Search in directories	You can specify a custom folder to search for the text.
Search in current file	This option will restrict the search to the current file.

Edit Find shortcut : earrow, CTRL+F

## 3.17 Edit Find Next

With this option, you can search again for the last specified search item. Edit Find Next shortcut :  $\overset{A}{\rightarrow}$ , F3

# 3.18 Edit Replace

With this option, you can replace selected text in your program.

Edit Replace shortcut : 🚣, CTRL+R

#### 3.19 Edit Goto

58

With this option, you can immediately go to a specified line number.

Edit go to line shortcut : 12,CTRL+G

# 3.20 Edit Toggle Bookmark

With this option, you can set/reset a bookmark, so you can jump in your code with the Edit Go to Bookmark option. Shortcut : CTRL+K + x where x can be 1-8

Bookmarks are stored in a file named <project>.BM

## 3.21 Edit Goto Bookmark

With this option, you can jump to a bookmark.

There can be up to 8 bookmarks. Shortcut : CTRL+Q+ x where x can be 1-8

Bookmarks are stored in a file named <project>.BM

## 3.22 Edit Indent Block

With this option, you can indent a selected block of text.

Edit Indent Block shortcut : 💷, CTRL+SHIFT+I

# 3.23 Edit Unindent Block

With this option, you can unindent a block.

Edit Unindent Block shortcut : 🗐, CTRL+SHIFT+U

### 3.24 Edit Remark Block

With this option, you can Remark or Unremark a selected block of text. While you can use '( and ') to remark a block of code, you might prefer the old BASIC way using just one '. When a remark is found, it will be removed. When there is no remark, it will insert a remark.

# 3.25 Edit Encrypt Selected Code

This option allows you to encrypt portions of your code.

Because the encryption can not be undone, you will get this warning:



If you chose YES, the selected code will be encrypted and will result in lines like :

\$CRYPT 6288E522B4A1429A6F16D639BFB7405B \$CRYPT 7ABCF89E7F817EB166E03AFF2EB64C4B \$CRYPT 645C88E996A87BF94D34726AA1B1BCCC \$CRYPT 9405555D91FA3B51DEEC4C2186F09ED1 \$CRYPT 6D4790DA2ADFF09DE0DA97C594C1B074

Only the compiler can decrypt and process these lines. There is no way you can change the \$CRYPT lines back into source code !


So make a backup of your code before you use this option. Typically, it will only be used on finished projects.

If the encrypted code contains errors, you will get error messages pointing to the  $\frac{CRYPT}{337}$  lines.

## 3.26 View PinOut

60

The Pin Out viewer is a dock able window that shows the case of the active chip. The active chip is determined by the value of  $\frac{REGFILE}{32}$ .



When you move the mouse cursor over a pin, you will see that the pin will be colored red. At the bottom of the window, a pin description is show. In the sample above you will see that each line has a different color. This means that the pin has multiple alternative functions.


The first blue colored function is as generic IO pin.

The second green colored function is RESET pin.

The third black colored function is PIN change interrupt.

A pin can have one or more functions. Some functions can be used together. When you move the mouse cursor away, the pin will be colored blue to indicate that you viewed this pin. For example, when you need to look at it again.


You can also search for a pin description. Enter some text and return. Here is an example when you search the VCC pin :



When pins are found that have the search phrase in the description, the pin will be colored blue.

By clicking 'Clear Pin HL' you can clear all colored pins.

Some chips might have multiple cases. You can select the case from the package list.



When you change from package, all pin colors will be cleared.

When you double click a pin, the pin will be colored green. Another double click will color it red/blue.

When a pin is green, it will not be colored red/blue. The green color serves as a kind of bookmark.

The only exception is the search function. It will make bookmarked green pins, blue too.

Use the right mouse to access a popup menu. This menu allows you to zoom the image to a bigger or smaller size.

Double click the chip to show the chip data.

BASCO	A-AVR	
<b>i</b>	Chip : ATmega88 FLASH : 8 kbytes EEPROM : 0.5 kbytes SRAM : 1024 bytes I/O Pins : 23 Fmax : 20 MHz Vcc : 1.8-5.5 V Timer 16bit : 1 Timer 8bit : 2 PWM channels : 6 RTC : 1 SPI : 1 USART : 1 UART : 1 TWI : 1 ISP : 1 A/D channels : 8 Analog comparator : 1	
	BrownOut : 1 Watchdog : 1 Interrupts : 26 Ext.interrupts : 26	
		ОК

When you want to search for a chip, click the 'Chip Search' button. It will show the following window:

🚟 Chip Search							
	ICD			A			
Flash	ISP			Analog comp.			
SRAM	RTC	2		PWM channel	s		
EEPROM	TW			A/D channels			
1/O pins	SPI			Ext. Interrupts			
8-bit timers	Brov	vn Out		Fmax			
16-bit timers	Inte	rrupts		Vcc			Search
UARTS 2	Wat	chdog		USART			Clear
	Package	Flash	SRAM	EEPROM	1/0	Fmax	16 bit 📩
ATmega128	TQFP64	128	4096	4	53	16	2
ATmega1280	TQFP100	128	8192	4	86	16	4
ATmega1281	TQFP64	128	8192	4	54	16	4
ATmega2560	TQFP100	256	8192	4	86	16	4
ATmega2561	TQFP64	256	8192	4	54	16	4
ATmega324	DIP40	32	2048	1	32	20	1
ATmega324	TQFP44	32	2048	1	32	20	1
ATmoga224D DID40		22	00.00	1	22	20	1
							>

You can provide criteria such as 2 UARTS. All criteria are OR-ed together. This means that when one of the criteria is met, the chip will be included in the list.

Only chips supported by BASCOM will be listed. When a chip has SRAM, and is not supported yet, it will be in the near future since the goal is to support all chips.

When you find an error in the pin description, please send an email to support so it can be corrected.

### 3.27 View PDF viewer

The PDF viewer is dock able panel which is located by default on the right side of the IDE.

Eile	SCOM-AVR IDE [1.11.8.5] Edit View Program Iools Options Window Help 3 日 臨 2 日 1 後 哈 管 年 2 名,	× , , , , , , , , , , , , , , , , , , ,
Sub	VATA apps D7 avride \noname1.bas Label \$regfile = "m8515.dat" Dim A As Eram Byte Dim D As Eram Long Dim D As Eram Long Dim D As Eram Single Sff Print Version() \$eeprom Data 1 , 1223% , 12345678& , 123.45! End	PDF Viewer       4 ×         Por Viewer       4 ×         Pin Configurat       Atmega8.pdf         Pin Configurat       × Atmega8.pdf         Pin Configurat       × Atmega8.pdf         Power View       About Code E:         About Code E:       × Atmega         Power Mana       × Atmega         Power Mana       × Atmega RISC Architecture         130 Powerful instructions - Most S       - 32 x 8 General Purpose Working R         Power Mana       - Fully Static Operation         Power Mana       - Or-chip 2-cycle Multiplier         Nonvolatile Program and Data Memorie       - 8K Bytes of In-System Self-Progra         External Inti-       - 8K Bytes of In-System Self-Programing by On C         Timer/Count       - 8K Bytes of In-System Self-Programing by On C         Ture Read-While-Write Operatior       - 512 Bytes EEPROM         External Inti-       - System Programming by On C         Ture Read-While-Write Operatior       - 512 Bytes EEPROM         E On ot B-bit Timer/       - Yoo 8-bit Timer/Counters with Sep         On ot B-bit Timer/       - Yoo 8-bit Timer/Counters with Sep         Poing Analog Com       - Real Time Counter with Sep Mode         Paint Timer/Counter Set Timer/Counter with Sep Mode       - Real Time Counter with Sep Mode
14: 25 Errors	Modified Insert Errors : 1 found	

The viewer itself contains a tree with the topics and the actual PDF viewer. The tree topics can be searched by right clicking on the tree. Choose 'Search' and enter a search text.

When a topic has sub topics, the topic is **bold**.

When you have enabled 'Auto open Processor PDF' in Options, Environment, PDF, the data sheet will be automatically loaded when you change the \$REGFILE value. It can be shown in a new sheet or it can replace the current PDF.

2	Open a PDF.
	Copy selected text to the clipboard. You can not copy from protected PDF documents.
	First page.

0	Previous page.
з 🏒	Current page indicator. You can enter a page number to jump to a different page.
0	Next page.
	Last page.
	Find text in PDF.
<b>F</b>	Zoom in.
	Zoom out.
	Rotate page to the left and right.
	Print page(s).

When you right click in the PDF, a pop up menu with the most common options will appear.

In <u>Options, Environment, PDF</u> 102 you can specify how data sheets must be downloaded.

Data sheets can be downloaded automatic. When the \$REGFILE is changed and the PDF is not present, you will be asked if the PDF must be downloaded. If you choose to download, it will be downloaded from the Atmel website.

BASCOM-AVR					
?	Download PDF				
	Do you want to download PDF atmega32.pdf?				
	Yes No				
Do not show this message again					

When you click 'Do not show this message again', you will not be asked anymore if you want to download the Mega32.PDF. You will be asked to download other PDF documents when they do not exist.

During the download you will see a similar window:

PDF Download	
Downloading PDF	
Downloading atmega32.pdf	
(**********	
	Cancel

You can also download all newer PDF's from the Atmel website with the option :  $\underline{\text{Tools, PDF Update}}$ 

When PDF's are downloaded with the UpdateWiz, they are downloaded from the MCS Electronics website.

#### 3.28 View Error Panel

This option will show the Error panel.



When there are no errors, the list will be empty. You will also be able to close the window.

When there are errors :

Errors			×
Error : 1	Line :	8	Unknown statement [SFF] , in File : C:\DATA\AP

You will not be able to close the window until the error is solved and the program is checked/compiled.

The panel is dockable and by default docked to the bottom of the IDE.

# 3.29 View Tip

### Action

Shows the Tip of the day Window

[12] Tip of the day : HTML Help					
	Did you know				
	That besides the <b>HLP</b> files, BASCOM supports <b>CHM</b> files? In <b>O</b> ptions, Enviroment, IDE, you can choose to enable the <b>HTML</b> help. A restart of BASCOM is needed after you change the setting. Because <b>VISTA</b> will not support the HLP format, we advise to switch to the CHM/HTML help.				
Show tips at startup					

You can click the Next-button to show another tip. Or you can close the window. When you do not want to see the tips when BASCOM is started, you can unselect the 'Show tips at startup' option.

You can submit your own tips at the register : <u>http://register.mcselec.com</u>

# 3.30 Program Compile

With this option, you compile your current program.

Your program will be saved automatically before being compiled.

The following files will be created depending on the Option Compiler Settings.

File	Description	
xxx.BIN	Binary file which can be programmed into the microprocessor.	
xxx.DBG	Debug file that is needed by the simulator.	
xxx.OBJ	Object file for simulating using AVR Studio. Also needed by the internal simulator.	
xxx.HEX	Intel hexadecimal file, which is needed by some programmers.	
xxx.ERR	Error file. Only created when errors are found.	
xxx.RPT	Report file.	
xxx.EEP	EEPROM image file	

If a serious error occurs, you will receive an error message in a dialog box and the compilation will end.

All other errors will be displayed at the bottom of the edit window, just above the status bar.

When you click on the line with the error info, you will jump to the line that contains the error. The margin will also display the  $\bigcirc$  sign.

At the next compilation, the error window will disappear or reappear if there are still errors.

See also  $\underline{\text{Syntax Check}}$  for further explanation of the Error window.

Program compile shortcut:

### 3.31 Program Syntax Check

With this option, your program is checked for syntax errors. No file will be created except for an error file, if an error is found.

Program syntax check shortcut  $\mathbf{M}$ , CTRL + F7

When there is an error, an error window will be made visible at the bottom of the screen.

😹 B	SCOM-AVR IDE [1.11.8.5]	×			
Eile	Edit <u>V</u> iew Program <u>T</u> ools <u>O</u> ptions <u>W</u> indow <u>H</u> elp	•			
	🤌 🖟 🐘 🍐 🙆 🛢 📲 🕻 🐐 🛅 津 津 🔎 🦂 ָ 🏽 🎂 👅 📲 🗮 🖉 🚳 🔭 🚺	₹ •			
<b>**</b>	: \DATA\apps\D7\avride\noname1.bas	0			
Sub	▼ Label	PDF Viewer			
	Sregfile = "m8515.dat"	/iewe			
	Din A As Eran Byte Din B As Eran Integer Din C As Eran Long Din D As Eran Single	Ч			
	ads Print Version()				
	Seeprom Data 1 , 1223% , 12345678& , 123.45!				
	End				
8: 15	Insert				
Error		1 ×			
Crror	1 Line : 8 Unknown statement [ADS] , in File : C:\DATA\APPS\D7\AVRIDE\NONAME1.BAS				

You can double click the error line to go to the place where the errors is found. Some errors point to a line zero that does not exist. These errors are caused by references to the assembler library and are the result of other errors.

The error window is a dockable window that is docked by default to the bottom of the screen. You can drag it outside this position or double click the caption(Errors) to make it undock :

Errors		×
Error:1	Line: 8	Unknown statement [ADS] , in File : C:\DATA\APP

Here the panel is undocked. Like most windows you can close it. But the error must be resolved (corrected and syntax checked/recompiled) for this window can be closed !

By double clicking the caption (top space where the name of the window is show) you can dock it back to it's original position.

When you have closed the window and want to view it again, you can choose the

View, Error Panel option from the main menu.

# 3.32 Program Show Result

Use this option to view information concerning the result of the compilation.

See the Options Compiler Output and for specifying which files will be created.

The files that can be viewed are "report" and "error".

File show result shortcut : 🛂,CTRL+W

Info	Description
Report	Name of the program
Date and time	The compilation date and time.
Compiler	The version of the compiler.
Processor	The selected target processor.
SRAM	Size of microprocessor SRAM (internal RAM).
EEPROM	Size of microprocessor EEPROM (internal EEPROM).
ROMSIZE	Size of the microprocessor FLASH ROM.
ROMIMAGE	Size of the compiled program.
BAUD	Selected baud rate.
XTAL	Selected XTAL or frequency.
BAUD error	The error percentage of the baud rate.
XRAM	Size of external RAM if available.
Stack start	The location in memory, where the hardware stack points to. The HW-stack pointer grows downward.
S-Stacksize	The size of the software stack.
S-Stackstart	The location in memory where the software stack pointer points to. The software stack pointer grows downward.
Framesize	The size of the frame. The frame is used for storing local variables.
Framestart	The location in memory where the frame starts.
LCD address	The address that must be placed on the bus to enable the LCD display E-line.
LCD RS	The address that must be placed on the bus to enable the LCD RS-line
LCD mode	The mode the LCD display is used with. 4 bit mode or 8 bit mode.
LCD DB7-DB4	The port pins used for controlling the LCD in pin mode.
LCD E	The port pin used to control the LCD enable line.
LCD RS	The port pin used to control the LCD RS line.
Variable	The variable name and address in memory
Constant	Constants name and value
	Some internal constants are :
	_CHIP : number that identifies the selected chip _RAMSIZE : size of SRAM

Information provided in the report:

	_ERAMSIZE : size of EEPROM _XTAL : value of crystal _BUILD : number that identifies the version of the compiler _COMPILER : number that identifies the platform of the compiler	
Warnings	This is a list with variables that are dimensioned but not used. Some of them	
EEPROM binary image map	This is a list of all ERAM variables with their value. It is only shown when <u>DATA</u> ब्डिंशे lines are used to create the EEP file. (EEPROM binary image).	

# 3.33 Program Simulate

With this option, you can simulate your program.

You can simulate your programs with AVR Studio or any other Simulator available or you can use the built in Simulator.

The simulator that will be used when you press F2, depends on the selection you made in the Options Simulator TAB. The default is the built in Simulator.

Program Simulate shortcut : 🎒, F2

To use the built in Simulator the files DBG and OBJ must be selected from the Options Compiler Output TAB.

The OBJ file is the same file that is used with the AVR Studio simulator.

The DBG file contains info about variables and many other info needed to simulate a program.

🚟 AVI	R Simulator							
[→[	🔲 🔳 🖙 🗉 💭 💺 📄 🔜 🦠 R	IO M	😭 🔲 Terminal	Sim Timers				
Variat	Variables Locals 60 Watch 🦠 uP Interrupts							
Variab	le Value	Hex	Bin		~			
ubrr0l	25	19	00011001					
ubrr0h	n 0	0	0000000					
ubrr11	25	19	00011001					
ubrr1h	) O	0	0000000					
Ь	0	0	0000000		×			
UART	0 UART1							
Hell					~			
UART	U							
					<u> </u>			
<u> </u>								
	33				~			
	34 'The M128 has an extended UART.							
	35 'when CONFIG COMx is not used, the default N,8,1 will be used							
	36 Config Com1 = Dummy , Synchrone = O , Parity = None , Stopbits = 1 , Data							
0	37 Config Com2 = Dummy , Synchrone = O , Parity = None , Stopbits = 1 , Data 38							
	39 'try the second hardware UART 40 Open "com2:" For Binary As #1							
	41							
	42 'try to access an extended register							
0	43 Config Portf = Output							
	44 'Config Portf = Input							
	45							
0	46 Print "Hello"							
	47 Dim B As Byte							
	48 Do							
	49 Print "UARTO" 50 Print #1 , "UART1"							
~	SO Print #1, "DARII"				~			
<					>			
PC = 00	85 Cycl. = 25030 : 3.12875 mS	Pause	Move mouse over variable	e to show value				

The yellow dot means that the line contains executable code.

The Simulator window is divided into a few sections:

# **The Toolbar**

The toolbar contains the buttons you can press to start an action.

This is the RUN button, it starts a simulation. You can also press F5. The simulation will pause when you press the pause button. It is advised, that you step through your code at the first debug session. When you press F8, you step through the code line by line which is a clearer way to see what is happening.

This is the PAUSE button. Pressing this button will pause the simulation.

This is the STOP button. Pressing this button will stop the simulation. You can't continue from this point, because all of the variables are reset. You need to press the RUN button when you want to simulate your program again.

This is the STEP button. Pressing this button (or F8) will simulate one code line of your BASIC program. The simulator will go to the RUN state. After the line is executed the simulator will be in the PAUSE state. If you press F8 again, and it takes a long time too simulate the code, press F8 again, and the simulator will go to the pause state.

This is the STEP OVER button or SHIFT+F8). It has the same effect as the STEP button, but sub programs are executed completely, and th simulator does not step into the SUB program.

This is the RUN TO button. The simulator will RUN until it gets to the current line. The line must contain executable code. Move the cursor to the desired line before pressing the button.

 $\mathbb{R}$  This button will show the processor registers window.

Regis	ters	×				
Reg	Val	~				
R21	00					
R22	08					
R23	00					
R24	01					
R25	00					
R26	29					
R27	01					
R28	80					
R29	04					
R30	50					
R31	07					
Registers IO						

The values are shown in hexadecimal format. To change a value, click the cell in the VAL column, and type the new value. When you right click the mouse, you can choose between the Decimal, Hexadecimal and Binary formats.

The register window will show the values by default in **black**. When a register value has been changed, the color will change into **red**. Each time you step through the code, all changed registers are marked **blue**. This way, the red colored value indicate the registers that were changed since you last pressed F8(step code). A register that has not been changed at all, will remain black.

This is the IO button and will show processor Input and Output registers.

10		×
REG	Val	^
PORTB	00	
PINC	00	_
DDRC	00	
PORTC	00	
PIND	00	
DDRD	00	
PORTD	04	
TIFRO	00	
TIFR1	02	
TIFR2	00	
PCIFR	00	100
CIED	00	
Registers	ю	

The IO window works similar as the Register window.

A right click of the mouse will show a popup menu so you can choose the format of the values.

And the colors also work the same as for the registers : black, value has not been changed since last step(F8). Red : the value was changed the last time your pressed F8. Blue : the value was changed since the begin of simulation. When you press the STOP-button, all colors will be reset to black.

 $^{\rm M}$  Pressing this button shows the Memory window.

Memory	Y																	X
SRAM	EE	PRC	M															
	00	01	02	03	04	05	06	07	08	09	0A	OB	0C	OD	0E	OF		^
0100	00	00	00	00	00	00	00	00	00	00	00	00	00	08	00	00		
0110	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		
0120	00	00	00	00	00	00	00	00	01	00	63	63	00	00	00	00	cc	
0130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		
0140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		
0150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		
0160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		(333)
(CONTRACTOR)	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn	nn		×
																	)	
Occup	ied	by	:1															

The values can be changed the same way as in the Register window.

When you move from cell to cell you can view in the status bar which variable is stored at that address.

The SRAM TAB will show internal memory and XRAM memory.

The EEPROM TAB will show the memory content of the EEPROM.

The colors work exactly the same as for the register and IO windows. Since internal ram is cleared by the compiler at startup, you will see all values will be colored blue. You can clear the colors by right clicking the mouse and choosing 'Clear Colors'.

The refresh variables button will refresh all variables during a run (F5). When you use the hardware simulator, the LEDS will only update their state when you have

#### 74 BASCOM-AVR

enabled this option. Note that using this option will slow down simulation. That is why it is an option. When you use F8 to step through your code you do not need to turn this option on as the variables are refreshed after each step.

Sim Timers When you want to simulate the processors internal timers you need to turn this option on. Simulating the timers uses a lot of processor time, so you might not want this option on in most cases. When you are debugging timer code it is helpful to simulate the timers.

The simulator supports the basic timer modes. As there are many new chips with new timer modes it is possible that the simulator does not support all modes. When you need to simulate a timer the best option may be to use the latest version of AVR Studio and load the BASCOM Object file.

Even AVR Studio may have some flaws, so the best option remains to test the code in a real chip.


The TIMER simulation only simulates TIMER0 and 16 bit TIMER1. And only counting/time modes are supported. PWM mode is not simulated.

Terminal This option allows you to use a real terminal emulator for the serial communication simulation.

Normally the simulator prints serial output to the blue window, and you can also enter data that needs to be sent to the serial port.

When you enable the terminal option, the data is sent to the actual serial port, and when serial data is received by the serial port, it will be shown.

Under the toolbar section there is a TAB with a number of pages:



This section allows you to see the value of program variables. You can add variables by double clicking in the Variable-column. A list will pop up from which you can select the variable.

To watch an array variable, type the name of the variable with the index.

### VARIABLES

During simulation you can change the values of the variables in the Value-column, Hex-column or Bin-column. You must press ENTER to store the changes.

To delete a variable, you can press CTRL+DEL.

To enter more variables, press the DOWN-key so a new row will become visible.

It is also possible to watch a variable by selecting it in the code window, and then pressing enter. It will be added to the variable list automatically. Notice that it takes time to refresh the variables. So remove variables that do not need to be watched anymore for faster simulation speed.

LOCALS					
🚟 AVR Simulator	r				
<b>▶    =</b> 9	ē (I 🍋 🛛 🔜 🦠	RIOM	🕍 📄 Sim Timers [	🗌 Terminal  📔	
Variables Locals	😽 🕹 😽 🕹 🕹 🕹	errupts			
Variable	Value	Hex	Bin		
4					
14 \$swst	tack = 10			' dı	efault us
15 \$fram	mesize = 40			' de	efault us

The LOCALS window shows the variables found in a SUB or FUNCTION. Only local variables are shown. You can not add variables in the LOCALS section. Changing the value of local variables works the same as in the Variables TAB.

## WATCH

A	AVR Simulator	
•	🖬 🔳 🖓 🗐 💭 🐂 🗮 🦠 🛛 R IC	M 📓 🗆 Sim Timers 🗆 Terminal 📲
Varia	iables Locals 60° Watch 💊 uP Interrupts	
	ortb>10	Add Modify
		Remove
		portb>10
4		
	14 \$swstack = 10	′ default use 10 fc▲
	15 \$framesize = 40	' default use 40 fc
	16	
0	17 18 Config Portb = Output	
ľ	19	
	20	
	21 Do	
0	22 Portb = Portb + 1	
<₽	23 Loop Until Inkey() = 27	*
•		
PC =	003D Cycl. = 40654 : 10.1635 mS Pause	

The Watch-TAB can be used to enter an expression that will be evaluated during simulation. When the expression is true the simulation is paused.

To enter a new expression, type the expression in the text-field below the Remove button, and press the Add-button.

When you press the Modify-button, the current selected expression from the list will be replaced with the current typed value in the text field.

To delete an expression, select the desired expression from the list, and press the Remove-button.

During simulation when an expression becomes true, the expression that matches will be selected and the Watch-TAB will be shown.

#### uΡ

🚟 AYR Simul	ator						
) <b>     =</b>	۹ 🗊 🖫	LED 🦠	RI	IO M		Sim Timers 🔲 Termin	al 📔
Variables Lo	cals 66° Watch	🦠 uP 🛛 Inte	errupts				
Flags							
П 🛛 Т	✓ H □ S □	V 🗆 N 🗆 Z	: 🔽 C	🗌 Fran	ne Overflow	Stack Overflow	
Soft Stack	02E0 Soft	Stack Min 02	50	HW Stac	k 02FF	HW Min 02FF	
Frame pointer	02C6 Fran	ne Max 020	26		Snapshot	]	

This TAB shows the value of the microprocessor status register (SREG).

The flags can be changed by clicking on the check boxes.

The software stack, hardware stack, and frame pointer values are shown. The minimum or maximum value that occurred during simulation is also shown. When

one of these data areas enter or overlap another one, a stack or frame overflow occurs.

This will be signaled with a pause and a check box.

Pressing the snapshot-button will save a snapshot of the current register values and create a copy of the memory. You will notice that the Snapshot-button will change to 'Stop'

Now execute some code by pressing F8 and press the Snapshot-button again.

A window will pop up that will show all modified address locations. This can help to determine which registers or memory a statement uses.

Snapshot
Changed memory positions:
Address : \$18, old value :99 , new value :0 Address : \$25, old value :99 , new value :101 Address : \$5F, old value :33 , new value :53
<u>√</u> <u>Ω</u> k

When you write an ISR (Interrupt Service Routine) with the NOSAVE option, you can use this to determine which registers are used and then save only the modified registers.

### **INTERRUPTS**

► II [	• 91	Ç 🛛 🍋	LED	*	RIO	М		🗌 Sim T	imers 🗌 Te	erminal		
ariables	Locals 6	Watch	uP 🔶 uP	Interrupt	s							
INTO	INT1	PCINTO	PCINT1	PCINT2	WDT	OC2A	OC28		Pulse	1	*	
OVF2	ICP1	OC1A	OC1B	OVF1	OC0A	OCOB	OVFO		Delay	1	1/4	
SPI	URXC	UDRE	UTXC	ADCC	ERDY	ACI	TWI	SPM	Pin	PORTD	.4 -	

This TAB shows the interrupt sources. When no ISR's are programmed all buttons will be disabled.

When you have written an ISR (using ON INT...), the button for that interrupt will be enabled. Only the interrupts that are used will be enabled.

By clicking an interrupt button the corresponding ISR is executed. This is how you simulate the interrupts. When you have enabled 'Sim Timers' it can also trigger the event.

The pulse generator can be used to supply pulses to the timer when it is used in

counter mode.

First select the desired pin from the pull down box. Depending on the chip one or more pins are available. Most chips have 2 counters so there will usually be 2 input pins.

Next, select the number of pulses and the desired delay time between the pulses, then press the Pulse-button to generate the pulses.

The delay time is needed since other tasks must be processed as well.

The option 'Sim timers' must be selected when you want to simulate timers/counters.

#### **TERMINAL Section**

Under the window with the TABS you will find the terminal emulator window. It is the dark blue area.

In your program when you use PRINT, the output will be shown in this window.

When you use INPUT in your program, you must set the focus to the terminal window and type in the desired value.

You can also make the print output go directly to the COM port. Check the Terminal option to enable this feature.

The terminal emulator settings will be used for the baud rate and COM port. Any data received by the COM port will also be shown in the terminal emulator window.

Notice that most microprocessors have only 1 UART. The UART0-TAB is used to communicate with tis UART. The UART1-TAB need to be selected in order to view the UART1 output, or to send data to UART1.

Software UARTS are not supported by the simulator. They can not be simulated.

#### **SOURCE Section**

Under the Terminal section you find the Source Window.

It contains the source code of the program you are simulating. All lines that contain executable code have a yellow point in the left margin.

You can set a breakpoint on these lines by selecting the line and pressing F9.

By holding the mouse cursor over a variable name, the value of the variable is shown in the status bar.


If you select a variable, and press ENTER, it will be added to the Variable window.

In order to use the function keys (F8 for stepping for example), the focus must be set to the Source Window.

A blue arrow will show the line that will be executed next..

## The hardware simulator.

By pressing the hardware simulation button the windows shown below will be displayed.



The top section is a virtual LCD display. It works to display code in PIN mode, and bus mode. For bus mode, only the 8-bit bus mode is supported by the simulator.

Below the LCD display area are LED bars which give a visual indication of the ports.

By clicking an LED it will toggle.

PA means PORTA, PB means PORTB, etc.

IA means PINA, IB means PINB etc. (Shows the value of the Input pins) It depends on the kind of microprocessor you have selected, as to which ports will be

shown.

Right beside the PIN led's, there is a track bar. This bar can be used to simulate the input voltage applied the ADC converter. Note that not all chips have an AD converter. You can set a value for each channel by selecting the desired channel below the track bar.

Next to the track bar is a numeric keypad. This keypad can be used to simulate the GETKBD() function.

When you simulate the Keyboard, it is important that you press/click the keyboard button **before** simulating the getkbd() line !!!

To simulate the Comparator, specify the comparator input voltage level using Comparator INO.

## **Enable Real Hardware Simulation**

By clicking the button you can simulate the actual processor ports in-circuit! The processor chip used must have a serial port.

In order simulate real hardware you must compile the basmon.bas file.

To do this, follow this example: Lets say you have the DT006 simmstick, and you are using a 2313 AVR chip.

Open the basmon.bas file and change the line REGFILE = xxx to REGFILE = 2313def.dat

Now compile the program and program the chip.

It is best to set the lock bits so the monitor does not get overwritten if you accidentally press F4.

The real hardware simulation only works when the target micro system has a serial

port. Most have and so does the DT006.

Connect a cable between the COM port of your PC and the DT006. You probably already have one connected. Normally it is used to send data to the terminal emulator with the PRINT statement.

The monitor program is compiled for 19200 baud. The Options Communication settings must be set to the same baud rate! The same settings for the monitor program are used for the Terminal emulator, so select the COM port, and the baud rate of 19200.

Power up or reset the DT006. It probably already is powered since you just previously compiled the basmon.bas program and stored it in the 2313. When you press the real hardware simulation button now the simulator will send and receive data when a port, pin or DDR register is changed.

This allows you to simulate an attached hardware LCD display for example, or something simpler, like an LED. In the SAMPLES dir, you will find the program DT006. You can compile the program and press F2.

When you step through the program the LED's will change!

All statements can be simulated this way but they have to be able to use static timing. Which means that 1-wire will not work because it depends on timing. I2C has a static bus and thus will work.

NOTE: It is important that when you finish your simulation sessions that you click the button again to disable the Real hardware simulation.

When the program hangs it probably means that something went wrong with the serial communication. The only way to escape is to press the Real hardware

Simulation Multiple Simulation again.

The Real Hardware Simulation is a cost effective way to test attached hardware.

The refresh variables button will refresh all variables during a run(F5). When you use the hardware simulator, the LEDS will only update their state when you have enabled this option. Note that using this option will slow down the simulation.

### Watchdog Simulation

Most AVR chips have an internal Watchdog. This Watchdog timer is clocked from an internal oscillator. The frequency is approximately 1 MHz. Voltage and temperature variations can have an impact on the WD timer. It is not a very precise timer. So some tolerance is needed when you refresh/reset the WD-timer. The Simulator will warn you when a WD overflow will occur. But only when you have enabled the WD timer.

### The status bar

PC = 003D Cycl. = 40677 : 10.16925 mS Pause

The status bar shows the PC (program counter) and the number of cycles. You can reset the cycles by positioning the mouse cursor on the status bar and then right click. You will then get a pop up menu with the option to reset the cycles. You can use this to determine how much time a program statement takes. Do not jump to a conclusion too quick, the time shown might also depend on the value of a variable.

For example, with WAITMS var this might be obvious, but with the division of a value the time might vary too.

## 3.34 Program Send to Chip

Program send to chip shortcut 🔳, F4

This option will bring up the selected programmer window, or will program the chip directly if the 'Auto Flash' option is selected in the <u>Programmer options</u> 107 section.

The following section applies to the Programmer window (program chip directly NOT selected) otherwise this is not shown to the user.

"Buffer" below refers to the buffer memory that holds data to be programmed to, or read from the chip.

Menu item	Description						
File Exit	Return to editor						
File, Test	With this option you can set the logic level to the LPT pins. This is only intended for the Sample Electronics programmer.						
Buffer Clear	Clears buffer						
Buffer Load from file	Loads a file into the buffer						
Buffer Save to file	Saves the buffer content to a file						
Chip Identify	Identifies the chip						
Write buffer into chip	Programs the buffer into the chip ROM or EEPROM						
Read chip code into buffer	Reads the code or data from the chips code memory or data memory						
Chip blank check	Checks if the chip is blank or erased						
Chip erase	Erase the content of both the program memory and the data memory						
Chip verify	Verifies if the buffer is the same as the chip program or data memory						
Chip Set lock bits	Writes the selected lock bits LB1 and/or LB2. Only an erase will reset the lock bits						
Chip auto program	Erases the chip and programs the chip. After the programming is completed, verification is performed.						

The following window will be shown for most programmers:

#### BASCOM-AVR

82

🔛 AV	r isi	p s'	TK p	oroş	gran	nme	er.											
<u>File</u>	uffer	⊆	hip															
<b>a</b> 8	•	1				• E	5		1				Ch	ip 🖊	<b>\</b> Τ9	082	313 🚽 ど 🖉	
Manı Chip	ufact	or			owr ega	-	5			Fla EE			Л		2KE 128	8 S S S S S	Size 📗 Prograr	nmed:20
Flast	nRO	М	EE	PR	DM	Lo	ick i	and	Fus	se E	Bits							
	00	01	02	03	04	05	06	07	08	09	0A	OB	OC	OD	OE	OF		~
0000	CO	10	95	18	95	18	95	18	95	18	95	18	95	18	95	18	Аннн	
0010	95	18	95	18	95	18	95	18	95	18	95	18	95	18	95	18	нана	
0020	95	18	E5	8F	BF	8D	E4	CO	E3	E8	2E	4E	ΕO	82	BF	8E	I.ål¿läÀãè.Nàl¿l	
0030	EO	D2	ΕO	F2	2E	5F	EF	EE	ΕO	F1	E6	Α0	ΕO	BO	27	88	àÔàòïîàñæ à*'	
0040	93	8D	97	31	F7	E9	E1	89	B9	89	ΕO	80	BD	80	E1	88	III1÷éá[¹]à€½€á]	
0050	B9	84	24	66	E2	A0	ΕO	B2	ΕA	E8	ΕO	FO	DO	1C	DO	03	¹ \$fâ à²êèàðĐ.Đ.	
0060	DO	0A	94	F8	CF	FF	E2	Α0	ΕO	B2	91	8D	23	88	FO	11	Ð, Jølijiā & 1#Jð.	
0070	DO	05	CF	FB	95	08	ΕO	8D	DO	01	ΕO	84	9B	5D	CF	FE	Ð.Ïûl.àlÐ.àll]Ïþ	
0080	B9	8C	95	08	97	31	F7	F1	95	08	94	68	F8	62	95	08	1  , 1÷ñ , høb .	
0090	94	E8	F8	62	95	08	DO	04	92	0D	20	00	F7	E1	95	08	jèøb∥.Ð.1÷áj.	
00A0	95	C8	96	31	20	00	95	08	32	30	31	2D	2D	33	30	32	jÈj1.j.201302	
00B0	37	30	30	20	ЗA	30	33	31	34	ЗA	00	34	FF	FF	FF	FF	700 :0314:.4ÿÿÿÿÿ	
0000	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	<u> </u>	
00D0	IFF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	000000000000000000000000000000000000000	<u>⊻</u>
AVR I	SPS	тк	pro	gra	mm	er												
188 RO	м					0 6	PRO	м					N		ME1.	BIN		!

Note that a chip must be ERASED before it can be programmed.

By default the Flash ROM TAB is shown and the binary data is displayed. When you have an EEPROM in your project, the EEPROM TAB will show this data too.

The most important TAB is in many cases the Lock & Fuse Bits TAB. When you select it , the lock and fuse bits will be read.

Eile Buffer ⊆hip	· · · · ·		in	II 10 🔿	
• • • • •	<b>- -</b>		nip ATmega88		-
Manufactor Atme Chip ATm	ega88	Flash ROM EEPROM	8 KB 512	Size	
FlashROM EEPR	OM Lock ar	nd Fuse Bits			
🖃 Chip				A	ash
Name	MEGA	.88			
Calibration (	) 89			Vrite	LB
Lockbits				Write	ES
Lockbit 65	11:No	restrictions for SPM or L	PM accessing the t		10
Lockbit 43	11:No	restrictions for SPM or L	PM accessing the a	application section	FSH
Lockbit 21	11:No	memory lock features er	nabled for parallel a	nd serial programmir	
Fusebits				Write	FSE
Fusebit C		de Clock by 8 Disabled			
Fusebit B		CK Output disabled		Write	PRG
Fusebit KLA	.987 10001	0:Int. RC Osc. 8 MHz; S	tart-up time PWRD	WN/RESET: 6 CK/	
🖃 Fusebits High					

These Lock and Fuse bits are different in almost every chip !

You can select new settings and write them to the chip. But be careful ! When you select a wrong oscillator option , you can not program the chip anymore without applying an external clock signal.

This is also the solution to communicate with the chip again : connect a clock pulse to the oscillator input. You could use an output from a working micro, or a clock generator or simple 555 chip circuit.

When you found the right settings, you can use <u>\$PROG</u> and to write the proper settings to new, un-programmed chips. To get this setting you press the 'Write PRG' button.

After a new chip is programmed with \$PROG, you should remark the line for safety and quicker programming.

The 'Write PRG' will write the settings, read from the Microprocessor, it will NOT insert the unsaved settings you have made manual. Thus, you must first use the 'Write XXX' buttons to write the changed fuse bits settings to the chip, then you can use the 'Write PRG'.

Notice that the Write xxx buttons are disabled by default. Only after you have changed a lock or fuse bit value, the corresponding button will be enabled. You must click this button in order to apply the new Lock or Fuse bit settings.

Many new chips have an internal oscillator. The default value is in most cases 8 MHz. But since in most cases the 'Divide by 8' option is also enabled, the oscillator value will be 1 MHz. We suggest to change the 'Divide by 8' fuse bit so you will have a speed of 8 MHz.

In your program you can use  $\frac{\text{scrystal}}{338} = 8000000$  then.

\$crystal will only inform the compiler which oscillator speed you have selected.

#### BASCOM-AVR

This is needed for a number of statements. \$crystal will NOT set the speed of the oscillator itself.

Do not change the fuse bit that will change the RESET to a port pin. Some chips have this option so you can use the reset pin as a normal port pin. While this is a great option it also means you can not program the chip anymore using the ISP.

#### 3.35 Tools Terminal Emulator

With this option you can communicate via the RS-232 interface to the microcomputer. The following window will appear:

BASCOM-AVR Terminal emulator	
<u>File</u> <u>T</u> erminal	
	<u>^</u>
	>
COM1:38400,N,8,1	

Information you type and information that the computer board sends are displayed in the same window.

Note that you must use the same baud rate on both sides of the transmission. If you compiled your program with the Compiler Settings at 4800 baud, you must also set the Communication Settings to 4800 baud.

The setting for the baud rate is also reported in the report file.

NOTE: The focus MUST be on this window in order to see any data (text, etc) sent from the processor. You will NOT see any data sent by the processor right after a reset. You must use an external hardware reset AFTER the terminal Emulator window

is given focus in order to see the data. Using the Reset Shortcut, you will not be able to see any data because pressing the shortcut causes the Terminal emulator to lose focus. This is different than "Hyper Terminal" which always receives data even when the Hyper terminal window does not have focus. Use Hyper terminal if you need to see the program output immediately after programming or reset.

## File Upload

Uploads the current program from the processor chip in HEX format. This option is meant for loading the program into a monitor program for example. It will send the current compiled program HEX file to the serial port.

84

#### **File Escape**

Aborts the upload to the monitor program.

### **File Exit**

Closes terminal emulator.

## **Terminal Clear**

Clears the terminal window.

### **Terminal Open Log**

Opens or closes the LOG file. When there is no LOG file selected you will be asked to enter a filename or to select a filename. All info that is printed to the terminal window is captured into the log file. The menu caption will change into 'Close Log' and when you choose this option the file will be closed.

### **Terminal Send ASCII**

This option allows you to send any ASCII character you need to send. Values from 000 to 255 may be entered.

Send BYTE			×
Enter ASC	II value		
000			
ſ	OK	Cancel	
l			

### **Terminal Send Magic number**

This option will send 4 bytes to the terminal emulator. The intention is to use it together with the boot loader examples. Some of the boot loader samples check for a number of characters when the chip resets. When they receive 4 'magic' characters after each other, they will start the boot load procedure. This menu options send these 4 magic characters.

## **Terminal Setting**

This options will show the terminal settings so you can change them quickly. It is the same as <u>Options</u>, <u>Communication</u> [107].

### 3.36 Tools LCD Designer

With this option you can design special characters for LCD-text displays.

The following window will appear:

86	BASCOM-AVR	
	LCD designer	D
		Clear <u>a</u> ll
		<u>S</u> et all
		X Cancel

The LCD-matrix has 7x5 points. The bottom row is reserved for the cursor but can be used.

You can select a point by clicking the left mouse button. If a cell was selected it will be unselected.

Clicking the Set All button will set all points. Clicking the Clear All button will clear all points.

When you are finished you can press the Ok button : a statement will be inserted in your active program-editor window at the current cursor position. The statement looks like this :

Deflcdchar ?,1,2,3,4,5,6,7,8

You must replace the ?-sign with a character number ranging from 0-7. The eight bytes define how the character will appear. So they will be different depending on the character you have drawn.

### See Also

Font Editor 156

### 3.37 Tools LIB Manager

With this option the following window will appear:

LIB Manager		
at_emulator.lib at_emulator.lib AVR-DOS_lib AVR-DOS_V4.lib bccard.lib bccard.lib bcd.lib bug.lib CF_EmbedSysXRAM.LIB cremsglcdSED.lib datetime.lib Double_lib Double_Trig.lib Double_Trig4.lib ds1307clock.lib EDTP_XRAMDrive0.lib epson.lib eurotimedate.lib	AVRDOSVER CLEARFILESYSTEM CHECKFILESYSTEMTYPE CHECKBOOTSIGN GETFILESYSTEM SAVEA2LONGY LONGY2A INITDIRENTRY MKDIR CHECK_ROOT CHDIR RMDIR FILERENAME FILEOPEN_INPUT FILEOPEN_APPEND FILEOPEN_BINARY	<u>A</u> dd Delete
History = disks without a m History = - added Check for	0 for _GetFileSystem is ignoring t aster boot record (MBR) valid Sectors per Cluster in _Getf ding in binary mode; file-pointer w	Compile

The Libraries are shown in the left pane. When you select a library, the routines that are in the library will be shown in the right pane.

After selecting a routine in the left pane, you can DELETE it with the DELETE button..

Clicking the ADD button allows you to add an ASM routine to the library.

The COMPILE button will compile the lib into an LBX file. When an error occurs you will get an error. By watching the content of the generated lbx file you can determine the error.

A compiled LBX file does not contain comments and a huge amount of mnemonics are compiled into object code. This object code is inserted at compile time of the main BASIC program. This results in faster compilation time.

The DEMO version comes with the compiled MCS.LIB file which is named MCS.LBX. The ASM source (MCS.LIB) is included only with the commercial edition.

With the ability to create LBX files you can create add on packages for BASCOM and sell them. For example, the LBX files could be distributed for free, and the ASM source could be sold.

Some library examples :

- MODBUS crc routine for the modbus slave program.
- Glcd.lib contains the graphical LCD asm code

Commercial packages available from MCS:

- I2CSLAVE library
- BCCARD for communication with www.basiccard.com chipcards

#### See Also

<u>\$LIB</u> 37<sup>th</sup> for writing your own libraries

#### 3.38 Tools Graphic Converter

The Graphic converter is intended to convert BMP files into BASCOM Graphic Files (. BGF) that can be used with Graphic LCD displays.

Graphic converter				
MCS Electronic		Load Save		
64	240	<u>•</u> <u>0</u> K		
LCD type 128*64 240*128 240*240 240*64 128*128	<u>F</u> ont ○ 6*8 ⊙ 8*8	SED series		

The following dialog box will be shown:

To load a picture click the Load button. The picture can be maximum 128 pixels high and 240 pixels width.

When the picture is larger it will be adjusted.

You can use your favorite graphic tool to create the bitmaps and use the Graphic converter to convert them into black and white images.

When you click the Save-button the picture will be converted into black and white. Any non-white color will be converted into black.

The resulting file will have the BGF extension.

You can also paste a picture from the clipboard by clicking the Paste button.

Press the Ok-button to return to the editor.

The picture can be shown with the <u>ShowPic and</u> statement or the ShowpicE statement.



When you use your own drawing routine you can also save the pictures uncompressed by setting the Uncompressed check box. The resulting BGF files can not be shown with the showpic or showpicE statements anymore in that case!

The BGF format is made up as following:

- first byte is the height of the picture
- second byte is the width of the picture
- for each row, all pixels are scanned from left to right in steps of 6 or 8 depending on the font size. The resulting byte in stored with RLE compression

The RLE method used is : byte value, AA(hex), repeats. So a sequence of 5, AA, 10 means that a byte with the value of 5 must

So a sequence of 5, AA, 10 means that a byte with the value of 5 must be repeated 16 times (hex notation used)

Option	Description
Height	The height in pixels of the image.
Width	The width in pixels of the image.
Font	The T6963 supports 6x8 and 8x8 fonts. This is the font select that must match the CONFIG statement. For other displays, use 8*8.
Туре	The size of the display. When the size is not listed, use one with the same width.
SED Series	If your display is a SEDxxxx chip, select this option.
	Images are RLE encoded. Select this option when you do not want to compress the image.

### 3.39 Tools Stack Analyzer

The Stack analyzer helps to determine the proper stack size.

See <u>\$DBG</u> for the proper usage of this option.

#### 3.40 Tools Plugin Manager

The Plug in Manager allows you to specify which Plug-in's needs to be loaded the next time you start BASCOM.

Plugin Manager	×
PlugIns to Load	
✓ fonteditor.bpl	

Just select the plug in's you want to load/use by setting the check box. The plug in's menu's will be loaded under the Tools Menu.

To add a button to the toolbar, right click the mouse on the menu bar, and choose customize.

When you want to write your own plug in's, contact support@mcselec.com

### 3.41 Tools Batch Compile

The Batch Compiler is intended to compile multiple files. Shortcut : CTRL+B

The Batch compile option was added for internal test usage. It is used by MCS to test the provided test samples. The following window is shown :

Batch Compile		
File Batch  C:\DATA\apps\D7\BASAVR\SAMPLE  C:\DATA\apps\D7\BASAVR\SAMPLE  C:\DATA\apps\D7\BASAVR\SAMPLE  C:\DATA\apps\D7\BASAVR\SAMPLE	ES\\$serialinput.bas	-
<ul> <li>C. (DATA\apps\D7\BASAVR\SAMPLE</li> </ul>	S\adc.bas S\adc_int.bas S\ALIAS.bas S\Array.bas S\asc.bas S\asc.bas S\barcode.bas S\basmon.bas S\basmon_test.bas S\bccard.bas S\bcch_fnc_zeh.bas	
Batch Compiler		1.

There are a number of menu options.

### **File Load Batch**

Load an earlier created and saved batch file list from disk.

#### **File Save Batch**

Save a created list of files to disk When you have composed a list with various files it is a good idea to save it for later re usage.

#### **File Save Result**

Save the batch compile log file to disk. A file named batchresult.txt will be saved in the BASCOM application directory.

#### **File Exit**

Close window

### **Batch Compile**

Compile the checked files. By default all files you added are checked. During compilation all files that were compiled without errors are unchecked.

🚟 Batch Compile	
File Batch	+
<ul> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\\$inc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\\$serialinput.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\123.BAS</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.int.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\adc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\array.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\array.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\array.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\barcode.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\barcode.bas</li></ul>	
<ul> <li>31-3-2007-12:51:21 Starting batch compile</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\\$inc.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\\$serialinput.bas</li> <li>C:\DATA\apps\D7\BASAVR\SAMPLES\123.BAS</li> </ul>	
Array.bas	

This screen print shows that \$inc.bas could not be compiled. And that array.bas was not yet compiled.

#### **Batch Add Files**

Add files to the list. You can select multiple \*.BAS files that will be added to the list.

### **Batch Add Dir**

Add a directory to the list. All sub directories will be added too. The entire directory and the sub directories are searched for \*.BAS files. They are all added to the list.

## **Batch Clear List**

Clear the list of files.

### **Batch Clear Good**

Remove the files that were compiled without error. You will keep a list with files that compiled with an error.

All results are shown in an error list at the bottom of the screen. When you double click an item, the file will be opened by the editor.

# See Also

### 3.42 Tools PDF Update

Use this option to update all Atmel PDF files. The Atmel data sheets are stored in the **\PDF** subdirectory. The following window will be shown :

Download and U	pdate PDF Fil	es	
PDF Files			
Check	Select All	Unselect All	Download
			~
<			>

There is only one option available : Check. When you click the Check-button, the Atmel server will be checked for newer versions of the PDF documents. You need to make sure that BASCOM is allowed to contact the internet.

The check will read all available DAT files and check if there is a reference to the PDF. When an item is disabled(grayed) then it means there is no link to the PDF in the DAT file.

During the check the window will look like this :

Download and Update PDF Files	×
PDF Files	-
atmega162.pdf atmega163.pdf atmega164p_324p_644p.pdf atmega165.pdf atmega169_revatoe.pdf ✓ atmega16.pdf atmega322.3250_645_6450.pdf atmega325_3250_645_6450.pdf atmega329_3290_649_6490.pdf ✓ atmega32.pdf atmega164_324_644.pdf ✓ atmega8515.pdf atmega8515.pdf atmega8535.pdf ✓ atmega8.pdf Atmega8.pdf → atmega8.pdf	
Check Select All Unselect All Download	כ
Checking : http://www.atmel.com/dyn/resources/prod_documents/doc255 Checking : http://www.atmel.com/dyn/resources/prod_documents/doc245 Checking : http://www.atmel.com/dyn/resources/prod_documents/25125. Checking : http://www.atmel.com/dyn/resources/prod_documents/doc250 Checking : http://www.atmel.com/dyn/resources/prod_documents/doc248 Checking : http://www.atmel.com/dyn/resources/prod_documents/doc755 Done	

All PDF's that are newer will have a check mark.

You can manual unselect or select the PDF's.

In the log window at the bottom of the window you can view which files will be downloaded.

When you want to download the selected files, press the Download-button. This will close all PDF documents in the PDF viewer. A backup of each PDF file downloaded will be made before it is downloaded. You need to restore it when something goes wrong during the download(server drops the connection for example).

When a document is downloaded, the check mark will be removed.

After all documents are downloaded, they documents are opened again in the PDF viewer.

#### 3.43 Tools Resource Editor

The resource editor can be used to edit the resource strings of your application. The resource editor will create a <project>.BCR file. The resource editor is part of the Resource Add On, and is only available when you have this add on installed.

The simplest way to get the resources from your application is to create a BCS file using the DUMP option.

Then import them with the resource editor.

English	Dutch	German	Italian
This	Dit	Dies	Questo
Name	Naam	Name	Nome
Multi language test	Meertalen test		Test multilingua
Hello	Hallo	Hallo	Ciao
is a test	is een test	ist ein test	è un test
mark	Mark	Marcus	Marco

The following options are available when you right click with the mouse in the resource editor.

Option	Description	
Search	Search for a string.	
Find Next	Find next occurrence.	
Delete Row	Delete the current row.	
Add Row	Add a new row for a new string.	
Import	This option will import the BCS file which you can create with the \$RESOURCE DUMP option.	
Set Language Name	Change the language name of the current language/column.	
Add Language	Add a new column for a new language.	
Delete Language	Delete the current column (language).	

The resource editor is pretty simple. The only task is allow you to edit the various strings. You can also use notepad or Excel to create the BCR file which is explained in the  $\frac{\text{SRESOURCE}}{333}$  topic.

### 3.44 Options Compiler

With this option, you can modify the compiler options.

The following TAB pages are available:

Options Compiler Chip Options Compiler Output Options Compiler Communication Options Compiler I2C, SPI, 1WIRE Options Compiler LCD M

## 3.44.1 Options Compiler Chip

BAS	BASCOM-AVR Options						
Co	Compiler Communication Environment Simulator Programmer Monitor Printer						
	Chip Output Communication 12C, SPI, 1WIRE LCD						
	Chip	9058515	•	FlashROM	8 KB		
	XRAM	None	▼	SRAM	512		
	HW Stack	38		EEPROM	512		
	Soft Stack	32		🗖 XRAM wa	itstate		
	Framesize	32		🔲 External A	ccess Enable		
	Default <u>Ok</u> <u>Cancel</u>						

The following options are available:

# **Options Compiler Chip**

Item	Description					
Chip	Selects the target chip. Each chip has a corresponding x.DAT file with specifications of the chip. Note that some DAT files are not available yet.					
XRAM	Selects the size of the external RAM. KB means Kilo Bytes. For 32 KB you need a 62256 STATIC RAM chip.					
HW Stack	The amount of bytes available for the hardware stack. When you use GOSUB or CALL, you are using 2 bytes of HW stack space. When you nest 2 GOSUB's you are using 4 bytes (2*2). Most statements need HW stack too. An interrupt needs 32 bytes.					
Soft Stack	Specifies the size of the software stack. Each local variable uses 2 bytes. Each variable that is passed to a sub program uses 2 bytes too. So when you have used 10 locals in a SUB and the SUB passes 3 parameters, you need 13 * 2 = 26 bytes.					
Frame size	Specifies the size of the frame. Each local variable is stored in a space that is named the frame space. When you have 2 local integers and a string with a length of 10, you need a frame size of $(2*2) + 11 = 15$ bytes. The internal conversion routines used when you use INPUT num, or STR(), or VAL(), etc, also use the frame. They need a maximum of					

96

	16 bytes. So for this example $15+16 = 31$ would be a good value.
XRAM wait state	Select to insert a wait state for the external RAM.
enable	Select this option to allow external access of the micro. The 8515 for example can use port A and C to control a RAM chip. This is almost always selected if XRAM is used
	Press or click this button to use the current Compiler Chip settings as default for all new projects.

## 3.44.2 Options Compiler Output

BASCOM	-AVR Options					
<u>C</u> ompiler	Communication	<u>Environment</u>	Simulator	Programmer	Monitor	Printer
Chip	Output Comr	nunication 12C	, SPI, 1WIR	ELCD		
B	inary file	AVR Studio	Object file			
	ebug File	📃 Size warnin	g			
. PH	IEX file	Swap words	s			
F	eport file	🗹 Optimize co	de			
🗹 E	rror file	Show intern	al variables			
			k	X <u>C</u> an	cel	
Defau						

# **Options Compiler Output**

Item	Description
Binary file	Select to generate a binary file. (xxx.bin)
Debug file	Select to generate a debug file (xxx.dbg)
Hex file	Select to generate an Intel HEX file (xxx.hex)
Report file	Select to generate a report file (xxx.rpt)
Error file	Select to generate an error file (xxx.err)
AVR Studio object file	Select to generate an AVR Studio object file (xxx.obj)
Size warning	Select to generate a warning when the code size exceeds the Flash ROM size.
Swap words	This option will swap the bytes of the object code words. Useful for some programmers. Should be disabled for most programmers. Don't use it with the internal supported programmers.
Optimize code	This options does additional optimization of the generated code. Since it takes more compile time it is an option.
Show internal variables	Internal variables are used. Most of them refer to a register. LikeTEMP1 = R24. This option shows these variables in the report.

### 3.44.3 Options Compiler Communication

BASCOM	-AVR Optic	ons					
<u>C</u> ompiler	Communica	tion <u>E</u> n	vironment	<u>S</u> imulator	Programmer	M <u>o</u> nitor	Printer
Chip	Output Co	ommunic	ation 12C,	. SPI, 1WIR	ELCD		
Baud	drate [	9600		*			
Freq	uency [	4000000		¥ H	łz		
Error	ſ		0,16%				
Defau	.lt		<ul> <li>✓ 0</li> </ul>	k	X <u>C</u> an	cel	

## **Options Compiler Communication**

Item	Description
Baud rate	Selects the baud rate for the serial communication statements. You can also type in a new baud rate. It is advised to use <u>\$BAUD</u> [332] in the source code which overrides this setting.
Frequency	Select the frequency of the used crystal. You can also type in a new frequency. It is advised to use $\frac{CRYSTAL}{338}$ in the source code which overrides this setting. Settings in source code are preferred since it is more clear.

The settings for the internal hardware UART are:

No parity , 8 data bits , 1 stop bit

Some AVR chips have the option to specify different data bits and different stop bits and parity.

Note that these settings must match the settings of the terminal emulator. In the simulator the output is always shown correct since the baud rate is not taken in consideration during simulation. With real hardware when you print data at 9600 baud, the terminal emulator will show weird characters when not set to the same baud rate, in this example, to 9600 baud.

#### 3.44.4 Options Compiler I2C, SPI, 1WIRE

mpiler	Commu	nication <u>E</u> nvironment	Simulator Prog	grammer M <u>o</u> nitor Printer
Chip	Output	Communication 12C,	, SPI, 1WIRE	CD
-120-			SPI	
SCL	port	PORTA.0 🔽	Clock	PORTB.5
SDA	port	PORTA.0	MOSI	PORTB.6
∟ ⊂1 Wi	re		MISO	PORTB.7
1 wire		PORTB.0	SS	PORTB.5
				Use Hardware SPI
				I2C/SPI/1WIRE
	_	<b>v</b> 0		X <u>C</u> ancel

# **Options Compiler I2C, SPI, 1WIRE**

Item	Description
SCL port	Select the port pin that serves as the SCL-line for the I2C related statements.
SDA port	Select the port pin that serves as the SDA-line for the I2C related statements.
1WIRE	Select the port pin that serves as the 1WIRE-line for the 1Wire related statements.
Clock	Select the port pin that serves as the clock-line for the SPI related statements.
MOSI	Select the port pin that serves as the MOSI-line for the SPI related statements.
MISO	Select the port pin that serves as the MISO-line for the SPI related statements.
SS	Select the port pin that serves as the SS-line for the SPI related statements.
Use hardware SPI	Select to use built-in hardware for SPI, otherwise software emulation of SPI will be used. The 2313 does not have internal HW SPI so it can only be used with software SPI mode. When you do use hardware SPI, the above settings are not used anymore since the SPI pins are dedicated pins and can not be chosen by the user.

It is advised to use the various  $\underline{CONFIG}_{48}$  commands in your source code. It make more clear in the source code which pins are used.

## 3.44.5 Options Compiler LCD

BASCOM-AVR Options		
Compiler Communication Environment Simulato	r <u>P</u> rogra	mmer M <u>o</u> nitor Printer
Chip Output Communication I2C, SPI, 1WI	RE LCD	
LCD type 16 * 1a 🗸	Enable	PORTB.3 💌
BUS mode Data mode	RS	PORTB.2 💌
● 4-bit ● 8-bit ● bus	DB7	PORTB.7 💌
	DB6	PORTB.6 💌
LCD-address C000	DB5	PORTB.5 💌
RS-address 8000	DB4	PORTB.4 🔽
Make upper 3 bits '1' in LCD designer		
	<b></b>	Compiler Options
Defaultk	×	

# **Options Compiler LCD**

Item	Description
LCD type	The LCD display used.
Bus mode	The LCD can be operated in BUS mode or in PIN mode. In PIN mode, the data lines of the LCD are connected to the processor port pins. In BUS mode the data lines of the LCD are connected to the data lines of the BUS.
	Select 4 when you have only connect DB4-DB7. When the data mode is 'pin', you should select 4.
Data mode	Select the mode in which the LCD is operating. In PIN mode, individual processor pins can be used to drive the LCD. In BUS mode, the external data bus is used to drive the LCD.
LCD address	In BUS mode you must specify which address will select the enable line of the LCD display. For the STK200, this is C000 = $A14 + A15$ .
RS address	In BUS mode you must specify which address will select the RS line of the LCD display. For the STK200, this is $8000 = A15$
Enable	For PIN mode, you must select the processor pin that is connected to the enable line of the LCD display.
RS	For PIN mode, you must select the processor pin that is connected to the RS line of the LCD display.
DB7-DB4	For PIN mode, you must select the processor pins that are connected to the upper four data lines of the LCD display.
Make upper 3 bits high	Some displays require that for setting custom characters,

© 2012 MCS Electronics

in LCD designer the upper 3 bits must be 1. Should not be used by default.

It is advised to use the CONFIG LCD command. This way the settings are stored in your source code and not in the separate CFG file.

### 3.45 Options Communication

With this option, you can modify the communication settings for the terminal emulator.

BASCOM-A	VR Options								
<u>C</u> ompiler	Communication	<u>E</u> nvironment	<u>S</u> imulator	<u>P</u> rogram	nmer	M <u>o</u> nitor	Printer		
COM por	t COM1	•	Handsh	ake	None	9		•	
Baudrate	19200	•	Emulatio	on	NON	IE		•	
Parity	None	•			R B	TS			
Databits	8	•	Font			Font			
Stopbits	1	•	Backco	lor		Navy			
🗖 Кеер	Terminal emulato	or open							
🔽 Use E	Existing COM port	ts							
Default	t	✓ <u>0</u>	k	×	<u>C</u> anc	;el			

Item	Description
Comport	The communication port of your PC that you use for the terminal emulator.
Baud rate	The baud rate to use.
Parity	Parity, default None.
Data bits	Number of data bits, default 8.
Stop bits	Number of stop bits, default 1.
Handshake	The handshake used, default is none.
Emulation	Emulation used, default BBS ANSI.
Font	Font type and color used by the emulator.
Back color	Background color of the terminal emulator.
Keep TE open	This option will keep the terminal emulator COM port open when you close the window or move the focus away. Some serial programmers which close the COM port when they need to program, will not work in this mode when they use the same COM port.
Use Existing	When you select this option, you will get a list with the available COM

102	BASCOM-AVR
-----	------------

COM ports	ports only at places you can select a COM port. When you insert an USB virtual COM port, it will be added to list automatically. Removing virtual COM ports will also update the available COM port list. When you do not select this option you get a list with COM1-COM255.
-----------	---

Note that the baud rate of the terminal emulator and the baud rate setting of the <u>compiler options</u> [98], must be the same in order to work correctly.

The reason why you can specify them both to be different is that you can use the terminal emulator for other purposes too.

## 3.46 Options Environment

BASCOM-AVR Options				
Compiler Communication Environmen	t <u>S</u> imulator <u>P</u> rogramm	er M <u>o</u> nitor Printer		
Editor Font IDE PDF				
V Autoindent	Comment position	060		
🔲 Don't change case	TAB-size	3		
🔲 Reformat BAS files	Keymapping	Default		
🔽 Reformat code		Derault		
Smart TAB	No reformat extension	DAT		
🔽 Syntax highlight		Size of new editor window		
🔽 Show margin 🛛 44 🛛 🔀		Normal Maximized		
Line numbers				
Default 🗸 Ok X Cancel				

OPTION	DESCRIPTION
Auto Indent	When you press return, the cursor is set to the next line at the current column position.
Don't change case	When set, the reformat won't change the case of the line after you have edited it.
	Default is that the text is reformatted so every word begins with upper case.
Reformat BAS files	Reformat files when loading them into the editor. All lines are reformatted so that multiple spaces are removed.
	This is only necessary when you are loading files that where created with another editor. Normally you won't need to set this option.

Reformat code	Reformat code when entered in the editor. The reformat option will change the modified line. For example $a = a + 1$ will be changed into : $a = a + 1$ . When you forget a string end marker ", one will be added, and endif will be changed into End IF.
Smart TAB	When set, a TAB will place the cursor to the column where text starts on the previous line.
Syntax highlighting	This options highlights BASCOM statements in the editor.
Show margin	Shows a margin on the right side of the editor. You can specify the position. By default this is 80.
Comment	The position of the comment. Comment is positioned to the right of your source code. Exception if comment is first character of a line.
TAB-size	Number of spaces that are generated for a TAB.
Key mapping	Choose default, Classic, Brief or Epsilon.
No reformat extension	File extensions separated by a space that will not be reformatted when loaded. For example when DAT is entered, opening a DAT file can be done without that it is reformatted.
Size of new editor window	When a new editor window is created you can select how it will be made. Normal or Maximized (full window)
Line Numbers	Show line numbers in the margin.

BASCOM-AVR Options
Compiler Communication Environment Simulator Programmer Monitor Printer
Editor Font IDE PDF
Background color White SeditorFont Font
Keyword color Navy 💽 🗹 Bold
Comment color Green 💽 🗹 Italic
ASM color Purple
HW Register color Maroon
String color Teal
Variable color Black
Default

OPTION	DESCRIPTION
Background color	The background color of the editor window.
Keyword color	The color of the reserved words. Default Navy.
	The keywords can be displayed in <b>bold</b> too.

#### 104 BASCOM-AVR

Comment color	The color of comment. Default green.		
	Comment can be shown in <i>Italic</i> too.		
ASM color	Color to use for ASM statements. Default purple.		
HW registers color	The color to use for the hardware registers/ports. Default maroon.		
String color	The color to use for string constants : "test"		
Variable color	The color to use for variables.		
Editor font	Click on this label to select another font for the editor window.		

BASCOM-AVR Options	
Compiler Communication Environment Simulator Programmer M Editor Font IDE PDF	onitor Printer
<ul> <li>✓ Tooltips</li> <li>✓ Use HTML help</li> <li>✓ Code Hints</li> <li>✓ Allow multiple instances</li> <li>✓ Autosave on compile</li> <li>△ Auto Backup</li> <li>✓ Auto Load last file</li> <li>△ Auto Load All Files</li> <li>✓ Clear 'Do not Ask'</li> </ul>	
Default V Ok X Cancel	Environment Opt

OPTION	DESCRIPTION
Tool tips	Show tool tips.
File location	Click to select a directory where your program files are stored. By default Windows will use the My Documents path.
Use HTML Help	HTML help or CHM Help is the preferred help file. Since HLP is not supported under Vista, it is advised to switch to CHM/ HTML Help. With the UpdateWiz you can still download the HLP file.
Code hints	Select this option to enable code hints. You can get code hints after you have type a statement that is recognized as a valid statement or function.
Hint Time	The delay time in mS before a code hint will be shown.
Hint Color	The background color of the hints.
Allow multiple Instances	Select this option when you want to run multiple instances of BASCOM. When not enabled, running a second copy will terminate the first one.
Auto save on compile	The code is always saved when you compile. When you select

-

	this option, the code is saved under the same name. When this option is not selected, you will be prompted for a new filename.
Auto backup	Check this option to make periodic backups. When checked you can specify the backup time in minutes. The file will also be saved when you press the compiler button.
Auto load last file	When enabled, this option will load the last file that was open into the editor, when you start BASCOM.
Auto load all files	When enabled, this option will load all files that were open when you closed BASCOM.
Reset docking	This will reset the dockable windows to the default position.
Language	This will set the language in the main menu to the selected language. Not all listed languages are supported/translated yet.

BASCOM-AVR Options					
Compiler Communication	<u>E</u> nvironment	<u>S</u> imulator	Programmer	Monitor	Printer
Editor Font IDE	PDF		· · · · · · · · · · · · · · · · · · ·		
<ul> <li>✓ Auto open processor</li> <li>✓ Open PDF in new</li> <li>✓ Auto save/load projet</li> </ul>	v sheet				
			Environm	ent Option	2
Default		k	X <u>C</u> ane	cel	

OPTION	DESCRIPTION
	This option will automatic load the PDF of the selected micro processor in the PDF viewer. The \$REGFILE value determines which data sheet is loaded. The PDF must exist otherwise it can not be loaded.
	Every time you change the value of the \$REGFILE the processor PDF can be shown in the same sheet, or a new sheet can be shown with the PDF. A good option in case your project uses multiple processors.
Auto save/load project PDF	Load all PDF's when the project is opened that were loaded when the project was closed.

## 3.47 Options Simulator

With this option you can modify the simulator settings.

BASCOM-	AVR Options					
Compiler	Communication	Environment	<u>S</u> imulator	<u>P</u> rogrammer	M <u>o</u> nitor	Printer
Program Parameter	Run Simula	ted Simulator tor after compil	ation			Simulator Options
Defaul	t	<ul> <li><u>o</u></li> </ul>	k	X <u>C</u> an	cel	

OPTION	DESCRIPTION
Use integrated simulator	Set this option to use BASCOM's simulator. You can also use AVR Studio by clearing this option.
Run simulator after compilation	Run the selected simulator after a successful compilation.
Program	The path with the program name of the external simulator.
Parameter	The parameter to pass to the program. {FILE}.OBJ will supply the name of the current program with the extension . OBJ to the simulator.

## 3.48 Options Programmer

With this option you can modify the programmer settings.

BASCOM-AVR Options			
Compiler Communica	tion Environment Simulator Programmer Monitor Printer		
Programmer	STK200/STK300 Programmer		
Play sound			
Erase warning			
Parallel			
LPT-address	378 🖌 +		
Port delay	0		
Default	<u>↓</u> <u>D</u> k <u>★</u> <u>C</u> ancel		

OPTION	DESCRIPTION
Programmer	Select one from the list.
Play sound	Name of a WAV file to be played when programming is finished.
	Press the directory button to select a file.
Erase Warning	Set this option when you want a confirmation when the chip is erased.
Auto flash	Some programmers support auto flash. Pressing F4 will program the chip without showing the programmer window.
Auto verify	Some programmers support verifying. The chip content will be verified after programming.
Upload code and data	Set this option to program both the FLASH memory and the EEPROM memory
Program after compile	When compilation is successful, the chip will be programmed
Set focus to terminal emulator	When the chip is programmed, the terminal emulator will be shown
	Parallel printer port programmers
LPT address	Port address of the LPT that is connected to the programmer.
Port delay	An optional delay in uS. It should be 0. But on some systems a delay might be needed.

	Serial port programmer
COM port	The com port the programmer is connected to.
STK500 EXE	The path of stk500.exe. This is the full file location to the files stk500.exe that comes with the STK500.
USB	For mkII and other Atmel USB programmers you can enter the serial number here. Or you can look it up from the list.
	Other
Use HEX	Select when a HEX file must be sent instead of the bin file.
Program	The program to execute. This is your programmer software.
Parameter	The optional parameter that the program might need.
	Use {FILE} to insert the binary filename(file.bin) and {EEPROM} to insert the filename of the generated EEP file.
	When `Use Hex' is checked the filename (file.hex) will be inserted for {FILE}. In all cases a binary file will be inserted for {EEPROM} with the extension .EEP
	Use {CHIP} to insert the official device name of the chip. The device name is required by some programmers.

#### See Also

Supported programmers 108

#### 3.48.1 Supported Programmers

BASCOM supports the following programmers

AVR ICP910 based on the AVR910.ASM application note

STK200 ISP programmer from Atmel

The PG302 programmer from Iguana Labs

The simple cable programmer from Sample Electronics.

KITSRUS KIT122 Programmer

MCS Universal Interface Programmer

The MCS Universal Interface supports a number of programmers as well. In fact it is possible to support most parallel printer port programmers.

STK500 programmer and Extended STK500 programmer. 115

Lawicel BootLoader

USB-ISP Programmer 119

MCS Bootloader 128

PROGGY 130

FLIP 131

USBprog Programmer / AVR ISP mkII [134] (AVRISP)

KamProg for AVR 134

USBASP 135

STK600 136

ARDUINO 139

#### 3.48.1.1 ISP programmer

BASCOM supports the STK200 and STK200+ and STK300 ISP programmer from Atmel.


This is a very reliable parallel printer port programmer. The STK200 ISP programmer is included in the STK200 starter kit. Most programs were tested with the STK200.

For those who don't have this kit and the programmer the following schematic shows how to make your own programmer:

The dongle has a chip with no identification but since the schematic is all over the web, it is included. MCS also sells a STK200 compatible programmer.

Here is a tip received from a user :

If the parallel port is disconnected from the interface and left floating, the '244 latch outputs will waver, causing your micro controller to randomly reset during operation. The simple addition of a 100K pull-up resistor between pin 1 and 20 of the latch, and another between pin 19 and 20, will eliminate this problem. You'll then have HIGH-Z on the latch outputs when the cable is disconnected (as well as when it's connected and you aren't programming), so you can use the MOSI etc. pins for I/O.



## 3.48.1.2 PG302 programmer

The PG302 is a serial programmer. It works and looks exactly as the original PG302 software.

PG302 programmer		×
<u>D</u> evice		
AT90S2313	-	
_ <u>M</u> emory	EPROM	Lockbits LB1 LB2 LB3
Blank check	<u>E</u> rase	🗖 Auto Erase
⊻erify	<u>P</u> rogram	Auto Verify
<u>R</u> ead	<u>S</u> et lockbit	X Close

Select the programmer from The Option Programmer menu or right click on the **button** to show the **Option Programmer here** 

#### 3.48.1.3 Sample Electronics cable programmer

Sample Electronics submitted the simple cable programmer.

They produce professional programmers too. This simple programmer you can make yourself within 10 minutes.

What you need is a DB25 centronics male connector, a flat cable and a connector that can be connected to the target MCU board.

DB25 pin		Target MCU M103/M128	Target MCU pin 8515	DT104
2, D0	MOSI, pin 6	PE.0, 2	MOSI, 6	J5, pin 4
4, D2	RESET, pin 9	RESET, 20	RESET, 9	J5, pin 8
5, D3	CLOCK, pin 8	PB.1,11	CLOCK, 8	J5, pin 6
11, BUSY	MISO, pin 7	PE.1, 3	MISO, 7	J5, pin 5
18-25,GND	GROUND	GROUND	GND,20	J5, pin 1


The connections to make are as following:

The MCU pin numbers are shown for an 8535! And 8515 Note that 18-25 means pins 18,19,20,21,22,23,24 and 25

You can use a small resistor of 100-220 ohm in series with the D0, D2 and D3 line in order not to short circuit your LPT port in the event the MCU pins are high. It was tested without these resistors and no problems occurred.

Tip : when testing programmers etc. on the LPT it is best to buy an I/O card for your PC that has a LPT port. This way you don't destroy your LPT port that is on the motherboard in the event you make a mistake!

The following picture shows the connections to make. Both a setup for the DT104 and stand-alone PCB are shown.



I received the following useful information:

*I have been having spurious success with the simple cable programmer from Sample Electronics for the AVR series.* 

After resorting to hooking up the CRO I have figured it out (I think). When trying to identify the chip, no response on the MISO pin indicates that the Programming Enable command has not been correctly received by the target.

The SCK line Mark/Space times were okay but it looked a bit sad with a slow rise time but a rapid fall time. So I initially tried to improve the rise time with a pull-up. No change ie still could not identify chip. I was about to add some buffers when I came across an Atmel app note for their serial programmer "During this first phase of the programming cycle, keeping the SCK line free from pulses is critical, as pulses will cause the target AVR to loose synchronization with the programmer. When synchronization is lost, the only means of regaining synchronization is to release the RESET line for more than 100ms."

*I have added a 100pF cap from SCK to GND and works first time every time now. The SCK rise time is still sad but there must have been enough noise to corrupt the initial command despite using a 600mm shielded cable.* 

#### 3.48.1.4 KITSRUS Programmer

The K122 is a KIT from KITSRUS. (www.kitsrus.com)

The programmer supports the most popular 20 and 40 pins AVR chips.

On the Programmer Options tab you must select this programmer and the COM port it is connected to.

On the Monitor Options tab you must specify the upload speed of 9600, Monitor delay of 1 and Prefix delay 1.

When you press the Program button the Terminal Emulator screen will pop up:

BASCOM-AVR Terminal emulator			_ 🗆 ×
<u>F</u> ile <u>T</u> erminal			
	• Flash	O EEPROM	
			-
COM1:19200,N,8,1			

A special toolbar is now visible.

You must press the Program enable button to enable the programmer. When you enable the programmer the right baud rate will be set. When you are finished you must press the Enable button again to disable it. This way you can have a micro connected to your COM port that works with a different BAUD rate.

There is an option to select between FLASH and EEPROM. The prompt will show the current mode which is set to FLASH by default.

The buttons on the toolbar allow you to : ERASE, PROGRAM, VERIFY, DUMP and set the LOCK BITS. When DUMP is selected you will be asked for a file name. When the DUMP is ready you must CLOSE the LOGFILE where the data is stored. This can be done to select the CLOSE LOGFILE option form the menu.

#### 3.48.1.5 MCS Universal Interface Programmer

The MCS Universal Interface programmer allows you to customize the pins that are used for the ISP interface. The file prog.settings stores the various interfaces.

The content :

; how to use this file to add support for other programmers

;first create a section like [newprog]

; then enter the entries:

- ; BASE= \$hexaddress
- ; MOSI= address in form of BASE[+offset] , bit [,inverted]
- ; CLOCK= same as MOSI
- ; RESET=same as MOSI
- ; MISO=same as MOSI
- ; The bit is a numer that must be written to set the bit
- ; for example 128 to set bit 7
- ; Optional is ,INVERTED to specify that inverse logic is used
- ; When 128 is specified for the bit, NOT 128 will be written(127)

#### [FUTURELEC]

;tested and ok BASE=\$378 MOSI=BASE+2,1,inverted CLOCK=BASE,1 RESET=BASE,2 MISO=BASE+1,64

[sample] ;tested and ok BASE=\$378 MOSI=BASE,1 CLOCK=BASE,8 RESET=BASE,4 MISO=BASE+1,128,INVERTED

[stk200] ;tested and ok BASE=\$378 MOSI=BASE,32 CLOCK=BASE,16 RESET=BASE,128 MISO=BASE+1,64

Four programmers are supported : Futurelec, Sample and STK200/STK300 and WinAVR/ SP12.

To add your own programmer open the file with notepad and add a new section name. For the example I will use stk200 that is already in the file.

[stk200]


The LPT base address must be specified. For LPT1 this is in most cases \$378. \$ means hexadecimal.

The pins that are needed are MOSI, CLOCK, RESET and MISO. Add the pin name MOSI =

After the pin name add the address of the register. For the STK200 the data lines are used so BASE must be specified. After the address of the register, specify the bit number value to set the pin high. Pin 0 will be 1, pin 1 would be 2, pin 2 would be 4 etc. D5 is used for the stk so we specify 32.

When the value is set by writing a logic 0, also specify, INVERTED. After you have specified all pins, save the file and restart BASCOM. Select the Universal Programmer Interface and select the entry you created. After you have selected an entry save your settings and exit BASCOM. At the next startup of BASCOM, the settings will be used.

The following picture shows the LPT connector and the relation of the pins to the LPT registers.



Always add your entry to the bottom of the file and email the settings to support@mcselec.com so it can be added to BASCOM.

#### 3.48.1.6 STK500 Programmer

When you select the STK500 programmer, BASCOM will run the file named stk500. exe that is installed with AVR Studio.

That is why you have to specify the file location of the stk500.exe The normal STK500 support will erase, and program the flash.

The STK500.EXE supports a number of Atmel programmers which all use the STK500 V1 or V2 protocol.

For the AVR ISP mkII, you need to supply the serial number of the USB programmer. The USB port will be used then instead of the serial port.

You can also use the **native** driver which does not use/need the stk500.exe If you select this programmer, you will see the following window when you launch the programmer with F4(manual program)

	-																									
File	Bi				·								_										 			
2	B	7		; E	<u>.</u>		2	ı (	5	1																
hip		???				_			Fla	ash	size	,	Π	кв			-	1	EEPROM s	ize	Π	Bytes				
																	_					bytoo				
Flash	? <b>-</b>						nd F																			
	00																									
000	94	0C	00	38	95	18	00	0	0 9	95	18	00	00	95	18	00	00	18111								
)10	95	18	00	00	95	18	00	0	0 9	95 -	18	00	00	95	18	00	00	III								
							_	_		_	_							III								
			_					_	_									IIII								
							_	_	_									IIII								
						_	_	_		_	_							llll								
_		_				-		-	_		-	_	_					llll								
		_						-	_			_	_					ï¿íÆéî.Nàl¿								
								_	_									àôïîàóà à:	rl.							
							_	_	_									2 á%à€%'								
								_	_	_								[1÷éá]¹]à€½€								
_		_	_			-	-	-	-	-	-	_	_				-	à€¿lᾀáľ\$i								
		_				-		-	_		-	_	_					½€ël≿lál€.!a								
									_			_						»[Ââààó]								
						_	_	_	_	_	_							IÿIãà∝à±∥	•							
)F0	E0	B4	E0	EB	EO	F1	94	0	E   C	01   3	3F	94	0E	00	EB	94	0E	àràeàñ[?[)	ál.					 	 	
9 S 9 C 1 C	TK5	00 d ta\a	Ipps	\D7	^\ВА	١SĂ	٧R١	SA	MP	LES								l 826 bytes in und.	to FLASH t	uffer						

When the source code is compiled and the BIN file exists, it is loaded automatic into the buffer.

When an EEPROM image file exists (EEP), it is loaded too into the EEPROM buffer. When it does not exist you will see a warning which you can ignore.

When the target device is not read yet, the CHIP will be unidentified which is marked as ???.

In the status bar you can see the loaded file, and the size of the file. Notice that 16000 will be shown as 16 KB.

You can select the EEPROM-TAB to view the EEPROM image. Memory locations can be altered. Select a cell, and type a new value. Then press ENTER to confirm. You can immediately see the new value.

When you select the Lock and Fusebits-TAB the lock and fuse bits will be read.

117

Atmel STK500 prot	ocol compatible Programmer	
· ·		
🥒 🤌 🛃 💾 🖱	2 🖁 🖁 🖳 🖳 -	
Chip ATmega162	Flash size 16 KB EEPROM size 512 Bytes	
Flash EEPROM Lo	ck and Fuse bits	
Chip	M162	
Name Calibration 0	56	Refresh
Calibration 0	56 FF	
Lockbits		
Lockbit 54 Lockbit 32	11:No restrictions for SPM or LPM accessing the boot loader section	Write LB
Lockbit 32	11:No restrictions for SPM or LPM accessing the application section 11:No memory lock features enabled	Write FS
	ED	whiter 5
Fusebit 7	1:Divide clock by 16 disabled	Write FSH
Fusebit 6	1:Divide clock by 16 disabled 1:Clock output disabled	
Fusebit 98	10:SUT=10 Start-up time	Write FSE
Fusebit DCBA	1101:CKSEL=110X External Crystal/Resonator Medium Frequency	
J Fusebits High	D0	
Fusebit High E	1:Disable OCD	
Fusebit High F	1:Disable JTAG	Write PBG
Fusebit High G	0:Enable serial downloading	
Fusebit High H	1:Watchdogtimer always on disabled	
rusebicriigirri		
Started STK500 compatible		
	ASAVR\SAMPLES\CHIPS\M162.BIN loaded 826 bytes into FLASH buffer	
C:\data\apps\D7\B.	ASAVR\SAMPLES\CHIPS\M162.EEP not found.	
162.BIN	FLASH : 16 KB EEPROM : 512 Bytes	

As you can see that as soon as the target chip is determined, the chip name is shown under the tool bar.

The FLASH size and EEPROM size are shown too.

As soon as you alter a lock or fuse bit, the corresponding Write-button will be enabled. You need to click it to write the new value. The lock and fuse bits are read again so you can see if it worked out. The lock and fuse bits shown will depend on the used chip. Every chip has different fuse bits. Some fuse bits can not be altered via the serial programming method. The native stk500 driver uses the serial programming method. Some fuse bits require the parallel or high voltage programming method. For example the fuse bit 'enable serial downloading' can not be changed with the serial programming method.

Fuse bits of interest are : the clock divider and the oscillator fuse bits. When you select a wrong oscillator fuse bit (for example you select an external oscillator) the chip will not work anymore till you connect such an external oscillator! Of course a simple 555 chip can generate a clock signal you can use to 'wake' a locked chip.

Once you have all settings right, you can press the 'Write PRG' button which will insert some code into your program at the current cursor position. This is the \$PROG directive.

For example : \$prog &HFF , &HED , &HD0 , &HFF

When you compile your program with the <u>\$PROG</u> and directive it will generate a PRG file with the lock and fuse bit settings.

If you then auto program(see later) a chip, it will use these settings.

\$PROG is great to load the right lock and fuse bits into a new chip. But be careful : do not enable \$PROG till you are done with development. Otherwise programming will be slow because of the extra reading and writing steps.

The following menu options are available:

Option	Description
File	
Exit	Close programmer.
Buffer	
Clear	Clear buffer. Will put a value of 255 (FF hex) into each memory location. When the FLASH-TAB has the focus, the FLASH buffer will be cleared. When the EEPROM-TAB has the focus, the EEPROM buffer will be cleared. 255 is the value of an empty memory location.
Load from File	This will shown an open file dialog so you can select a binary file (BIN)
	The file is loaded into the buffer.
Save to File	Will save the current buffer to a file.
Reload	Reloads the buffer from the file image.
Chip	
Identify	Will attempt to read the signature of the chip. When the signature is unknown(no DAT file available) or there is no chip or other error, you will get an error. Otherwise the chip name will be shown.
Write buffer to chip	This will write the active buffer(FLASH or EEPROM) into the chip.
Read chipcode	When the chip lock bit is not set you can read the FLASH or EEPROM into the buffer.
Blank check	Check if the chip FLASH or EEPROM is empty.
Erase	Erases the chip FLASH. It depends on the fusebits if the EEPROM is erased too. Normally the EEPROM is erased too but some chip have a fuse bit to preserve EEPROM when erasing the chip. A chip MUST be erased before it can be programmed.
Verify	Checks if the buffer matches the chip FLASH or EEPROM.
Auto program	This will eraser, and program the FLASH and EEPROM and if \$PROG is used, it will set the lock and fusebits too.

Under Options, you can find a setting to change the clock frequency. The clock frequency should not be higher then a quarter of the oscillator frequency.

## 3.48.1.7 Lawicel BootLoader

The Lawicel Boot loader must be used with the StAVeR. The StAVeR contains a boot loader so you only need a serial interface, no parallel programmer or other programmers.

You can also use Hyper terminal.

When you have selected the Lawicel Boot loader from the Options, Programmer, the following window will appear when you press F4.

🚟 Lawicel BootLoader 🛛 🔲 🖂
Reset Staver
Cancel

As the window suggests, press the reset button on the activity board or StAVeR, and the chip will be programmed. This is visible by a second wind that will be shown during programming.

When the programming succeeds, both windows will be closed.

When an error occurs, you will get an error message and you can clock the Cancel button in order to return to the Editor.

#### 3.48.1.8 AVR ISP Programmer

The AVRISP programmer is AVR ICP910 based on the AVR910.ASM application note.

The old ICP910 does not support Mega chips. Only a modified version of the AVR910. ASM supports Universal commands so all chips can be programmed.

The new AVRISP from Atmel that can be used with AVR Studio, is not compatible! You need to select <u>STK500 programmer</u> [115] because the new AVRISP programmer from Atmel, uses the STK500 protocol.

When you do not want to use the default baud rate that AVR910 is using, you can edit the file bascavr.ini from the Windows directory. Add the section [AVRISP] Then add: COM=19200,n,8,1

This is the default. When you made your own dongle, you can increase the baud rate

You need to save the file and restart BASCOM before the settings will be in effect.

#### 3.48.1.9 USB-ISP Programmer

The USB-ISP Programmer is a special USB programmer that is fully compatible with BASCOM's advanced programmer options.

Since many new PC's and especial Laptop's do not have a parallel programmer anymore, MCS selected the USB-ISP programmer from EMBUD.

The drivers can be downloaded from the MCS Electronics website. Please download from http://www.mcselec.com/index.php?option=com\_docman&task=doc\_download&gid=204&Ite

mid=54 After downloading, unzip the files in the BASCOM-AVR application directory in a sub directory named USB.



When you connect the programmer, Windows (98, ME, 2000, XP) will recognize the new device automatically.




Then the Hardware wizard will be started :

Found New Hardware Wizard							
	Welcome to the Found New Hardware Wizard Windows will search for current and updated software by looking on your computer, on the hardware installation CD, or on the Windows Update Web site (with your permission). Read our privacy policy						
	Can Windows connect to Windows Update to search for software? Yes, this time only Yes, now and <u>e</u> very time I connect a device No, not this time						
	Click Next to continue.						
	< <u>B</u> ack <u>N</u> ext > Cancel						

Select 'No, not this time' and click Next, as there is no driver at Microsoft's web.

The Wiz will show :

121



You need to select 'Install from a list or specific location' and click Next.

Found New Hardware Wizard						
Please choose your search and installation options.						
Search for the best driver in these locations.						
Use the check boxes below to limit or expand the default search, which includes local paths and removable media. The best driver found will be installed.						
Search removable <u>m</u> edia (floppy, CD-ROM)						
✓ Include this location in the search:						
Program Files\MCS Electronics\BASCOM-AVR\USB 🗸 🛛 Browse						
O Don't search. I will choose the driver to install.						
Choose this option to select the device driver from a list. Windows does not guarantee that the driver you choose will be the best match for your hardware.						
< <u>B</u> ack <u>N</u> ext > Cancel						

You can specify the path of the USB driver. This is by default :

#### C:\Program Files\MCS Electronics\BASCOM-AVR\USB

Use the Browse-button to select it, or a different location, depending on your installation.

As the driver is not certified by Micros ft, you will see the following window:

Hardwa	re Installation
1	The software you are installing for this hardware: USB-ISP Programmer has not passed Windows Logo testing to verify its compatibility with Windows XP. (Tell me why this testing is important.) Continuing your installation of this software may impair or destabilize the correct operation of your system either immediately or in the future. Microsoft strongly recommends that you stop this installation now and contact the hardware vendor for software that has passed Windows Logo testing.
	Continue Anyway

You need to select 'Continue Anyway'. A restore point will be made if your OS supports this and the driver will be installed. After installation you must see the following window :

Found New Hardware Wizard							
	Completing the Found New Hardware Wizard The wizard has finished installing the software for: USB-ISP Programmer						
	Click Finish to close the wizard.						
	K <u>B</u> ack <b>Finish</b> Cancel						

After you press Finish you will see Windows can use the programmer :

🕕 Found	New Hardware	×	]
Your new ha	rdware is installed and re	ady to use.	
🕲 2 Firefox	🝷 🕎 Document		<b>f) 9</b> , 10:57

In BASCOM , Options, Programmer you can select the new programmer now.

BASCOM-AVR Options
Compiler Communication Environment Simulator Programmer Monitor Printer
Programmer VSB-ISP Programmer
Play sound 😂
Erase warning Auto Flash AutoVerify Upload Code and Data Program after compile Set focus to terminal emulator after programming USB-ISP
USB Speed 0
Default V Ok X Cancel

New models of the USB programmer allow to set the speed.

The USB-ISP programmer is very quick and supports all options that the Sample Electronics and STK200 programmers support. It is good replacement for the STK200.

When you use other USB devices that use the FTDI drivers, there might occur a problem. Manual install the drivers of these other devices, then install the USB-ISP driver.

## **USB-ISP on VISTA**

For Vista and Vista 64, please follow the this installation description.




When connection the ISP-PROG I to your PC the following window will show up. Here I have to select the top selection: *Locate and Install driver software (recommended)* Vista starts it search for the driver and will come finally with the question to Insert the driver disk.

٢	Found New Hardware - USB-ISP Prog 1	×
	Insert the disc that came with your USB-ISP Prog I If you have the disc that came with your device, insert it now. Windows will automatically search the disc for driver software.	
	I don't have the disc. Show me other options.      Next Cance	21

As we have no driver CD, you have to select: I don't have the disc. Show me other options

۵	Found New Hardware - USB-ISP Prog I	×
Wir	ndows couldn't find driver software for your device	
•	Check for a solution Windows will check to see if there are steps you can take to get your device working.	
•	B <u>r</u> owse my computer for driver software (advanced) Locate and install driver software manually.	
		Cancel

Now we select the Browse selection and locate the driver folder.




And select Next button.

As Vista 64 only allows certified drivers the following message will pop-up.




Just select *Install this driver software anyway* and Vista 64 will now start with installing the driver. Be patient as it depends on your system configuration how long it will take.

127



Finally Vista 64 will tell you that the driver is installed. To check your configuration you can go to your device manager to see if it is there.



#### 3.48.1.10 MCS Bootloader

The MCS Boot loader is intended to be used with the <u>\$LOADER</u> and sample. It uses the X-modem Checksum protocol to upload the binary file. It works very quick.

The Boot loader sample can upload both normal flash programs and EEPROM images. The Boot loader sends a byte with value of 123 to the AVR Boot loader. This boot loader program then enter the boot loader or will jump to the reset vector (0000) to execute the normal flash program.

When it receives 124 instead of 123, it will upload the EEPROM. When you select a BIN file the flash will be uploaded. When you select an EEP file, the EEPROM will be uploaded.

The Boot loader has some specific options.

BASCOM-	AVR Options			
<u>C</u> ompiler	Communication	Environment Simul	ator <u>P</u> rogra	rammer Monitor Printer
Program	nmer MCS	6 Bootloader		•
Play sou	und			
	e warning 🛛 A gram after compile MCS Loader			Upload Code and Data ninal emulator after programming
	1024	vindow when ready it exists	Reset NONE DTR RTS Soft	
Defau	lt	✓ <u>0</u> k	×	Cancel

# BOOTSIZE

You can choose the boot size which is 1024 for the BASCOM \$LOADER example. Since this space is used from the normal flash memory, it means your application has 1024 less words for the main application. (A word is 2 byte, so 2KB less) The XMEGA has a separate boot space so for Xmega you can set the value to 0.

# RESET

The boot loader is started when the chip is reset. Thus you need to reset the chip after you have pressed F4(program). But when you have connected the DTR line to the chip reset (with a MAX232 buffer) you can reset the chip automatically. You do need to set the 'Reset via DTR' option then. You can also chose to use the RTS line. When your program does not use the boot vector or needs a special sequence to activate the loader, you can chose the soft reset. To send ASCII characters you can embed them between brackets {}. For example {065} will be sent as the character A or byte with value 65.

# CLOSE


By choosing 'Close programmer window when ready' the window will be closed when the loader returns 0.

In all other cases it will remain opened so you can look at a possible cause.

## EEP

If an EEP (EEPROM image file) exists, the loader can send this file instead of the flash binary file. If you enable this option, you will be asked if you want to send the EEP instead of the BIN file.

After you have pressed F4 to following window will appear :



As you can see the loader sends a byte with value of 123.

You need to reset the chip, and then you will see that the loader returned 123 which means it received the value.

It will start the upload and you see a progress bar. After the loader is ready, you see a finish code of 0.

A finish code of 0 means that all wend well.

Other finish codes will not close the window even if this option is enabled. You need to manual close the window then.

# **ERROR CODES**

- -6001 Bad format in file name
- -6002 file not found
- -6003 file not found in folder
- -6004 folder not found
- -6005 canceled
- -6006 time out
- -6007 protocol error
- -6008 too many errors
- -6009 block sequence error
- -6016 session aborted

The most likely error is -6006 when the bootloader is not present or does not respond timely after the initial handshake. Increase the \$timeout in the boot loader in that case.

#### 3.48.1.11 PROGGY

PROGGY is a popular USB programmer written by Red\_Mamba.

You need to install it and make sure that the registry key : HKEY\_CURRENT\_USER\Software\Red\_Mamba\Atmel programator exists with the parameter : InstallPath

InstallPath should point to the executable which name is atme.exe When you install PROGGY, it will be handled for you. When you have an older version, you need to update.

BASCOM will call the programmer with the following options : -p -s -e

The -e will cause the programmer to exit after the programming.

#### 3.48.1.12 FLIP

FLIP is a free USB bootloader from Atmel. With FLIP you can program an AVR without additional (ISP) programmer hardware. Because it is a USB bootloader it only work with AVR with built in USB functionality.

FLIP is supported by the BASCOM-IDE so you can use it direct by pressing the Program Chip (F4) button and download a HEX file.

FLIP can be downloaded from the Atmel site. Search for "FLIP bootloader" on the Atmel Website for the latest version: <u>http://www.atmel.com</u>

- 1. Download FLIP from Atmel Website
- 2. Install FLIP
- 3. In BASCOM-IDE Select FLIP from **Options** >>> **Programmer**, in order to program quickly without the FLIP executable
- 4. Now you can press Program Chip (F4) to program the HEX file into the chip

As with other programmers, you press F4 to program the HEX file into the chip. A small window will become visible.

A number of dialogs are possible:

BASCOM-AVR	x
Device not supported : ATmega88	
	ОК

In this case, you try to program a chip which is not supported by FLIP. The Mega88 is not an USB chip so the error makes sense.

If you are using an USB AVR you could get following dialog box:

This dialog informs you about a missing DFU device and/or the device is not in boot loader mode:

BASCOM FLIP Programmer
<ol> <li>Push the HWB (Hardware Bootloader) button</li> <li>Push the RST (Reset) button</li> <li>Release the RST button</li> <li>Release the HWB button</li> <li>Close this message box</li> </ol>
OK Cancel

In this case, the boot loader is not found. You can run the boot loader by following the sequence from the dialog box.

In order to make this work, the HWB (Hardware Bootloader Button) and RST (Reset Button) input both need a small switch to ground.

When HWB is pressed(low) during a reset, the boot loader will be executed.


Abbreviations:

- ISP: In-system programming
- RST: Rest
- USB: Universal serial bus
- DFU: Device firmware upgrade
- FLIP: Flexible in-system programmer

# FAQ - Using FLIP with XMEGA-A3BU Xplained Board from Atmel (under Windows 7 32-Bit)

- 1. Read Atmel App Note: AVR1916: USB DFU Boot Loader for XMEGA
- 2. Download FLIP
- 3. Install FLIP 3.4.5 or higher for Windows (Java Runtime Environment included)
- 4. Connect the USB Cable during pressing **Switch0 SW0** (Hardware Bootloader button) on the XMEGA-A3BU Xplained board
- 5. The USB Driver can be found in the FLIP Software directory (e.g.: C:\Program Files\Atmel\Flip 3.4.5\usb)
- 6. You can also search for DFU ATXMEGA256A3BU in the Windows 7 device manager and reinstall the driver by pointing it to this directory (e.g.: C:\Program Files\Atmel\Flip 3.4.5\usb)
- 7. Then you will find this here in the device manager Atmel USB Devices >>>> ATxmega256A3BU
- 8. In BASCOM-IDE Select FLIP from Options >>> Programmer , in order to program quickly without the FLIP executable
- 9. Now you can press Program Chip (F4) to program the HEX file into the chip

If you see following dialog:



Just connect the USB Cable during pressing Switch0 SW0 on the XMEGA-A3BU Xplained board

Hit OK button then the XMEGA will be programmed.

First example for XMEGA-A3BU board:

```
$regfile = "XM256A3BUDEF.DAT"
$crystal = 32000000 '32MHz
$hwstack = 64
$swstack = 40
$framesize = 80
Config Osc = Enabled , 32mhzosc = Enabled '32MHz
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
```

Config Porte. 4 = Output Backlight Alias Porte. 4	'LCD	Backlight
Config Portr. 0 = Output Led0 Alias Portr. 0	'LED (	0
Config Portr. 1 = Output Led1 Alias Portr. 1	'LED ´	1

Do

Waitms 500 Reset Led0 Set Led1

Waitms 500 Set Led0 Reset Led1

Loop

End

'end program

# FAQ - FLIP with BASCOM-IDE

On former versions like FLIP 3.3.1 there was on VISTA a problem with loading some of the FLIP DLL's.

In case you get an error, copy the FLIP DLL's to the BASCOM application directory. You need to copy the following files :

- atjniisp.dll
- AtLibUsbDfu.dll
- msvcp60.dll
- msvcrt.dll

You can also create a command file for that task like: flipDLLcopy.cmd to copy these files.

The content of the command file :

copy "c:\program files\atmel\flip 3.3.1\bin\atjniisp.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\AtLibUsbDfu.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\msvcp60.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\msvcrt.dll" . pause

The last line pauses so you can view the result. Notice the . (dot) that will copy the file to the current directory, which is the reason that you need to run this file from the BASCOM application directory.

You also need to adapt the version of FLIP in the command file.

In order to use BASCOM's FLIP support, you must have running FLIP successfully first !

Here is a good tip from a user :

IMO he Flip 3.3.1 Installer is a little bit stupid. The dll's are located in the Path ...\Atmel\Flip 3.3.1\bin . The Installer has set a correct Path-Variable in Windows for this path. But, the libusb0.dll isn't in that location. It is in ...\Atmel\Flip 3.3.1\USB ! So I moved the libusb0.dll into the \bin dir and Flip runs without the errors. (GRRRR)

*In the ...\Atmel\Flip 3.3.1\USB dir I have also detected the missing .inf File. After installing this, Windows detects the AT90USB162 and Flip can connect the*  device.

#### 3.48.1.13 USBprog Programmer / AVR ISP mkll

The USBprog programmer is a neat small USB programmer which is fully compatible with the AVR ISP mkII programmer.

When you select this programmer, you will get the same interface as for the <u>STK500</u> <u>native</u> [115] programmer.

F4 will launch the programmer. For more details read the help section for the STK500 programmer.

When programming XMEGA chips the interface for the fuse bits will be different. See STK600 [136] programmer for a description.

The default clock is 125 KHz. This because most/all chips ship with a clock frequency of 1 MHz. And since the clock frequency maximum is a quarter of the oscillator frequency, the default is 125 KHz, low enough to be able to program all chips. Once your chip runs at say 8 MHz, you can select 2 MHz as the maximum.

You must have the <u>LIBSUSB</u> drivers installed on your PC. Without it, it will not work.

## Options

In the Configuration options you can adjust the clock speed and the timeout of the USB.

When you are using USB 1.1 and a lot of devices that generate a lot of USB traffic, you might need to increase the default timeout of 100 (msec).

#### 3.48.1.14 KamProg for AVR

KamProg for AVR is an USB programmer from Kamami. You need to install the software that comes with the KamProg. KamProg can be used with BASCOM but also with AVR Studio.

BASCOM will use the KamProg software to either automatic or manual program the chip.

The Kamprog programmer works on Vista32 and Vista64 and requires no special drivers.

The KamProg programmer is available from MCS Electronics webshop.

135
135

Kamami AVR programmer	r		
		s Programmer setup	
richier, brog.			
Microcontroller Memory progr Supported AVR microcontrollers ATmega 1280 ATmega 1281 ATmega 162 ATmega 162 ATmega 168 ATmega 2560 ATmega 2560 ATmega 2561 ATmega 2561 ATmega 44P ATmega 8 ATmega 8 ATmega 8 ATmega 8 ATmega 8 ATmega 8 S15 ATmega 8 ATmega 8 ATm	signature bytes	s Programmer setup	
 			~
Progress:			th.

All new Mega processors are supported. Support for other processor is on going. The screen above is from the first release and outdated but gives a good impression about the interface.

## 3.48.1.15 USBASP

The USBASP is a popular USB programmer created by Thomas Fischl The programmer uses a Mega8 or other AVR chip as an USB device. You can find the programmer at Thomas website : <u>http://www.fischl.de/usbasp</u>

Make sure when programming the fuse and lock bits that the selected clock frequency is not too high. The clock frequency of the ISP programmer should be less then one quarter of the oscillator frequency. When your micro is running at 8 MHz, you can select up to 2 MHz. On the safe size, 125 KHz is always ok. By default most AVR processors run at 8 MHz with an 8-divider resulting in 1 MHz clock frequency. So 250 KHz is a safe value for most processors.

36	BASCOM-AVR
ſ	BASCOM-AVR Options
	Compiler Communication Environment Simulator Programmer Monitor Printer
	Programmer USBASP -
	Play sound
	Erase warning 👽 Auto Flash 📄 AutoVerify 📄 Upload Code and Data
	USBASP
	Clock Frequency 750 KHz
	Default 🗸 Ok X Cancel

You can select various clock frequencies.

See also <u>LIBUSB</u> for installation of LIBUSB

#### 3.48.1.16 STK600

The STK600 is a development board from Atmel. It uses a similar protocol as the STK500 and has an integrated USB programmer on board. The programmer can be connected with a cable to the STK600 board itself, but also to an external board.

The STK600 replaces the STK500 and is advised for XMEGA development. For regular AVR chips we would recommend the STK500.

The STK600 has actual 3 different programmers on board : ISP, PDI and JTAG. the ISP/PDI protocols are combined and placed on one connector.

When programming XMEGA chips, the BASCOM programmers will automatic switch to the PDI protocol. The ISP protocol can not be used with XMEGA chips. For other chips, (non-xmega), the ISP protocol will be used. There are affordable PDI programmers available.

The following description is also true for the AVRISP/mkII programmer which also supports the PDI protocol.

In order to use the STK600 protocol you need to have <u>LIBSUSB</u> installed.

# Identification

The BASCOM programmers always try to identify the chip before an action is performed. This is needed to check the size and to check if your program is intended for the selected chip.

It would not be a good idea for example to program an attiny13 with xmega128a1 code.

P       P	File	Buff											_													 					
Filash         EEPROM         Lock and Fuse bits           00         01         02         03         04         05         06         07         08         00         00         02         03         04         05         06         07         08         00         00         02         03         04         05         06         07         08         00         00         0	an 🖉	۶ 🖡		3	i F	5	2	<u>é</u>	-	1																					
100         101         102         103         104         105 <th>hip</th> <th>???</th> <th>,</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>ľ</th> <th>Flas</th> <th>h siz</th> <th>e</th> <th>0</th> <th>КВ</th> <th></th> <th></th> <th>1</th> <th>E</th> <th>PROM</th> <th>size</th> <th>O B</th> <th>ytes</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>	hip	???	,						ľ	Flas	h siz	e	0	КВ			1	E	PROM	size	O B	ytes									
00000     FF	Flash	EEF	RO	м	Lock	and	d Fus	e bi	ts																						
00000     FF		100	101 l	021	азіс	)4 l 0	510	610	710	810	910/	10E	loc	lop	IOE	10F	1				1										
D010         F	00000																	,,,,,,,,,,,,,,,	,,,,,,,,												Ē
D0000     FF	00010																														
00000     FF	00020																														
00050       FF	00030	FF	FF	FF I	FF F	FF	FF	FF	F FI	F F	F FF	FF	FF	FF	FF	FF	ÿ	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, YYYYYY												
00060       FF	00040	FF	FF	FF I	FF F	FFF	FF	FF	F FI	F FI	FF	FF	FF	FF	FF	FF	ÿ	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, YYYYYY												
00070       FF	00050	FF	FF	FF I	FF F	FFF	FF	FF	F FI	F FI	FF	FF	FF	FF	FF	FF	ÿ	,,,,,,,,,,,,,,,,,,	, YYYYYY												
D0000       FF																															
D0000       FF	00070																														
D00A0       FF		_				_		_	_	_	_	_	_	_	_	_															
00000       FF		-		_		_		_	_	_	_	_	_	_		-															
000C0       FF		_		_	_		_	_	_	_	_	_	-		-	-	-														
000D0 FF								_			_	_	_	_	_	_															
000E0 FF																															
		_		_	_	_		_	_	_	_	_	_			-															
																					-										
DODFO FF F	JUUFU	144	FF	FF	rr   F	·F   F	F F	FIF	r   Ff	• [F]	F   Fł	- IFF	FF	TFF	FF	TFF	· y	<u> </u>	yyyyyy								_	_			Ľ
							R\SA	١MF	'LES	\BC	IOT'	.BO0	)TL(	DAD	ER>	KME	G/	4128.BIN	loaded	132512	bytes ir	to FLA	SH	ouffe	er						
C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.BIN loaded 132512 bytes into FLASH buffer			prog	ramn	ner s	et																									
STK600 programmer set	Sta	rted																													

When you chose manual programming, you will get the following window:

As you can see, the binary image is loaded and if an EEPROM EEP binary image was available it would have been loaded too.

When you click the Identify button, the programmer will read the device id. The same will happen for any other action you chose.

Flash       EEPROM       Lock and Fuest bits         00       01       02       03       04       05       06       07       08       03       04       08       00       00       00       01       02       03       04       05       06       07       08       03       04       08       00	-	00 Programmer		
ATXMega128A1       Flash size       136 KB       EEPROM size       2 KB         Flash       EEPROM       Lock and Fuse bits       -         00       01       02       03       04       05       06       07       08       09       04       00       00       00       01       02       03       04       05       06       07       08       09       04       00	1	•		
Flash       EEPROM       Look and Fuse bits         00       01       02       03       04       05       06       00       01       02       03       04       05       06       00       01       01       01       01       02       03       04       06       06       00       01       02       01		▕▋▟፟፟ቘ፟፟ቘ፝ቔ፟ቘ፟፟፟፟ቘ፟ቔ፟፟ቘ፟ቘ፟፟ቘ፟ቘ፟፟፟፟፟ቘ፟ቘ፟፟፟፟፟፟ቘ፟፟ቘ፟፟		
00       01       02       03       04       05       06       07       08       03       04       06       06       00       06       07       08       03       04       06       06       00       06       07       08       03       04       06       06       06       06       07       08       03       04       06       06       06       07       08       03       04       06       06       06       06       06       07       08       03       04       06       06       06       07       08       07       08       08       06 <td< th=""><th>Chip</th><th>ATXMega128A1 Flash size 136 KB</th><th>EEPROM size</th><th>2 KB</th></td<>	Chip	ATXMega128A1 Flash size 136 KB	EEPROM size	2 KB
00000       FF	Flash	EEPROM Lock and Fuse bits		
0010       FF       <		00 01 02 03 04 05 06 07 08 09 0A 08 0C 0D 0E 0F		
00020       FF	00000	FF		
00030       FF	00010	FF		
00040       FF	00020	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00050 FF	00030	FF	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00060 FF	00040	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00070       FF	00050	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00080       FF	00060	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00030       FF	00070	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00000       FF	08000	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00080       FF	00090			
00000       FF	000A0			
00000       FF	000B0			
000E0         FF         FF	00000			
000F0       FF				
<ul> <li>ATXMega128A1, FLASH: 139264, EPROM: 2048</li> <li>STK600 detected</li> <li>C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.EEP not found.</li> <li>C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.BIN loaded 132512 bytes into FLASH buffer</li> <li>STK600 programmer set</li> </ul>				
STK600 detected     C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.EEP not found.     C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.BIN loaded 132512 bytes into FLASH buffer     STK600 programmer set	000F0	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-
STK600 detected     C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.EEP not found.     C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.BIN loaded 132512 bytes into FLASH buffer     STK600 programmer set		Mega12841 ELASH : 139264 EPBOM : 2048		
C:\data\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEGA128.BIN loaded 132512 bytes into FLASH buffer     STK600 programmer set				
STK600 programmer set	0 C:\	ata\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEG/	A128.EEP not found.	
	🕘 C:\(	ata\apps\D7\BASAVR\SAMPLES\BOOT\BOOTLOADERXMEG/	A128.BIN loaded 132512	bytes into FLASH buffer
3 Started				
	🕒 Sta	ted		

The Device ID is now read and you can see the ATXMEGA128A1 is detected.

The programmer has the same options as the STK500 programmer. Only the lock and fuse byte differ for the Xmega.

When you select the Lock and Fuse bits, you will get a similar screen:

sh EEPROM Lock and Fuse bits		
Chip	475.04 100.41	<u>^</u>
Name	ATXMega128A1	Refresh
lock0 Boot Section Lock Bits	FF No locks	
Application Section Lock Bits	No locks	Write
Application Table Lock Bits	No locks	E
Lock Bits	No locks	
fuse0	FF	
JTAG User ID		
fuse1	10	
Watchdog Window Configuration	16 cycles (16ms @ 3.3V)	
Watchdog Configuration	8 cycles (8ms @ 3.3V)	_
fuse2	BF	_
BOD Operation in Power-Down Mode	BOD Disabled	
BOD Operation in Active Mode	BOD Disabled	Write PRG
Spike Detected Enable	Disabled	_
Boot Loader Section Reset Vector	Boot Loader Reset	•

The XMEGA has one lock byte and 6 fuse byes named FUSE0-FUSE5. Not all fuse bytes are used. The options depend on the XMEGA chip you use. In the screen shot from above you can see that under the FUSE1 section, the 'Watchdog Window Configuration' is colored red.

When you change an option and move focus or enter, a change will result in the option to be shown in red.

When you have selected all values you can select the WRITE button to write the lock and fuse bytes.

After this the values will be read again and updated.

The WRITE PRG button will insert a \$PROG directive into your code with all lock and fuse bytes.

A description of the fuse bytes you can find in the PDF of the processor.

#### 3.48.1.17 ARDUINO

The ARDUINO is a hardware platform based on AVR processors. ARDUINO boards/ chips are programmed with a bootloader. This bootloader is the old STK500 protocol, not longer supported by Atmel in Studio. There are various programmers for ARDUINO, AVRDUDE is probably the most versatile.

BASCOM also supports the ARDUINO/STK500 v1 protocol. the DTR/RTS lines are used to reset the board.

You can program/read flash/EEPROM but you can not read/write fuse/lock bytes. The STK500 bootloader for ARDUINO does not support this.

Under options you only need to select the programmer, and the COM port. Since an FTDI chip is used on most ARDUINO boards, this is a virtual COM port. Only present when the USB cable is connected to your PC.

Select **57600** baud for the baud rate. Older ARDUINO boards work with **19200** baud.

# **ARDUINO V2**

The developers of the ARDUINO finally implemented the STK500V2 protocol. This protocol is supported by Atmel and of course by BASCOM.

Select the ARDUINO STK500V2 programmer in BASCOM programmer options to use this protocol.

A board like the MEGA2560 R3 uses this protocol and probably all newer AVR based ARDUINO boards will support this protocol. The baud rate should be 115200 but could be different for your board.

## 3.48.2 LIBUSB

## Using USB programmers in BASCOM-AVR

Please read this document completely before starting to install software.

Like every other USB device, an USB programmer requires a windows driver. Some programmers use drivers that are provided (built into) by windows. For example the KamProg uses the HID class and does not require an additional third party driver.

A programmer like the AVRISP mkII does need an additional driver. This device driver is installed when you install AVR Studio.

Studio is using device drivers from JUNGO.

When you plug in the programmer and Windows informs you that it requires a driver you know that you need to install a third party driver.

When Windows does not complain it will use a driver already available on your PC.

Most USB devices need software installed before you plug them in for the first time. In many cases there is a warning sticker that you should first install the software.

BASCOM uses LIBUSB to access USB devices. LIBUSB is available as a device driver or as a filter driver.

When your device is using a device driver you must access the device with a filter driver.

Some devices do not have a vendor supplied driver (USBASP programmer) and those require a device driver.

# Scenario one : you have a 32 bit or 64 bit OS and have a product that uses a device driver.

In this example we use the AVRISP mkII that is supported by AVR Studio. When you do not have AVR Studio installed you can download it from Atmels website for free. The original programmer comes with a CD-ROM too. But many imitation/self build devices exist that do not come with a CD. For those you need to download and install AVR Studio.

The next step is to plug your programmer, and see if it works with AVR Studio. Windows will recognize it, and install the device driver. When windows is ready, press the connect button in Studio.

Select AVR Programmer		
button on the toolbar.	Port: USB ner used last time, press the 'Programmer' rogramming as long as it is connected in lect 'Stop Debugging' first.	Connect Cancel Baud rate: 115200 Baud rate changes are active immediately.

If you open Studio, and press the CON(nection) button, the window shown above will open.

Now select your programmer, in this sample AVRISP mkII and press Connect

When it functions, a new window will open

BASCOM IDE	141
------------	-----

AVRISP mkII in ISP mode with ATtiny88	
Main       Program       Fuses       Lock Bits       Advanced       HW S         Device and Signature Bytes       Image: Comparison of the second seco	Settings HW Info Auto Erase Device Read Signature
Programming Mode and Target Settings	Settings ISP Frequency: 125.0 kHz
The selected device does not support ISP programming Getting isp parameter SD=0x06 OK	


You can select the device, the programming mode and ISP frequency. This frequency should be 125 KHz (or better said, should not exceed a quarter of the chip oscillator frequency).

When you do not get this window but you return to the connection window, it means your programmer is not working.

## You have to solve this first before you can continue.

The programmer will only work in BASCOM when it functions with the original software!

In the windows device manager, you can find this info: (right click Computer, select manage, and chose device manager)



The screen above shows the JUNGO usb driver which Atmel AVR Studio uses and the AVRISP mkII driver for the AVRISP mkII.

If you install AVR Studio with the USB drivers, it will install JUNGO and the WinDriver. The AVRISP mkII entry you only get when you plug the programmer.

To make it work with BASCOM, you need to install LIBUSB. LIBUSB is used by many different programs. Atmels FLIP is using it too. So there is a big change that it is available on your system already.

You can install **LIBUSB** as a **FILTER** driver or a **DEVICE** driver.

We install the FILTER driver, so we can use the programmer with Studio AND bascom.

Before you install LIBUSB it is a good idea to make a restore point.

When installing the USB driver, disconnect ALL USB devices. Obvious, you can not install from an USB flash drive since this is an USB device as well.

You can read about LIBUSB and download it from : http://sourceforge.net/apps/trac/libusb-win32/wiki

The last version is :

http://sourceforge.net/projects/libusb-win32/files/libusb-win32-releases/1.2.4.0/libus b-win32-devel-filter-1.2.4.0.exe/download

Notice that this an executable you can install. You MUST have ADMIN rights when you install this executable.

After LIBUSB has been installed you can test if it is functional.

- Look in the Program Files\LibUSB-Win32 folder (also named on Windows-7 64 bit !!!)

You will find a sub folder named **bin** which contains a number of executables.

- Run the **testlibusb-win.exe** application. When LIBUSB is functional you will see a screen with all USB devices.

When it does not work, try to install again with compatibility mode set to XP SP2. Do this by selecting the the setup exe file properties, and select 'Compatibility'.

😽 libusb-win32-filter-bin-0.1.12.1 Properties 🛛 🛛 💽
General Compatibility Security Details Previous Versions
If you have problems with this program and it worked correctly on an earlier version of Windows, select the compatibility mode that matches that earlier version.
Compatibility mode
Run this program in compatibility mode for:
Windows XP (Service Pack 2)
Settings
Run in 256 colors
Run in 640 x 480 screen resolution
Disable visual themes
Disable desktop composition
Disable display scaling on high DPI settings
Privilege Level
Run this program as an administrator
Show settings for all users
OK Cancel Apply

Click Apply and/or OK. And run setup again.

On Windows 7 - 64 bit, this was NOT required.

Once the testlibusb-win.exe works, you can continue to the next step.

# Install the filter driver for the device

You need to install a filter driver for your programmer. Each different programmer requires it's own filter driver. So you must repeat these steps if you have different programmers.

- Plug in your programmer if it was not plugged in yet
- Run the **install-filter-win.exe** application from the BIN folder.
- You will see this window:

Information This program adds/removes li	ousb-win32 as	a driver to an ex	disting devic	e
installation.				
The libusb-win32 filter driver while maintaining compatibility				
Install/Remove Device Filter(s)				
Install a device filter				
Remove a device filter				
Remove all device filters				


Select 'Install a device filter' and press Next.

	om the list of unfiltered devices below. If you filtered, be in a "driverless" state, or ilter driver.		
Hardware ID	Description	Μ	
vid:058f pid:6377 rev:0100	USB Mass Storage Device		
vid:051d pid:0002 rev:0006	American Power Conversion USB UPS	A	
vid:03eb pid:2104 rev:0200	AVRISP mkII	A	
٠		ŀ	

Select the programmer and press Install.

After some moments, you will get a confirmation:

145



Now the programmer will work in BASCOM. Just select the proper programmer, and timeout of 100 ms. You can try lower time outs too to make it quicker. When you get errors, increase the time out. 100 ms should do for all programmers.

#### Scenario two: you do not have a device driver.

In this case you can follow scenario one till the filter driver installation. Instead of running **install-filter-win.exe**, you will run **inf-wizard.exe**.

INF ED	libusb-win32 Inf-Wizard
	Information This program will create an .inf file for your device. Before clicking "Next" make sure that your device is connected to the system.
	Next > Cancel

Press Next. And the following window will be shown.

#### 146 BASCOM-AVR

		ist of detected devices below. If your device isn't liste "Next" and enter your device description manually.
Vendor ID	Product ID	Description
0x16C0	0x05DC	USBasp
0x058F	0x6377	USB Mass Storage Device
0x051D	0x0002	American Power Conversion USB UPS
•		III

As you can see, the USBASP was inserted in this sample. Select it (or your programmer) and press Next.

Vendor ID (hex format)	0x16C0
	0x05DC
Product ID (hex format)	
MI (hex format)	
Manufacturer Name	VOTI
Device Name	USBasp

Press Next again and select a folder to store the device driver files. These files are required to install the device.

		BASCOM IDE	147
👸 Save As			<u> </u>
	ark 🕨 Documents 🕨	✓ ✓ Search	٩
File <u>n</u> ame:	USBasp.inf		-
Save as <u>t</u> ype:	inf files (*.inf)		•
Browse Folders		Save	ncel

After you have saved the files, you have the option to install the driver. Press Install Now.. button to do so.

libusb-win32 Inf-Wizard	
Information A windows driver instal following device:	lation package has been created for the
Vendor ID:	0x16C0
Product ID:	0x05DC
Device description:	USBasp
Manufacturer:	ITOV
This package contains libust platforms: x86, x64, ia64.	o-win32 v1.2.3.0 drivers and support for the following
Install Now	er package now. Done

When ready :

Driver Install Complete 🔀
Installation successful.
OK

## **Final note**

The USB-ISP programmer form EMBUD, uses drivers from FTDI. It does not require LIBUSB.

The Kamprog programmer from KAMAMI uses a HID class and does not require LIBUSB.

Some devices gave a problem in 1.2.3.0. This problem is solved in 1.2.4.0. http://sourceforge.net/projects/libusb-win32/files/libusb-win32-releases /1.2.4.0/libusb-win32-devel-filter-1.2.4.0.exe/download

# 3.49 Options Monitor

With this option you can modify the monitor settings.

OPTION	DESCRIPTION
Upload speed	Selects the baud rate used for uploading
Monitor prefix	String that will be send to the monitor before the upload starts
Monitor suffix	String that us sent to the monitor after the download is completed.
Monitor delay	Time in milliseconds to wait after a line has been sent to the monitor.
Prefix delay	Time in milliseconds to wait after a prefix has been sent to the monitor.

# 3.50 Options Printer

With this option you can modify the printer settings.

BASCOM-AVR Options						
<u>C</u> ompiler	Communication	Environment	Simulator	Programme	r M <u>o</u> nitor	Printer
🔽 Prin	ap Lines t Header 9 Numbers	=	Top Righ Bott	Margin Margin nt Margin om Margin ter Options	15 15 15	
Defau	lt	<ul> <li><u>0</u></li> </ul>	k	X <u>C</u> a	ncel	

OPTION	DESCRIPTION			
Font	Printer font to use when printing			
Setup	Click to change the printer setup			
Color	Will print in color. Use this only for color printers.			
Wrap lines	Wrap long lines. When not enabled, long lines will be partial shown.			
Print	Print a header with the filename.			

149

header	
Line numbers	Will be the line number before each line.
Syntax	Enable this to use the same syntax highlighting as the editor
Left margin	The left margin of the paper.
Right margin	The right margin of the paper.
Top margin	The top margin of the paper.
Bottom margin	The bottom margin of the paper.

#### 3.51 Window Cascade

Cascade all open editor windows.

#### 3.52 Window Tile

Tile all open editor windows.

#### 3.53 Window Arrange Icons

Arrange the icons of the minimized editor windows.

#### 3.54 Windows Maximize All

Maximize all open editor windows.

#### 3.55 Window Minimize All

Minimize all open editor windows.

#### 3.56 Help About


This option shows an about box as shown below.

About		
	BASCOM-AVR	
Compiler version IDE version Serial number	: 1.11.8.5	
Windows OS Windows SP Explorer Company Owner Windows dir App data dir System dir	: Service Pack 2 : 7.0.5730.11 : MCS : Mark Alberts : C:\WINNT	
Support © :	: <u>support@mcselec.com</u> 1995-2007, MCS Electronics	Close

Your serial number is shown on the third line of the about box. You will need this when you have questions about the product.

The compiler and IDE version numbers are also shown.

When you click the App data dir link, the folder which contains the BASCOM settings will be opened:



It contains the bascom-avr.xml file with all settings and the bascavr.log file. When you need support, you might be asked to email these files.

When you need support, also click the Copy-button. It will copy the following info to the clipboard, which you can paste in your email :

Dont forget that Serial numbers should not be sent to the user list. Make sure you sent your email to support and not a public list !

Compiler version :1.11.8.3 IDE version :1.11.8.5 Serial number :XX-XXXX-XXXXX Windows OS :Microsoft Windows XP Windows SP :Service Pack 2 :7.0.5730.11 Explorer :MCS Company Owner :Mark Alberts Windows dir :C:\WINNT App data dir :C:\Documents and Settings System dir :C:\WINNT\system32

When you click the support link, your email client will be started and an email to support@mcselec.com will be created.

Click on Ok to return to the editor.

#### 3.57 Help Index

Shows the BASCOM help file.

When you are in the editor window, the current word selected or by the cursor will be used as a keyword.

Notice that when the help window is small, you might need to make the help window bigger to show the whole content.

The help contains complete sample code and partial sample code. In all cases the samples are shown to give you an idea of the operation. When trying a program you should always use the samples from the SAMPLES directory. These are updated and tested when new versions are published. The (partial) samples are not all updates, only when they contain errors. So the samples from the help might need some small adjustments while the samples form the SAMPLES dir will work at least on the used chip.

#### 3.58 Help MCS Forum

This option will start your default Web browser and direct it to <u>http://www.mcselec.</u> <u>com/index2.php?option=com\_forum&Itemid=59</u>

This forum is hosted by MCS Electronics. There are various forums available. You can post your questions there. Do not cross post your questions on multiple forums and to support.

The forum is available for all users : demo or commercial users. Note that everything you write might be on line for ever. So mind your language.

Users of the commercial version can email MCS support.

The forum allows uploads for code examples, circuits etc.

If you try to abuse the forum or any other part of the MCS web, you will be banned from the site.



#### 3.59 Help MCS Shop

This option will start your default web browser and direct it to :<u>http://www.mcselec.</u> <u>com/index.php?option=com\_phpshop&Itemid=1</u>

You can order items and pay with PayPal. PayPal will accept most credit cards.

Before you order, it is best to check the <u>resellers</u> page to find a reseller near you. Resellers can help you in your own language, have all MCS items on stock, and are in the same time zone.

153

				L	
🕹MC5 Electronics - Mozilla Firefox					
<u>File E</u> dit <u>V</u> iew <u>G</u> o <u>B</u> ookmarks <u>T</u> ool	s <u>H</u> elp				
🗘 • 🖒 - 🎅 🙁 🏠 🔤	http://www.mcselec.com/index.php?option=com	phpshop&Itemid=1	•	🔘 Go 💽	
📄 Koppelingen aanpas 📄 Windows					
💥 Disable* 🚍 CSS* 🙆 Forms* 💋 Imae	ges* 🔞 Information* 🚍 Miscellaneous* 💋	Outline+ 🖪 Resize+ 😤 Tool	s= 📋 View Source 🔢 O	ptions*	()     (
ELECTRON	E SYSTEMS RE/SOFTWARE COMPILERS ATMEL AVR	5.1 <u>Almer</u> ,	17. 18.		
> Home				Wednesday, 02 Nov	ember 2005
Latest News     12 october 2005, Support system offline     12 october 2005, New Forum added     11 october 2005, RSS Feeds support added     11 october 2005, New site released     New account creating - bemo     Main Menu     Home     News     Products     Application Notes     Publications     Links	Shopping zone Categories MCS Shop For Hardware (59) For Software (14) For Software (2) List All Products Product Search Shop Download Area Show Cart				_
U Support Center	Your Cart is currently empty.				
🐨 Downloads 🔗 Forum	Categories				
	Hardware (59)	Software (14)	Books (2)	Service (2)	
Contact Us	Welcome to the MCS Online-shop.				
M Droduct Dogistor	Please read about Terms of Service				
Done					

Before you can order items, you need to create an account. Read the following about the new website : <u>http://www.mcselec.com/index.php?</u> <u>option=com\_content&task=view&id=133&Itemid=1</u>

#### 3.60 Help Support

This option will start your default browser with the following URL :

http://www.mcselec.com/support-center/

It depends from your browser settings if a new window or TAB will be created. At the support site you can browse articles. You can also search on keywords.

#### 3.61 Help Knowledge Base

This option will ask you to enter a search string.

Knowledge Base Quer	y 🛛 🛛
Question	
fusebit	
ОК	Cancel

This search string will be passed to the MCS support site. The above example that searches for "FUSEBIT" will result in the following :

154 BASCOM-AVI
----------------

🕲 MCS Electonic Help	odesk :: Support Center - Mozilla Firefox	
<u>File E</u> dit <u>V</u> iew <u>G</u> o	Bookmarks Iools Help	1
(	🛛 😭 🔟 http://www.mcselec.com/support-center/index.php?mod_id=2&ł 🚽 📀 Go 💽	
🌮 Getting Started 🔯 La	atest Headlines	
	EMBEDDED SYSTEMS HARDWARE/SOFTWARE BASIC COMPILERS BOSL & ATMEL AVR TRONICS	-
Home > Support center		
Main Menu	Keyword Search Results:	
🕎 Home	Article Summary	Match
🔃 Browse Knowledgebase	How to set the FUSEBIT to external oscillator	100.00%
Search	Didn't Find the Answer you were Looking for?	
Search by keywords :	Try a Keyword Search:	
fusebit Search		
	fusebit Search	
	Fusebit         Search           (Enter keywords separated by a space. For example: product warranty information)	
Find		

You can click one of the found articles to read it.

#### 3.62 Help Credits

BASCOM was invented in 1995. Many users gave feedback and helped with tips, code, suggestions, support, a user list, and of course with buying the software. The software improved a lot during the last 10 years and will so during the next decade.

While it is impossible to thank everybody there are a few people that deserve credits :

- Josef Franz Vögel. He wrote a significant part of the libraries in BASCOM-AVR. He is also author of AVR-DOS.
- Dr.-Ing. Claus Kuehnel for his book 'AVR RISC' , that helped me a lot when I began to study the AVR chips. Check his website at <a href="http://www.ckuehnel.ch">http://www.ckuehnel.ch</a>
- Atmel, who gave permission to use the AVR picture in the start up screen. And for the great tech support. Check their website at <a href="http://www.atmel.com">http://www.atmel.com</a>
- Brian Dickens, who did most of the Beta testing. He also checked the documentation on grammar and spelling errors. (he is not responsible for the spelling errors i added later :-) )
- Jack Tidwell. I used his FP unit for singles. It is the best one available.

# 3.63 BASCOM Editor Keys

Key	Action			
LEFT ARROW	One character to the left			
RIGHT ARROW	One character to the right			
UP ARROW	One line up			
DOWN ARROW	One line down			
HOME	To the beginning of a line			
END	To the end of a line			
PAGE UP	Up one window			
PAGE DOWN	Down one window			
CTRL+LEFT	One word to the left			
CTRL+RIGHT	One word to the right			
CTRL+HOME	To the start of the text			
CTRL+END	To the end of the text			
CTRL+ Y	Delete current line			
INS	Toggles insert/over strike mode			
F1	Help (context sensitive)			
F2	Run simulator			
F3	Find next text			
F4	Send to chip (run flash programmer)			
F5	Run			
F7	Compile File			
F8	Step			
F9	Set breakpoint			
F10	Run to			
CTRL+F7	Syntax Check			
CTRL+F	Find text			
CTRL+G	Go to line			
CTRL+K+x	Toggle bookmark. X can be 1-8			
CTRL+L	LCD Designer			
CTRL+M	File Simulation			
CTRL+N	New File			
CTRL+O	Load File			
CTRL+P	Print File			
CTRL+Q+x	Go to Bookmark. X can be 1-8			
CTRL+R	Replace text			
CTRL+S	Save File			
CTRL+T	Terminal emulator			
CTRL+P	Compiler Options			
CTRL+W	Show result of compilation			
CTRL+X	Cut selected text to clipboard			
CTRL+Z	Undo last modification			
SHIFT+CTRL+Z	Redo last undo			
CTRL+INS	Copy selected text to clipboard			
SHIFT+INS	Copy text from clipboard to editor			
CTRL+SHIFT+J	Indent Block			
CTRL+SHIFT+U	Unindent Block			

Hold the SHIFT key down and use the cursor keys to select text.
or keep the left mouse key pressed and drag the cursor over the
text to select.

#### 3.64 **Program Development Order**

- Start BASCOM
- Open a file or create a new one
- ! Important ! Check the chip settings, baud rate and frequency settings for the target system
- Save the file
- Compile the file (this will also save the file !!!)
- If an error occurs fix it and recompile (F7)
- Run the simulator(F2)
- Program the chip(F4)

#### 3.65 PlugIns

#### 3.65.1 Font Editor

The Font Editor is a Plug in that is intended to create Fonts that can be used with Graphical display such as SED1521, KS108, color displays, etc.

When you have installed the Font Editor , a menu option becomes available under the Tools menu : Font Editor.

When you choose this option the following window will appear:

157

and the second	nt Editor [font	8x8.font]	
Eile			
Fontname	Font8x8	Width 8 Height 8	From 32 to 254
ASCII	Char 🔥		
32	<u> </u>		
33	!		
34	"		
35	#		
36	\$		
37	z		
38	&		
39	·		
40	(		
41	)	Preview Clear all Clipbrd	<b>+</b>
42	*	# Set all Suggest	
43	+		
44			+
45	- 🗸		

You can open an existing Font file, or Save a modified file.

The supplied font files are installed in the Samples directory. You can copy an image from the clipboard, and you can then move the image up , down, left and right.

When you select a new character, the current character is saved. The suggest button will draw an image of the current selected character.

When you keep the left mouse button pressed, you can set the pixels in the grid. When you keep the right mouse button pressed, you can clear the pixels in the grid.

When you choose the option to create a new Font, you must provide the name of the font, the height of the font in pixels and the width of the font in pixels.

The Max ASCII is the last ASCII character value you want to use. Each character will occupy space. So it is important that you do not choose a value that is too high and will not be used.

When you display normal text, the maximum number is 127 so it does not make sense to specify a value of 255.

A font file is a plain text file. Lets have a look at the first few lines of the 8x8 font:

Font8x8: \$asm .db 1,8,8,0 .db 0,0,0,0,0,0,0,0; .db 0,0,6,95,6,0,0,0; !

The first line contains the name of the font. With the <u>SETFONT</u> statement you can select the font. Essential, this sets a data pointer to the location of the font data.

The second line (\$ASM) is a directive for the internal assembler that asm code will follow.

All other lines are data lines.

The third line contains 4 bytes: 1 (height in bytes of the font), 8 (width in pixels of the font), 8 (block size of the font) and a 0 which was not used before the 'truetype' support, but used for aligning the data in memory. This because AVR object code is a word long.

This last position is **0** by default. Except for 'TrueType' fonts. In BASCOM a TrueType font is a font where every character can have it's own width. The letter 'i' for example takes less space then the letter 'w'. The EADOG128 library demonstrates the TrueType option.

In order to display TT, the code need to determine the space at the left and right of the character. This space is then skipped and a fixed space is used between the characters. You can replace the 0 by the width you want to use. The value 2 seems a good one for small fonts.

All other lines are bytes that represent the character.



# 4 BASCOM HARDWARE

#### 4.1 Additional Hardware

Of course just running a program on the chip is not enough. You will probably attach many types of electronic devices to the processor ports. BASCOM supports a lot of hardware and so it has lots of hardware related statements. Before explaining about programming the additional hardware, it might be better to talk about the chip.

The AVR internal hardware

Attaching an LCD display 170

Using the I2C protocol

Using the 1WIRE protocol

Using the SPI protocol 2007

You can attach additional hardware to the ports of the microprocessor. The following statements will then be able to be used:

I2CSEND 778 and I2CRECEIVE 778 and other I2C related statements.

CLS, 472 LCD, 803 DISPLAY 711 and other related LCD-statements.

1WRESET 414), 1WWRITE 425) and 1WREAD 416

#### 4.2 AVR Internal Hardware

The AVR chips all have internal hardware that can be used.


For this description of the hardware the 90S8515 was used. Newer chips like the Mega8515 may differ and have more or less internal hardware.

You will need to read the manufacturers data sheet for the processor you are using to learn about the special internal hardware available.

## **Timer / Counters**

The AT90S8515 provides two general purpose Timer/Counters - one 8-bit T/C and one 16-bit T/C. The Timer/Counters have individual pre-scaling selection from the same 10-bit pre-scaling timer. Both Timer/Counters can either be used as a timer with an internal clock time base or as a counter with an external pin connection which triggers the counting.





More about TIMERO 163

More about TIMER1

#### The WATCHDOG Timer 166

Almost all AVR chips have the ports B and D. The 40 or more pin devices also have ports A and C that also can be used for addressing an external RAM chip (XRAM [16]). Since all ports are similar except that PORT B and PORT D have alternative functions, only these ports are described.

PORT B 166 PORT D 168

#### 4.3 AVR Internal Registers

You can manipulate the internal register values directly from BASCOM. They are also reserved words. Each register acts like a memory location or program variable, except that the bits of each byte have a special meaning. The bits control how the internal hardware functions, or report the status of internal hardware functions. Read the data sheet to determine what each bit function is for.

**The internal registers for the AVR90S8515 are** : (other processors are similar, but vary)

Addr.	Register
\$3F	SREG I T H S V N Z C
\$3E	SPH SP15 SP14 SP13 SP12 SP11 SP10 SP9 SP8
\$3D	SPL SP7 SP6 SP5 SP4 SP3 SP2 SP1 SP0
\$3C	Reserved

\$3B	GIMSK INT1 INT0
\$3A	GIFR INTF1 INTF0
\$39	TIMSK TOIE1 OCIE1A OCIE1B - TICIE1 - TOIE0 -
\$38	TIFR TOV1 OCF1A OCF1B -ICF1 -TOV0 -
\$37	Reserved
\$36	Reserved
\$35	MCUCR SRE SRW SE SM ISC11 ISC10 ISC01 ISC00
\$34	Reserved
\$33	TCCR0 CS02 CS01 CS00
\$32	TCNT0 Timer/Counter0 (8 Bit)
\$31	Reserved
\$30	Reserved
\$2F	TCCR1A COM1A1 COM1A0 COM1B1 COM1B0PWM11 PWM10
\$2E	TCCR1B ICNC1 ICES1 CTC1 CS12 CS11 CS10
\$2D	TCNT1H Timer/Counter1 - Counter Register High Byte
\$2C	TCNT1L Timer/Counter1 - Counter Register Low Byte
\$2B	OCR1AH Timer/Counter1 - Output Compare Register A High Byte
\$2A	OCR1AL Timer/Counter1 - Output Compare Register A Low Byte
\$29	OCR1BH Timer/Counter1 - Output Compare Register B High Byte
\$28	OCR1BL Timer/Counter1 - Output Compare Register B Low Byte
\$27	Reserved
\$26	Reserved
\$25	ICR1H Timer/Counter1 - Input Capture Register High Byte
\$24	ICR1L Timer/Counter1 - Input Capture Register Low Byte
\$23	Reserved
\$22	Reserved
\$21	WDTCR WDTOE WDE WDP2 WDP1 WDP0
\$20	Reserved
\$1F	Reserved EEAR8
\$1E	EEARL EEPROM Address Register Low Byte
\$1D	EEDR EEPROM Data Register
\$1C	EECR EEMWE EEWE EERE
\$1B	PORTA PORTA7 PORTA6 PORTA5 PORTA4 PORTA3 PORTA2 PORTA1 PORTA0
\$1A	DDRA DDA7 DDA6 DDA5 DDA4 DDA3 DDA2 DDA1 DDA0
\$19	PINA PINA7 PINA6 PINA5 PINA4 PINA3 PINA2 PINA1 PINA0
\$18	PORTB PORTB7 PORTB6 PORTB5 PORTB4 PORTB3 PORTB2 PORTB1 PORTB0
\$17	DDRB DDB7 DDB6 DDB5 DDB4 DDB3 DDB2 DDB1 DDB0
\$16	PINB PINB7 PINB6 PINB5 PINB4 PINB3 PINB2 PINB1 PINB0
\$15	PORTC PORTC7 PORTC6 PORTC5 PORTC4 PORTC3 PORTC2 PORTC1 PORTC0
\$14	DDRC DDC7 DDC6 DDC5 DDC4 DDC3 DDC2 DDC1 DDC0
\$13	PINC PINC7 PINC6 PINC5 PINC4 PINC3 PINC2 PINC1 PINC0
\$12	PORTD PORTD7 PORTD6 PORTD5 PORTD4 PORTD3 PORTD2 PORTD1 PORTD0
\$11	DDRD DDD7 DDD6 DDD5 DDD4 DDD3 DDD2 DDD1 DDD0
\$10	PIND PIND7 PIND6 PIND5 PIND4 PIND3 PIND2 PIND1 PIND0
\$0F	SPDR SPI Data Register

	SPSR SPIF WCOL
	SPCR SPIE SPE DORD MSTR CPOL CPHA SPR1 SPR0
	UDR UART I/O Data Register
	USR RXC TXC UDRE FE OR
\$0A	UCR RXCIE TXCIE UDRIE RXEN TXEN CHR9 RXB8 TXB8
	UBRR UART Baud Rate Register
\$08	ACSR ACD - ACO ACI ACIE ACIC ACIS1 ACIS0
\$00	Reserved

The registers and their addresses are defined in the xxx.DAT files which are placed in the BASCOM-AVR application directory.

The registers can be used as normal byte variables.

PORTB = 40 will place a value of 40 into port B.

Note that internal registers are reserved words. This means that they can't be dimensioned as BASCOM variables!

So you can't use the statement DIM SREG As Byte because SREG is an internal register.

You can however manipulate the register with the SREG = value statement, or var = SREG statement.

#### 4.4 AVR Internal Hardware TIMER0


#### The 8-Bit Timer/Counter0

The 90S8515 was used for this example. Other chips might have a somewhat different timer.

The 8-bit Timer/Counter0 can select its clock source from CK, pre-scaled CK, or an external pin. In addition it can be stopped (no clock).

The overflow status flag is found in the Timer/Counter Interrupt Flag Register - TIFR. Control signals are found in the Timer/Counter0 Control Register - TCCR0. The interrupt enable/disable settings for Timer/Counter0 are found in the Timer/Counter Interrupt Mask Register - TIMSK.

When Timer/Counter0 is externally clocked, the external signal is synchronized with the oscillator frequency of the CPU. To assure proper sampling of the external clock, the minimum time between two external clock transitions must be at least one internal CPU clock period. The external clock signal is sampled on the rising edge of the internal CPU clock.



The 8-bit Timer/Counter0 features both a high resolution and a high accuracy mode with lower pre-scaling values. Similarly, high pre-scaling values make the Timer/ Counter0 useful for lower speed functions or exact timing functions with infrequent actions.

#### 4.5 AVR Internal Hardware TIMER1

# The 16-Bit Timer/Counter1

The 90S8515 was used for the documentation. Other chips might have a somewhat different timer.

The 16-bit Timer/Counter1 can select its clock source from CK, pre-scaled CK, or an external pin. In addition it can be stopped (no clock).

The different status flags (overflow, compare match and capture event) and control signals are found in the Timer/Counter1 Control Registers - TCCR1A and TCCR1B.

The interrupt enable/disable settings for Timer/Counter1 are found in the Timer/ Counter Interrupt Mask Register - TIMSK.

When Timer/Counter1 is externally clocked, the external signal is synchronized with the oscillator frequency of the CPU. To assure proper sampling of the external clock, the minimum time between two external clock transitions must be at least one

internal CPU clock period.

The external clock signal is sampled on the rising edge of the internal CPU clock.

The 16-bit Timer/Counter1 features both a high resolution and a high accuracy usage with lower pre-scaling values.

Similarly, high pre-scaling values make the Timer/Counter1 useful for lower speed functions or exact timing functions with infrequent actions.


The Timer/Counter1 supports two Output Compare functions using the Output Compare Register 1 A and B -OCR1A and OCR1B as the data values to be compared to the Timer/Counter1 contents.

The Output Compare functions include optional clearing of the counter on compareA match, and can change the logic levels on the Output Compare pins on both compare matches.

Timer/Counter1 can also be used as a 8, 9 or 10-bit Pulse Width Modulator (PWM). In this mode the counter and the OCR1A/OCR1B registers serve as a dual glitch-free stand-alone PWM with centered pulses.

The Input Capture function of Timer/Counter1 provides a capture of the Timer/ Counter1 value to the Input Capture Register - ICR1, triggered by an external event on the Input Capture Pin - ICP. The actual capture event settings are defined by the Timer/Counter1 Control Register -TCCR1B.

In addition, the Analog Comparator can be set to trigger the Capture.



#### 4.6 AVR Internal Hardware Watchdog timer

## **The Watchdog Timer**

The Watchdog Timer is clocked from a separate on-chip oscillator which runs at approximately 1MHz. This is the typical value at VCC = 5V.

By controlling the Watchdog Timer pre-scaler, the Watchdog reset interval can be adjusted from 16K to 2,048K cycles (nominally 16 - 2048 ms). The BASCOM RESET WATCHDOG - instruction resets the Watchdog Timer.

Eight different clock cycle periods can be selected to determine the reset period.

If the reset period expires without another Watchdog reset, the AT90Sxxxx resets and program execution starts at the reset vector address.

# 4.7 AVR Internal Hardware Port B

## Port B

Port B is an 8-bit bi-directional I/O port. Three data memory address locations are allocated for the Port B, one each for the Data Register - PORTB, \$18(\$38), Data

Direction Register - DDRB, \$17(\$37) and the Port B Input Pins - PINB, \$16(\$36). The Port B Input Pins address is read only, while the Data Register and the Data Direction Register are read/write.

All port pins have individually selectable pull-up resistors. The Port B output buffers can sink 20mA and thus drive LED displays directly. When pins PB0 to PB7 are used as inputs and are externally pulled low, they will source current if the internal pull-up resistors are activated.

The Port B pins with alternate functions are shown in the following table:

When the pins are used for the alternate function the DDRB and PORTB register has to be set according to the alternate function description.

Port	Pin	Alternate Functions
PORTB.0	Т0	(Timer/Counter 0 external counter input)
PORTB.1	Т1	(Timer/Counter 1 external counter input)
PORTB.2	AIN0	(Analog comparator positive input)
PORTB.3	AIN1	(Analog comparator negative input)
PORTB.4	SS	(SPI Slave Select input)
PORTB.5	MOSI	(SPI Bus Master Output/Slave Input)
PORTB.6	MISO	(SPI Bus Master Input/Slave Output)
PORTB.7	SCK	(SPI Bus Serial Clock)

Port B Pins Alternate Functions

The Port B Input Pins address - PINB - is not a register, and this address enables access to the physical value on each Port B pin. When reading PORTB, the PORTB Data Latch is read, and when reading PINB, the logical values present on the pins are read.

## PortB As General Digital I/O

All 8 bits in port B are equal when used as digital I/O pins. PORTB.X, General I/O pin: The DDBn bit in the DDRB register selects the direction of this pin, if DDBn is set (one), PBn is configured as an output pin. If DDBn is cleared (zero), PBn is configured as an input pin. If PORTBn is set (one) when the pin configured as an input pin, the MOS pull up resistor is activated.

To switch the pull up resistor off, the PORTBn has to be cleared (zero) or the pin has to be configured as an output pin.

DDBn	PORTBn	I/O	Pull up	Comment
0	0	Input	No	Tri-state (Hi-Z)

DDBn Effects on Port B Pins

0	1	Input	PBn will source current if ext. pulled low.
1	0	Output	Push-Pull Zero Output
1	1	Output	Push-Pull One Output

By default, the DDR and PORT registers are 0. CONFIG PORTx=OUTPUT will set the entire DDR register. CONFIG PINX.Y will also set the DDR register for a single bit/pin. When you need the pull up to be activated, you have to write to the PORT register.

## 4.8 AVR Internal Hardware Port D

## Port D

ort D Pins Alternate Functions									
Port	Pin	Alternate Function							
PORTD.0	RDX	(UART Input line )							
PORTD.1	TDX	(UART Output line)							
PORTD.2	INTO	(External interrupt 0 input)							
PORTD.3	INT1	(External interrupt 1 input)							
PORTD.5	OC1A	(Timer/Counter1 Output compareA match output)							
PORTD.6	WR	(Write strobe to external memory)							
PORTD.7	RD	(Read strobe to external memory)							

Port D Pins Alternate Functions

RD - PORTD, Bit 7

RD is the external data memory read control strobe.

WR - PORTD, Bit 6

WR is the external data memory write control strobe.

OC1- PORTD, Bit 5

Output compare match output: The PD5 pin can serve as an external output when the Timer/Counter1 com-pare matches.

The PD5 pin has to be configured as an out-put (DDD5 set (one)) to serve this f unction. See the Timer/Counter1 description for further details, and how to enable the output. The OC1 pin is also the output pin for the PWM mode timer function.

INT1 - PORTD, Bit 3

External Interrupt source 1: The PD3 pin can serve as an external interrupt source to the MCU. See the interrupt description for further details, and how to enable the source

INTO - PORTD, Bit 2 INTO, External Interrupt source 0: The PD2 pin can serve as an external interrupt source to the MCU. See the interrupt description for further details, and how to enable the source.

TXD - PORTD, Bit 1

Transmit Data (Data output pin for the UART). When the UART transmitter is enabled, this pin is configured as an output regardless of the value of DDRD1.

#### RXD - PORTD, Bit 0

Receive Data (Data input pin for the UART). When the UART receiver is enabled this pin is configured as an output regardless of the value of DDRD0. When the UART forces this pin to be an input, a logical one in PORTD0 will turn on the internal pull-up.

When pins TXD and RXD are not used for RS-232 they can be used as an input or output pin.

No PRINT, INPUT or other RS-232 statement may be used in that case.

The UCR register will by default not set bits 3 and 4 that enable the TXD and RXD pins for RS-232 communication. It is however reported that this not works for all chips. In this case you must clear the bits in the UCR register with the following statements:

RESET UCR.3 RESET UCR.4 or as an alernative : UCR=0

#### 4.9 Adding XRAM

Some AVR chips like the 90S8515 for example can be extended with external RAM (SRAM) memory.

On these chips Port A serves as a Multiplexed Address (A0 - A7)/Data (D0 - D7) bus. Port C also serves as the upper Address bits (A8 - A15) output when using external SRAM.

The maximum size of XRAM can be 64 Kbytes.

Example: The STK200 has a 62256 ram chip (32K x 8 bit).

Here is some info from the BASCOM user list :


If you do go with the external ram , be careful of the clock speed. Using a 4 MHz crystal , will require a SRAM with 70 nS access time or less. Also the data latch (74HC573) will have to be from a faster family such as a 74FHC573 if you go beyond 4 MHz.

You can also program an extra wait state, to use slower memory.

Here you will find a pdf file showing the STK200 schematics: http://www.avr-forum.com/Stk200\_schematic.pdf

If you use a 32 KB SRAM, then connect the /CS signal to A15 which give to the range of &H0000 to &H7FFF, if you use a 64 KB SRAM, then

tie /CS to GND, so the RAM is selected all the time.



## 4.10 Attaching an LCD Display

A LCD display can be connected with two methods.

- By wiring the LCD-pins to the processor port pins. This is the pin mode. The advantage is that you can choose the pins and that they don't have to be on the same port. This can make your PCB design simple. The disadvantage is that more code is needed.
- By attaching the LCD-data pins to the data bus. This is convenient when you have an external RAM chip and will add only a little extra code.

LCD DISPLAY	PORT	PIN
DB7	PORTB.7	14
DB6	PORTB.6	13
DB5	PORTB.5	12
DB4	PORTB.4	11
E	PORTB.3	6
RS	PORTB.2	4
RW	Ground	5
Vss	Ground	1
Vdd	+5 Volt	2

The LCD-display can be connected in PIN mode as follows:

Vo 0-5 Volt 3

This leaves PORTB.1 and PORTB.0 and PORTD for other purposes.

You can change these pin settings from the Options LCD menu.

BASCOM supports many statements to control the LCD-display.

For those who want to have more control of the example below shows how to use the internal BASCOM routines.

\$ASMLdi \_temp1, 5Rcall \_Lcd\_controlLdi \_temp1,65'load register R24 with value'load register with new value (letter A)Rcall \_Write\_lcd'write it to the LCD-display\$END ASM

Note that \_lcd\_control and \_write\_lcd are assembler subroutines which can be called from BASCOM.

See the manufacturer's details from your LCD display for the correct pin assignment.

#### 4.11 Memory usage

#### **SRAM**

Every variable uses memory. Variables are stored in memory. This memory is also called SRAM (static ram).

The available memory depends on the chip. When you double click on the chip pinout, you can view the parameters of the used chip.

A special kind of memory are the registers in the AVR. Registers 0-31 have addresses 0-31.

Almost all registers are used by the compiler or might be used in the future. Which registers are used depends on the program statements you use.

This brings us back to the SRAM.

No SRAM is used by the compiler other than the space needed for the software stack (  $\frac{SWSTACK}{402}$  and frame

(\$FRAMESIZE 347)

Some statements might use some SRAM. When this is the case it is mentioned in the help topic of that statement.

For example, <u>CONFIG CLOCK</u> for in user mode requires variables to hold the time. Variables like \_sec , \_min , \_hour, \_day , \_month , \_year.

Each 8 bits used occupy one byte. When you dimension 1 bit, you will also use 1 byte.

Each byte variable occupies one byte.

Each integer/word variable occupies two bytes.

Each Long, Dword or Single variable occupies four bytes.

#### 172 BASCOM-AVR

Each double variable occupies 8 bytes. Each string variable occupies at least 2 bytes. A string with a length of 10 occupies 11 bytes.

Strings need an additional byte (Null termination) to indicate the end of the string. That's why a string of 10 bytes occupies 11 bytes.

With dimension of a bit you will occupy one byte.

Use bits or byte variables wherever you can to save memory. (not allowed for negative values)

See also DIM 699

The software stack is used to store the addresses of LOCAL variables and for variables that are passed to SUB routines.

Each LOCAL variable and passed variable to a SUB/FUNCTION, requires two bytes to store the address (because it is a 16-Bit address = 2 bytes).

So when you have a SUB routine in your program that passes 10 variables, you need 10 \* 2 = 20 bytes.

When you use 2 LOCAL variables in the SUB program that receives the 10 variables, you need additional 2 \* 2 = 4 bytes.

See also <u>DECLARE SUB</u> [BB], <u>DECLARE FUNCTION</u> [BB]

The software stack (<u>\$SWSTACK</u> (402)) size can be calculated by taking the maximum number of parameters in a SUB routine, adding the number of LOCAL variables and multiplying the result by 2. To be safe, add 4 more bytes for internally used LOCAL variables.

LOCAL variables are stored in a place that is named the Frame (<u>\$FRAMESIZE</u> [347])

When you have a LOCAL STRING with a size of 40 bytes, and a LOCAL LONG, you need 41 + 4 bytes = 45 bytes of frame space.

When you use conversion routines such as <u>STR</u> (a), <u>VAL</u> (a), <u>HEX</u> (772), <u>INPUT</u> (794) etc. that convert from numeric to string and vice versa, you also need a frame. Note that the use of the <u>INPUT</u> (794) statement with a numeric variable, or the use of the <u>PRINT</u> (a) or <u>LCD</u> (a) statement with a numeric variable, will also force you to reserve 24 bytes of frame space. This because these routines use the internal numeric <> string conversion routines.

In fact, the compiler creates a buffer of 24 bytes that serves as scratchpad for temporary variables, and conversion buffer space. So the frame space should be **24 at minimum** (\$FRAMESIZE **34**) = 24). This 24 Byte start at the beginning of the Frame which act as the conversion buffer within the frame

For an ATXMEGA or ATMEGA you have usually enough SRAM so you can start with higher values of Stack and Frame.

With an ATTINY13 and 64Byte SRAM it is a challenge but also start with all stack defined and lower the Stack Values when your application program grows.

- Avoid to use SUB or FUNCTIONS (If you want to save SRAM space)
- If you use Functions like PRINT, LCD, INPUT and the FP num <> FORMAT(), String conversion you need to define the 24 Byte conversion buffer (at least 24Byte for Software Stack + FRAME together).

```
$hwstack = 30
$swstack = 0
$framesize = 24
```

In this case just 9 Bytes are left for global variables !

See also: <u>\$HWSTACK</u> 335, <u>\$SWSTACK</u> 402, <u>\$FRAMESIZE</u> 347

#### XRAM

Some processors have an external memory interface. For example the ATMEGA128 has such an interface.

The additional memory is named XRAM memory (extended or external memory). When you add 32 KB RAM, the first address will be 0.

But because the XRAM can only start after the internal SRAM, the lower memory locations of the XRAM will not be available for use. The processor will automatically use the SRAM if an address is accessed that is in range of the SRAM memory. Thus adding 32KB of XRAM, will result in a total of 32 KB RAM.

With ATXMEGA you can add XRAM with the EBI (External Bus Interface). There is no problem to add for example 16 MByte of external SDRAM.

See <u>CONFIG XRAM</u> 633

#### **ERAM**

Most AVR chips have internal EEPROM on board. This EEPROM can be used to store and retrieve data. In BASCOM, this data space is called ERAM.

An important difference is that an ERAM variable can only be written to a maximum of 100.000 times. So only assign an ERAM variable when it is required, and **never** use it in a loop or the ERAM will become unusable. Always use the Brown out detection of the processor to prevent EEPROM corruption.

See also <u>DIM</u> (BOD) For ATXMEGA see also <u>CONFIG EEPROM</u> [530]

#### **Constant code usage**

Constants are stored in a constant table. Each used constant in your program will end up in the constant table.

For example:

Print "ABCD" Print "ABCD"

This example will only store one constant (ABCD).

Print "ABCD" Print "ABC" In this example, two constants will be stored because the strings differ.

#### Stack

See also: <u>\$HWSTACK</u> 335, <u>\$SWSTACK</u> 402, <u>\$FRAMESIZE</u> 347


The Stack is a part of SRAM (Static RAM). In SRAM the compiler stores user dimensioned variables, as well as internal variables, but SRAM holds also Hardware Stack, Software Stack and Frame. The Variables always start at the lowest SRAM Address. After Reset all SRAM Bytes are 0 (and strings are "") so the SRAM memory is cleared after reset. With the \$noramclear option you can turn this behavior off which means the SRAM is not cleared after reset.

The available SRAM depends on the Chip.

With ATTINY13 for example you have 64Byte of SRAM and you will find this information beside the user manual in the \*.DAT file. You can also double click the chip in Chip Pinout to view the chip parameters.

The following you find in the *attiny13.dat* file: SRAM = 64; *SRAM size* 

Global Variables start with the lowest SRAM Address and the Hardware Stack start with the highest SRAM Address.




Example for using with Bascom-AVR Simulator:

\$regfile = "attiny13.dat"
\$crystal = 4000000
\$hwstack = 30
\$swstack = 0

```
$framesize = 24
Dim B As Byte
B = 5
Pcmsk = &B00000001 'PIN Change Int
ON PCINTO pin_change_isr
Set Gimsk. 5
Enable Interrupts
Do
INOP
Loop
End 'end program
pin_change_isr:
    B = 7
Return
```

With an ATTINY13 the SRAM is just 64Byte and it is easy to see which SRAM Bytes will be overwritten with Bascom AVR Simulator Memory Window.



Click on **M** to display the memory window.

Picture: SRAM of ATTINY13 when executing the above ATTINY13 example in Bascom Simulator

You can see the Hardware Stack (32 Byte) , Frame (24 Byte) and the Variable B. For this example you do not really need a Frame so it could be also framesize = 0 for this example.

With ATXMEGA128A1 there is 8K Byte of SRAM available and you can find in the DAT file (SRAM = 8192; SRAM size)

The Values of Stack should be ALWAYS defined at the beginning of any BASCOM-AVR Program in the main project file. The best place is right after the <u>\$REGFILE</u> 392 statement.


Example: \$hwstack = 32 hardware stack	' default use 32 for the
swstack = 32 stack	' default use 32 for the SW
<b>\$framesize = 40</b> space	' default use 40 for the frame

# The following example show what can happen when you define NO Stacks or Frame or when you define not enough Stack or Frame.

In this example we use:  $\frac{1}{2} = 64$ ,  $\frac{1}{2} = 0$ ,  $\frac{1}{2} = 8$ 

As we know now Software Stack and FRAME together must be as absolute minimum 24 Byte (for the conversion buffer) so we force the overwriting of Hardware Stack which causes malfunction.


(Reminder: Don't start with the lowest values for Stack and Frame)



Picture : SRAM for example with = 64, swstack = 0, framesize = 8

You can now imagine what could happen:

- Because of overwritten return address in Hardware Stack the micro is jumping to somewhere else and malfunction if forced.
- Functions like PRINT overwrite addresses of LOCAL Variables and here also will the micro jump to somewhere else and malfunction is forced.



Picture: Simulator Memory Windows for example with  $\frac{1}{2}$  with  $\frac{1}{2}$  substack = 64,  $\frac{1}{2}$  substack = 0,  $\frac{1}{2}$  substack = 8

#### Now an example for passing an Array to a SUB:

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
$hwstack = 32
$swstack = 16
$framesize = 32
Dim I As Byte
I = 0
Dim Ar(16) As Byte
For I = 1 To 16
 Ar(i) = I
Next
Dim B As Byte
B = 2
Declare Sub Testarray(by_ref As Byte , Pass_array As Byte)
Call Testarray(b , Ar(1))
Print "ar(4) = " ; Ar(4)
End
                                                                    'end program
Sub Testarray(by_ref As Byte , Pass_array As Byte)

Print "b5=" ; Pass_array(5)

Print "b6=" ; Pass_array(6)


'I
                                                                               'start sub
                                                                    'print passed variables
                                                                    'print passed variables
End Sub
```

With this example we see the complete SRAM. The SRAM start with the dimed variables. In this case it start with the variable I followed by the Array Ar of 16 Byte and in the end the variable **B**.

Because it is easier with the memory window of Bascom Simulator I choose multiple of 16 for Stack and Framesize.

We have here 2 Addresses stored in Software Stack. One address for the Array and one address for the variable  ${\bf B}.$ 

So passing an Array to a SUB just need 2 Bytes for the address in Stack which is the same size as for one Byte variable (here variable **B**).



Occupied by :

Picture: Simulator Memory Window for example passing an Array to a SUB

With this example you also see that especially with ATTINY and smaller ATMEGA it is not that complicated to see if other SRAM bytes will be overwritten by something and causes malfunction.

You have with the Simulator window the "big picture" of SRAM and STACK together.

As already written it is easier to use multiple of 16 for Hardware Stack, Software Stack and FRAME as a starting point because one line in Simulator Memory window is 16 Bytes.

# How to see which Variables are stored on which SRAM Byte ?

You can find out the stored variable with the Bascom-AVR Simulator Memory Window


by clicking on that byte.

Click on SRAM Bytes show the OCCUPIED BY in the footer of that window. Only the first Byte of an Array will show the Name of the Array !

Memory	/						-		•		C	lic	k (	on	fi	rs	t byte of Arra
SRAM	EE	PRO	M	_	/	/											
	00	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
0100	11	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
0110	10	٢.	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0120	00	0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0170	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0180	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0190	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0200	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0210	00	00	)0	00	00	00	00	00	00	00	00	00	00	00	00	00	
0220	00	00	)0	00	00	00	00	00	00	00	00	00	00	00	00	00	
0230	00	00	10	00	00	00	00	00	00	00	00	00	00	00	00	00	
0240	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	00	
0250	00	00	10	00	00	00	00	00	00	00	00	00	00	00	00	00	
0260	00	00	10	00	00	00	00	00	00	00	00	00	00	00	00	00	
0270	00	00	Ф	00	00	00	00	00	00	00	00	00	00	00	00	00	
0280	00	00	Ф	00	00	00	00	00	00	00	00	00	00	00	00	00	
0290	00	00	Ф	00	00	00	00	00	00	00	00	00	00	00	00	00	
02A0	00	00	Φ	00	00	00	00	00	00	00	00	00	00	00	00	00	
02B0	34	00	0	00	00	00	00	00	00	00	00	00	00	00	00	00	4
02C0	00	00	0)	00	00	00	00	00	00	00	00	00	00	00	00	00	
02D0	00	00	0	00	00	00	00	00	00	00	00	00	01	01	11	01	
02E0	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	00	
02F0	00	00	0	01	17	01	17	01	06	00	00	00	00	A5	00	76	¥.v
0300	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	<u> </u>
0310	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF						<u> </u>
0320	FF	FF	FF	FF	FF	FF	FF	FF	FF								<u> </u>
0330	FF	FF	Ē,	FF	FF	FF	FF										yyyyyyyyyyyyyyyy
Occup	ied	by	: /	٨R													

Picture: How to see which Variables are stored on which SRAM Byte

You can also find this information in the Compiler output report: In this case under VARIABLES



Picture: How to see which Variables are stored on which SRAM Address

The following small example is good for examining the Bascom-AVR internal variables like \_sec, \_min or \_hour in Bascom-AVR Simulator Memory Window.

**Config Clock = User** for example create the internal variables for seconds (\_sec), minutes (\_min) ,hour (\_hour) etc.... You can see this variables by clicking on the SRAM Byte and watch the footer of that Bascom-AVR Simulator Memory Window footer.

\$regfile = "m88def.dat"
\$hwstack = 48
\$swstack = 80
\$framesize = 80
Config Clock = User

End 'end program

SRAM 0100 0110	00	PRC	M													- N	
	-				_	/											on Byte
		01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
0110	11	01	02	03	04	05	06	07	08	09	0A	0B	0C	0D	0E	0F	
	10	02	01	00	00	00	00	00	00	00	00	00	00	00	00	00	
0120	00	00	JU	00	00	00	00	00	00	00	00	00	00	00	00	00	
0130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0170	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0180	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0190	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
01F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
0200	00	00	00	10	00	00	00	00	00	00	00	00	00	00	00	00	
0210	00	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	
0220	00	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	
0230	00	00	00	10	00	00	00	00	00	00	00	00	00	00	00	00	
0240	00	00	00	Ф	00	00	00	00	00	00	00	00	00	00	00	00	
0250	00	00	00	Φ	00	00	00	00	00	00	00	00	00	00	00	00	
0260	00	00	00	Φ	00	00	00	00	00	00	00	00	00	00	00	00	
0270	00	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	
0280	00	00	00	0)	00	00	00	00	00	00	00	00	00	00	00	00	
0290	00	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	
02A0	00	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	
02B0	34	00	00	0	00	00	00	00	00	00	00	00	00	00	00	00	4
02C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
02D0	00	00	00	00	00	00	00	00	00	00	00	00	01	01	11	01	
02E0	•		-	00		-					-	-				00	
02F0	00	00	00	01	17	01	17	01	06	00	00	00	00	A5	00	76	¥.v
0300	-			FF					FF	<u> </u>							
0310	FF	FF	FF	FF	FF	FF	FF										<u> </u>
0320	-																,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
0330	-			-													yyyyyyyyyyyyyyyy
Occup	ied	by		НО	UF	1											

Picture: Internal Variables in the Bascom-AVR Simulator Memory Window

See also: <u>\$HWSTACK</u> [355], <u>\$SWSTACK</u> [402], <u>\$FRAMESIZE</u> [347]

# 4.12 Using the UART

# UART

A Universal Asynchronous Receiver and Transmitter (UART) can be used to send and receive data between two devices. More specific these devices can be PC-to-PC, PC-to-micro controller and micro controller-to-micro controller. The UART communicates using TTL voltages +5V and 0V or LVTTL depending on your micro controllers VCC voltage.

If you wish to connect to a PC you need to use RS232 protocol specifications. This means that the hardware communication is done with specific voltage levels. (+15V and -15V) This can be achieved by using a MAX232 level shifter.

(FRONT VIEW) 1 5 0 0 0 0 +51 0 0 0 0 Max 232 (113) C15 C18 CONTROLLER DB-9 FE 1.0 TOP VIEW 3 -Tiir **CTXD** C1+ 1 16 Vcc T1out 14 Plan R1o (RXD) V+ 2 15 GND 14 T1<sub>OUT</sub> C16 1uF C1- 3 MAXIN C17 LUF 13 R1<sub>IN</sub> C2+ 4 MAX220 MAX232 C2- 5 12 Riout V- 6 11 T1IN T2<sub>0UT</sub> 7 10 T2<sub>IN</sub> 777 9 R20UT R2N 8

The hardware is explained in this schematic:

The DB-9 connector has 9 pins but you only need to use 3 of them. Notice that the drawing above shows the FRONT VIEW thus remember that you are soldering on the other side. On most connectors the pin outs can also be found on the connector itself.

If your controller has no UART you can use a software UART see below. If your controller has one UART you connect controller pins TxD and RxD to TxD and RxD in the schematic above. If your controller has more than one UART you connect controller pins TxD0 and RxD0 to TxD and RxD in the schematic above. You now need to initialize the program in your micro controller, open a new .bas file and add the following code in the beginning of your program.

```
$regfile = "your micro here def.dat"
$crystal = 8000000
$baud = 19200
```

Make sure to define your micro controller after regfile for example if you use the ATMega32**regfile =**"m32def.dat"

Some new chips can use an internal oscillator, also some chips are configured to use the internal oscillator by default. Using an internal oscillator means you do not need an external crystal.

Perform this step only if you have an internal oscillator. Open the BASCOM-AVR programmer like this:



- Select the "Lock and Fuse Bits" tab and maximize the programmer window.
- Check if you see the following in the "Fusebit" section: "1:Divide Clock by 8 Disabled"

and

"Int. RC Osc. 8 MHz; Start-up time: X CK + X ms; [CKSEL=XXXX SUT=XX]"

AVR ISP STK progra Ele Buffer Chip	mmer Salaria	_101,					
/ 🖂 🖪 🗒 🗒	🖕 📅 🔓 📲 Chip ATmege88 🕞 💣 😮						
Manufactor Atmel Chip ATme	ga88 EEPROM 512 Programmed:342						
lashROM EEPRO	DM Lock and Fuse Bits						
Chip		Refresh					
Name MEGA88							
Calibration 0	9A	Write LB					
Lockbits							
Lockbit 65	11:No restrictions for SPM or LPM accessing the boot loader section	Write FS					
Lockbit 43	11:No restrictions for SPM or LPM accessing the application section						
Lockbit 21	11:No memory lock features enabled for parallel and serial programming						
Fusebits							
Fusebit C	1:Divide Clock by 8 Disabled						
Fusebit B	1:CLOCK Output disabled						
Fusebit KLA987	100010/int. RC Osc. 8 MHz: Start-up time PWRDWN/RESET: 6 CK/14 CK + 65 ms: [CKSEL=0010 SUT=1						
Fusebits High							
FusebitK	1:PIN PC6 is RESET						
Fusebit J	1:debugWIRE Disabled						
Fusebitl	0:SPI enabled						
Fusebit H	1.WDT enabled by WDTCR						
Fusebit G	1:Erase EEPROM when chip erase						
Fusebit DEF	111:Brown Out Disabled						
Fusebits Exten	ed Set and read Lock and Fuse bits						
Fusebit RS	00:Baotsize 1024 words						
Fusebit Q	1:Select RESET vector (0000)						
/R ISP STK progra	nmer						
M6 ROM	0 EPROM EDBEXPERIMENT68.60N						

These options are not available for all AVR's, if you don't have the option do not change any fuse bits.

If these options are available, but in a wrong setting. Change the setting in the drop down box and click another Fuse section. Finally click the "Program FS" button. Click "Refresh" to see the actual setting.

Now connect a straight cable between the DB-9 connector, micro controller side and the PC side.

Program a test program into your micro controller, it should look like this:

Now open the BASCOM-AVR Terminal and set your connection settings by clicking "Terminal" -> "Settings" Select your computers COM port and select baud 19200, Parity none, Data bits 8, Stop bits 1, Handshake none, emulation none.

mpeer coll	munication   E	nvironment	Simulator Progr	ammer Monitor Pri	inter
COM port	COM7		Handshake	None	
Baudrate	19200	-	Emulation	NONE	
Parity	None	-		🗆 RTS	
Databits	8	•	Font	Font	
Stopbits	1	•	Backcolor	Navy	•
ASCOM-AVR Terminal Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld Barld	: Terminal emul	ator			- <b>-</b> ×

If you see the Hello World displayed in the BASCOM-AVR Terminal emulator window, your configuration is OK. Congratulations.

### Example

You can also try this example with the BASCOM Terminal emulator, it shows you how to send and receive with various commands.

```
$regfile = "m88def.dat"
$crystal = 8000000
$baud = 19200
Dim Akey As Byte 'Here we declare a byte variable
Print
Print "Hello, hit any alphanumerical key..."
Akey = Waitkey() 'Waitkey waits untill a char is received from the UART
Print Akey
Wait 1
Print
Print "Thanks!, as you could see the controller prints a number"
Print "but not the key you pressed."
Wait 1
Print
Print "Now try the enter key..."
Akey = Waitkey()
```

```
186 BASCOM-AVR
```

```
Akey = Waitkey()
Print Akey
Print
Print "The number you see is the ASCII value of the key you pressed."
Print "We need to convert the number back to the key..."
Print 'Notice what this line does
Print "Please try an alphanumerical key again..."
Akey = Waitkey()
Print Chr(akey) 'Notice what this does
Print "That's fine!"
Wait 1
Print
Print "For a lot of functions, just one key is not enough..."
Print "Now type your name and hit enter to confirm"
Dim Inputstring As String * 12
                                        'Declare a string variable here
Do
Akey = Waitkey()
                                     'On enter key goto thanks
If Akey = 13 Then Goto Thanks
  Inputstring = Inputstring + Chr(akey) 'Assign the string
Loop
Thanks:
Print "Thank you " ; Inputstring ; " !"
                                                    'Notice what ; does
Wait 1
Print
Print "Take a look at the program code and try to understand"
Print "how this program works. Also press F1 at the statements"
Print
Print "If you understand everything continue to the next experiment"
```

End

# ASCII

As you could have seen in the previous example we use the PRINT statement to send something to the UART. Actually we do not send just text. We send ASCII characters. ASCII means American Standard Code for Information Interchange. Basically ASCII is a list of 127 characters.

```
ASCII Table (Incomplete)
```

Decimal	Hex	Binary	Value	
000	000	00000000	NUL	(Null char.)
008	008	00001000	BS	(Backspace)
009	009	00001001	HT	(Horizontal Tab)
010	00A	00001010	$\mathbf{LF}$	(Line Feed)
012	00C	00001100	FF	(Form Feed)
013	00D	00001101	CR	(Carriage Return)
048	030	00110000	0	
049	031	00110001	1	
052	034	00110100	4	
065	041	01000001	A	
066	042	01000010	В	
067	043	01000011	С	

You can find a complete ASCII table here 325

# CARRIAGE RETURN (CR) AND LINE FEED (LF)

In the previous example you can also see that a second print statement always prints the printed text to the following line. This is caused by the fact that the print statement always adds the CR and LF characters.

Basically if we state: **Print** "ABC" We send 65 66 67 13 10 to the UART. (In binary format)

The carriage return character (13) returns the cursor back to column position 0 of the current line. The line feed (10) moves the cursor to the next line.

#### Print "ABC" ;

When we type a semicolon (;) at the end of the line... Bascom does not send a carriage return/line feed, so you can print another text after the ABC on the same line.

#### Print "ABC" ; Chr(13) ;

This would send only ABC CR. The next print would overwrite the ABC.

### **OVERVIEW**

Here are some other commands that you can use for UART communications:

#### Waitkey()

Waitkey will until a character is received in the serial buffer.

#### lscharwaiting( )

Returns 1 when a character is waiting in the hardware UART buffer.

#### Inkey()

Inkey returns the ASCII value of the first character in the serial input buffer.

#### Print

Sends a variable or non-variable string to the UART

# **ANOTHER EXAMPLE**

This example shows how to use Ischarwaiting to test if there is a key pressed. And if there is, react to a variable.

```
'Print "Press B key to start"
Dim Serialcharwaiting As Byte, Serialchar As Byte
Serialcharwaiting = Ischarwaiting()
                                       'Check if B or b pressed then goto
If Serialcharwaiting = 1 Then
   Serialchar = Inkey()
   If Serialchar = 66 Or Serialchar = 98 Then
      Goto MyRoutine
  End If
End If
Goto Main
Myroutine:
'Statements
Main:
'Statements
End
```

### **BUFFERING SERIAL DATA**

If you wish to send and receive data at high speed, you need to use serial input and serial output buffers. This buffering is implemented in BASCOM-AVR and can only be used for hardware UART's.

To configure a UART to use buffers, you need to use the Config statement.

**Config** Serialout = Buffered , Size = 20 and/or **Config** Serialin = Buffered , Size = 20

More information can be found in BASCOM-Help. Search topic = "config serialin" [582]. There is also a sample program "RS232BUFFER.BAS" in the samples folder if you wish a demonstration of the buffering.

### **SOFTWARE UART**

The previous examples used the hardware UART. That means the compiler uses the internal UART registers and internal hardware (RxD(0) and TxD(0)) of the AVR. If you don't have a hardware UART you can also use a software UART.

The Bascom compiler makes it easy to "create" additional UART's. Bascom creates software UART's on virtually every port pin.

Remember that a software UART is not as robust as a hardware UART, thus you can get timing problems if you have lots of interrupts in your program.

For this example we use micro controller pins portc.1 and portc.2. Connect portc.1 to TxD and portc.2 to RxD see the schematic above.

Change the \$regfile and program this example:

```
$regfile = "m88def.dat"
$crystal = 8000000
$baud = 19200
Dim B As Byte
Waitms 100
'Open a TRANSMIT channel for output
Open "comc.1:19200,8,n,1" For Output As #1
Print #1 , "serial output"
'Now open a RECEIVE channel for input
Open "comc.2:19200,8,n,1" For Input As #2
'Since there is no relation between the input and output pin
'there is NO ECHO while keys are typed
Print #1 , "Press any alpha numerical key"
'With INKEY() we can check if there is data available
'To use it with the software UART you must provide the channel
Do
   'Store in byte
   B = Inkey(#2)
   'When the value > 0 we got something
   If B > 0 Then
      Print #1 , Chr(b)
                                                 'Print the character
```

End If Loop Close #2 Close #1

'Close the channels

#### End

After you have programmed the controller and you connected the serial cable, open


the terminal emulator by clicking on *in Bascom*. You should see the program asking for an alphanumerical input, and it should print the input back to the terminal.

### 4.13 USING RS485

#### **RS485**

RS485 is used for serial communication and well suited for transmission over large distances.

Similar to RS232 we need a level shifter.



The sample above uses a MEGA161 or MEGA162 which has 2 UARTS. This way you

can have both a RS232 and RS485 interface.

The RS232 is used for debugging.

In order to test you need 2 or more similar circuits. One circuit would be the master. The other(s) would be a slave.

The same hardware is used to test the MODBUS protocol. The bus need to be terminated at both ends with a resistor. 100 ohm is a typical used value. The GND of both circuits may not be connected ! Only connect point A and B from both circuits. For industrial usage it is best to use an optical isolated level shifter.

#### Simple MASTER sample

\$reqfile = "m162def.dat" ' specify the used micro scrystal = 8000000baud = 19200' use baud rate ' default use 32 for the hardware stack hwstack = 42' default use 10 for the SW stack swstack = 40framesize = 40' default use 40 for the frame space \$lib "modbus.lbx" Config Print1 = Portb.1 , Mode = Set ' use portb.1 for the direction Rs485dir Alias Portb.1 Config Rs485dir = Output Rs485dir = 0 ' go to receive mode Portc.0 = 1 'a switch is connected to pinc.0 so activate pull up resistor TX RX 'COM0 PD.1 PD.0 monitor COM1 PB.3 PB.2 rs485 data direction rs485 PB.1 Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8, Clockpol = 0Config Com2 = 9600, Synchrone = 0, Parity = Even, Stopbits = 1, Databits = 8, Clockpol = 0 ' MUST MATCH THE SLAVE 'use OPEN/CLOSE for using the second UART Open "COM2:" For Binary As #1 'dimension some variables Dim B As Byte Dim W As Word Dim L As Long W = H4567 ' set some values L = 8H12345678Print "RS-485 MODBUS master" Do If Pinc.0 = 0 Then ' test button Waitms 500 ' delay since we want to send just 1 frame ' to debug terminal Print "send request to slave/server" ' Print #1 , Makemodbus(2 , 3 , 8 , 2); 'slave 2, function 3, start address 8, 2 bytes ' Print #1 , Makemodbus(2 , 6 , 8 , W); 'slave 2, function 6, address 8, value of w

```
Print #1, Makemodbus(b, 16, 8, L); 'send a long
End If
If Ischarwaiting(#1) <> 0 Then 'did we got something back?
B = Waitkey(#1) 'yes so get it
Print Hex(b); ","; 'print it
End If
Loop
```

A slave would simply listen to data, and once enough data received, send it back. The MODBUS slave code is available as a commercial add on.

# 4.14 Using the I2C protocol


### I<sup>2</sup>C bus

 $\rm I^2C$  bus is an abbreviation for Inter Integrated Circuit bus. It is also known as IIC and I2C.

 $\rm I^2C$  is a serial and synchronous bus protocol. In standard applications hardware and timing are often the same. The way data is treated on the I<sup>2</sup>C bus is to be defined by the manufacturer of the I<sup>2</sup>C master and slave chips.

In a simple I<sup>2</sup>C system there can only be one master, but multiple slaves. The difference between master and slave is that the master generates the clock pulse. The master also defines when communication should occur. For bus timing it is important that the slowest slave should still be able to follow the master's clock. In other words the bus is as fast as the slowest slave.

A typical hardware configuration is shown in the figure below:




TYPICAL 2-WIRE BUS CONFIGURATION

Note that more slave chips can be connected to the SDA and SCL lines, normally Rp has a value of 1kOHM. The clock generated by the master is called Serial Clock (SCL) and the data is called Serial Data (SDA).


In most applications the micro controller is the I<sup>2</sup>C Master. Slave chips can be Real Time Clocks and Temperature sensors. For example the DS1307 and the DS1624 from <u>www.maxim-ic.com</u>. Of coarse you can also create your own slaves. In that case there is micro controller to micro controller communication.

# LOGIC BUS LEVELS AND CONDITIONS



Data can only occur after the master generates a **start condition.** A start condition is a high-to-low transition of

the SDA line while SCL remains high. After each data transfer a **stop condition** is generated. A stop condition is a low-to-high transition of the SDA line while SCL remains high.



As said a data transfer can occur after a **start condition** of the master. The length of data sent over I<sup>2</sup>C is always 8 bit this includes a read/write direction bit, so you can effectively send 7 bits every time.

The most significant bit MSB is always passed first on the bus.

If the master writes to the bus the R/W bit = 0 and if the master reads the R/W bit = 1.

After the R/W bit the master should generate one clock period for an acknowledgement ACK.

Each receiving chip that is addressed is obliged to generate an acknowledge after the reception of each byte. A chip that acknowledges must pull down the SDA line during the acknowledge clock pulse in such a way that the SDA line is stable LOW during the HIGH period of the acknowledge related clock pulse.

After an acknowledge there can be a stop condition, if the master wishes to leave the bus idle. Or a repeated start condition. A repeated start is the same as a start condition.

When the master reads from a slave it should acknowledge after each byte received. There are two reasons for the master not to acknowledge. The master sends a not acknowledge if data was not received correctly or if the master wishes the stop receiving.

# In other words if the master wishes to stop receiving, it sends a not acknowledge after the last received byte.

The master can stop any communication on the bus **at any time** by sending a stop condition.

DATA TRANSFER ON 2-WIRE SERIAL BUS

# **BUS ADRESSING**

۸


Let's say we have a slave chip with the address "1101000" and that the master wishes to write to that slave, the slave would then be in receiver mode, like this: DATA WRITE - SLAVE RECEIVER MODE

				<data (n+1)=""></data>		<data(n)></data(n)>	P	<word (n)<="" address="" th=""><th></th><th>⊳ v</th><th><slave address<="" th=""><th></th></slave></th></word>		⊳ v	<slave address<="" th=""><th></th></slave>		
	A	XXXXXXXXXX	Α	XXXXXXXXXX	Α	XXXXXXXXX	А	XXXXXXXXX	A	0	1101000	s	
	"							S - START A - ACKNOWLEDGE P - STOP					
DATA TRANSFERRED	DATA TRANSFERRED												

You can see here that the master always generates the start condition, then the master sends the address of the slave and a "0" for R/W. After that the master sends a command or word address. The function of that command or word address can be found in the data sheet of the slave addressed.

After that the master can send the data desired and stop the transfer with a stop condition.

DATA READ - SLAVE TRANSMITTER MODE




Again the start condition and the slave address, only this time the master sends "1" for the R/W bit. The slave can then begin to send after the acknowledge. If the master wishes to stop receiving it should send a not acknowledge.

# **EXAMPLE**

This example shows you how to setup and read the temperature from a DS1624 temperature sensor.

Connect the DS1624 like this:



Then program this sample into your micro controller and connect your micro controller to the serial port of your PC.

```
$regfile = "m88def.dat"
                                      'Define the chip you use
                                      'Define speed
$crystal = 8000000
$baud = 19200
                                      'Define UART BAUD rate
'Declare RAM for temperature storage
Dim I2ctemp As Byte
                                     'Storage for the temperature
'Configure pins we want to use for the I<sup>2</sup>C bus
                                      'Is serial clock SCL
Config Scl = Portd.1
Config Sda = Portd.3
                                      'Is serial data SDA
'Declare constants - I2C chip addresses
Const Ds1624wr = &B10010000 'DS1624 Sensor write
Const Ds1624rd = &B10010001
                                     'DS1624 Sensor read
'This section initializes the DS1624
                                      'Sends start condition
  I2cstart
                                      'Sends the address
   I2cwbyte Ds1624wr
'byte with r/w 0
'Access the CONFIG register (&HAC address byte)
   I2cwbyte &HAC
'Set continuous conversion (&H00 command byte)
  I2cwbyte &H00
                                      'Sends stop condition
  I2cstop
                   'We have to wait some time after a stop
  Waitms 25
   I2cstart
  I2cwbyte Ds1624wr
'Start conversion (&HEE command byte)
   I2cwbyte &HEE
   I2cstop
```

```
Waitms 25
'End of initialization
                                   'Print empty line
Print
Do
   'Get the current temperature
   I2cstart
   I2cwbyte Ds1624wr
   I2cwbyte & HAA
                      'Read temperature (&HAA command byte)
   I2cstart
   I2cwbyte Ds1624rd 'The chip will give register contents
'Temperature is stored as 12,5 but the ,5 first
   I2crbyte I2ctemp
'So you'll have to read twice... first the ,5
   I2crbyte I2ctemp , Nack
'And then the 12... we don't store the ,5
  I2cstop
                                                                  'That's
why we read twice.
'We give NACK if the last byte is read
   'Finally we print
Print "Temperature: " ; Str(i2ctemp) ; " degrees" ; Chr(13);
  Waitms 25
Loop
End
```

You should be able to read the temperature in your terminal emulator. Note that the used command bytes in this example can be found in DS1624 temperature sensor data sheet.

### **OVERVIEW**

**Config** Sda = Portx.x Configures a port pin for use as serial data SDA.

**Config** Scl = Portx.x Configures a port pin for use as serial clock SCL.

**I2cstart** Sends the start condition.

**I2cstop** Sends the stop condition.

**I2cwbyte** Writes one byte to an I<sup>2</sup>Cslave.

I2crbyte Reads one byte from an I<sup>2</sup>Cslave. I2csend Writes a number of bytes to an I<sup>2</sup>Cslave.

I2creceive

Reads a number of bytes from an I<sup>2</sup>Cslave.


#### **Practice**

The design below shows how to implement an I2C-bus. The circuit is using a Mega88 as a master.

The TWI bus is used. While you can use any pin for software mode I2C, when a micro has TWI hardware build in, it is advised to use the TWI hardware.

R1 and R2 are 4K7 pull up resistors.


There are many I2C slave chips available. The example shows the PCF8574. With the additional TWI slave library you can make your own slave chips.



The following information was submitted by Detlef Queck.

Many people have problems over and over with I2C(TWI) Termination. Use 4,7k or 10 k pull up? How long can the SCL, SDA line be when used with pull ups etc, etc.

You can simplify this confusing problem. Here is a Schematic for an active Termination of I2C and TWI. We have used this Schematic for over 10 years, and have had no problems with it. The I2C (TWI) lines can be up to 80cm (400KHz) without any problem when the Terminator is at the end of the lines.



### 4.15 Using the 1 WIRE protocol

The 1-wire protocol was invented by Dallas Semiconductors and needs only 1 wire for two-way communication. You also need power and ground of course.

This topic is written by Göte Haluza. He tested the new 1-wire search routines and is building a weather station.

Dallas Semiconductor (DS) 1-wire. This is a brief description of DS 1-wire bus when used in combination with BASCOM. For more detailed explanations about the 1-wire bus, please go to http://www.maxim-ic.com. Using BASCOM makes the world a lot easier. This paper will approach the subject from a "BASCOM-user-point-of-view".

1-wire-net is a serial communication protocol, used by DS devices. The bus could be implemented in two basic ways :

With 2 wires, then DQ and ground is used on the device. Power is supplied on the DQ line, which is +5V, and used to charge a capacitor in the DS device. This power is used by the device for its internal needs during communication, which makes DQ go low for short periods of time. This bus is called the 1-wire bus.

With 3 wires, when +5V is supplied to the VDD line of the device, and DQ + ground as above. This bus is called the 2-wire bus.

So, the ground line is "not counted" by DS. But hereafter we use DS naming conventions.

### How it works. (1-wire)

The normal state of the bus is DQ=high. Through DQ the device gets its power, and

performs the tasks it is designed for.

When the host (your micro controller (uC)) wants something to happen with the 1wire bus, it issues a reset-command. That is a very simple electric function that happens then; the DQ goes active low for a time (480uS on original DS 1-wire bus). This put the DS-devices in reset mode; then (they) send a presence pulse, and then (they) listen to the host.

The presence pulse is simply an active low, this time issued by the device(s).

Now, the host cannot know what is on the bus, it is only aware of that at least 1 DS device is attached on the bus.

All communication on the 1-wire bus is initialized by the host, and issued by timeslots of active-low on a normally high line (DQ), issued by the device, which is sending at the moment. The devices(s) internal capacitor supplies its power needs during the low-time.

#### How do you work with 1-wire-bus

Thereafter, you can read a device, and write to it. If you know you only have 1 sensor attached, or if you want to address all sensors, you can start with a "Skip Rom" - command. This means; take no notice about the IDs of the sensors - skip that part of the communication.

When you made a 1-wire-reset, all devices of the bus are listening. If you chose to address only one of them, the rest of them will not listen again before you have made a new 1-wire-reset on the bus.

I do not describe BASCOM commands in this text - they are pretty much selfexplanatory. But the uC has to write the commands to the bus - and thereafter read the answer. What you have to write as a command depends on devices you are using - and what you want to do with it. Every DS chip has a data sheet, which you can find at http://www.dalsemi.com/datasheets/pdfindex.html. There you can find out all about the actual devices command structure.

There are some things to have in mind when deciding which of the bus-types to use.

The commands, from BASCOM, are the same in both cases. So this is not a problem.

The +5V power-supply on the VDD when using a 2-wire bus has to be from a separate power supply, according to DS. But it still works with taking the power from the same source as for the processor, directly on the stabilizing transistor. I have not got it to work taking power directly from the processor pin.

Some devices consume some more power during special operations. The DS1820 consumes a lot of power during the operation "Convert Temperature". Because the sensors knows how they are powered (it is also possible to get this information from the devices) some operations, as "Convert T" takes different amount of time for the sensor to execute. The command "Convert T" as example, takes ~200mS on 2-wire, but ~700mS on 1-wire. This has to be considered during programming.

And that power also has to be supplied somehow.

If you use 2-wire, you don't have to read further in this part. You can do simultaneously "Convert T" on all the devices you attach on the bus. And save time. This command is the most power-consuming command, possible to execute on several devices, I am aware of.

If you use 1-wire, there are things to think about. It is about not consuming more power than you feed. And how to feed power? That depends on the devices (their consumption) and what you are doing with them (their consumption in a specific operation).

Short, not-so-accurate description of power needs, not reflecting on cable lengths.

Only the processor pin as power supplier, will work < 5 sensors. (AVR, 1-wire-functions use an internal pull-up. 8051 not yet tested). Don't even think of simultaneous commands on multiple sensors.

With +5V through a 4K7 resistor, to the DQ-line, 70 sensors are tested. But, take care, cause issuing "Convert T" simultaneously, would cause that to give false readings. About ~15 sensors is the maximum amount of usable devices, which simultaneously performs some action. This approach DS refers to as "pull-up resistor".

With this in mind, a bus with up to 70 devices has been successfully powered this way.

The resistor mentioned, 4K7, could be of smaller value. DS says minimum 1K5, I have tested down to 500 ohm - below that the bus is not usable any more. (AVR). Lowering the resistor feeds more power - and makes the bus more noise resistant. But, the resistor minimum value is naturally also depending on the uC-pin electric capabilities. Stay at 4K7 - which is standard recommendation.

DS recommends yet another approach, called "strong pull-up" which (short) works via a MOS-FET transistor, feeding the DQ lines with enough power, still on 1-wire, during power-consuming tasks. This is not tested, but should naturally work. Because this functionality is really a limited one; BASCOM has no special support for that. But anyway, we tell you about it, just in case you wonder. Strong pull-up has to use one uC pin extra - to drive the MOS-FET.

**Cable lengths** (this section is only for some limitation understanding) For short runs up to 30 meters, cable selection for use on the 1-Wire bus is less critical. Even flat modular phone cable works with limited numbers of 1-Wire devices. However, the longer the 1-Wire bus, the more pronounced cable effects become, and therefore greater importance is placed on cable selection.

For longer distances, DS recommends twisted-pair-cable (CAT5).

DS standard examples show 100 meters cable lengths, so they say, that's no problem. They also show examples with 300m cabling, and I think I have seen something with 600-meter bus (but I cant find it again).

# **Noise and CRC**

The longer cable and the noisier environment, the more false readings will be made. The devices are equipped with a CRC-generator - the LSByte of the sending is always a checksum. Look in program examples to learn how to re-calculate this checksum in your uC. AND, if you notice that there are false readings - do something about your cables. (Shield, lower resistor)

# **Transfer speed**

#### 200 BASCOM-AVR

On the original 1-wire bus, DS says the transfer speed is about 14Kbits /second. And, if that was not enough, some devices has an overdrive option. That multiplies the speed by 10. This is issued by making the communication-time-slots smaller (from 60 uS to 6uS) which naturally will make the devices more sensitive, and CRC-error will probably occur more often. But, if that is not an issue, ~140Kbit is a reachable speed to the devices. So, whatever you thought before, it is FAST.

The BASCOM scanning of the bus is finds about 50 devices / second , and reading a specific sensors value to a uC should be about 13 devices / second.

### Topology

Of the 1w-net - that is an issue we will not cover so much. Star-net, bus-net? It seems like you can mix that. It is a bus-net, but not so sensitive about that.

### The benefit of the 1-wire bus

Each device is individual - and you can communicate with it over the media of 2 wires. Still, you can address one individual device, if you like. Get its value. There are  $64 \land 2$  unique identifications-numbers.

Naturally, if lot of cables are unwanted, this is a big benefit. And you only occupy 1 processor pin.

DS supplies with different types of devices, which all are made for interfacing an uC directly. No extra hardware. There are sensors, so you can get knowledge about the real world, and there are also potentiometers and relays, so you can do something about it. On the very same bus.

And the Ibutton approach from DS (ever heard of it?) is based on 1wire technology. Maybe something to pick up.

BASCOM let you use an uC with 1wire-devices so easy, that (since now) that also has to count as a benefit - maybe one of the largest. ;-)

### The disadvantages of the 1-wire bus

So far as I know, DS is the only manufacturer of sensors for the bus. Some people think their devices are expensive. And, until now, it was really difficult to communicate with the devices. Particularly when using the benefit of several devices on one bus. Still some people say that the 1w-bus is slow - but I don't think so.

Göte Haluza System engineer

### 4.16 Using the SPI protocol

# General description of the SPI

The SPI allows high-speed synchronous data transfer between the AVR and peripheral devices or between several AVR devices. On most parts the SPI has a second purpose where it is used for In System Programming (ISP).

The interconnection between two SPI devices always happens between a master device and a slave device. Compared to some peripheral devices like sensors which can only run in slave mode, the SPI of the AVR can be configured for both master and


slave mode.


The mode the AVR is running in is specified by the settings of the master bit (MSTR) in the SPI control register (SPCR).

Special considerations about the /SS pin have to be taken into account. This will be described later in the section "Multi Slave Systems - /SS pin Functionality".

The master is the active part in this system and has to provide the clock signal a serial data transmission is based on. The slave is not capable of generating the clock signal and thus can not get active on its own.

The slave just sends and receives data if the master generates the necessary clock signal. The master however generates the clock signal only while sending data. That means that the master has to send data to the slave to read data from the slave.





# **Data transmission between Master and Slave**

The interaction between a master and a slave AVR is shown in Figure 1. Two identical SPI units are displayed. The left unit is configured as master while the right unit is configured as slave. The MISO, MOSI and SCK lines are connected with the corresponding lines of the other part.

The mode in which a part is running determines if they are input or output signal lines. Because a bit is shifted from the master to the slave and from the slave to the master simultaneously in one clock cycle both 8-bit shift registers can be considered as one 16-bit circular shift register. This means that after eight SCK clock pulses the data between master and slave will be exchanged.

The system is single buffered in the transmit direction and double buffered in the receive direction. This influences the data handling in the following ways:

1. New bytes to be sent can not be written to the data register (SPDR) / shift register before the entire shift cycle is completed.

2. Received bytes are written to the Receive Buffer immediately after the transmission is completed.

3. The Receive Buffer has to be read before the next transmission is completed or data will be lost.

4. Reading the SPDR will return the data of the Receive Buffer.

After a transfer is completed the SPI Interrupt Flag (SPIF) will be set in the SPI Status Register (SPSR). This will cause the corresponding interrupt to be executed if this interrupt and the global interrupts are enabled. Setting the SPI Interrupt Enable

#### 202 BASCOM-AVR

(SPIE) bit in the SPCR enables the interrupt of the SPI while setting the I bit in the SREG enables the global interrupts.

# Pins of the SPI

The SPI consists of four different signal lines. These lines are the shift clock (SCK), the Master Out Slave In line (MOSI), the Master In Slave Out line (MISO) and the active low Slave Select line (/SS). When the SPI is enabled, the data direction of the MOSI, MISO, SCK and /SS pins are overridden according to the following table.

Pin Direction Overrides	Master SPI Mode Direction Overrides	Slave SPI Modes
MOSI	User Defined	Input
MISO	Input	User Defined
SCK	User Defined	Input
SS	User Defined	Input

Table 1. SPI Pin Overrides

This table shows that just the input pins are automatically configured. The output pins have to be initialized manually by software. The reason for this is to avoid damages e.g. through driver contention.

### Multi Slave Systems - /SS pin Functionality

The Slave Select (/SS) pin plays a central role in the SPI configuration. Depending on the mode the part is running in and the configuration of this pin, it can be used to activate or deactivate the devices. The /SS pin can be compared with a chip select pin which has some extra features. In master mode, the /SS pin must be held high to ensure master SPI operation if this pin is configured as an input pin. A low level will switch the SPI into slave mode and the hardware of the SPI will perform the following actions:

1. The master bit (MSTR) in the SPI Control Register (SPCR) is cleared and the SPI system becomes a slave. The direction of the pins will be switched according to Table 1.

2. The SPI Interrupt Flag (SPIF) in the SPI Status Register (SPSR) will be set. If the SPI interrupt and the global interrupts are enabled the interrupt routine will be executed. This can be useful in systems with more than one master to avoid that two masters are accessing the SPI bus at the same time. If the /SS pin is configured as output pin it can be used as a general purpose output pin which does not affect the SPI system.

Note: In cases where the AVR is configured for master mode and it can not be ensured that the /SS pin will stay high between two transmissions, the status of the MSTR bit has to be checked before a new byte is written. Once the MSTR bit has been cleared by a low level on the /SS line, it must be set by the application to re-enable SPI master mode.

In slave mode the /SS pin is always an input. When /SS is held low, the SPI is activated and MISO becomes output if configured so by the user. All other pins are inputs. When /SS is driven high, all pins are inputs, and the SPI is passive, which means that it will not receive incoming data.

Table 2 shows an overview of the /SS Pin Functionality.


Note: In slave mode, the SPI logic will be reset once the /SS pin is brought high. If the /SS pin is brought high during a transmission, the SPI will stop sending and receiving immediately and both data received and data sent must be considered as lost.

Mode	/SS Config	/SS Pin level	Description
Slave	Always input	High	Slave deactivated
		Low	Slave activated
Master	Input	High	Master activated
		Low	Master deactivated
	Output	High	Master activated
		Low	

TABLE 2. Overview of SS pin.

As shown in Table 2, the /SS pin in slave mode is always an input pin. A low level activates the SPI of the device while a high level causes its deactivation. A Single Master Multiple Slave System with an AVR configured in master mode and /SS configured as output pin is shown in Figure 2. The amount of slaves, which can be connected to this AVR is only limited by the number of I/O pins to generate the slave select signals.

#### Multi Slave system



The ability to connect several devices to the same SPI-bus is based on the fact that only one master and only one slave is active at the same time. The MISO, MOSI and SCK lines of all the other slaves are tri stated (configured as input pins of a high impedance with no pull up resistors enabled). A false implementation (e.g. if two slaves are activated at the same time) can cause a driver contention which can lead to a CMOS latch up state and must be avoided. Resistances of 1 to 10 k ohms in series with the pins of the SPI can be used to prevent the system from latching up. However this affects the maximum usable data rate, depending on the loading capacitance on the SPI pins.

#### 204 BASCOM-AVR

Unidirectional SPI devices require just the clock line and one of the data lines. If the device is using the MISO line or the MOSI line depends on its purpose. Simple sensors for instance are just sending data (see S2 in Figure 2), while an external DAC usually just receives data (see S3 in Figure 2).

# **SPI Timing**

The SPI has four modes of operation, 0 through 3. These modes essentially control the way data is clocked in or out of an SPI device. The configuration is done by two bits in the SPI control register (SPCR). The clock polarity is specified by the CPOL control bit, which selects an active high or active low clock. The clock phase (CPHA) control bit selects one of the two fundamentally different transfer formats. To ensure a proper communication between master and slave both devices have to run in the same mode. This can require a reconfiguration of the master to match the requirements of different peripheral slaves.

The settings of CPOL and CPHA specify the different SPI modes, shown in Table 3. Because this is no standard and specified different in other literature, the configuration of the SPI has to be done carefully.

SPI Mode	CPOL	СРНА	Shift SCK edge	Capture SCK edge
0	0	0	Falling	Rising
1	0	1	Rising	Falling
2	1	0	Rising	Falling
3	1	1	Falling	Rising

Table 3. SPI Mode configuration


The clock polarity has no significant effect on the transfer format. Switching this bit causes the clock signal to be inverted (active high becomes active low and idle low becomes idle high). The settings of the clock phase, how-ever, selects one of the two different transfer timings, which are described closer in the next two chapters. Since the MOSI and MISO lines of the master and the slave are directly connected to each other, the diagrams show the timing of both devices, master and slave. The /SS line is

the slave select input of the slave. The /SS pin of the master is not shown in the diagrams. It has to be inactive by a high level on this pin (if configured as input pin) or by configuring it as an output pin.

A.) CPHA = 0 and CPOL = 0 (Mode 0) and CPHA = 0 and CPOL = 1 (Mode 1)

The timing of a SPI transfer where CPHA is zero is shown in Figure 3. Two wave forms are shown for the SCK signal -one for CPOL equals zero and another for CPOL equals one.






When the SPI is configured as a slave, the transmission starts with the falling edge of the /SS line. This activates the SPI of the slave and the MSB of the byte stored in its data register (SPDR) is output on the MISO line. The actual transfer is started by a software write to the SPDR of the master. This causes the clock signal to be generated. In cases where the CPHA equals zero, the SCK signal remains zero for the first half of the first SCK cycle. This ensures that the data is stable on the input lines of both the master and the slave. The data on the input lines is read with the edge of the SCK line from its inactive to its active state (rising edge if CPOL equals zero and falling edge if CPOL equals one). The edge of the SCK line from its active to its inactive state (falling edge if CPOL equals one) causes the data to be shifted one bit further so that the next bit is output on the MOSI and MISO lines.

After eight clock pulses the transmission is completed. In both the master and the slave device the SPI interrupt flag (SPIF) is set and the received byte is transferred to the receive buffer.

B.) CPHA = 1 and CPOL = 0 (Mode 2) and CPHA = 1 and CPOL = 1 (Mode 3)

The timing of a SPI transfer where CPHA is one is shown in Figure 4. Two wave forms are shown for the SCK signal -one for CPOL equals zero and another for CPOL equals one.

#### Figure 63. SPI Transfer Format with CPHA = 1




Like in the previous cases the falling edge of the /SS lines selects and activates the slave. Compared to the previous cases, where CPHA equals zero, the transmission is not started and the MSB is not output by the slave at this stage. The actual transfer is started by a software write to the SPDR of the master what causes the clock signal to be generated. The first edge of the SCK signal from its inactive to its active state (rising edge if CPOL equals zero and falling edge if CPOL equals one) causes both the master and the slave to output the MSB of the byte in the SPDR.

As shown in Figure 4, there is no delay of half a SCK-cycle like in Mode 0 and 1. The SCK line changes its level immediately at the beginning of the first SCK-cycle. The data on the input lines is read with the edge of the SCK line from its active to its inactive state (falling edge if CPOL equals zero and rising edge if CPOL equals one).

After eight clock pulses the transmission is completed. In both the master and the slave device the SPI interrupt flag (SPIF) is set and the received byte is transferred to the receive buffer.

Considerations for high speed transmissions

Parts which run at higher system clock frequencies and SPI modules capable of running at speed grades up to half the system clock require a more specific timing to match the needs of both the sender and receiver. The following two diagrams show the timing of the AVR in master and in slave mode for the SPI Modes 0 and 1. The exact values of the displayed times vary between the different pars and are not an issue in this application note. However the functionality of all parts is in principle the same so that the following considerations apply to all parts.




The minimum timing of the clock signal is given by the times "1" and "2". The value "1" specifies the SCK period while the value "2" specifies the high / low times of the clock signal. The maximum rise and fall time of the SCK signal is specified by the time "3". These are the first timings of the AVR to check if they match the requirements of the slave.

The Setup time "4" and Hold time "5" are important times because they specify the requirements the AVR has on the interface of the slave. These times determine how long before the clock edge the slave has to have valid output data ready and how long after the clock edge this data has to be valid.

If the Setup and Hold time are long enough the slave suits to the requirements of the AVR but does the AVR suit to the requirements of the slave?

The time "6" (Out to SCK) specifies the minimum time the AVR has valid output data ready before the clock edge occurs. This time can be compared to the Setup time "4" of the slave.

The time "7" (SCK to Out) specifies the maximum time after which the AVR outputs the next data bit while the time "8" (SCK to Out high) the minimum time specifies during which the last data bit is valid on the MOSI line after the SCK was set back to its idle state.



In principle the timings are the same in slave mode like previously described in master mode. Because of the switching of the roles between master and slave the requirements on the timing are inverted as well. The minimum times of the master mode are now maximum times and vice versa.

### **SPI Transmission Conflicts**

A write collision occurs if the SPDR is written while a transfer is in progress. Since this register is just single buffered in the transmit direction, writing to SPDR causes data to be written directly into the SPI shift register. Because this write operation would corrupt the data of the current transfer, a write-collision error in generated by setting the WCOL bit in the SPSR. The write operation will not be executed in this case and the transfer continues undisturbed. A write collision is generally a slave error because a slave has no control over when a master will initiate a transfer. A master, however, knows when a transfer is in progress. Thus a master should not generate write collision errors, although the SPI logic can detect these errors in a master as well as in a slave mode.

When you set the SPI option from the Options, Compiler, SPI menu SPCR will be set to 01010100 which means ; enable SPI, master mode, CPOL = 1

When you want to control the various options with the hardware SPI you can use the CONFIG SPI statement.

### 4.17 Power Up

At power up all ports are in Tri-state and can serve as input pins.

When you want to use the ports (pins) as output, you must set the data direction first with the statement : CONFIG PORTB = OUTPUT

Individual bits can also be set to be used as input or output.

For example : DDRB = &B00001111, will set a value of 15 to the data direction register of PORTB.

PORTB.0 to PORTB.3 (the lower 4 bits) can be used as outputs because they are set high. The upper four bits (PORTB.4 to PORTB.7), can be used for input because they are set low.

You can also set the direction of a port pin with the statement :

CONFIG PINB.0 = OUTPUT | INPUT


The internal RAM is cleared at power up or when a reset occurs. Use \$NORAMCLEAR to disable this feature.

You may use <u>\$INITMICRO</u> [362] to set a port level and direction immediately on startup.

# 4.18 Chips


#### 4.18.1 AT86RF401

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




#### 4.18.2 AT90S1200

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




#### 4.18.3 AT90S2313




The ATTiny2313 should be used for new designs.

#### 4.18.4 AT90S2323




#### 4.18.5 AT90S2333

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



#### 4.18.6 AT90S2343

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



[tip from Martin Verschuren]

When using the AT90S2343 with BASCOM-AVR 1.11.6.4 and the STK200. Programming must be done with jumper ext-clk.

The BASCOM build in programmer will detect a Tiny22, which seems to have the same ID string as the 2343 (Atmel source) so no wonder.

By using the internal clock RCEN=0, then the jumper of the STK200 must be on int.

#### 212 BASCOM-AVR

clk after programming.

Don't leave this away, some AT90S2343 will not correctly startup.

In your own project notice that you have to pull up the clk pin(2) at power up else it won't work. (I just looked for it for a day to get this problem solved:-)

Note : the at90s2343 and tiny22 have the same chip ID. In BASCOM you need to choose the tiny22 even if you use the 2343.

I note from MCS : only the AT23LS43-1 has the internal oscillator programmed by default! All other 2343 chips need an external clock signal. Tip: use a AT90S2313 and connect X2 to the clock input of the 2343.

[tip from David Chambers]

Using the AT90S2343 with BASCOM 1.11.7.3 the DT006 hardware there are no problems with programming the chip ie no special jumper conditions to enable programming. However it is best to remove links connecting ports to the DT006 LED's before programming. If access to PB3 and PB4 is desired then jumpers J11 & J12 must be installed with pins 2 and 3 linked in both cases. Note that PB3 and PB4 are each connected to a momentary pushbutton on the DT006 board. These can be used to check contact closure functions, so bear this in mind when writing code for contact monitoring.

The current ATMEL data sheet specifies that all versions -1, -4 and -10 are supplied with a fuse bit set for the internal clock that operates at approximately 1Mhz. If using the internal clock make sure to enter 1000000 under Options\Compiler\Communication\frequency.

A great little chip with minimal external components. Only the resistor and capacitor required for RESET during power up.

Note that the LED's on the DT006 are not connected to the same programmed port pins when changing the chip type. This is because the special functions assigned ports varies between the 8pin, 20 pin and 28 pin products eg the MOSI, MISI and SCK functions are assigned to PB0, PB1 and PB2 for an 8 pin processor and PB5, PB6 and PB7 for a 20 pin processor. The result is that for a given program the LED's that respond are different.


#### 4.18.7 AT90S4414

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.


PDIP

	ſ	$\overline{}$			
(TO) PB0		1	40		VCC
(T1) PB1		2	39		PA0 (AD0)
(AINO) PB2		3	38		PA1 (AD1)
(AIN1) PB3		4	37		PA2 (AD2)
(SS) PB4	Б	5	36	5	PA3 (AD3)
(MOSI) PB5	Б	6	35	5	PA4 (AD4)
(MISO) PB6	F	7	34	5	PA5 (AD5)
(SCK) PB7	Н	8	33	5	PA6 (AD6)
RESET	H	9	32	5	PA7 (AD7)
(RXD) PD0	H	10	31	5	ICP
1	Н			_	
(TXD) PD1	Ч	11	30		ALE
(INT0) PD2		12	29		OC1B
(INT1) PD3		13	28		PC7 (A15)
PD4		14	27		PC6 (A14)
(OC1A) PD5		15	26		PC5 (A13)
(WR) PD6		16	25		PC4 (A12)
(RD) PD7	Н	17	24	5	PC3 (A11)
XTAL2	F	18	23	5	PC2 (A10)
XTAL1	H	19	22	Ξ	PC1 (A9)
GND	H	20		5	
GND	Ч	20	21	-	PC0 (A8)

#### 4.18.8 AT90S4433



#### 4.18.9 AT90S4434




#### 4.18.10 AT90S8515

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.


(TO) PB0 C 1 40 b vcc 39 | PA0 (AD0) 38 | PA1 (AD1) 37 | PA2 (AD2) 36 | PA3 (AD3) (T1) PB1 C 2 (AIN0) PB2 C 3 (AIN1) PB3 C 4 (SS) PB4 C 5 36 | PA3 (AD3) 35 | PA4 (AD4) 34 | PA5 (AD5) 33 | PA6 (AD6) 32 | PA7 (AD7) 31 | ICP (MOSI) PB5 6 (MISO) PB6 7 (SCK) PB7 8 RESET 9 (RXD) PD0 [ 10 (TXD) PD1 [ 11 (INT0) PD2 [ 12 (INT1) PD3 [ 13 30 ALE 29 0C1B 28 D PC7 (A15) 27 D PC6 (A14) PD4 4 14 26 D PC5 (A13) 25 D PC4 (A12) 24 D PC3 (A11) (OC1A) PD5 [ 15 (WR) PD6 [ 16 (RD) PD7 [ 17 23 D PC2 (A10) 22 D PC1 (A9) 21 D PC0 (A8) XTAL2 [ 18 XTAL1 C 19 GND C 20


PDIP

#### 4.18.11 AT90S8535



### 4.18.12 AT90PWM2-3







#### 4.18.13 AT90PWM216

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

Figure 3-1. SOIC 24-pin Package




# 4.18.14 AT90CAN128




# 4.18.15 AT90USB162

220

See also the USB162 [292] module for easy soldering of proto types.




# 4.18.16 ATtiny12




# 4.18.17 ATtiny13

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



# 4.18.18 ATtiny15


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



# 4.18.19 ATtiny20


The ATTINY20 is a 14 pins AVR chip. It has NO EEPROM. It also does not have a UART.

The TWI slave interface is not compatible with TWI found in other AVR chips. The chip has a PDI programming interface and does not support ISP or JTAG. The watchdog is also different compared to other AVR chips. It is using a CCP register which is similar as the Xmega.




## 4.18.20 ATtiny22

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



# 4.18.21 ATtiny24

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




The data sheet does not specify that HWMUL is supported. The DAT file reflect this :

HWMUL=0 ; this chip does not have hardware multiplication


Some users reported that the HWMUL did work. Some batches might support the HW MUL, but since we found chips that did not, the value is set to 0. You can change it at your own risk.

#### 4.18.22 ATtiny25




# 4.18.23 ATtiny26

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



## 4.18.24 ATtiny44

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



The data sheet does not specify that HWMUL is supported. The DAT file reflect this :

HWMUL=0 ; this chip does not have hardware multiplication

Some users reported that the HWMUL did work. Some batches might support the HW MUL, but since we found chips that did not, the value is set to 0. You can change it at your own risk.

## 4.18.25 ATtiny45


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

I	PDIP/SOIC	;
	$\cup$	
(PCINT5/RESET/ADC0/dW) PB5 🗆	1 8	
(PCINT3/XTAL1/CLKI/OC1B/ADC3) PB3 🗆	2 7	PB2 (SCK/USCK/SCL/ADC1/T0/INT0/PCINT2)
(PCINT4/XTAL2/CLKO/OC1B/ADC2) PB4	3 6	PB1 (MISO/DO/AIN1/OC0B/OC1A/PCINT1)
GND 🗆	4 5	□ PB0 (MOSI/DI/SDA/AIN0/OC0A/OC1A/AREF/PCINT0)

### 4.18.26 ATtiny48

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

Notice that the TINY48 is NOT the same as the MEGA48. The TINY48 does not have a UART.




© 2012 MCS Electronics

# 4.18.27 ATtiny84

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

# PDIP/SOIC




The data sheet does not specify that HWMUL is supported. The DAT file reflect this :

HWMUL=0 ; this chip does not have hardware multiplication

Some users reported that the HWMUL did work. Some batches might support the HW MUL, but since we found chips that did not, the value is set to 0. You can change it at your own risk.

# 4.18.28 ATtiny85


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




# 4.18.29 ATtiny88

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

Notice that the TINY88 is NOT the same as the MEGA88. The TINY88 does not have a UART.




### 4.18.30 ATtiny167




# 4.18.31 ATtiny261

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




### 4.18.32 ATtiny461



## 4.18.33 ATtiny861


228

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



### 4.18.34 ATtiny2313


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



The tiny2313 has an internal oscillator that can run at various frequencies. The 4 MHz seems not to work precise. when using the UART for serial communication you can get wrong output. You can best use the 8 MHz internal oscillator , or tweak the UBRR register. For example, UBRR=UBRR+1 That worked for 4 Mhz, at 19200 baud.


# 4.18.35 ATtiny4313

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



The tiny4313 has an internal oscillator that can run at various frequencies. The 4 MHz seems not to work precise. when using the UART for serial communication you can get wrong output. You can best use the 8 MHz internal oscillator , or tweak the UBRR register. For example, UBRR=UBRR+1 That worked for 4 Mhz, at 19200 baud.


# 4.18.36 ATMEGA8




#### 4.18.37 ATMEGA8A

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

# 4.18.38 ATMEGA16




# 4.18.39 ATMEGA16U4



### 4.18.40 ATMEGA32


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




232

## 4.18.41 ATMEGA16M1\_32M1\_64M1


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



### 4.18.42 ATMEGA8U2\_162\_32U2




### 4.18.43 ATMEGA16U4\_32U4




## 4.18.44 ATMEGA48

236

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




### 4.18.45 ATMEGA48P




# 4.18.46 ATMEGA88

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



### 4.18.47 ATMEGA88P




# 4.18.48 ATMEGA64


238

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

Figure 1. Pinout ATmega64




#### 4.18.49 ATMEGA103



### 4.18.50 ATMEGA128

240


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




When using XRAM and IDLE, the micro need the CONFIG XRAM after returing from the power down mode.

# 4.18.51 ATMEGA128RFA1

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




# 4.18.52 ATMEGA1284P




# 4.18.53 ATMEGA161

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



#### 4.18.54 ATMEGA162

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



The M162 has a clock-16 divider enabled by default. See the M162.bas sample file

## 4.18.55 ATMEGA163

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

(TO) PB0 [ 1 (T1) PB1 [ 2 (AIN0) PB2 [ 3 (AIN1) PB3 [ 4 (SS) PB4 [ 5 (MOSI) PB5 [ 6 (MISO) PB6 [ 7 (SCK) PB7 [ 8 RESET [ 9 VCC [ 10 GND [ 11 XTAL2 [ 12 XTAL1 [ 13 (RXD) PD0 [ 14 (TXD) PD1 [ 15 (INT0) PD2 [ 16 (INT1) PD3 [ 17 (OC1B) PD4 [ 18 (OC1A) PD5 [ 19 (ICP) PD6 [ 20	PDIP 3 3 3 3 3 3 3 3 3 3 3 3 3 3 2 2 2 2 2 2	0       PA0 (ADC         9       PA1 (ADC         8       PA2 (ADC         7       PA3 (ADC         6       PA4 (ADC         5       PA5 (ADC         3       PA7 (ADC         2       AREF         1       AGND         0       AVCC         9       PC7 (TOS         8       PC6 (TOS         7       PC3         4       PC4         5       PC3         4       PC2         3       PC1 (SDA)         2       PC0 (SCL)         1       PD7 (OC2	1) 2) 3) 4) 5) 6) 7) C2) C1)
--	---	--	--

The M163 by default uses the internal clock running at 1 MHz

When you have problems with timing set the right fuse bit A987= 0101. This will solve this problem.

I have just found a small difference in PortB when using the Mega163 in place of a 8535. The difference is in regard to PortB.4 - PortB.7 when not used as a SPI

interface. The four upper bits of PortB are shared with the hardware SPI unit.

If the SPI is configured in SLAVE mode (DEFAULT) the MOSI , SCK , /SS

Are configured as inputs, Regardless of the DDRB setting !

The /SS (slave select) pin also has restrictions on it when using it as a general input.see data sheet ATmega163 - p57.

This sample allows you to use the upper nibble of PortB as outputs.

 $Portb = \&B0000_{000}$ 

DDRB = &B1111\_0000 'set upper bits for output.

Spcr = &B0001\_0000 ' set SPI to Master and Disable.

If The SPCR register is not set for Master, you cannot set the pins for


Output.

# 4.18.56 ATMEGA164P

1		7 7		1	
(PCINT8/XCK0/T0) PB0	1	$\sim$	40	Þ	PA0 (ADC0/PCINT0)
(PCINT9/CLKO/T1) PB1	2		39	Þ	PA1 (ADC1/PCINT1)
(PCINT10/INT2/AIN0) PB2	3		38	Þ	PA2 (ADC2/PCINT2)
(PCINT11/OC0A/AIN1) PB3	4		37	Þ	PA3 (ADC3/PCINT3)
(PCINT12/OC0B/SS) PB4	5		36	Þ	PA4 (ADC4/PCINT4)
(PCINT13/MOSI) PB5	6		35	Þ	PA5 (ADC5/PCINT5)
(PCINT14/MISO) PB6	7		34	Þ	PA6 (ADC6/PCINT6)
(PCINT15/SCK) PB7	8		33	Þ	PA7 (ADC7/PCINT7)
RESET C	9		32	Þ	AREF
VCC C	10		31	Þ	GND
GND C	11		30	Þ	AVCC
XTAL2	12		29	Þ	PC7 (TOSC2/PCINT23)
XTAL1	13		28	Þ	PC6 (TOSC1/PCINT22)
(PCINT24/RXD0) PD0	14		27	Þ	PC5 (TDI/PCINT21)
(PCINT25/TXD0) PD1	15		26	Þ	PC4 (TDO/PCINT20)
(PCINT26/RXD1/INT0) PD2	16		25	Þ	PC3 (TMS/PCINT19)
(PCINT27/TXD1/INT1) PD3	17		24	Þ	PC2 (TCK/PCINT18)
(PCINT28/XCK1/OC1B) PD4	18		23	Þ	PC1 (SDA/PCINT17)
(PCINT29/OC1A) PD5	19		22	Þ	PC0 (SCL/PCINT16)
(PCINT30/OC2B/ICP) PD6	20		21	Þ	PD7 (OC2A/PCINT31)
l				1	


# 4.18.57 ATMEGA165

246




# 4.18.58 ATMEGA168

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




### 4.18.59 ATMEGA168P




# 4.18.60 ATMEGA169

248

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




# 4.18.61 ATMEGA323




The JTAG interface is enabled by default. This means that portC.2-portC.5 pins can not be used. Program the JTAG fuse bit to disable the JTAG interface.

### 4.18.62 ATMEGA324P




# 4.18.63 ATMEGA325

250




# 4.18.64 ATMEGA3250P



## 4.18.65 ATMEGA328


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



### 4.18.66 ATMEGA328P

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.






252

## 4.18.67 ATMEGA329

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




### 4.18.68 ATMEGA406

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.


The image is from a preliminary data sheet. It is not clear yet if SCL and SDA have pin names too.

This chip can only programmed parallel and with JTAG. Normal (serial) ISP programming is not available.




## 4.18.69 ATMEGA603

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet. When you have a better image available, please send it to support@mcselec.com





256




# 4.18.71 ATMEGA644P

Notice that there are Mega644 and Mega644P chips. P stand for PICO power. You should use the P-version for new designs. These Pico version usual add some functionality such as a second UART.


ſ	<u> </u>		
(PCINT8/XCK0/T0) PB0	1	40 白	PA0 (ADC0/PCINT0)
(PCINT9/CLKO/T1) PB1	2	39 🗖	PA1 (ADC1/PCINT1)
(PCINT10/INT2/AIN0) PB2	3	38 🗖	PA2 (ADC2/PCINT2)
(PCINT11/OC0A/AIN1) PB3	4	37 🗅	PA3 (ADC3/PCINT3)
(PCINT12/OC0B/SS) PB4	5	36 🗖	PA4 (ADC4/PCINT4)
(PCINT13/MOSI) PB5	6	35 🗖	PA5 (ADC5/PCINT5)
(PCINT14/MISO) PB6	7	34 白	PA6 (ADC6/PCINT6)
(PCINT15/SCK) PB7	8	33 🗖	PA7 (ADC7/PCINT7)
RESET C	9	32 🗖	AREF
	10	31 🗖	GND
GND 🗖	11	30 口	AVCC
XTAL2	12	29 뉟	PC7 (TOSC2/PCINT23)
XTAL1	13	28 🗖	PC6 (TOSC1/PCINT22)
(PCINT24/RXD0) PD0	14	27 白	PC5 (TDI/PCINT21)
(PCINT25/TXD0) PD1	15	26 白	PC4 (TDO/PCINT20)
(PCINT26/RXD1/INT0) PD2	16	25 🗅	PC3 (TMS/PCINT19)
(PCINT27/TXD1/INT1) PD3	17	24 뉟	PC2 (TCK/PCINT18)
(PCINT28/XCK1/OC1B) PD4	18	23 🗅	PC1 (SDA/PCINT17)
(PCINT29/OC1A) PD5	19	22 🗅	PC0 (SCL/PCINT16)
(PCINT30/OC2B/ICP) PD6	20	21 🗅	PD7 (OC2A/PCINT31)

# 4.18.72 ATMEGA645

258





## 4.18.73 ATMEGA649





260





# 4.18.76 ATMEGA8515

262

	PDIP	
2		
(OC0/T0) PB0 🗆	1	40 🗆 VCC
(T1) PB1 🗆	2	39 🗖 PA0 (AD0)
(AIN0) PB2	3	38 🗆 PA1 (AD1)
(AIN1) PB3 🗆	4	37 🗖 PA2 (AD2)
(SS) PB4 🗆	5	36 🗖 PA3 (AD3)
(MOSI) PB5 🗆	6	35 🗆 PA4 (AD4)
(MISO) PB6	7	34 🗆 PA5 (AD5)
(SCK) PB7 🗆	8	33 🗖 PA6 (AD6)
RESET	9	32 🗆 PA7 (AD7)
(RXD) PD0 🗆	10	31 D PE0 (ICP/INT2)
(TDX) PD1	11	30 🗆 PE1 (ALE)
(INT0) PD2	12	29 🛛 PE2 (OC1B)
(INT1) PD3	13	28 🗆 PC7 (A15)
(XCK) PD4	14	27 🗖 PC6 (A14)
(OC1A) PD5	15	26 🗆 PC5 (A13)
(WR) PD6	16	25 🗆 PC4 (A12)
(RD) PD7	17	24 🗆 PC3 (A11)
XTAL2	18	23 🗖 PC2 (A10)
XTAL1	19	22 🗆 PC1 (A9)
GND 🗆	20	21 🗆 PC0 (A8)

# 4.18.77 ATMEGA8535

		~~		1		
(XCK/T0) PB0 [	1	-	40		PA0	(ADC0)
(T1) PB1 [	2		39		PA1	(ADC1)
(INT2/AIN0) PB2 [	3		38	Þ	PA2	(ADC2)
(OC0/AIN1) PB3 [	4		37	Þ	PA3	(ADC3)
(SS) PB4 [	5		36	Þ	PA4	(ADC4)
(MOSI) PB5 [	6		35	Þ	PA5	(ADC5)
(MISO) PB6 [	7		34	Þ	PA6	(ADC6)
(SCK) PB7 [	8		33		PA7	(ADC7)
RESET [	9		32		ARE	F
VCC [	10		31		GND	
GND [	11		30	Þ	AVCO	C
XTAL2 [	12		29	Þ	PC7	(TOSC2)
XTAL1 [	13		28	Þ	PC6	(TOSC1)
(RXD) PD0 [	14		27	Þ	PC5	
(TXD) PD1 [	15		26	Þ	PC4	
(INTO) PD2 [	16		25	Þ	PC3	
(INT1) PD3 [	17		24	Þ	PC2	
(OC1B) PD4 [	18		23	Þ	PC1	(SDA)
(OC1A) PD5 [	19		22		PC0	(SCL)
(ICP1) PD6 [	20		21	Þ	PD7	(OC2)

### 4.18.78 ATXMEGA

The ATXMEGA is a great new chip. It has a lot of hardware on board and a huge amount of hardware registers.

Some changes in the architecture are however breaking compatibility with normal AVR (ATMEGA/ATTINY) processors.

The ATXMEGA bring a huge amount of interfaces like UART, I2C, SPI, Counter/Timer, 12-Bit Analog Input/Output and also new features like DMA (Direct Memory Access), the Event System or AES hardware encryption/decryption.

All ATXMEGA have their registers at the same address. Some chips might not have all registers because the hardware is not inside the chip, but all DAT\* files are similar. And all hardware has a fixed offset. This allows to use dynamic code. For example Bascom-AVR can now use a variable for the UART and the code is only needed once because all hardware has a fixed offset.

\* DAT files are the register files. The register files are stored in the BASCOM-AVR application directory and they all have the DAT extension. The register file holds information about the chip such as the internal registers and interrupt addresses. The register file info is derived from ATMEL definition files.

The ATXMEGA work with 3.3V so please do not connect something which output 5V. Use a Level Shifter for that.

The maximum rating for a ATXMEGA Pin is 3.6 V.

When using the internal 32MHz oscillator you need at least 2.7V Vcc. The internal 32MHz oscillator is stable enough for a lot of applications. The maximum CPU Clock Frequency is 12MHz when using the XMEGA with just 1.6V Vcc.

Read Application Note <u>AVR1012: XMEGA A Schematic Checklist</u> for special considerations in your hardware design.

You can find Bascom samples for ATXMEGA in Bascom-AVR folder:

- General samples ......\BASCOM-AVR\SAMPLES\XMEGA
- Bootloader samples in ......\BASCOM-AVR\SAMPLES\BOOT
- For chips like xm128a1 in ......\BASCOM-AVR\SAMPLES\CHIPS

# Manuals for ATXMEGA: There are 2 manuals available from ATMEL for every ATXMEGA Chip

- 1. One Family Manual like for example for a ATXMEGA128A1 it is Atmel AVR XMEGA A Manual
- 2. Another Manual for the single chips like for example for an ATXMEGA128A1 it is the ATxmega64A1/128A1/192A1/256A1/384A1 Manual. In this Manual you find for example the Alternate Pin Functions. So you can find which Pin on Port C is the SDA and SCL Pin when you want to use the I2C/TWI Interface of this Port.

Beside the Manuals for the ATXMEGA chips there are a lot of Appliaction Notes available on the ATMEL website which explain for example the ATXMEGA Event System or Direct Memory Access (DMA) and so forth.

# What you need to get started with ATXMEGA and BASCOM-AVR

1. The latest Bascom-AVR FULL Version (The Demo Version of Bascom-AVR do not

support ATXMEGA).

- 2. An evaluation board like the Atmel AVR XMEGA® Xplained evaluation kit or any other ATXMEGA evaluation board with PDI (Program and Debug Interface) header.
- 3. A Programmer like AVRISP MKII or any other PDI or JTAG programmer which support ATXMEGA.
- 4. Latest AVR-Studio 4.X or 5.X only for setting fuse bits and to flash Bootloader to ATXMEGA.
- 5. Programming the ATXMEGA can be done direct from BASCOM-IDE. See also <u>LIBUSB</u> 139 for further information.

# The most important parts of an Bascom-AVR Program for XMEGA are:

1. The Register file for the chip, crystal init and Stacks

```
$regfile = "xm128a1def.dat"
$crystal = 32000000 '32MHz
$hwstack = 64
$swstack = 40
$framesize = 64
```

2. Enable and configure the oscillator of your choice:

```
Config Osc = Enabled , 32mhzosc = Enabled ' enable 2 MHz and 32 MHz internal oscillators
```

3. Select the oscillator source for the system clock and prescaler (this must match with \$crystal = XXXXXX). The following configure the internal 32MHz oscillator as system clock without prescaler so the system clock is 32MHz which match with \$crystal = 32000000

Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1\_1

4. If you intend to use interrupts you need to configure it before you use the Enable Interrupt command. Bascom-AVR will automatically enable the medium level interrupt when Enable Interrupt is in the code but not the low and high level interrupts.

**Config Priority** = Static , Vector = Application , Lo = Enabled , Med = Enabled , Hi = enabled

```
5. Also when you want to use EEPROM you need to configure it before you can use it:
```

Config Eeprom = Mapped 'Setup memory mode for EEPROM in XMEGA

6. After this you can add Enable Interrupts and your code in the Main Loop.

Do 'Insert your code Loop

7. End

End

'end program

# FAQ - ATXMEGA

Q: How to program/flash an ATXMEGA ?

A: There is no ISP programming support. Only JTAG and PDI is supported. Of course the MCS Bootloader can be used but you need to program the chip first with for example an AVRISP MKII programmer. After this programming the

ATXMEGA can be done direct from BASCOM-IDE

Important is also that the AVRISP MKII programmer need 3.3V supply voltage from the Target.

Q: Is there a special boot loader source code I can use for ATXMEGA ?

A: There are example boot loader in following Bascom-AVR folder (C:\.....\BASCOM-AVR\SAMPLES\BOOT)

like ATXMEGA32A4 or ATXEMGA128A1. For other ATXMEGA Chips the source code can be easily adapted.

Q: What is the Program and Debug Interface (PDI)?

A: The Program and Debug Interface (PDI) is an Atmel proprietary interface for external programming and on-chip

debugging of a device.

"The XMEGA doesn't have the SPI based In-System Programming (ISP) interface for

external programming, which has been used for megaAVR. Nor does it have the debugWIRE interface. These have been replaced by a two wire "Programming and Debugging Interface" (PDI)." [from Atmel App Note AVR1005]

Q: How to read/write from/to ATXMEGA Register ?

A: If you want or need to write or read ATXMEGA Registers direct you just need to find the name by using the

ATXMEGA DAT file.

For example if you want to read the ATXMEGA Revision there is the register **Mcu\_revid** in the DAT file.

The DAT files can be found in the BASCOM-AVR folder.

Take care with protected registers. Before you can write to this registers you need to release it. An example for this is the Software Reset.

Q: How to initiate a software Reset of an ATXMEGA ?

A: Before you can write the Software Reset Bit you need to release the write protection for this bit and register.

'enablechangeofprotectedRegistersforfollowing4CPUInstructionCyclesCPU\_CCP= &HD8'InitiateSoftwareResetbysettingBit0ofRST\_CTRLRegisterR st\_ctrl.0= 1'Whenthisbitissetasoftwareresetoccur

Q: For what do I need Fuse Bits (Fuses) with ATXMEGA ?

A: "The Fuses are used to set important system function and can only be written from an external

programming interface. The application software can read the fuses. The fuses are used to configure

reset sources such as Brown-out Detector and Watchdog, Start-up configuration, JTAG

enable and JTAG user ID, Bootloader.....An unprogrammed fuse or lock bit will have the value one, while a

programmed flash or lock bit will have the value zero.." [ATXEMGA A Manual]

Q: How to write to 16-Bit (Word) Register of ATXMEGA ?

A: You do not care about the 16-Bit (Word) Register because the compiler will handle this for you automatic.

For this you can find the [WIO] (Word IO) Section in the DAT file. You can only

write direct to 16-Bit Register over the defined register in the [WIO] section of the DAT file

If there is a need to manual write/read to/from 16-Bit register you always need to write/read the LOW Byte (LSB)

and then the HIGH Byte (MSB).

Q: Is there also a linear memory architecture as with ATMEGA or ATTINY AVR's ? A: The power of the AVR is/was the linear memory architecture. In the ATXMEGA this has been changed : the registers are placed into a separate address space. This makes code like this fail:

Clr r31 Ldi r30,10 ; point to register R10 Ld r24,z+ ; load value from R10 and inc pointer

Of course LDS/STS will not work either on the registers. If your ASM code contains such code you need to rewrite it.

Q: Is the Bascom-AVR Demo version supporting ATXMEGA ? A: ATXMEGA is not available in PDIP. This means that the ATXMEGA is not really suited for hobby projects.

As a result, the DEMO version does not support the ATXMEGA.

Q: For what are Virtual Port Registers good for ?

A: "Virtual port registers allow for port registers in the extended I/O memory space to be mapped virtually

in the I/O memory space. When mapping a port, writing to the virtual port register will be

the same as writing to the real port register. This enables use of I/O memory specific instructions

for bit-manipulation, and the I/O memory specific instructions IN and OUT on port register that

normally resides in the extended I/O memory space. There are four virtual ports, so up to four

ports can be mapped virtually at the same time. The mapped registers are IN, OUT, DIR and

INTFLAGS." [from ATXMEGA A Manual]

Q: Is Serialin and Serialout supported for UART Interfaces above COM4 A: No buffered serialin and buffered serialout is supported for the first 4 UARTS (COM1....COM4). For COM5....COM8 you can use an interrupt routine or DMA (Direct Memory Access) as an alternative.

For ATXMEGA the first 4 UARTS can use for example serialin: SERIALIN : first UART/UART0 --> COM1 SERIALIN1 : second UART/UART1 --> COM2 SERIALIN2 : third UART/UART2 --> COM3 SERIALIN3 : fourth UART/UART3 --> COM4

For example with an ATXMEGA128A1 you get 8 UARTS: Every of the 8 USART's has for example a Receive Interrupt which you can use to analyze incoming data:

ATXMEGA128A1 Receive Interrupts:

COM1 --> Usartc0\_rxc COM2 --> Usartc1\_rxc COM3 --> Usartd0\_rxc COM4 --> Usartd1\_rxc COM5 --> Usarte0\_rxc COM6 --> Usarte1\_rxc COM7 --> Usartf0\_rxc COM8 --> Usartf1\_rxc

In the interrupt routine you need to use the inkey(#X) function because inkey(#X) is reading the data register and

therefore reset the interrupt flag. Without reading the data register or resetting the interrupt flag manual the

interrupt will fire again and again.


Example the interrupt routine:

Rxc\_isr: Rs232 = Inkey(#1) 'do something with the data Return


Q: How to get the reason for a reset of ATXMEGA (like power on, watchdog or software rest)

A: There is a special register for that **RST\_STATUS** you can read and analyze.

# 4.18.79 ATXMEGA16A4




#### 4.18.80 ATXMEGA16D4




## 4.18.81 ATXMEGA32A4

Enter topic text here.

## 4.18.82 ATXMEGA32D4



# 4.18.83 ATXMEGA64A1



Here a note about the spike detector :

>The calibration byte in the production signature row show 0xFF and 0x00 >for the ADC Calibration byte. Are these really the calibration values ? >And I'm not able to set the HIGH Byte of the calibration register. >Errata of Rev H don't show something from calibration bytes.


Reply from Atmel :

The voltage spike detector has been removed from the latest revision of the XMEGA A manual.


This is because we have, unfortunately, not been able to validate the spike detector fully. The module is disabled in currently available parts to avoid unforeseen problems for any customers.

### 4.18.84 ATXMEGA64A3


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.



#### 4.18.85 ATXMEGA64D3




## 4.18.86 ATXMEGA64D4



# 4.18.87 ATXMEGA128A1

This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.

© 2012 MCS Electronics



**Question:** The DVDSON FUSE BIT the ATxmega A MANUAL says that for characterization data on VDROP and tSD consult the device data sheet. (Device: ATXMEGA128A1 RevH). But I can't find this Information in the datasheet ?

**Answer:** The voltage spike detector has been removed from the latest revision of the XMEGA A manual.

This is because we have, unfortunately, not been able to validate the spike detector fully.

**Question:** The calibration byte in the production signature row show 0xFF and 0x00 for the ADC Calibration byte. Are these really the calibration values ? Errata of Rev H don't show something from calibration bytes. (Device: ATXMEGA128A1 RevH)

**Answer:** Yes this is a known issue with ATXMEGA128A1 RevH. We will be fixing up this


issue in the later version of the device.

You should write the code for loading the calibration registers in the firmware so that when we fix it in the later version you do not have to fix


the code. Also loading it now will not cause any problem in the ADC operation.

#### 4.18.88 ATXMEGA128A3


This page is intended to show the outline of the chip and to provide additional information that might not be clear from the data sheet.




## 4.18.89 ATXMEGA128D3




## 4.18.90 ATXMEGA128D4




# 4.18.91 ATXMEGA192A3




# 4.18.92 ATXMEGA192D3




## 4.18.93 ATXMEGA256A3



## 4.18.94 ATXMEGA256A3B



# 4.18.95 ATXMEGA256D3



# 4.19 Reference Designs

## 4.19.1 EM4095 RFID Reader

# Introduction


RFID technology is an exciting technology. The EM4095 chip allows us to create a reader with little code or processor resources. A complete KIT is available from the web shop at <u>www.mcselec.com</u>

This topic describes the reference design. The data sheets you can download from:

EM4095 (chip) , EM4102 (transponder)

# The circuit

© 2012 MCS Electronics




As you can see from the data sheets, the EM4095 needs little external hardware. A coil, capacitors that tune the coil for 125 KHz, are basically all that you need. IC1 is a voltage regulator that regulates the input voltage to 5V. (you can operate it from a 9V battery). The capacitors stabilize the output voltage. The DEMOD output of the EM4095 is connected to the microprocessor and the pin is used in input mode. The MOD and SHD pins are connected to micro pins that are used in output mode.

The micro(mega88) has a small 32 KHz crystal so the soft clock can be used. There are 3 switches that can be used for menu input, and there is a relay that can be used to activate a door opener. Parallel on the relay there is a LED for a visible indication. IC4 is a serial interface buffer so we can connect the PCB to our computer for logging and programming. The Mega88 is delivered with a Boot loader and thus can be serial programmed with the MCS Boot loader. That is why pin 4 of X6 (DTR) is connected via IC4(pin 8-9) to the reset pin of the micro(pin 1).

Further there is a standard 10-pins ISP programmer connector for the USB-ISP or STK200, and an LCD connector for an optional LCD display.

# The PCB



# **Part list**

Component	Value
C1	470uF/25V
C2,C3,C5,C6,C9,CDEC,CAGND	100nF (104)
C4	100uF/16V
CRES1,CRES, CDV2	1nF(102)
CDV1	47pF
CDC2,CFCAP	10nF(103)
C11,C12,C13,C14	1uF/16V
RSER	68
R4,R6	10K
R5	470
R8	47
R3	47K
R9	1K-10K pot
IC1	7805
IC2	EM4095
IC3	ATMEGA88
IC4	MAX232
20 pin IC feet, 16 pin IC feet	
X1,X2	2-pin header
Х3	16 pin boxed header
X4	3-pin header
X5	10-pin boxed header
Х6	DB-9 female connector
T1	BC547
D1	1N4148
LED1	3 mm LED, red
K1	Relay, 5V

S1,S2,S3	switch
Q1	32768 Hz crystal
Antenna	
M3x6 bolt and nut	
4 rubber feet	

# **Building the PCB**

As usually we start with the components that have the lowest height. And normally we would solder all passive components first, and insert/solder the active components last. This to prevent damage to the active components(IC). But since the EM4095 is only available in SMD, we need to solder this chip first. Make sure the chip is lined out right and that pin 1 matches the small dot on the chip which is an indication for pin 1. Then solder pin 1 and 16 so the chip can not be moved anymore. Now solder the remaining pins. Use an iron with a small tip. When you use too much solder, and two feet are soldered together do not panic. Just finish soldering and when ready, use some copper braid to remove the solder between the 2 feet. This works best when you lay the braid over the 2 pins, then push the solder iron to the braid so it will heat up. Then after some seconds, add some solder which will get sucked into the braid. This will in turn suck the other solder into the braid. While it does not seem logical to add solder, it will conduct the heat better. But since the used SMD chip is relatively large there should not be any problem.

Now mount and solder the following components :

- RSER (68 ohm)
- R3 (47K)
- R4,R6 (10 K)
- R5 (470)
- R8 (47 for LCD)
- D1 (diode 1N4148). The black line must match the line on the PCB(Kathode)
- C2,C3,C5,C6,C9,CDEC,CAGND (100 nF)
- CRES1,CRES , CDV2 (1nF)
- CDV1 (47pF)
- CDC2,CFCAP (10nF)
- 28 pins IC feet for the Mega88 and 16 pins IC feet for the MAX232
- Bend the wires of IC1 and mount IC1 with the bolt and nut
- Bend the wires of the crystal and mount  $\ensuremath{\text{Q1}}$
- S1,S2,S3 (switches)
- LED1. The square pad matches the longest wire of the LED(Anode)
- R9 (potmeter for LCD contrast)
- T1(transistor BC547)
- Boxed header X5 and X3. Notice the gap in the middle which must match with the PCB
- X6 (DB9-female connector)
- K1 (relay)
- C11,C12,C13,C14 (1uF/16V)
- C4 (100uF/16V)
- X1,X2 (2 pins screw connectors)
- X4 (3 pin screw connector)
- C1 (470 uF/25V)
- 4 rubber feet

# Operation

Now the PCB is ready. Make sure there are no solder drops on the PCB. You can measure with an Ohm-meter if there is a short circuit.

Measure pin 1 and pin 2 of IC1 (the voltage input) and pin 3 and pin 2 of IC1 (the voltage output).

When everything is ok, insert the MAX232 and the MEGA88.

You can connect the battery cord to header X1. The red wire is the plus. Since the circuit is not for beginners, there is no reverse polarity protection. While the 7805 does not mind a short circuit, the C1 elco might not like it.

Connect the battery and measure with a Volt meter if IC1 actual outputs 5V. If not, check the input voltage, and for a possible shortcut.

Connect the antenna to connector X2. The PCB is now ready for use. When you have the LCD display, connect it to the LCD header and adjust the variable resistor R9 so you can see square blocks.


Since the chip has a boot loader, you can serial program the device. We made a simple AN that can be used as a door opener. It has simple menu, and we can add new tags. When a valid tag is held in front of the antenna, it will activate the relay for 2 seconds. The LED will be turned on as well.

Compile the program **AN\_READHITAG\_EM4095.BAS** and select the **MCS Boot Loader programmer**. Connect a serial cable to X6 and press F4 to program.

You need a normal straight cable.

#### DB9-MALE

DB9-FEMALE



When you did not used the **MCS Bootloader** before, check the COM port settings and make sure the BAUD is set to 38400 as in the following screenshot:

#### 288 BASCOM-AVR

BASCOM-AVR Options	s		
Compiler Communicat	tion <u>E</u> nvironment <u>S</u> imulator	Programmer Monitor F	Printer
Programmer (	MCS Bootloader	•	
Play sound			
Erase warning	🗹 Auto Flash 🛛 📝 AutoVerify npile 👘 📄 Set focus	Upload Code and E to terminal emulator after p	
Serial MCS Load	ler		
COM-port	1 TAU BAU	ID 38400 🔻	
STK500 EXE			
USB	~		
Default	✓ <u>D</u> k	X Cancel	

You also need to set 'RESET via DTR' on the 'MCS Loader' TAB.

Now the program will start and show some info on the LCD. Each time you hold a RFID tag before the antenna/coil, the TAG ID will be shown.

When you press S3, you can store an RFID. Press S3, and then hold the TAG before the coil. When there is room , or the tag is new, it will be stored. Otherwise it will be ignored. The TAG ID is also stored in EEPROM.

Now when you hold the tag before the coil, the relay is activated for 2 seconds. The AN is very simple and you can change and extend it easily.

One nice idea from Gerhard : use one TAG as a master tag to be able to add/remove tags.

# Security

To make the code more secure you could add a delay so that a valid tag must be received twice, so after the valid TAG, wait 1 second, and then start a new measurement and check if the TAG is valid again.

This will prevent where a bit generator could be used to generate all possible codes. With 64 bit times a second, it would take ages before it would work.

The other hack would be to listen with a long range 125 KHz antenna, and recording all bits. A long range scanner would be very hard to make. It would be easier to open the door with a crowbar.

When you open your door with this device, make sure you have a backup option like a key in case there is no power. Also, when the door is opened by a magnetic door opener, make sure it has the right quality for the entrance you want to protect.



# **AN Code**

(c) 1995-2008 MCS Electronics ' This sample will read a HITAG chip based on the EM4095 cl ' Consult EM4102 and EM4095 datasheets for more info	hip	
The EM4095 was implemented after an idea of Gerhard Günze Gerhard provided the hardware and did research at the co The EM4095 is much simpler to use than the HTRC110. It no A reference design with all parts is available from MCS	il and capacitors.	_
<pre>\$regfile = "M88def.dat" \$baud = 19200 \$crystal = 8000000 \$hwstack = 40 \$swstack = 40 \$framesize = 40</pre>		_
Declare Function Havetag(b As Byte ) As Byte		
<pre>'Make SHD and MOD low _md Alias Portd.4 Config _md = Output _md = 0</pre>		
_shd Alias Portd.5 Config _shd = Output _shd = 0		
Relay Alias Portd.2 Config Relay = Output		
S3 Alias Pinb.0 S2 Alias Pinb.2 S1 Alias Pinb.1 Portb = &B111	' these are all inp	ut r
<pre>Config Clock = Soft Config Date = Dmy , Separator = -</pre>	'we use a clock	

```
290 BASCOM-AVR
```

```
Enable Interrupts
                                                              ' the clock and RFID co
Date = "15 - 12 - 07"
                                                              ' just a special date t
Time$ = "00:00:00"
'Config Lcd Sets The Portpins Of The Lcd
Config Lcdpin = Pin , Db4 = Portc.2 , Db5 = Portc.3 , Db6 = Portc.4 , Db7 = Portc.5
Config Lcd = 16 \times 2
                                                              '16*2 type LCD screen
Cls
             Lcd " EM4095 sample"
Lowerline : Lcd "MCS Electronics"
Dim Tags(5) As Byte
                                                              'make sure the array is
Dim J As Byte , Idx As Byte
Dim Eramdum As Eram Byte
                                                              ' do not use first pos:
                                                              ' number of stored tags
Dim Etagcount As Eram Byte
                                                              'room for 20 tags
Dim Etags(100) As Eram Byte
Dim Stags(100) As Byte
                                                              'since we have enough S
Dim Btags As Byte , Tmp1 As Byte , Tmp2 As Byte
Dim K As Byte , Tel As Byte , M As Byte
Config Hitag = 64 , Type = Em4095 , Demod = Pind.3 , Int = @int1
Print "EM4095 sample"
'you could use the PCINT option too, but you must mask all pins out so it will only
 Pcmsk2 = \&B0000_0100
' On Pcint2 Checkints
' Enable Pcint2
On Intl Checkints Nosave
                                                              'we use the INT1 pin a
Config Int1 = Change
                                                              'we have to config so t
Enable Interrupts
                                                              'as last we have to ena
'read eeprom and store in sram
'when the program starts we read the EEPROM and store it in SRAM
For Idx = 1 To 100
                                                              'for all stored tags
   Stags(idx) = Etags(idx)
   Print Hex(stags(idx)) ; ",";
Next
                                                              ' get number of stored
Btags = Etagcount
                                                              ' an empty cell is FF
If Btags = 255 Then
   Print "No tags stored yet"
   Btags = 0 : Etagcount = Btags
                                                              ' reset and write to ea
                                                              ' we have some tags
Else
   For J = 1 To Btags
       Tmp2 = J * 5
                                                              'end
       Tmp1 = Tmp2 - 4
                                                              'start
       Print "RFID ; " ; J
                                                              ' just for debug
       For Idx = Tmp1 To Tmp2
         Print Hex(stags(idx)) ; ",";
       Next
       Print
  Next
End If
Do
   Print "Check..."
   Upperline : Lcd Time$ ; " Detect"
                                                              'this will enable INT1
   If Readhitag(tags(1)) = 1 Then
      Lowerline
      For J = 1 To 5
         Print Hex(tags(j)) ; ",";
         Lcd Hex(tags(j)) ; ","
```

BASCOM HARDWARE 2

```
291
```

```
Next
      M = Havetag(tags(1))
                                                              'check if we have this
      If M > 0 Then
         Print "Valid TAG ;" ; M
         Relay = 1
                                                              'turn on relay
         Waitms 2000
                                                              'wait 2 secs
                                                              'relay off
         Relay = 0
      End If
      Print
  Else
     Print "Nothing"
  End If
  If S3 = 0 Then
                                                              'user pressed button 3
     Print "Button 3"
     Cls : Lcd "Add RFID"
     Do
       If Readhitag(tags(1)) = 1 Then
                                                              'this will enable INT1
          If Havetag(tags(1)) = 0 Then
                                                              'we do not have it yet
             If Btags < 20 Then
                                                                 'will it fit?
                Incr Btags
                                                                 'add one
                Etagcount = Btags
                Idx = Btags * 5
                                                                 'offset
                Idx = Idx - 4
                Lowerline
                For J = 1 To 5
                  Lcd Hex(tags(j)) ; ","
                  Stags(idx) = Tags(j)
                  Etags(idx) = Tags(j)
                  Incr Idx
                Next
                Cls
                Lcd "TAG stored" : Waitms 1000
             End If
          End If
          Exit Do
       End If
    Loop
 End If
  If S2 = 0 Then
     Print "Button 2"
  End If
  If S1 = 0 Then
     Print "Button 1"
 End If
 Waitms 500
Loop
'check to see if a tag is stored already
'return 0 if not stored
'return value 1-20 if stored
Function Havetag(b As Byte ) As Byte
 Print "Check if we have TAG : ";
 For K = 1 To 5
     Print Hex(b(k)) ; ","
 Next
 For K = 1 To 20
    Tmp2 = K * 5
                                                              'end addres
    Tmp1 = Tmp2 - 4
                                                              'start
```

```
Tel = 0
    For Idx = Tmp1 To Tmp2
       Incr Tel
                                                              'if they do not match
       If Stags(idx) <> B(tel) Then
          Exit For
                                                              'exit and try next
       End If
    Next
    If Tel = 5 Then
                                                              'if we did found 5 mate
       Print "We have one"
       Havetag = K
                                                              'set index
       Exit Function
    End If
 Next
 Havetag = 0
                                                              'assume we have nothing
End Function
Checkints:
Call _checkhitag
                                                              'in case you have used
```


## **Tips and Tricks**

The oscillator frequency must be 125 KHz. You can measure this with an oscilloscope. It is possible that you need to remove a few windings of the antenna coil to get an exact 125 KHz. This will result in a higher distance that you can use for the tags.


#### 4.19.2 USB162 module

Return

The USB162 from Atmel is great new chip with USB device support. The only downside for most hobbyists will be that it is not available in DIP format. MCS Electronics created a small converter board with normal pins with the size of a 28 pin DIP chip.



The USB module is available from the MCS Electronics online web shop.



# **5 BASCOM Language Fundamentals**

# 5.1 Changes compared to BASCOM-8051

The design goal was to make BASCOM-AVR compatible with BASCOM-8051.

For the AVR compiler some statements had to be removed. New statements were also added. And some statements were changed.

They need specific attention, but the changes to the syntax will be made available to BASCOM-8051 too in the future.

DESCRIPTION
Not needed anymore.
Code always starts at address 0 for the AVR. Added again in 1.11.6.2
Use LCD Hex(var) instead.
Not needed anymore. Added in 1.11.6.2
Not needed anymore
Can't be used anymore because there is no object code that can be used for it.
Removed.
Can't be used anymore because there is no object code that can be used for it.
AVR does no allow setting priority of interrupts
You can use Print Hex(var) now
You can use Lcd Hex(var) now

#### Statements that were removed

#### Statements that were added

STATEMENT	DESCRIPTION
FUNCTION	You can define your own user FUNCTIONS.
LOCAL	You can have LOCAL variables in SUB routines or FUNCTIONS.
^	New math statement. Var = $2 \land 3$ will return $2*2*2$
SHIFT	Because ROTATE was changed, I added the SHIFT statement. SHIFT works just like ROTATE, but when shifted left, the LS BIT is cleared and the carry doesn't go to the LS BIT.
LTRIM	LTRIM, trims the leftmost spaces of a string.
RTRIM	RTRIM, trims the rightmost spaces of a string.
TRIM	TRIM, trims both the leftmost and rightmost spaces of a string.

#### Statements that behave differently

STATEMEN T	DESCRIPTION
	Rotate now behaves like the ASM rotate, this means that the carry will go to the most significant bit of a variable or the least significant bit of a variable.
	String were added to the CONST statement. I also changed it to be compatible with QB.
DECLARE	BYVAL has been added since real subprograms are now supported.

DIM	You can now specify the location in memory of the variable.
	Dim v as byte AT 100, will use memory location 100.

### 5.2 Language Fundamentals

Characters from the BASCOM character set are put together to form labels, keywords, variables and operators.

These in turn are combined to form the statements that make up a program.

This chapter describes the character set and the format of BASCOM program lines. In particular, it discusses:

- The specific characters in the character set and the special meanings of some characters.
- The format of a line in a BASCOM program.
- Line labels.
- Program line length.

# **Character Set**

The BASCOM BASIC character set consists of alphabetic characters, numeric characters, and special characters.

The alphabetic characters in BASCOM are the uppercase letters (A-Z) and lowercase letters (a-z) of the alphabet.

The BASCOM numeric characters are the digits 0-9.

The letters A-H can be used as parts of hexadecimal numbers. The following characters have special meanings in BASCOM statements and expressions:

Character Name ENTER Terminates input of a line Blank ( or space) Single quotation mark (apostrophe) Asterisks (multiplication symbol) Plus sign + Comma Minus sign Period (decimal point) Slash (division symbol) will be handled as \ Colon Double quotation mark Semicolon Less than < Equal sign (assignment symbol or relational operator) = Greater than Backslash (integer/word division symbol) Exponent

## The BASCOM program line

BASCOM program lines have the following syntax:

[[line-identifier]] [[statement]] [[:statement]] ... [[comment]]

## **Using Line Identifiers**

BASCOM support one type of line-identifier; alphanumeric line labels:

An alphabetic line label may be any combination of from 1 to 32 letters and digits, starting with a letter and ending with a colon. BASCOM keywords are not permitted.

The following are valid alphanumeric line labels:

Alpha: ScreenSUB: Test3A:

Case is not significant. The following line labels are equivalent:

alpha: Alpha: ALPHA:

Line labels may begin in any column, as long as they are the first characters other than blanks on the line.

Blanks are not allowed between an alphabetic label and the colon following it. A line can have only one label. When there is a label on the line, no other identifiers may be used on the same line. So the label is the sole identifier on a line.

### **BASCOM Statements**

A BASCOM statement is either "executable" or " non-executable". An executable statement advances the flow of a programs logic by telling the program what to do next.

Non executable statement perform tasks such as allocating storage for variables, declaring and defining variable types.

The following BASCOM statements are examples of non-executable statements:

- REM or (starts a comment)
- DIM

A "comment" is a non-executable statement used to clarify a programs operation and purpose.

A comment is introduced by the REM statement or a single quote character('). The following lines are equivalent:

**PRINT** "Quantity remaining" : REM Print report label. **PRINT** "Quantity remaining" 'Print report label.

More than one BASCOM statement can be placed on a line, but colons(:) must separate statements, as illustrated below.

FOR I = 1 TO 5 : PRINT " Gday, mate." : NEXT I

# **BASCOM LineLength**

If you enter your programs using the built-in editor, you are not limited to any line length, although it is advised to shorten your lines to 80 characters for clarity.

## **Data Types**

Every variable in BASCOM has a data type that determines what can be stored in the variable. The next section summarizes the elementary data types.

# **Elementary Data Types**

- Bit (1/8 byte). A bit can hold only the value 0 or 1. A group of 8 bits is called a byte.
- Byte (1 byte). Bytes are stores as unsigned 8-bit binary numbers ranging in value from 0 to 255.
- Integer (two bytes). Integers are stored as signed sixteen-bit binary numbers ranging in value from -32,768 to +32,767.
- Word (two bytes). Words are stored as unsigned sixteen-bit binary numbers ranging in value from 0 to 65535.
- Dword(fout bytes). Dwords are stored as unsigned 32-bit unsigned numbers ranging in value from 0 to 4294967295
- Long (four bytes). Longs are stored as signed 32-bit binary numbers ranging in value from -2147483648 to 2147483647.
- Single. Singles are stored as signed 32 bit binary numbers. Ranging in value from 1.5 x 10^-45 to 3.4 x 10^38
- Double. Doubles are stored as signed 64 bit binary numbers. Ranging in value from 5.0 x 10^-324 to 1.7 x 10^308
- String (up to 254 bytes). Strings are stored as bytes and are terminated with a 0byte. A string dimensioned with a length of 10 bytes will occupy 11 bytes.

Variables can be stored internal (default), external or in EEPROM.

# Variables

A variable is a name that refers to an object--a particular number.

A numeric variable, can be assigned only a numeric value (either integer, byte, long, single or bit).

The following list shows some examples of variable assignments:

• A constant value:

A = 5 C = 1.1

• The value of another numeric variable:

abc = defk = q

- The value obtained by combining other variables, constants, and operators: Temp = a + 5

Temp = C + 5

 The value obtained by calling a function: Temp = Asc(S)

### Variable Names

A BASCOM variable name may contain up to 32 characters. The characters allowed in a variable name are letters and numbers. The first character in a variable name must be a letter.

A variable name cannot be a reserved word, but embedded reserved words are allowed.

For example, the following statement is illegal because AND is a reserved word.

AND = 8

However, the following statement is legal:

ToAND = 8

Reserved words include all BASCOM commands, statements, function names, internal registers and operator names.

(see <u>BASCOM Reserved Words</u> and , for a complete list of reserved words).

You can specify a hexadecimal or binary number with the prefix &H or &B. a =&HA , a =&B1010 and a = 10 are all the same.

Before assigning a variable, you must tell the compiler about it with the <u>DIM</u> for statement. Dim b1 As Bit, I as Integer, k as Byte, s As String \* 10

The STRING type needs an additional parameter to specify the length.

You can also use <u>DEFINT</u> बिभे, <u>DEFBIT</u> बिभे, <u>DEFBYTE</u> बिभे ,<u>DEFWORD</u> बिभे ,<u>DEFLNG</u> बिभे or DEFSNG बिभे.

For example, DEFINT c tells the compiler that all variables that are not dimensioned and that are beginning with the character c are of the Integer type.

### **Expressions and Operators**

This chapter discusses how to combine, modify, compare, or get information about expressions by using the operators available in BASCOM.

Anytime you do a calculation you are using expressions and operators.

This chapter describes how expressions are formed and concludes by describing the following kind of operators:

- Arithmetic operators, used to perform calculations.
- Relational operators, used to compare numeric or string values.
- Logical operators, used to test conditions or manipulate individual bits.
- Functional operators, used to supplement simple operators.

## **Expressions and Operators**

An expression can be a numeric constant, a variable, or a single value obtained by combining constants, variables, and other expressions with operators.

Operators perform mathematical or logical operations on values. The operators provided by BASCOM can be divided into four categories, as follows:

- 1. Arithmetic
- 2. Relational
- 3. Logical
- 4. Functional

# Arithmetic

Arithmetic operators are  $+, -, *, \setminus, /$  and  $\wedge$ .

- Integer Integer division is denoted by the backslash (\).
   Example: Z = X \ Y
- Modulo Arithmetic Modulo arithmetic is denoted by the modulus operator MOD.
   Modulo arithmetic provides the remainder, rather than the quotient, of an integer division.

Example:  $X = 10 \setminus 4$  : remainder = 10 MOD 4

 Overflow and division by zero Division by zero, produces an error. At the moment no message is produced, so you have to make sure yourself that this won't happen.

# **Relational Operators**

Relational operators are used to compare two values as shown in the table below. The result can be used to make a decision regarding program flow.

Operator	Relation Tested	Expression
=	Equality	X = Y
<>	Inequality	X <> Y
<	Less than	X < Y
>	Greater than	X > Y
<=	Less than or equal to	X <= Y
>=	Greater than or equal to	X >= Y

## **Logical Operators**

Logical operators perform tests on relations, bit manipulations, or Boolean operators. There four operators in BASCOM are :

<b>Operator</b>	Meaning
-----------------	---------

NOT	Logical complement
AND	Conjunction
OR	Disjunction
XOR	Exclusive or

It is possible to use logical operators to test bytes for a particular bit pattern. For example the AND operator can be used to mask all but one of the bits of a status byte, while OR can be used to merge two bytes to create a particular binary value.

### Example

A = 63 And 19 **PRINT** A A = 10 Or 9**PRINT** A

# Output

19 11

Floating point SINGLE (4 BYTE)(ASM code used is supplied by Jack Tidwell) Single numbers conforming to the IEEE binary floating point standard. An eight bit exponent and 24 bit mantissa are supported. Using four bytes the format is shown below:

31 30\_\_\_\_\_0

s exponent mantissa

The exponent is biased by 128. Above 128 are positive exponents and below are negative. The sign bit is 0 for positive numbers and 1 for negative. The mantissa is stored in hidden bit normalized format so that 24 bits of precision can be obtained.

All mathematical operations are supported by the single. You can also convert a single to an integer or word or vise versa:

Dim I as Integer, S as Single

S = 100.1 'assign the single I = S 'will convert the single to an integer

Here is a fragment from the Microsoft knowledge base about FP:

Floating-point mathematics is a complex topic that confuses many programmers. The tutorial below should help you recognize programming situations where floating-point errors are likely to occur and how to avoid them. It should also allow you to recognize cases that are caused by inherent floating-point math limitations as opposed to actual compiler bugs.

# **Decimal and Binary Number Systems**

Normally, we count things in base 10. The base is completely arbitrary. The only reason that people have traditionally used base 10 is that they have 10 fingers, which have made handy counting tools.

The number 532.25 in decimal (base 10) means the following:

 $(5 * 10^{2}) + (3 * 10^{1}) + (2 * 10^{0}) + (2 * 10^{-1}) + (5 * 10^{-2})$ 

500 + 30 + 2 + 2/10 + 5/100

= 532.25

In the binary number system (base 2), each column represents a power of 2 instead of 10. For example, the number 101.01 means the following:  $(1 * 2^2) + (0 * 2^1) + (1 * 2^0) + (0 * 2^{-1}) + (1 * 2^{-2})$ 4 + 0 + 1 + 0 + 1/4

= 5.25 Decimal

How Integers Are Represented in PCs

-----

Because there is no fractional part to an integer, its machine representation is much simpler than it is for floating-point values. Normal integers on personal computers (PCs) are 2 bytes (16 bits) long with the most significant bit indicating the sign. Long integers are 4 bytes long.

Positive values are straightforward binary numbers. For example:

1 Decimal = 1 Binary 2 Decimal = 10 Binary 22 Decimal = 10110 Binary, etc.

However, negative integers are represented using the two's complement scheme. To get the two's complement representation for a negative number, take the binary representation for the number's absolute value and then flip all the bits and add 1. For example:

4 Decimal = 0000 0000 0000 0100

1111 1111 1111 1011 Flip the Bits

-4 = 1111 1111 1111 1100 Add 1

Note that adding any combination of two's complement numbers together

using ordinary binary arithmetic produces the correct result.

### **Floating-Point Complications**

Every decimal integer can be exactly represented by a binary integer; however, this is not true for fractional numbers. In fact, every number that is irrational in base 10 will

also be irrational in any system with a base smaller than 10.

For binary, in particular, only fractional numbers that can be represented in the form p/q, where q is an integer power of 2, can be expressed exactly, with a finite number of bits.

Even common decimal fractions, such as decimal 0.0001, cannot be represented exactly in binary. (0.0001 is a repeating binary fraction with a period of 104 bits!)

This explains why a simple example, such as the following

SUM = 0 FOR 1% = 1 TO 10000 SUM = SUM + 0.0001 NEXT 1% PRINT SUM ' Theoretically = 1.0.

will PRINT 1.000054 as output. The small error in representing 0.0001 in binary propagates to the sum.

For the same reason, you should always be very cautious when making comparisons on real numbers. The following example illustrates a common programming error:

item1# = 69.82# item2# = 69.20# + 0.62# IF item1# = item2# then print "Equality!"

This will NOT PRINT "Equality!" because 69.82 cannot be represented exactly in binary, which causes the value that results from the assignment to be SLIGHTLY different (in binary) than the value that is generated from the expression. In practice, you should always code such comparisons in such a way as to allow for some tolerance.

### **General Floating-Point Concepts**

It is very important to realize that any binary floating-point system can represent only a finite number of floating-point values in exact form. All other values must be approximated by the closest represent able value. The IEEE standard specifies the method for rounding values to the "closest" represent able value. BASCOM supports the standard and rounds according to the IEEE rules.

Also, keep in mind that the numbers that can be represented in IEEE are spread out over a very wide range. You can imagine them on a number line. There is a high density of represent able numbers near 1.0 and -1.0 but fewer and fewer as you go towards 0 or infinity.

The goal of the IEEE standard, which is designed for engineering calculations, is to maximize accuracy (to get as close as possible to the actual number). Precision refers to the number of digits that you can represent. The IEEE standard attempts to balance the number of bits dedicated to the exponent with the number of bits used for the fractional part of the number, to keep both accuracy and precision within acceptable limits.

## **IEEE Details**

Floating-point numbers are represented in the following form, where [exponent] is the binary exponent:

X = Fraction \* 2^(exponent - bias)

[Fraction] is the normalized fractional part of the number, normalized because the exponent is adjusted so that the leading bit is always a 1. This way, it does not have to be stored, and you get one more bit of precision. This is why there is an implied bit. You can think of this like scientific notation, where you manipulate the exponent to have one digit to the left of the decimal point, except in binary, you can always manipulate the exponent so that the first bit is a 1, since there are only 1s and 0s.

[bias] is the bias value used to avoid having to store negative exponents.

The bias for single-precision numbers is 127 and 1023 (decimal) for double-precision numbers.

The values equal to all 0's and all 1's (binary) are reserved for representing special cases. There are other special cases as well, that indicate various error conditions.

## **Single-Precision Examples**

 $2 = 1 * 2^{1} = 0100\ 0000\ 0000\ 0000\ \dots\ 0000\ 0000 = 4000\ 0000\ hex$ Note the sign bit is zero, and the stored exponent is 128, or

100 0000 0 in binary, which is 127 plus 1. The stored mantissa is (1.) 000 0000 ... 0000 0000, which has an implied leading 1 and binary point, so the actual mantissa is 1.

-2 = -1 \*  $2^{1}$  = 1100 0000 0000 0000 ... 0000 0000 = C000 0000 hex Same as +2 except that the sign bit is set. This is true for all IEEE format floating-point numbers.

 $4 = 1 * 2^2 = 0100\ 0000\ 1000\ 0000\ \dots\ 0000\ 0000 = 4080\ 0000\ hex$ Same mantissa, exponent increases by one (biased value is 129, or 100\ 0000\ 1 in binary.

 $6 = 1.5 * 2^2 = 0100\ 0000\ 1100\ 0000\ \dots\ 0000\ 0000 = 40C0\ 0000\ hex$ Same exponent, mantissa is larger by half -- it's

(1.) 100 0000 ... 0000 0000, which, since this is a binary fraction, is 1-1/2 (the values of the fractional digits are 1/2, 1/4, 1/8, etc.).

 $1 = 1 * 2^0 = 0011 1111 1000 0000 \dots 0000 0000 = 3F80 0000 hex$ Same exponent as other powers of 2, mantissa is one less than 2 at 127, or 011 1111 1 in binary.

.75 = 1.5 \* 2<sup>-1</sup> = 0011 1111 0100 0000 ... 0000 0000 = 3F40 0000 hex

The biased exponent is 126, 011 1111 0 in binary, and the mantissa is (1.) 100 0000  $\dots$  0000 0000, which is 1-1/2.

 $2.5 = 1.25 * 2^{1} = 0100\ 0000\ 0010\ 0000\ \dots\ 0000\ 0000 = 4020\ 0000\ hex$ Exactly the same as 2 except that the bit which represents 1/4 is set in the mantissa. 0.1 = 1.6 \* 2<sup>-4</sup> = 0011 1101 1100 1100 ... 1100 1101 = 3DCC CCCD hex

1/10 is a repeating fraction in binary. The mantissa is just shy of 1.6, and the biased exponent says that 1.6 is to be divided by 16 (it is 011 1101 1 in binary, which is 123 n decimal). The true exponent is 123 - 127 = -4, which means that the factor by which to multiply is  $2^{**}-4 = 1/16$ . Note that the stored mantissa is rounded up in the last bit. This is an attempt to represent the un-representable number as accurately as possible. (The reason that 1/10 and 1/100 are not exactly representable in binary is similar to the way that 1/3 is not exactly representable in decimal.)

 $0 = 1.0 * 2^{-128} = all zeros -- a special case.$ 

# **Other Common Floating-Point Errors**

The following are common floating-point errors:

Round-off error
 This error results when all of the bits in a binary number cannot be used in a calculation.
 Example: Adding 0.0001 to 0.9900 (Single Precision)
 Decimal 0.0001 will be represented as:
 (1.)10100011011011100010111 \* 2^(-14+Bias) (13 Leading 0s in Binary!)

0.9900 will be represented as: (1.)11111010111000010100011 \* 2^(-1+Bias)

Now to actually add these numbers, the decimal (binary) points must be aligned. For this they must be Unnormalized. Here is the resulting addition:

.0000000000011010001101 \* 2^0 <- Only 11 of 23 Bits retained +.111111010111000010100011 \* 2^0

.111111010111011100110000 \* 2^0

This is called a round-off error because some computers round when shifting for addition. Others simply truncate. Round-off errors are important to consider whenever you are adding or multiplying two very different values.

2. Subtracting two almost equal values

.1235 -.1234

.0001

This will be normalized. Note that although the original numbers each had four significant digits, the result has only one significant digit.

#### 3. Overflow and underflow

This occurs when the result is too large or too small to be represented by the data type.

#### 4. Quantizing error

This occurs with those numbers that cannot be represented in exact form by the floating-point standard.

# Rounding

When a Long is assigned to a single, the number is rounded according to the rules of the IEEE committee.

For explanation: 1.500000 is exact the middle between 1.00000 and 2.000000. If x.500000 is always rounded up, than there is trend for higher values than the average of all numbers. So their rule says, half time to round up and half time to round down, if value behind LSB is exact ..500000000.

The rule is, round this .500000000000 to next even number, that means if LSB is 1 (half time) to round up, so the LSB is going to 0 (=even), if LSB is 0 (other half time) to round down, that means no rounding.

This rounding method is best since the absolute error is 0.

You can override the default IEEE rounding method by specifying the \$LIB LONG2FLOAT.LBX library which rounds up to the next number. This is the method used up to 1.11.7.4 of the compiler.

## Double

The double is essential the same as a single. Except the double consist of 8 bytes instead of 4. The exponent is 11 bits leaving 52 bits for the mantissa.

### Arrays

An array is a set of sequentially indexed elements having the same type. Each element of an array has a unique index number that identifies it. Changes made to an element of an array do not affect the other elements.

The index must be a numeric constant, a byte, an integer, word or long. The maximum number of elements is 65535. For Xmega with huge memory it is 8MB! The first element of an array is always one by default. This means that elements are 1-based.

You can change this with CONFIG BASE=0. In this case, the first element will be element 0.

Arrays can be used on each place where a 'normal' variable is expected.

You can add an offset to the index too. This could be used to emulate a 2 dimensional array.

row\_index = row : shift row\_index, left,4
value = parameter\_array(column+row\_index)

# Example:

'create an array named a, with 10 elements (1 to 10) **Dim A(10) As Byte** 'create an integer **Dim C As Integer** 

```
'now fill the array

For C = 1 To 10

'assign array element

A(c) = C

' print it

Print A(c)

Next

'you can add an offset to the index too

C = 0

A(c + 1) = 100

Print A(c + 1)

End
```

### Strings

A string is used to store text. A string must be dimensioned with the length specified.

DIM S as STRING \* 5

Will create a string that can store a text with a maximum length of 5 bytes. The space used is 6 bytes because a string is terminated with a null byte.

To assign the string: Ds = "abcd"

To insert special characters into the string : s= "AB{027}cd"

The {ascii} will insert the ASCII value into the string.

The number of digits must be **3**. s = " $\{27\}$ " will assign " $\{27\}$ " to the string instead of escape character 27!

Because the null byte (ASCII 0) is used to terminate a string, you can not embed a null byte into a string.

### Casting

In BASCOM-AVR when you perform operations on variables they all must be of the same data type. long = long1 \* long2 ' for example

The assigned variables data type determines what kind of math is performed.

For example when you assign a long, long math will be used.

If you try to store the result of a LONG into a byte, only the LSB of the LONG will be stored into the BYTE. Byte = LONG

When LONG = 256, it will not fit into a BYTE. The result will be 256 AND 255 = 0.

Of course you are free to use different data types. The correct result is only guaranteed when you are using data types of the same kind or that result always can fit into the target data type.

When you use strings, the same rules apply. But there is one exception:

Dim b as Byte b = 123 ' ok this is normal b = "A" ' b = 65

When the target is a byte and the source variable is a string constant denoted by "", the ASCII value will be stored in the byte. This works also for tests :

IF b = "A" then ' when b = 65

END IF

This is different compared to QB/VB where you can not assign a string to a byte variable.

### SINGLE CONVERSION

When you want to convert a SINGLE into a byte, word, integer or long the compiler will automatic convert the values when the source string is of the SINGLE data type.

integer = single

You can also convert a byte, word, integer or long into a SINGLE by assigning this variable to a SINGLE.

single = long

## 5.3 Mixing ASM and BASIC

BASCOM allows you to mix BASIC with assembly. This can be very useful in some situations when you need full control of the generated code.

Almost all assembly mnemonics are recognized by the compiler. The exceptions are : SUB, SWAP, CALL and OUT. These are BASIC reserved words and have priority over the ASM mnemonics. To use these mnemonics precede them with the ! - sign.

It is recommended to always use the ! or the \$asm .. \$end asm block.

For example :

Dim a As Byte At &H60 'A is stored at location &H60 Ldi R27 , \$00 'Load R27 with MSB of address Ldi R26 , \$60 'Load R26 with LSB of address Ld R1, X 'load memory location \$60 into R1 !SWAP R1 'swap nibbles

As you can see the SWAP mnemonic is preceded by a ! sign.

Another option is to use the assembler block directives:

#### \$ASM

Ldi R27 , \$00 'Load R27 with MSB of address Ldi R26 , \$60 'Load R26 with LSB of address Ld R1, X 'load memory location \$60 into R1 SWAP R1 'swap nibbles **\$END ASM** 

A special assembler helper function is provided to load the address into the register X or Z. Y can may not be used because it is used as the soft stack pointer.

Dim A As Byte 'reserve space LOADADR a, X 'load address of variable named A into register pair X This has the same effect as : Ldi R26 , \$60 'for example ! Ldi R27, \$00 'for example !

Some registers are used by BASCOM R4 and R5 are used to point to the stack frame or the temp data storage R6 is used to store some bit variables: R6 bit 0 = flag for integer/word conversion R6 bit 1 = temp bit space used for swapping bits R6 bit 2 = error bit (ERR variable) R6 bit 3 = show/noshow flag when using INPUT statement R8 and R9 are used as a data pointer for the READ statement.

All other registers are used depending on the used statements.

To Load the address of a variable you must enclose them in brackets. Dim B As Bit Lds R16,  $\{B\}$  'will replace  $\{B\}$  with the address of variable B

To refer to the bit number you must precede the variable name by BIT.

Sbrs R16, BIT.B 'notice the point!

Since this was the first dimensioned bit the bit number is 0. Bits are stored in bytes and the first dimensioned bit goes in the LS (least significant) bit.

To load an address of a label you must use :

LDI ZL, Low(lbl \* 1) LDI ZH , High(lbl \* 1)

Where ZL = R30 and may be R24, R26, R28 or R30

And ZH = R31 and may be R25, R27, R29 or R31.

These are so called register pairs that form a pointer.

When you want to use the LPM instruction to retrieve data you must multiply the address with 2 since the AVR object code consist of words. LDI ZL, Low(IbI \* 2) LDI ZH , High(IbI \* 2) LPM ; get data into R0 LbI:

Atmel mnemonics must be used to program in assembly. You can download the pdf from www.atmel.com that shows how the different mnemonics are used.

Some points of attention : \* All instructions that use a constant as a parameter only work on the upper 16 registers (r16-r31) So LDI R15,12 WILL NOT WORK \* The instruction SBR register, K will work with K from 0-255. So you can set multiple bits!

The instruction SBI port, K will work with K from 0-7 and will set only ONE bit in a IO-port register.

The same applies to the CBR and CBI instructions.

You can use constants too:

.equ myval = (10+2)/4 ldi r24,myval+2 '5 ldi r24,asc("A")+1 ; load with 66

Or in BASIC with CONST :

CONST Myval = (10+2) / 4 Ldi r24,myval

How to make your own libraries and call them from BASIC? The files for this sample can be found as libdemo.bas in the SAMPLES dir and as mylib.lib in the LIB dir.

First determine the used parameters and their type. Also consider if they are passed by reference or by value

For example the sub test has two parameters: x which is passed by value (copy of the variable) y which is passed by reference(address of the variable)

In both cases the address of the variable is put on the soft stack which is indexed by the Y pointer.

The first parameter (or a copy) is put on the soft stack first To refer to the address you must use:

ldd r26 , y + 0 ldd r27 , y + 1

This loads the address into pointer X The second parameter will also be put on the soft stack so : The reference for the x variable will be changed :

To refer to the address of x you must use: ldd r26 , y + 2 ldd r27 , y + 3

To refer to the last parameter y you must use ldd r26 , y + 0

ldd r27 , y + 1

Write the sub routine as you are used too but include the name within brackets []

```
[test]
test:
ldd r26,y+2 ; load address of x
ldd r27,y+3
ld r24,x ; get value into r24
inc r24 ; value + 1
st x,r24 ; put back
ldd r26,y+0 ; address of y
ldd r27,y+1
st x,r24 ; store
ret ; ready
[end]
```

To write a function goes the same way. A function returns a result so a function has one additional parameter. It is generated automatic and it has the name of the function. This way you can assign the result to the function name

For example:

Declare Function Test(byval x as byte , y as byte) as byte A virtual variable will be created with the name of the function in this case test. It will be pushed on the soft stack with the Y-pointer.

To reference to the result or name of the function (test) the address will be: y + 0 and y + 1 The first variable x will bring that to y + 2 and y + 3

And the third variable will cause that 3 parameters are saved on the soft stack

To reference to test you must use : Idd r26 , y + 4 Idd r27 , y + 5 To reference variable x Idd r26 , y + 2 Idd r27 , y + 3 And to reference variable y Idd r26 , y + 0 Idd r27 , y + 1

When you use exit sub or exit function you also need to provide an additional label. It starts with sub\_ and must be completed with the function / sub routine name. In our example:

sub\_test:

## LOCALS

When you use local variables thing become more complicated.

Each local variable address will be put on the soft stack too

When you use 1 local variable its address will become

ldd r26, y+0 ldd r27 , y + 1

All other parameters must be increased with 2 so the reference to y variable changes from

ldd r26 , y + 0 to ldd r26 , y + 2 ldd r27 , y + 1 to ldd r27 , y + 3

And of course also for the other variables.

When you have more local variables just add 2 for each.

Finally you save the file as a .lib file Use the library manager to compile it into the lbx format. The declare sub / function must be in the program where you use the sub / function.

The following is a copy of the libdemo.bas file :

'define the used library

\$lib "mylib.lib"

'also define the used routines

\$external Test

'this is needed so the parameters will be placed correct on the stack Declare Sub Test(byval X As Byte , Y As Byte)

'reserve some space Dim Z As Byte

'call our own sub routine Call Test(1 , Z)

'z will be 2 in the used example End

When you use ports in your library you must use .equ to specify the address: .equ EEDR=\$1d In R24, EEDR

This way the library manager knows the address of the port during compile time.

As an alternative precede the mnemonic with a \* so the code will not be compiled

into the lib. The address of the register will be resolved at run time in that case.

This chapter is not intended to teach you ASM programming. But when you find a topic is missing to interface BASCOM with ASM send me an email.

## Translation

In version 1.11.7.5 of the compiler some mnemonics are translated when there is a need for.

For example, SBIC will work only on normal PORT registers. This because the address may not be greater then 5 bits as 3 bits are used for the pin number(0-7).

SBIC worked well in the old AVR chips(AT90Sxxxx) but in the Mega128 where PORTG is on a high address, it will not work.

You always needs a normal register when you want to manipulate the bits of an external register.

For example : LDS r23, PORTG ; get value of PORTG register SBR r23,128 ; set bit 7 STS PORTG, R23

The mnemonics that are translated by the compiler are : IN, OUT, SBIC, SBIS, SBI and CBI.

The compiler will use register R23 for this. So make sure it is not used.

### **Special instructions**

ADR Label ; will create a word with the address of the label name ADR2 Label ; will create a word with the address of the label name, multiplied by 2 to get the byte address since word addresses are used. This is convenient when loading the Z-pointer to use (E)LPM.

.align ; This directive will align the code to a 256 byte page so that the address LSB becomes 0. When storing data at an address where the LSB is zero, you can test for an overflow of the MSB only.

### 5.4 Assembler mnemonics

BASCOM supports the mnemonics as defined by Atmel.

The Assembler accepts mnemonic instructions from the instruction set.

A summary of the instruction set mnemonics and their parameters is given here. For a detailed description of the Instruction set, refer to the AVR Data Book.

Mnemonics	Operand s	Description	Operation	Flags	Cloc k
ARITHMETIC AND LOGIC INSTRUCTIONS					
ADD	Rd, Rr	Add without Carry	Rd = Rd + Rr	Z,C,N,V, H	1

					-
ADC	Rd, Rr	Add with Carry	Rd = Rd + Rr + C	Z,C,N,V, H	1
SUB	Rd, Rr	Subtract without Carry	Rd = Rd – Rr	Z,C,N,V, H	1
SUBI	Rd, K	Subtract Immediate	Rd = Rd – K	Z,C,N,V, H	1
SBC	Rd, Rr	Subtract with Carry	Rd = Rd - Rr - C	Z,C,N,V, H	1
SBCI	Rd, K	Subtract Immediate with Carry	Rd = Rd - K - C	Z,C,N,V, H	1
AND	Rd, Rr	Logical AND	$Rd = Rd \cdot Rr$	Z,N,V	1
ANDI	Rd, K	Logical AND with Immediate	$Rd = Rd \cdot K$	Z,N,V	1
OR	Rd, Rr	Logical OR	Rd = Rd v Rr	Z,N,V	1
ORI	Rd, K	Logical OR with Immediate	Rd = Rd v K	Z,N,V	1
EOR	Rd, Rr	Exclusive OR	Rd = Rd Å Rr	Z,N,V	1
СОМ	Rd	Ones Complement	Rd = \$FF - Rd		1
NEG	Rd	Twos Complement	Rd = \$00 - Rd	Z,C,N,V, H	
SBR	Rd,K	Set Bit(s) in Register	Rd = Rd v K	Z,N,V	1
CBR	Rd,K	Clear Bit(s) in Register	Rd = Rd · (\$FFh - K)		1
INC	Rd	Increment	Rd = Rd + 1	Z,N,V	1
DEC	Rd	Decrement	Rd = Rd - 1	Z,N,V	1
TST	Rd	Test for Zero or Minus	$Rd = Rd \cdot Rd$	Z,N,V	1
CLR	Rd	Clear Register	Rd = Rd Å Rd	Z,N,V	1
SER	Rd	Set Register	Rd = \$FF	None	1
ADIW	RdI, K6	Add Immediate to Word	Rdh:Rdl = Rdh: Rdl + K	Z,C,N,V, S	2
Adiw r24, K6 SBIW		Culture et Trevere diete			2
Sbiw R24,K6	Rdl, K6	Subtract Immediate from Word	Rdh:Rdl = Rdh: Rdl - K	Z,C,N,V, S	Z
MUL	Rd,Rr	Multiply Unsigned	R1, R0 = Rd * Rr	С	2 *
BRANCH INSTRUCTIONS			,		
RJMP	К	Relative Jump	PC = PC + k + 1	None	2
IJMP		Indirect Jump to (Z)	PC = Z	None	2
JMP	К	Jump	PC = k	None	3
RCALL	К	Relative Call Subroutine	PC = PC + k + 1	None	3
ICALL		Indirect Call to (Z)	PC = Z	None	3
CALL	К	Call Subroutine	PC = k	None	4
RET		Subroutine Return	PC = STACK	None	4
RETI		Interrupt Return	PC = STACK	I	4
CPSE	Rd,Rr	Compare, Skip if Equal	if (Rd = Rr) PC = PC + 2 or 3	None	1/2
СР	Rd,Rr	Compare	Rd - Rr	Z,C,N,V, H,	1
CPC	Rd,Rr	Compare with Carry	Rd - Rr - C	Z,C,N,V,	1

BASCOM Language Fundamentals

~ 4	
- 31	5

				н	
СРІ	Rd,K	Compare with Immediate	Rd - K	Z,C,N,V, H	1
SBRC	Rr, b	Skip if Bit in Register Cleared	If (Rr(b)=0) PC = PC + 2 or 3		1 / 2
SBRS	Rr, b	Skip if Bit in Register Set	If (Rr(b)=1) PC = PC + 2 or 3	None	1 / 2
SBIC	P, b	Skip if Bit in I/O Register Cleared	If(I/O(P,b)=0) PC = PC + 2 or 3	None	2 / 3
SBIS	P, b	Skip if Bit in I/O Register Set	If(I/O(P,b)=1) PC = PC + 2  or  3	None	2 / 3
BRBS	s, k	Branch if Status Flag Set	if (SREG(s) = 1) then PC=PC+k + 1	None	1 / 2
BRBC	s, k	Branch if Status Flag Cleared	if (SREG(s) = 0) then PC=PC+k + 1	None	1 / 2
BREQ	к	Branch if Equal	if $(Z = 1)$ then PC = PC + k + 1	None	1 / 2
BRNE	к	Branch if Not Equal	if $(Z = 0)$ then PC = PC + k + 1	None	1 / 2
BRCS	к	Branch if Carry Set	if (C = 1) then PC = PC + $k + 1$	None	1 / 2
BRCC	к	Branch if Carry Cleared	if (C = 0) then PC = PC + $k + 1$	None	1 / 2
BRSH	к	Branch if Same or Higher	if (C = 0) then PC = PC + k + 1		1 / 2
BRLO	к	Branch if Lower	if (C = 1) then PC = PC + $k + 1$	None	1 / 2
BRMI	к	Branch if Minus	if $(N = 1)$ then PC = PC + k + 1	None	1/2
BRPL	к	Branch if Plus	if (N = 0) then PC = PC + k + 1	None	1/2
BRGE	к	Branch if Greater or Equal, Signed	if (N V= 0) then PC = PC+ $k + 1$	None	1/2
BRLT	к	Branch if Less Than, Signed	if (N V= 1) then PC = PC + $k + 1$	None	1 / 2
BRHS	к	Branch if Half Carry Flag Set	if (H = 1) then PC = PC + k + 1	None	1 / 2
BRHC	к	Branch if Half Carry Flag Cleared	if (H = 0) then PC = PC + $k + 1$		1 / 2
BRTS	к	Branch if T Flag Set	if $(T = 1)$ then PC = PC + k + 1	None	1 / 2
BRTC	к	Branch if T Flag Cleared	if $(T = 0)$ then PC = PC + k + 1	None	1 / 2
BRVS	к	Branch if Overflow Flag is Set	if $(V = 1)$ then PC = PC + k + 1	None	1 / 2
BRVC	к	Branch if Overflow Flag is Cleared	if $(V = 0)$ then PC = PC + k + 1	None	1 / 2
BRIE	К	Branch if Interrupt Enabled	if ( I = 1) then PC = PC + k + 1	None	1 / 2
BRID	К	Branch if Interrupt	if ( $I = 0$ ) then PC	None	1 / 2

	1	Disabled	= PC + k + 1		
DATA					
TRANSFER					
INSTRUCTIONS					
MOV	Rd, Rr	Copy Register	Rd = Rr	None	1
LDI	Rd, K	Load Immediate	Rd = K	None	1
LDS	Rd, k	Load Direct	Rd = (k)	None	2
LD	Rd, X	Load Indirect	Rd = (X)	None	2
LD	Rd, X+	Load Indirect and Post-Increment	Rd = (X), X = X + 1	None	2
LD	Rd, -X	Load Indirect and Pre- Decrement	X = X - 1, Rd = (X)	None	2
LD	Rd, Y	Load Indirect	Rd = (Y)	None	2
LD	Rd, Y+	Load Indirect and Post-Increment	Rd = (Y), Y = Y + 1	None	2
LD	Rd, -Y		Y = Y - 1, Rd = (Y)	None	2
LDD	Rd,Y+q	Load Indirect with Displacement	Rd = (Y + q)	None	2
LD	Rd, Z	Load Indirect	Rd = (Z)	None	2
LD	Rd, Z+	Load Indirect and Post-Increment	Rd = (Z), Z = Z+1	None	2
LD	Rd, -Z	Load Indirect and Pre- Decrement	Z = Z - 1, Rd = (Z)	None	2
LDD	Rd, Z+q	Load Indirect with Displacement	Rd = (Z + q)	None	2
STS	k, Rr	Store Direct	(k) = Rr	None	2
ST	X, Rr	Store Indirect	(X) = Rr	None	2
ST	X+, Rr	Store Indirect and Post-Increment	(X) = Rr, X = X + 1	None	2
ST	-X, Rr	Store Indirect and Pre- Decrement	X = X - 1, (X) = Rr	None	2
ST	Y, Rr		(Y) = Rr	None	2
ST	Y+, Rr	Store Indirect and Post-Increment	(Y) = Rr, Y = Y + 1		2
ST	-Y, Rr	Store Indirect and Pre- Decrement	Y = Y - 1, (Y) = Rr	None	2
STD	Y+q,Rr	Store Indirect with Displacement	(Y + q) = Rr	None	2
ST	Z, Rr	Store Indirect	(Z) = Rr	None	2
ST	Z+, Rr	Store Indirect and Post-Increment	(Z) = Rr, Z = Z + 1	-	2
ST	-Z, Rr	Store Indirect and Pre- Decrement	 Z = Z - 1, (Z) = Rr	None	2
STD	Z+q,Rr	Store Indirect with Displacement	(Z + q) = Rr	None	2
LPM		1	R0 =(Z)	None	3
IN	Rd, P	In Port	Rd = P	None	1
	P, Rr	Out Port	P = Rr	None	1
OUT				1	-
PUSH	Rr	Push Register on Stack	STACK = Rr	None	2

24	7
ு	1

r	1	1	1		
		Stack			
BIT AND BIT-					
TEST					
INSTRUCTIONS				7.0.11.1	4
LSL	Rd	Logical Shift Left	Rd(n+1) =Rd(n), Rd(0)= 0,C=Rd (7)	Z,C,N,V, H	1
LSR	Rd	Logical Shift Right	Rd(n) = Rd(n+1), Rd(7) =0, C=Rd (0)	Z,C,N,V	1
ROL	Rd	Rotate Left Through Carry	Rd(0) =C, Rd (n+1) =Rd(n), C=Rd(7)	Z,C,N,V, H	1
ROR	Rd	Rotate Right Through Carry	Rd(7) =C,Rd(n) =Rd(n+1),C¬Rd (0)	Z,C,N,V	1
ASR	Rd	Arithmetic Shift Right	Rd(n) = Rd(n+1), n=06	Z,C,N,V	1
SWAP	Rd	Swap Nibbles	Rd(30) « Rd (74)	None	1
BSET	S	Flag Set	SREG(s) = 1	SREG(s)	1
BCLR	S	Flag Clear	SREG(s) = 0	SREG(s)	
SBI	P, b	Set Bit in I/O Register	I/O(P, b) = 1	None	2
CBI	P, b		I/O(P, b) = 0	None	2
BST	Rr, b	Bit Store from Register to T	T = Rr(b)	Т	1
BLD	Rd, b	Bit load from T to Register	Rd(b) = T	None	1
SEC		Set Carry	C = 1	С	1
CLC		Clear Carry	C = 0	С	1
SEN		Set Negative Flag	N = 1	N	1
CLN		Clear Negative Flag	N = 0	N	1
SEZ		Set Zero Flag	Z = 1	Z	1
CLZ		Clear Zero Flag	Z = 0	Z	1
SEI		Global Interrupt Enable	I = 1	I	1
CLI		Global Interrupt Disable	I = 0	Ι	1
SES		Set Signed Test Flag	S = 1	S	1
CLS		Clear Signed Test Flag	S = 0	S	1
SEV		Set Twos Complement Overflow		V	1
CLV		Clear Twos Complement Overflow	V = 0	V	1
SET		Set T in SREG	T = 1	Т	1
CLT		Clear T in SREG	T = 0	Т	1
SHE			H = 1	Н	1
CLH		Clear Half Carry Flag in SREG	H = 0	Н	1

NOP	No Operation	None	1
SLEEP	Sleep	None	1
WDR	Watchdog Reset	None	1

\* ) Not available in base-line microcontrollers

The Assembler is not case sensitive. The operands have the following forms:

Rd: R0-R31 or R16-R31 (depending on instruction) Rr: R0-R31 b: Constant (0-7) s: Constant (0-7) P: Constant (0-31/63) K: Constant (0-255) k: Constant, value range depending on instruction. q: Constant (0-63)

Rdl: R24, R26, R28, R30. For ADIW and SBIW instructions

### 5.5 Reserved Words

The following table shows the reserved BASCOM statements or characters.

^

```
!
```

, \$BAUD, \$BAUD1, \$BOOT, \$CRYSTAL, \$DATA, \$DBG, \$DEFAULT, \$END, \$EEPROM, \$EXTERNAL, \$INCLUDE, \$LCD, \$LCDRS, \$LCDPUTCTRL, \$LCDPUTDATA, \$LCDVFO , \$LIB, \$MAP, \$REGFILE, \$SERIALINPUT, \$SERIALINPUT1, \$SERIALINPUT2LCD, \$SERIALOUTPUT, \$SERIALOUTPUT1, \$TINY, \$WAITSTATE, \$XRAMSIZE, \$XRAMSTART

1WRESET ,1WREAD ,1WWRITE

ACK ,ABS ,ALIAS ,AND ,ACOS ,AS , ASC , ASIN , AT , ATN, ATN2

 $\mathsf{BAUD}, \mathsf{BCD}$  ,  $\mathsf{BIN}$  ,  $\mathsf{BIN2GRAY}$  ,  $\mathsf{BINVAL}$  ,  $\mathsf{BIT}$  ,  $\mathsf{BITWAIT}$  ,  $\mathsf{BLINK}$  ,  $\mathsf{BOOLEAN}$  ,  $\mathsf{BYTE}$  ,  $\mathsf{BYVAL}$ 

CALL , CAPTURE1 , CASE , CHECKSUM , CHR , CIRCLE , CLS , CLOSE , COMPARE1x , CONFIG , CONST , COS , COSH , COUNTER , COUNTER , COUNTER , CPEEK , CPEEKH , CRC8 , CRC16 , CRC32 , CRYSTAL , CURSOR

DATA, DATE\$, DBG , DEBOUNCE , DECR , DECLARE , DEFBIT , DEFBYTE , DEFLNG , DEFWORD , DEG2RAD , DEGSNG , DEFLCDCHAR, DEFINT , DEFWORD , DELAY , DIM , DISABLE , DISKSIZE , DISKFREESIZE , DISPLAY , DO , DOUBLE, DOWNTO , DTMFOUT

ELSE, ELSEIF, ENABLE, END, EOF, ERAM, ERASE, ERR, EXIT, EXP, EXTERNAL, FIX, FLUSH, FOR, FOURTH, FOURTHLINE, FREEFILE, FUNCTION

GATE, GET, GETADC, GETKBD, GETATKBD , GETRC5, GLCDDATA , GLCDCMD, GOSUB, GOTO, GRAY2BIN

HEXVAL, HIGH, HOME

I2CINIT, I2CRECEIVE, I2CSEND, I2CSTART, I2CSTOP, I2CRBYTE, I2CWBYTE, IDLE, IF

, INCR , INKEY , INP , INPUT , INPUTBIN , INPUTHEX , INT, INTO, INT1, INTEGER, INTERNAL, INSTR, IS, ISCHARWAITING

LCASE, LCD, LCDAT, LEFT, LEFT, LEN, LINE, LOAD, LOADLABEL, LOC , LOF , LOCAL, LOCATE, LOG , LOG10 , LONG, LOOKUP, LOOKUPSTR, LOOP, LTRIM, LOOKDOWN, LOW, LOWER, LOWERLINE

MAKEBCD, MAKEDEC, MAKEINT, MID, MIN, MAX, MOD, MODE

NACK, NEXT, NOBLINK, NOSAVE, NOT

OFF, ON, OR, OUT, OUTPUT

PEEK, POKE, PORTx, POWER, POWERDOWN, PRINT, PRINTBIN, PULSEOUT, PUT, PWM1x, RAD2DEG, RC5SEND, RC6SEND, READ, READEPROM REM, RESET, RESTORE, RETURN, RIGHT, RIGHT, ROTATE, ROUND, RTRIM

SEEK, SELECT, SERIAL, SET, SERIN, SEROUT, SETFONT, SGN, SHIFT, SHIFTLCD, SHIFTCURSOR, SHIFTIN, SHIFTOUT, SHOWPIC, SHOWPICE, SIN, SINH, SONYSEND, SOUND, SPACE, SPC, SPIINIT, SPIIN, SPIMOVE, SPIOUT, START, STEP, STR, STRING, STOP, SUB, SWAP, SQR

TAN , TANH , THEN , TIME\$ , THIRD , THIRDLINE , TIMERx , TO , TRIM , TYPE

UCASE, UNTIL, UPPER, UPPERLINE

VAL, VARPTR

WAIT, WAITKEY, WAITMS , WAITUS , WATCHDOG , WRITEEEPROM , WEND , WHILE , WORD XOR, XRAM

### 5.6 Error Codes

The following table lists errors that can occur.

Error	Description
1	Unknown statement
2	Unknown structure EXIT statement
2 3	WHILE expected
	No more space for IRAM BIT
4 5 6	No more space for BIT
6	. expected in filename
7	IF THEN expected
8	BASIC source file not found
9	Maximum 128 aliases allowed
10	Unknown LCD type
11	INPUT, OUTPUT, 0 or 1 expected
12	Unknown CONFIG parameter
13	CONST already specified
14	Only IRAM bytes supported
15	Wrong data type
16	Unknown Definition
17	9 parameters expected

18	BIT only allowed with IRAM or SRAM
19	STRING length expected (DIM S AS STRING * 12 , for example)
20	Unknown DATA TYPE
21	Out of IRAM space
22	Out of SRAM space
23	Out of XRAM space
24	Out of EPROM space
25	Variable already dimensioned
26	AS expected
27	parameter expected
28	IF THEN expected
29	SELECT CASE expected
30	BIT's are GLOBAL and can not be erased
31	Invalid data type
32	Variable not dimensioned
33	GLOBAL variable can not be ERASED
34	Invalid number of parameters
35	3 parameters expected
36	THEN expected
37	Invalid comparison operator
38	Operation not possible on BITS
39	FOR expected
40	Variable can not be used with RESET
41	Variable can not be used with SET
42	Numeric parameter expected
43	File not found
44	2 variables expected
45	DO expected
46	Assignment error
47	UNTIL expected
50	Value doesn't fit into INTEGER
51	Value doesn't fit into WORD
52	Value doesn't fit into LONG
60	Duplicate label
61	Label not found
62	SUB or FUNCTION expected first
63	Integer or Long expected for ABS()
64	, expected
65	device was not OPEN
66	device already OPENED
68	channel expected
70	BAUD rate not possible
71	Different parameter type passed then declared
72	Getclass error. This is an internal error.
73	Printing this FUNCTION not yet supported
74	3 parameters expected
80	Code does not fit into target chip
81	Use HEX(var) instead of PRINTHEX

321

82	Use HEX(var) instead of LCDHEX
85	Unknown interrupt source
86	Invalid parameter for TIMER configuration
87	ALIAS already used
88	0 or 1 expected
89	Out of range : must be 1-4
90	Address out of bounds
91	INPUT, OUTPUT, BINARY, or RANDOM expected
92	LEFT or RIGHT expected
93	Variable not dimensioned
94	Too many bits specified
95	Falling or rising expected for edge
96	Pre scale value must be 1,8,64,256 or 1024
97	SUB or FUNCTION must be DECLARED first
98	SET or RESET expected
99	TYPE expected
100	No array support for IRAM variables
100	Can't find HW-register
101	Error in internal routine
102	= expected
105	LoadReg error
104	StoreBit error
105	Unknown register
100	LoadnumValue error
107	Unknown directive in device file
100	= expected in include file for .EQU
110	Include file not found
111	SUB or FUNCTION not DECLARED
112	SUB/FUNCTION name expected
112	SUB/FUNCTION already DECLARED
114	LOCAL only allowed in SUB or FUNCTION
115	#channel expected
116	Invalid register file
117	Unknown interrupt
126	NEXT expected.
120	( or ) missing.
200	.DEF not found
200	Low Pointer register expected
201	.EQU not found, probably using functions that are not supported by the
202	selected chip
203	Error in LD or LDD statement
203	Error in ST or STD statement
205	} expected
205	Library file not found
200	Library file already registered
210	Bit definition not found
210	External routine not found
211	LOW LEVEL, RISING or FALLING expected
L	Low Level, Mondo of Allino Capelled

213	String expected for assignment
214	Size of XRAM string 0
215	Unknown ASM mnemonic
216	CONST not defined
217	No arrays allowed with BIT/BOOLEAN data type
218	Register must be in range from R16-R31
219	INT0-INT3 are always low level triggered in the MEGA
220	Forward jump out of range
221	Backward jump out of range
222	Illegal character
223	* expected
224	Index out of range
225	() may not be used with constants
226	Numeric of string constant expected
227	SRAM start greater than SRAM end
228	DATA line must be placed after the END statement
229	End Sub or End Function expected
230	You can not write to a PIN register
231	TO expected
232	Not supported for the selected micro
233	READ only works for normal DATA lines, not for EPROM data
234	') block comment expected first
235	'( block comment expected first
236	Value does not fit into byte
238	Variable is not dimensioned as an array
239	Invalid code sequence because of AVR hardware bug
240	END FUNCTION expected
241	END SUB expected
242	Source variable does not match the target variable
243	Bit index out of range for supplied data type
244	Do not use the Y pointer
245	No arrays supported with IRAM variable
246	No more room for .DEF definitions
247	. expected
248	BYVAL should be used in declaration
249	ISR already defined
250	GOSUB expected
251	Label must be named SECTIC
252	Integer or Word expected
253	ERAM variable can not be used
254	Variable expected
255	Z or Z+ expected
256	Single expected
257	"" expected
258	SRAM string expected
259	- not allowed for a byte
260	Value larger than string length
261	Array expected
261	Array expected

323

262	ON or OFF expected
263	Array index out of range
264	Use ECHO OFF and ECHO ON instead
265	offset expected in LDD or STD like Z+1
266	TIMER0, TIMER1 or TIMER2 expected
267	Numeric constant expected
268	Param must be in range from 0-3
269	END SELECT expected
270	Address already occupied
322	Data type not supported with statement
323	Label too long
324	Chip not supported by I2C slave library
325	Pre-scale value must be 1,8,32,128,256 or 1024
326	#ENDIF expected
327	Maximum size is 255
328	Not valid for SW UART
329	FileDateTime can only be assigned to a variable
330	Maximum value for OUT is &H3F
332	\$END ASM expected
334	') blockcomment end expected
335	Use before DIM statements
336	Could not set specified CLOCK value
999	DEMO/BETA only supports 4096 bytes of code
9999	I hope you do not see this one.

Other error codes are internal ones. Please report them when you get them.

### 5.7 Newbie problems

When you are using the AVR without knowledge of the architecture you can experience some problems.

- -I can not set a pin high or low
- -I can not read the input on a pin

The AVR has 3 registers for each port. A port normally consists of 8 pins. A port is named with a letter from A-F. All parts have PORTB.

When you want to set a single pin high or low you can use the SET and RESET statements. But before you use them the AVR chip must know in which direction you are going to use the pins.

Therefore there is a register named DDRx for each port. In our sample it is named DDRB. When you write a 0 to the bit position of the pin you can use the pin as an input. When you write a 1 you can use it as output.

After the direction bit is set you must use either the PORTx register to set a logic level or the PINx register to READ a pin level.

Yes the third register is the PINx register. In our sample, PINB.

For example : DDRB = &B1111\_0000 ' upper nibble is output, lower nibble is input SET PORTB.7 'will set the MS bit to +5V RESET PORTB.7 'will set MS bit to 0 V

To read a pin : Print PINB.0 'will read LS bit and send it to the RS-232

You may also read from PORTx but it will return the value that was last written to it.

To read or write whole bytes use : PORTB = 0 'write 0 to register making all pins low PRINT PINB 'print input on pins

#### I want to write a special character but they are not printed correct:

Well this is not a newbie problem but I put it here so you could find it. Some ASCII characters above 127 are interpreted wrong depending on country settings. To print the right value use : PRINT "Test{123}?"

The  $\{xxx\}$  will be replaced with the correct ASCII character.

You must use 3 digits otherwise the compiler will think you want to print {12} for example. This should be {012}

#### My application was working but with a new micro it is slow and print funny

Most new micro's have an internal oscillator that is enabled by default. As it runs on 1 or 4 or 8 MHz, this might be slower or faster then your external crystal. This results in slow operation.

As the baud rate is derived from the clock, it will also result in wrong baud rates.

Solution : change frequency with \$crystal so the internal clock will be used. Or change the fuse bits so the external xtal will be used.

#### Some bits on Port C are not working

Some chips have a JTAG interface. Disable it with the proper fuse bit .

### 5.8 Tips and tricks

This section describes tips and tricks received from users.

Kyle Kronyak : Using all the RAM from an external RAM chip.

I have found a way to use the 607 bytes of external SRAM that are normally not available when using hardware SRAM support with BASCOM-AVR. It's actually quite simple. Basically the user just has to disconnect A15 from /CE on the SRAM module, and tie /CE to ground. This makes the chip enabled all the time. Addresses 1-32768 will then be available! The reason is because normally when going above 32768, the A15 pin would go high, disabling the chip. When A15 is not connected to /CE, the chip is always enabled, and allows the address number to "roll over". Therefore address 32162 is actually 0, 32163 is actually 1, 32164 is actually 2, etc. I have only tested

this on a 32k SRAM chip. It definitely won't work on a 64k chip, and I believe it already works on any chip below 32k without modification of the circuit.

Programming problems

- When you have unreliable results, use a shielded LPT cable

- The AVR chips have a bug, if the erase is not complete. It tend's to hang at some point. Sometimes although the system reports erased but blank check report "not empty". As per Atmel Data Errata You must drop the vcc by 0.5V ( a diode 1N4148 in Series ) if the erase is not happening. ( Such Chip's are unreliable and hence can be used only if you are sure ). This can happen after you have programmed the chip many times.

# 5.9 ASCII chart

Decimal	Octa	l He	x Binary	Value	
000 001	000 001	000 001	00000000 00000001	- NUL SOH	(Null char.) (Start of Header)
002	002	002	00000010	STX	(Start of Text)
003	003	003	00000011	ETX	(End of Text)
004	004	004	00000100	EOT	(End of Transmission)
005	005	005	00000101	ENQ	
006	006	006	00000110	ACK	(Acknowledgment)
007	007	007	00000111	BEL	(Bell)
008	010	008	00001000	BS	(Backspace)
009	011	009	00001001	HT	(Horizontal Tab)
010	012	00A	00001010	LF	(Line Feed)
011	013	00B	00001011	VT	(Vertical Tab)
012	014	00C	00001100	FF	(Form Feed)
013	015	00D	00001101	CR	(Carriage Return)
014	016 017	00E 00F	00001110	SO SI	(Shift Out) (Shift In)
015 016	017	00F 010	00001111 00010000	DLE	(Data Link Escape)
010	020	010	00010000		(XON) (Device Control 1)
018	022	012	00010001	DC1 DC2	(Device Control 2)
019	022	012	00010011		(XOFF)(Device Control 3)
020	024	014	00010100	DC4	(Device Control 4)
021	025	015	00010101	NAK	
022	026	016	00010110	SYN	(Synchronous Idle)
023	027	017	00010111	ETB	(End of Trans. Block)
024	030	018	00011000	CAN	(Cancel)
025	031	019	00011001	EM	(End of Medium)
026	032	01A	00011010	SUB	(Substitute)
027	033	01B	00011011	ESC	(Escape)
028	034	01C	00011100	FS	(File Separator)
029	035	01D	00011101	GS	(Group Separator)
030	036	01E	00011110	RS	(Request to Send)(Record Separator)
031	037	01F	00011111	US	(Unit Separator)
032	040	020	00100000	SP	(Space)
033	041	021	00100001	!	(exclamation mark)
034	042	022	00100010	"	(double quote)
035	043	023	00100011	#	(number sign)
036	044	024	00100100	\$	(dollar sign)
037	045	025	00100101	%	(percent)

038 039 040 041 042 043 044 045 046 047 048 047 048 049 050 051 052	046 047 050 051 052 053 054 055 056 057 060 061 062 063 064	026 027 028 029 02A 02B 02C 02D 02E 02F 030 031 032 033 034	00100110 00100111 00101000 00101001 00101010 00101011 00101100 00101110 00101110 00101111 00110000 00110001 00110010 00110011 00110100	& ' ()*+, / 01234	(ampersand) (single quote) (left/opening parenthesis) (right/closing parenthesis) (asterisk) (plus) (comma) (minus or dash) (dot) (forward slash)
053 054 055 056 057 058 059 060 061 062 063 064 065 066 067 068 069 070 071 072 073 074 075 076	065 066 067 070 071 072 073 074 075 076 077 100 101 102 103 104 105 106 107 110 111 112 113 114	035 036 037 038 039 03A 03B 03C 03D 03E 03F 040 041 042 043 044 045 046 047 048 049 04A 04B 04C	00110101 00110110 00110111 00111000 00111001 00111010 00111010 00111011 00111100 00111101 00111100 00111110 00111110 000000	56789:;<=>?@ABCDEFGHIJKL	(colon) (semi-colon) (less than) (equal sign) (greater than) (question mark) (AT symbol)
077 078 079 080 081 082 083 084 085 086 087 088 089 090 091 092 093 094 095	$115 \\ 116 \\ 117 \\ 120 \\ 121 \\ 122 \\ 123 \\ 124 \\ 125 \\ 126 \\ 127 \\ 130 \\ 131 \\ 132 \\ 133 \\ 134 \\ 135 \\ 136 \\ 137 \\ 137 \\ 137 \\ 137 \\ 137 \\ 136 \\ 137 $	04D 04E 04F 050 051 052 053 054 055 056 057 058 059 05A 05B 05C 05D 05E 05F	01001101 01001110 01001111 01010000 01010001 01010010	M N O P Q R S T U V W X Y Z [ \ ] ^ _	(left/opening bracket) (back slash) (right/closing bracket) (caret/circumflex) (underscore)

326

096	140	060	01100000	`	
097	141	061	01100001	а	
098	142	062	01100010	b	
099	143	063	01100011	С	
100	144	064	01100100	d	
101	145	065	01100101	е	
102	146	066	01100110	f	
103	147	067	01100111	g	
104	150	068	01101000	h	
105	151	069	01101001	i	
106	152	06A	01101010	j	
107	153	06B	01101011	k	
108	154	06C	01101100	I	
109	155	06D	01101101	m	
110	156	06E	01101110	n	
111	157	06F	01101111	0	
112	160	070	01110000	р	
113	161	071	01110001	q	
114	162	072	01110010	r	
115	163	073	01110011	S	
116	164	074	01110100	t	
117	165	075	01110101	u	
118	166	076	01110110	v	
119	167	077	01110111	W	
120	170	078	01111000	х	
121	171	079	01111001	У	
122	172	07A	01111010	Z	
123	173	07B	01111011	{	(left/opening brace)
124	174	07C	01111100		(vertical bar)
125	175	07D	01111101	}	(right/closing brace)
126	176	07E	01111110	~	(tilde)
127	177	07F	01111111	DEL	(delete)
					-



# 6 BASCOM Language Reference

# 6.1 #AUTOCODE

# Action

Informs the IDE that code can be maintained by the IDE.

#### Syntax #AUTOCODE

CONFIG STATEMENTS

**#ENDAUTOCODE** 

#### Remarks

Auto code informs the IDE that it may alter the code. A new IDE uses a property editor for the configuration. It will only update, add or delete, CONFIG statements that are enclosed in an #AUTOCODE block. #AUTOCODE must be closed with a matching #ENDAUTOCODE

You can still use CONFIG statements in other places of your code. But the property editor will only work on the ones inside the block. The compiler will ignore #AUTOCODE and #ENDAUTOCODE.

# 6.2 **#IF ELSE ENDIF**

#### Action

Conditional compilation directives intended for conditional compilation.

#### **Syntax**

**#IF** condition

**#ELSE** 

**#ENDIF** 

### Remarks

Conditional compilation is supported by the compiler. What is conditional compilation? Conditional compilation will only compile parts of your code that meet the criteria of the condition.

By default all your code is compiled.

Conditional compilation needs a <u>constant</u> for to test. So before a condition can be tested you need to define a constant.

CONST test = 1 #IF TEST Print "This will be compiled" #ELSE Print "And this not" #ENDIF

Note that there is no THEN and that #ENDIF is not #END IF (no space)

You can nest the conditions and the use of #ELSE is optional.

There are a few internal constants that you can use. These are generated by the compiler:

\_CHIP = 0 \_RAMSIZE = 128 \_ERAMSIZE = 128 \_SIM = 0 \_XTAL = 4000000 \_BUILD = 11162

\_CHIP is an integer that specifies the chip, in this case the 2313 \_RAMSIZE is the size of the SRAM

ERAMSIZE is the size of the EEPROM

\_SIM is set to 1 when the \$SIM directive is used

\_XTAL contains the value of the specified crystal

\_BUILD is the build number of the compiler.

The build number can be used to write support for statements that are not available in a certain version :

#IF \_BUILD >= 11162
s = Log(1.1)
#ELSE
Print "Sorry, implemented in 1.11.6.2"
#ENDIF

Conditional compilation allows you to create different versions of your program but that you keep one source file.

For example you could make a multi lingual program like this :

CONST LANGUAGE=1

'program goes here

#IF LANGUAGE=1 DATA "Hello" #ENDIF #IF LANGUAGE=2 DATA "Guten tag" #ENDIF

By changing the just one constant you then have for example English or German data lines.

Conditional compilation does not work with the \$REGFILE directive. If you put the \$REGFILE inside a condition or not, the compiler will use the first \$REGFILE it encounters. This will be changed in a future version.

A special check was added to 1.11.8.1 to test for existence of constants or variables. #IF varexist("S")

'the variable S was dimensioned so we can use it here

#ELSE

'when it was not dimmed and we do need it, we can do it here DIM S as BYTE #ENDIF

#### See Also

CONST 640

#### 6.3 \$AESKEY

#### Action

This directive accepts a 16 byte AES key and informs the compiler to encrypt the binary image.

#### Syntax

\$AESKEY 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

#### Remarks

\$AESKEY accepts 16 parameters. These are the 16 bytes which form a 128 bit key. When your code is compiled, the resulting binary code will be encrypted with the provided key.

A boot loader could then use AES and decrypt the binary file before writing to flash memory.

Only the binary image is encrypted, the HEX file is not encrypted! You can not simulate an encrypted program. Add this option when your project is ready.

# See also

<u>\$XTEAKEY</u> 41ने

#### Example

See the Samples boot <code>xmega\_dos\_boot\_AES.zip</code> , an <code>Xmega boot loader</code> with <code>AES decryption</code>.

#### 6.4 \$ASM

# Action

Start of inline assembly code block.

# Syntax

\$ASM

#### Remarks

Use \$ASM together with \$END ASM to insert a block of assembler code in your BASIC code. You can also precede each line with the ! sign. Most ASM mnemonics can be used without the preceding ! too. See also the chapter Mixing BASIC and Assembly and assembler mnemonics [313]

#### Example

Dim C As Byte

```
Loadadr C , X 'load address of variable C into register X
```

```
$asm
Ldi R24,1 ; load register R24 with the constant 1
St X,R24 ; store 1 into variable c
$end Asm
Print C
End
```

#### 6.5 \$BAUD

#### Action

Instruct the compiler to override the baud rate setting from the options menu.

# Syntax

**\$BAUD** = var

#### Remarks

Var The baud rate that you want to use. This must be a numeric constant.

The baud rate is selectable from the <u>Compiler Settings</u> . It is stored in a configuration file. The \$BAUD directive overrides the setting from the Compiler Settings.

In the generated report, you can view which baud rate is actually generated. The generated baud rate does depend on the used micro and crystal.

When you simulate a program you will not notice any problems when the baud rate is not set to the value you expected. In real hardware a wrong baud rate can give weird results on the terminal emulator screen. For best results use a crystal that is a multiple of the baud rate.

In the simulator you need to select the UARTO-TAB to view the output of the UARTO, or to send data to this UART.

#### See also

<u>\$CRYSTAL</u> 338 , <u>BAUD</u> 446

#### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

```
Print "Hello"
```

```
'Now change the baud rate in a program
Baud = 9600
Print "Did you change the terminal emulator baud rate too?"
End
```

#### 6.6 \$BAUD1

#### Action

Instruct the compiler to set the baud rate for the second hardware UART.

#### Syntax

\$BAUD1 = var

#### Remarks

Var	The baud rate that you want to use. This must be a
	numeric constant.

In the generated report, you can view which baud rate is actually generated.

When you simulate a program you will not notice any problems when the baud rate is not set to the value you expected. In real hardware a wrong baud rate can give weird results on the terminal emulator screen. For best results use a crystal that is a multiple of the baud rate.

Some AVR chips have 2 UARTS. For example the Mega161, Mega162, Mega103 and Mega128. There are several other's and some new chips even have 4 UARTS.

In the simulator you need to select the UART1-TAB to view the output of the UART1, or to send data to this UART.

#### See also

\$CRYSTAL 3381, BAUD 4461, \$BAUD 3321

#### Example

```
_____
'copyright
                       : (c) 1995-2005, MCS Electronics
'micro
                       : Mega162
'suited for demo
                       : yes
'commercial addon needed : no
                       : demonstrates BAUD1 directive and BAUD1
'purpose
statement
·_____
_____
$regfile = "M162def.dat"
$baud1 = 2400
$crystal= 14000000 ' 14 MHz crystal
Open "COM2:" For BINARY As #1
```

\_\_\_\_\_

#### 334 BASCOM-AVR

```
Print #1 , "Hello"
'Now change the baud rate in a program
Baud1 = 9600
'
Print #1 , "Did you change the terminal emulator baud rate too?"
Close #1
End
```

#### 6.7 \$BGF

#### Action

Includes a BASCOM Graphic File.

#### Syntax

\$BGF "file"

#### Remarks

file The file name of the BGF file to include.

Use SHOWPIC to display the BGF file. \$BGF only task is to store the picture into the compressed **B**ASCOM **G**raphics **F**ormat(BGF).

### See also

SHOWPIC [934], PSET [864], CONFIG GRAPHLCD [533]

# Example

(c) 1995-2005 MCS Electronics T6963C graphic display support demo 1\_\_\_\_\_ \_\_\_\_\_ 'The connections of the LCD used in this demo 'LCD pin connected to ' 1 GND GND ' 2 GND GND ' 3 +5V +5V '4 -9V -9V potmeter ' 5 /WR PORTC.0 '6 /RD PORTC.1 '7 /CE PORTC.2 ' 8 PORTC.3 C/D '9 NC not '10 RESET PORTC.4conneted '11-18 D0-D7 PA PORTC.5 '19 FS '20 NC not connected \$crystal = 8000000

'First we define that we use a graphic LCD

Config Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2 , Cd = 3 , Wr = 0 , Rd = 1 , Reset = 4 , Fs = 5 , Mode = 8 'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd

```
335
```

```
'CE, CD etc. are the pin number of the CONTROLPORT.
' For example CE =2 because it is connected to PORTC.2
'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns
'Dim variables (y not used)
Dim X As Byte , Y As Byte
'Clear the screen will both clear text and graph display
Cls
'Other options are :
' CLS TEXT to clear only the text display
' CLS GRAPH to clear only the graphical part
Cursor Off
Wait 1
'locate works like the normal LCD locate statement
' LOCATE LINE, COLUMN LINE can be 1-8 and column 0-30
Locate 1 , 1
'Show some text
Lcd "MCS Electronics"
'And some other text on line 2
Locate 2 , 1 : Lcd "T6963c support"
Locate 3 , 1 : Lcd "1234567890123456789012345678901234567890"
Wait 2
Cls Text
' draw a line using PSET X,Y, ON/OFF
' PSET on.off param is 0 to clear a pixel and any other value to turn it
on
For X = 0 To 140
                                                              ' set the
   Pset X , 20 , 255
pixel
Next
Wait 2
'Now it is time to show a picture
'SHOWPIC X,Y,label
'The label points to a label that holds the image data
Showpic 0 , 0 , Plaatje
Wait 2
Cls Text
                                                             ' clear the
text
End
'This label holds the mage data
Plaatje:
'$BGF will put the bitmap into the program at this location
$bgf "mcs.bgf"
'You could insert other picture data here
```

#### 6.8 \$BIGSTRINGS

#### Action

Instruct the compiler to use big strings.

#### Syntax \$BIGSTRINGS

#### Remarks

By default each string has a maximum length of 254 bytes. A null character is used to mark the end of a string.

When a longer string is needed, the compiler can not use bytes for passing the length. A word is needed to hold the length.

The \$BIGSTRINGS directive will include the bigstrings.lbx and will handle all string routines different when parameters are passed that has influence on the length.

The alternative library has modified routines for code that is not compatible with big strings.

The library is not tested with all string operations yet. Report problems to support.

See also

# Example

\$BIGSTRINGS

# 6.9 \$BOOT

#### Action

Instruct the compiler to include boot loader support.

#### **Syntax**

**\$BOOT** = address

#### Remarks

address The boot loader address.

Some new AVR chips have a special boot section in the upper memory of the flash. By setting some fuse bits you can select the code size of the boot section. The code size also determines the address of the boot loader.

With the boot loader you can reprogram the chip when a certain condition occurs. The sample checks a pin to see if a new program must be loaded. When the pin is low there is a jump to the boot address.

The boot code must always be located at the end of your program. It must be written in ASM since the boot loader may not access the application flash rom. This because otherwise you could overwrite your running code!

The example is written for the M163. You can use the Upload file option of the terminal emulator to upload a new hex file. The terminal emulator must have the same baud rate as the chip. Under Options, Monitor, set the right upload speed and set a monitor delay of 20. Writing the flash take time so after every line a delay must be added while uploading a new file.

The \$BOOT directive is replaced by \$LOADER. \$LOADER works much simpler. \$BOOT is however still supported.

# See also

\$LOADER 374

#### Example

See BOOT.BAS from the samples dir. But better look at the \$LOADER directive.

#### 6.10 \$CRYPT

#### Action

This directive marks encrypted BASIC code.

# Syntax

**\$CRYPT data** 

### Remarks

In some cases you might want to share only portions of your code. The IDE can encrypt your code, and the compiler can process this encrypted code. AES encryption is used. You do need a commercial add on to use the encryption. The \$crypt command can be processed by all bascom editions starting from version 2.0.5.0. So you only need an add on when you want to encrypt the code.

Once encrypted, you can NOT DECRYPT into source code! Thus make a BACKUP of your source code before you encrypt the code.

See also Edit Encrypt Selected Code

#### Example

\$CRYPT 6288E522B4A1429A6F16D639BFB7405B \$CRYPT 7ABCF89E7F817EB166E03AFF2EB64C4B \$CRYPT 645C88E996A87BF94D34726AA1B1BCCC \$CRYPT 9405555D91FA3B51DEEC4C2186F09ED1 \$CRYPT 6D4790DA2ADFF09DE0DA97C594C1B074

# 6.11 \$CRYSTAL

#### Action

Instruct the compiler to override the crystal frequency options setting.

#### Syntax

**\$CRYSTAL** = var

## Remarks

	_
var	A numeric constant with the Frequency of the crystal.

The frequency is selectable from the <u>Compiler Settings</u> Ref. It is stored in a configuration file. The \$CRYSTAL directive overrides this setting. It is best to use the \$CRYSTAL directive as the used crystal frequency is visible in your program that way.

The \$CRYSTAL directive only informs the compiler about the used frequency. It does not set any fuse bit. The frequency must be know by the compiler for a number of reasons. First when you use serial communications, and you specify <u>\$BAUD</u> (32), the compiler can calculate the proper settings for the UBR register. And second there are a number of routines like <u>WAITMS</u> (1), that use the execution time of a loop to generate a delay. When you specify \$CRYSTAL = 1000000 (1 MHz) but in reality, connect a 4 MHz XTAL, you will see that everything will work 4 times as quick.

Most new AVR chips have an internal oscillator that is enabled by default. Check the data sheet for the default value.

### See also

\$BAUD 3327, BAUD 4467, CONFIG CLOCKDIV 5047

### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Print "Hello world"
```

```
End
```

# 6.12 \$DATA

# Action

Instruct the compiler to store the data in the DATA lines following the \$DATA directive, in code memory.



#### Remarks

The AVR has built-in EEPROM. With the WRITEEEPROM and READEEPROM statements, you can write to and read from the EEPROM.

To store information in the EEPROM, you can add DATA lines to your program that hold the data that must be stored in the EEPROM.

A separate file is generated with the EEP extension. This file can be used to program the EEPROM.

The compiler must know which DATA must go into the code memory and which into the EEPROM memory and therefore two compiler directives were added.

\$EEPROM and \$DATA.

\$EEPROM tells the compiler that the DATA lines following the compiler directive must be stored in the EEP file.

To switch back to the default behavior of the DATA lines, you must use the \$DATA directive.

The READ statement that is used to read the DATA info may only be used with normal DATA lines. It does not work with DATA stored in EEPROM.

Do not confuse \$DATA directive with the DATA statement.

So while normal DATA lines will store the specified data into the code memory of the micro which is called the flash memory, the \$EEPROM and \$DATA will cause the data to be stored into the EEPROM. The EEP file is a binary file.

#### See also

\$EEPROM 343, READEEPROM 881, WRITEEEPROM 1005, DATA 6581

#### ASM

NONE

### Example

'copyright 'micro 'suited for demo 'commercial addon needed 'purpose	: (c) 1995-2005, MCS Electronics : AT90S2313 : yes : no : demonstrates \$DATA directive	
<pre>' \$regfile = "2313def.dat" \$baud = 19200 \$crystal = 4000000 crystal</pre>		' 4 MHz
Dim B As Byte Readeeprom B , 0 be 1 End		'now B will

#### 340 BASCOM-AVR

```
Dta:

$eeprom

Data 1 , 2 , 3 , 4 , 5 , 6 , 7 , 8

$data

End
```

### 6.13 \$DBG

#### Action

Enables debugging output to the hardware UART.

#### Syntax **SDBG**

# Remarks

Calculating the hardware, software and frame space can be a difficult task. With \$DBG the compiler will insert characters for the various spaces.

To the Frame space 'F' will be written. When you have a frame size of 4, FFFF will be written.

To the Hardware space 'H' will be written. If you have a hardware stack space of 8, HHHHHHH will be written to this space.

To the software space 'S' will be written. If you have a software stack space of 6, SSSSSS will be written.

The idea is that when a character is overwritten, it is being used. So by watching these spaces you can determine if the space is used or not.

With the DBG statement a record is written to the HW UART. The record must be logged to a file so it can be analyzed by the stack analyzer.

Make the following steps to determine the proper values:

- Make the frame space 40, the soft stack 20 and the HW stack 50
- Add \$DBG to the top of your program
- Add a DBG statement to every Subroutine or Function
- Open the terminal emulator and open a new log file. By default it will have the name of your current program with the .log extension
- Run your program and notice that it will dump information to the terminal emulator
- When your program has executed all sub modules or options you have build in, turn off the file logging and turn off the program
- Choose the Tools Stack analyzer option
- A window will be shown with the data from the log file
- Press the Advise button that will determine the needed space. Make sure that there is at least one H, S and F in the data. Otherwise it means that all the data is overwritten and that you need to increase the size.
- Press the Use button to use the advised settings.

As an alternative you can watch the space in the simulator and determine if the characters are overwritten or not.

The DBG statement will assign an internal variable named \_\_\_\_SUBROUTINE Because the name of a SUB or Function may be 32 long, this variable uses 33 bytes!

\_\_\_\_SUBROUTINE will be assigned with the name of the current SUB or FUNCTION.

When you first run a SUB named Test1234 it will be assigned with Test1234 When the next DBG statement is in a SUB named Test, it will be assigned with Test. The 234 will still be there so it will be shown in the log file.

Sub	FS	SS	HS	Frame space	Soft stack	HW stack	
TEST	1	4	4	a	SSSSÓxÔx	¥x[x	
TEST	1	4	4	1	SSSSÓxÒx	¥xjx	
TEST	1	4	4	a	SSSSÓxÒx	¥x x	
TEST	1	4	4	1	SSSSÓxÒx	¥xjx	
TEST	1	4	4	а	SSSSÓxÒx	¥x x	
TEST	1	4	4	1	SSSSÓxÒx	¥xjx	
TEST	1	4	4	a	SSSSÓxÒx	¥×l×	
TEST	1	4	4	1	SSSSÓxÒx	¥xjx	
TEST	1	4	4	а	SSSSÓxÒx	¥x <b>i</b> x	
							_

Every DBG record will be shown as a row. The columns are:

Column	Description							
Sub	Name of the sub or function from where the DBG was used							
	Used frame space							
	Used software stack space							
HS	Used hardware stack space							
Frame space	Frame space							
Soft stack	Soft stack space							
HW stack	Hardware stack space							

The Frame space is used to store temp and local variables. It also stores the variables that are passed to subs/functions by value. Because PRINT, INPUT and the FP num<>String conversion routines require a buffer, the compiler always is using 24 bytes of frame space.

When the advise is to use 2 bytes of frame space, the setting will be 24+2=26.

For example when you use : print var, var need to be converted into a string before it can be printed or shown with LCD.

An alternative for the buffer would be to setup a temp buffer and free it once finished. This gives more code overhead.

In older version of BASCOM the start of the frame was used for the buffer but that gave conflicts when variables were printed from an ISR.

#### See also

DBG 683

#### 6.14 \$DEFAULT

#### Action

Set the default for data types dimensioning to the specified type.

#### Syntax

**\$DEFAULT** var

#### Remarks

	AM, XRAM, ERAM
--	----------------

Each variable that is dimensioned will be stored into SRAM, the internal memory of the chip. You can override it by specifying the data type. Dim B As XRAM Byte , will store the data into external memory.

When you want all your variables to be stored in XRAM for example, you can use the statement : \$DEFAULT XRAM Each Dim statement will place the variable in XRAM in that case.

To switch back to the default behavior, use \$END \$DEFAULT

### See also

NONE

### ASM

NONE

#### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

\$default Xram
Dim A As Byte , B As Byte , C As Byte
'a,b and c will be stored into XRAM

\$default Sram
Dim D As Byte
'D will be stored in internal memory, SRAM

#### 6.15 \$EEPLEAVE

#### Action

Instructs the compiler not to recreate or erase the EEP file.

# Syntax

**\$EEPLEAVE** 

#### Remarks

When you want to store data in the EEPROM, and you use an external tool to create the EEP file, you can use the \$EEPLEAVE directive.

Normally the EEP file will be created or erased, but this directive will not touch any existing EEP file.

Otherwise you would erase an existing EEP file, created with another tool.

#### See also

SEEPROMHEX 344

#### Example

NONE

#### 6.16 \$EEPROM

#### Action

Instruct the compiler to store the data in the DATA lines following the \$EEPROM directive in an EEP file.

# Syntax

\$EEPROM

#### Remarks

The AVR has built-in EEPROM. With the WRITEEEPROM and READEEPROM statements, you can write to and read from the EEPROM.

To store information in the EEPROM, you can add DATA lines to your program that hold the data that must be stored in the EEPROM.

A separate file is generated with the EEP extension. This file can be used to program the EEPROM.

The compiler must know which DATA must go into the code memory and which into the EEPROM memory and therefore two compiler directives were added.

\$EEPROM and \$DATA.

\$EEPROM tells the compiler that the DATA lines following the compiler directive must be stored in the EEP file.

To switch back to the default behavior of the DATA lines, you must use the \$DATA directive.

The READ statement that is used to read the DATA info may only be used with normal

DATA lines. It does not work with DATA stored in EEPROM.

Do not confuse \$DATA directive with the DATA statement.

So while normal DATA lines will store the specified data into the code memory of the micro which is called the flash memory, the  $\frac{\text{EEPROM}}{\text{S443}}$  and DATA will cause the data to be stored into the EEPROM. The EEP file is a binary file. The  $\frac{\text{EEPROMHEX}}{\text{S443}}$  directive can be used to create Intel HEX records in the EEP file

#### See also

\$EEPROM 343), READEEPROM 881), WRITEEEPROM 1005), DATA 658), \$EEPROMHEX 344

# ASM

NONE

# Example

p		
'micro 'suited for demo 'commercial addon needed 'purpose	-	
<pre>\$regfile = "2313def.dat" \$baud = 19200 \$crystal = 4000000 crystal</pre>		' 4 MHz
Dim B As Byte Readeeprom B , 0 be 1 End		'now B will
Dta: <b>\$eeprom</b> Data 1 , 2 , 3 , 4 , 5 , \$data End	6 , 7 , 8	

### 6.17 \$EEPROMHEX

#### Action

Instruct the compiler to store the data in the EEP file in Intel HEX format instead of binary format.

Syntax \$EEPROMHEX

#### Remarks

The AVR has build in EEPROM. With the WRITEEEPROM and READEEPROM statements, you can write and read to the EEPROM.

To store information in the EEPROM, you can add DATA lines to your program that hold the data that must be stored in the EEPROM. \$EEPROM must be used to create a EEP file that holds the data.

The EEP file is by default a binary file. When you use the STK500 you need an Intel HEX file. Use \$EEPROMHEX to create an Intel Hex EEP file.

\$EEPROMHEX must be used together with \$EEPROM.

#### See also

<u>\$EEPROMLEAVE</u> 343ी

#### Example

```
$eeprom the following DATA lines data will go to the EEP file
Data 200 , 100,50
$data
```

This would create an EEP file of 3 bytes. With the values 200,100 and 50. Add \$eepromhex in order to create an Intel Hex file.

This is how the EEP file content looks when using \$eepromhex

:0A0000001020304050A141E283251 :00000001FF

#### 6.18 \$EEPROMSIZE

#### Action

Instruct the compiler to override the EEPROM size of the micro processor.

#### **Syntax**

**\$EEPROMSIZE** = size

SIZE	_ د
3120	-

The size in bytes of the EEPROM.

#### Remarks

The AVR has build in EEPROM. With the WRITEEEPROM and READEEPROM statements, you can write and read to the EEPROM. You can also use the ERAM pseudo variables to read/write EEPROM.

When you use an external EEPROM and an alternative EEPROM library such as FM24C16 or FM25C256 you can override the internal EEPROM. All EEPROM routines will use the external EEPROM then. This way you are able to use a bigger EEPROM

#### 346 BASCOM-AVR

than internal available. Or you can use a quicker EEPROM such as a RAMTRON FRAM EEPROM. These EEPROM's are as quick as SRAM and also can be written to almost unlimited times.

When using an external EEPROM and \$EEPROMSIZE , take care that the supported programmers can not write to this EEPROM. They assume the internal EEPROM.

See also FM24C16 [1019], FM25C256 [1019]

Example Seepromsize = &H8000

### 6.19 \$EXTERNAL

#### Action

Instruct the compiler to include ASM routines from a library.

#### **Syntax**

**\$EXTERNAL** Myroutine [, myroutine2]

#### Remarks

You can place ASM routines in a library file. With the \$EXTERNAL directive you tell the compiler which routines must be included in your program.

#### See also

\$LIB 371

#### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'In order to let this work you must put the mylib.lib file in the LIB
dir
'And compile it to a LBX
                          _____
1 - - - -
'define the used library
$lib"mylib.lbx"
'you can also use the original ASM :
'$LIB "mylib.LIB"
'also define the used routines
$external Test
```

'this is needed so the parameters will be placed correct on the stack **Declare Sub** Test(**byval** X Asbyte , Y Asbyte)

'reserve some space Dim Z As Byte

'call our own sub routine
Call Test(1 , Z)

'z will be 2 in the used example **End** 

# 6.20 \$FILE

#### Action

Change name of generated files.

#### Syntax

**\$FILE = "myname.bin"** 

#### Remarks

In some cases it is desired to change the name of the output file. By default, the generated files have the same base name as the opened project file. So if your program name is "mytest.bas", all generated files will start with the base "mytest". The \$FILE directive let you change this base name.

Simulating and programming will NOT work since the IDE uses the base name of your project. If you change it with \$FILE, the files can not be located.

#### See also

NONE

#### Example

\$FILE = "mytest.bin"

#### 6.21 \$FRAMESIZE

# Action

Sets the available space for the frame.

#### Syntax

**\$FRAMESIZE** = var

#### Remarks

Var A numeric decimal value.

While you can configure the Frame Size in Options, Compiler, Chip, it is good practice to put the value into your code. This way you do no need the cfg(configuration) file.


The \$FRAMESIZE directive overrides the value from the IDE Options.

It is important that the \$FRAMESIZE directive occurs in your main project file. It may not be included in an \$include file as only the main file is parsed for \$FRAMESIZE.

Functions like <u>PRINT</u> [86<sup>th</sup>], <u>LCD</u> [36<sup>th</sup>], <u>INPUT</u> [79<sup>th</sup>] and the FP num <> <u>FORMAT</u> [74<sup>th</sup>] String conversion routines require a buffer in SRAM. Because of that **the compiler always is using 24 bytes of frame space**. This 24 Byte start at the beginning of the Frame which act as the conversion buffer within the frame (See also picture). Because the FRAME is growing bottom up and this 24 Byte start at the beginning of the FRAME this 24 Byte conversion buffer start at the lowest FRAME Address (See picture). Here you also see that a too small \$framesize causes an overwriting of Software Stack and/or Hardware Stack which lead to malfunction. If you use Print numVar, then the numeric variable "numvar" is converted into a string representation of the binary number. The framespace buffer is also used for that.

#### See also

\$SWSTACK 402, \$HWSTACK 355, Memory usage 171



Picture: Memory of ATXMEGA128A1

A LOCAL variable is a temporary variable that is stored in frame. There can be only LOCAL variables of the type BYTE, INTEGER, WORD, LONG, SINGLE, DOUBLE or STRING. A LOCAL Integer will use 2 Bytes of Frame , A LOCAL Long will use 4 Bytes. A LOCAL string \* 20 will use 20 + 1 = 21 Byte (this additional 1 Byte is because every String is terminated with a 0-Byte)

When the SUB or FUNCTION is terminated, the memory will be released back to the frame but the FRAME will not be cleared ! Therefore a LOCAL variable is not initialized. So you can not assume the variable is 0. If you like it to be 0, you need to assign it !

BIT variables are not possible as LOCAL because they are always GLOBAL to the system.

Arrays can NOT be used as LOCAL (but arrays can be passed by REFERENCE as parameter to SUB and FUNCTIONS which just need 2 Bytes Software Stack of the Address of Array start)

See following example for frame calculation:

```
Example
$regfile = "xm128a1def.dat"
$crystal = 32000000 '32MHz
\mathbf{\$hwstack} = 64
swstack = 128
$framesize = 288
Config Osc = Enabled, 32mhzosc = Enabled '32MHz
'configure
           the
                  systemclock
                             Prescalea = 1,
                                              Prescalebc = 1 1
Config
         Sysclock = 32mhz,
'32MHz
'Confia
           Interrupts
Config Priority =
                     Static,
                                         Application , Lo =
                              Vector =
Enabled 'Enable Lo
                      Level
                              Interrupts
                                Asynchroneous, Parity = None,
Config Com1 = 57600, Mode =
Stopbits = 1, Databits = 8
Declare Sub My_sub()
Call My sub()
End 'end
          program
Sub My_sub()
 Local A1 As Byte, A2 As Byte, A3 As Byte, A4 As Byte,
A5 As Byte
 Local S As String * 254
 For A1 = 1 To 254
   S = S + "1"
 Next A1
```

A1 = 1 A2 = 2 A3 = 3 A4 = 4 A5 = 5 **Print** A1 **End Sub** 

#### Now we calculate the FRAME:

The Print A1 will be placed in the first frame-Byte of the 24 Byte conversion buffer. 5 LOCAL Byte (A1 ... A5) = 5 Byte of FRAME LOCAL String: 254 Byte + 1 Byte = 255 Byte Frame needed = 24Byte Frame conversion Buffer + 5 Byte + 255 Byte = 284 Byte This can be easy double checked with BASCOM-AVR Simulator (see following picture).

In following picture you see the start of FRAME which start with the 24Byte conversion buffer. The 31 in the first Frame Byte is from Print A1. After the 24 Byte conversion buffer follow the 5 Local Byte variables (A1 .... A5) and then the 255 Byte for the LOCAL String.


As with Software Stack you need to calculate the Framesize needed by the SUB or FUNCTION with the most LOCAL Variables and parameter passed by REFERENCE etc..

Take care when calling a SUB within a SUB. In this case you need to add the FRAME needed by both SUB !

When both SUB need 284 Byte you need to use:

24 Byte conversion Buffer +  $2^*$  5 Byte (A1...A5) +  $2^*255$  Byte (String) = **544 Byte** (the conversion buffer is needed only once !)

351



Picture: Memory window of BASCOM-AVR Simulator (Frame calculation example)

For further investigation of Stacks and Frame we use a SUB with 5 LOCAL Byte Variables and a PRINT function within the SUB. We start with hwstack, swstack and framesize defined and in second step we set swstack to 0. In addition we will lower the framesize to a not recommended value to force overwriting of other stack bytes.


```
$reafile = "xm128a1def.dat"
$crystal = 32000000 '32MHz
$hwstack = 64
$swstack = 128
$framesize = 256
Config Osc = Enabled , 32mhzosc = Enabled '32MHz
'configure
                  systemclock
           the
Config
                             Prescalea = 1,
                                              Prescalebc = 1 1
         Sysclock = 32mhz,
'32MHz
'Config
           Interrupts
Config Priority =
                                         Application , Lo =
                     Static ,
                              Vector =
```

```
352 BASCOM-AVR
```

```
Enabled 'Enable Lo Level Ir
Config Com1 = 57600 , Mode =
Stopbits = 1 , Databits = 8
Enabled 'Enable
                          Level Interrupts
                    Lo
                                    Asynchroneous, Parity = None,
Declare Sub My_sub()
Call My_sub()
End 'end
           program
Sub My_sub()
  Local A1 As Byte, A2 As Byte, A3 As Byte, A4 As Byte,
A5 As Byte
 A1 = 1
 A2 = 2
 A3 = 3
 A4 = 4
 A5 = 5
  Print A1
```

End Sub

Here we see the 64 Byte Hardware Stack followed by 128 Byte Software Stack and then 256 Byte Frame. As always the Frame is the 24 Byte conversion buffer + rest of frame.



353

Picture : SRAM for Example with \$hwstack = 64, \$swstack = 128, \$framesize = 256

lemory	Y					/			P	rir	۰ŧ.	Δ1			1				/	2	4 Byte conversion
SRAM	ε	EPR	10	4	/					••••								/		b	uffer within frame
	00	0	1   (	2	03	04	05	06	07	08	09	0A	OB	00		O					
3E20									00											_	
3E30	00	6	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00			-	
3E40	31	U	π	JU	W	00	UU	00	00	00	00	00	100	00	00	U	1 00	1			Variables A1A5
3E50	00	0	0 0	00	00	00	00	00	00	01	02	03	04	05	00	0	00 0				
3E60	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				
3E70	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00			/	Framesize = 256 Byte
3E80	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				100hex
3E90	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				
3EA0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				= 232 + 24 Byte
3EB0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				Stack start : 3FFF hex
3EC0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	9	00				Stack size : 40 hex
3ED0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	80	00	00				S-Stacksize : 80 hex
3EE0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				S-Stackstart : 3FCO hex
3EF0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				Framesize : 100 hex Framestart : 3EBF hex
3F00	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				Framestart : 3EBF hex Space left : 7702 d
3F10	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				opace rero
3F20	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				
3F30	00	0	0 0	10	00	00	00	00	00	00	00	00	00	00	00	00	00 00			_	SWSTACK = 128 Byte
3F40	00	0	0 0	)0	00	00	00	00	00	00	00	00	00	00	00	00	00 00				80hex
3F50	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00				ounex
	•								00				-	~							Addresses of Local
3F70									00										/	_	
3F80									00												variables in SUB
3F90	•								00							-	-				2Byte per Variable
3FA0	-								00					~							
3FB0	00	0	0 0	00	00	00	00	50	3E	58	3E	5A	3E	59	38	58	38	\s[>Z>	YXX	_	HWSTACK = 64 dec Byte
3FC0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	00	00 00				40hex
3FD0	00	0	0 0	00	00	00	00	00	00	00	00	00	00	00	00	-96	00				
3FE0	00	_		-				1.2.2	00								00				
3FF0	00	3	E	00	01	A2	00	01	A2	42	3E	00	01	6E	00	01	39	.>¢¢B>	.n9		


The Simulator Memory Window show give us the details:

Picture: Simulator Memory Window for Example with \$hwstack = 64, \$swstack = 128, \$framesize = 256

# The second example use \$hwstack = 64, \$swstack = 0, \$framesize = 256

Without defining a software Stack or with swstack = 0 the Frame follows direct after the Hardware Stack. The Frame is as always 24 Byte conversion buffer + Rest of Frame.

Rest of Frame is in this case: 256 Byte – 24 Byte = 232 Byte



Picture: SRAM for example with h = 64, s = 64, s = 0, f = 256

In the BASCOM Simulator Window you now see the addresses of the LOCAL variables are now stored in FRAME (which are usually in the Software Stack). This is not a problem as long as the Frame is big enough not to overwrite these addresses of the LOCAL variables.

(Remember: Address of LOCAL variables are stored in Software Stack (when Software Stack is defined) . The LOCAL Variables itself are stored in FRAME)

And here you see also with the 24 Byte conversion buffer the absolute minimum you need to define for software Stack and Framesize together is 24 Byte ! But this is not the recommendation. The recommendation is always define values for all Stack and Frame !

Memor	У	
SRAM	EEPROM	
	00 01 02 03 04 05 06 07 08 09 04 08 0C 00 0E 0F	1
3E20	00 00 00 00 00 00 00 00 00 00 00 00 00	
3E30	00 00 00 00 00 00 00 00 00 00 00 00 00	24 Byte conversion
3E40	00 00 00 00 00 00 00 00 00 00 00 00 00	buffer within frame
3E50		building
3E60 3E70		
3E70 3E80		Śhwstack = 64
3E90		
3EA0		\$swstack = 0
3EB0	00/00 00 00 00 00 00 00 00 00 00 00 00 0	\$framesize = 256
3EC0	p1 00 00 00 00 00 00 00 00 00 00 00 00 00	1
3ED0	00 00 00 00 00 00 00 01 02 03 04 05 00 00 00	Stack start : 3FFF hex
3EE0	0 0 00 00 00 00 00 00 00 00 00 00 00 00	Stack size : 40 hex
3EF0	00 00 00 00 00 00 00 00 00 00 00 00 00	S-Stacksize : 0 hex
3F00	0 00 00 00 00 00 00 00 00 00 00 00 00 0	S-Stackstart : 3FCO hex
3F10		Framesize : 100 hex
3F20 3F30		Framestart : 3EBF hex
3F40		Space left : 7830 dec
3F50		
3F60	00 00 00 00 00 00 00 00 00 00 00 00 00	Framesize = 256 Byte
3F70	00 00 00 00 00 00 00 00 00 00 00 00 00	100hex
3F80	00 00 00 00 00 00 00 00 00 00 00 00 00	= 232 + 24 Byte
3F90	00 00 00 00 00 00 00 00 00 00 00 00 00	- 252 + 24 Byte
3FA0	00 00 00 00 00 00 00 00 00 00 00 00 00	Addresses of Local Variables
3FB0	00 00 00 00 00 00 DC 3E DB 3E DA 3E D3 3E D8 3E	
3FC0		A1A1
3FD0 3FE0		Are now in the Frame which
3FE0 3FF0		are usually in SWSTACK
4000	FF	
4010	FF	HIMISTACK = 64 doc Puto
4020	FF	HWSTACK = 64 dec Byte
		40hex

Picture: Simulator Memory Window for Example with h=64, s=64, s=0, f=164, s=164, s=164,

# 6.22 \$HWSTACK

#### Action

Sets the available space for the Hardware stack.

#### Syntax

\$HWSTACK = var

### **Remarks**

Var	A numeric decimal value.	
-----	--------------------------	--

While you can configure the HW Stack in Options, Compiler, Chip, it is good practice to put the value into your code. This way you do no need the cfg(configuration) file.

The \$HWSTACK directive overrides the value from the IDE Options.

It is important that the \$HWSTACK directive occurs in your main project file. It may not be included in an \$include file as only the main file is parsed for \$HWSTACK.

The Hardware stack is room space in SRAM that is needed by your program. Each time you call a SUB or FUNCTION, or use GOSUB, the processor need to know at which address to return after returning from the call. Also for RETURN Address after Interrupt this is needed by the program. For this purpose, the processor saves this address on the hardware stack.

When you use GOSUB label, the microprocessor pushes the return address on the hardware stack and will use 2 Bytes for that. When you use RETURN, the Hardware

stack is popped back and the program can continue at the proper address. When you nest GOSUB, CALL or functions, you will use more stack space. Most statements use HW stack because a machine language routine is called.

The Hardware Stack is growing top down. The Hardware Stack start at the highest available SRAM Address and therefore is located before Software Stack and/or Frame.

#### See also

\$SWSTACK 4027, \$FRAMESIZE 347, Memory Usage 177

# Example for using an Interrupt and examine Hardware Stack:

With the following example we just define and enable the Receive Interrupt of the UART and examine when clicking on Interrupt button within the Bascom-AVR Simulator Interrupts Tab how many Hardware Stack is needed.

```
$regfile = "m328pdef.dat"
$crystal = 16000000
hwstack = 48
$swstack = 32
$framesize = 32
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None ,
Clockpol = 0
                                                                          Stopbits = 1, Databits = 8,
Dim Rs232 As Byte
'Enable Receive Interrupt for COM1
On Urxc Rxc_isr
Enable Urxc
Enable Interrupts
Do
!nop
Loop
End
Rxc_isr:
Rs232 = Inkey()
Print Rs232
Return
```

Bascom-AVR Simulator output of the example above:

357

Me	emory	1		-			-	-		1										
S	RAM	EE	PRC	м																
		00	01	02	03	04	05	06	07	08	09	0A	0B	OC	0D	0E	OF			
0	760	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	770	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	780	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	790	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	7F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	800	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	810	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	820	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	830	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	840	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			FRAME
0	850	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			FRAIVIE
0	860	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	870	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	880	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	<b>.</b> .	Soft	tware Stack
0	890	31	30	00	00	00	00	00	00	00	00	00	00	00	00	00	00	10.		
0	18A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00			
0	880	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	ø		lan	duurana Ctaralu
0	8C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00		ar	dware Stack
0	8D0	00	00	00	00	00	00	00	00	00	01	34	01	23	00	00	00			
0	8E0	00	C6	00	93	14	00	00	08	DO	08	FE	00	98	00	00	00	Æ.IÐ.þ.I		
0	8F0	00	00	00	00	00	00	00	00	08	A8	00	00	00	00	00	64	<sup></sup> d		
0	900	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
0	910	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF		****		

Picture : The Hardware Stack will be filled by clicking the Bascom-AVR Simulator Interrupt

With this example we see (by counting the changed SRAM Bytes in Bascom Simulator Memory Window) that Software Stack is NOT needed but at least **39 Byte of Hardware Stack** and the Frame with the 24 Byte conversion buffer because of PRINT.

Most of the 39 Bytes are the saved Registers when jumping in Interrupt Service Routine. These are SREG, R31 to R16 and R11 to R0 with exception of R6,R8 and R9.

The following should be considered in any case (not only when using NOSAVE): Take care when using floating point math in the ISR because the Register R12 to R15 are not saved in the regular process of processor register backup. Using floating point math in ISR is not recommended anyway.

When you try the same example with NOSAVE ( **On Urxc Rxc\_isr Nosave** ) you will see the example will need less Hardware Stack but **you are responsible then to save all of the Registers** with PUSH and POP in the Interrupt Service Routine that are needed or changed during the Interrupt Service Routine. The easier, and above all safer way is not using NOSAVE which is also the default

By clicking on the Interrupts Button will fire an interrupt in Simulator

way.

🛃 AV	R Sim	ulator	- Land	1.00						-	-	-	-		-	-	-	OTHER DESIGNATION AND INCOME.	
	н	• 9	(11 🍋		🍫 限	10	M		- 🛞		(ermir	hal	10	Sin	n Tim	ers		🕐 🗆 LIB Sm	
Varia	bles	Locals	66° Watch	💊 u	Memory	r													
1	NTO	INT1	PCINTO	PCINT1	SRAM	EEPF	MOS												
	WF2	ICP1	OCIA	OC18		00 0	1 02	03 04	05	06 0	7 08	09	0A   (	08	c[00	30 OE	0F	F	-
	5P1	URXC	UDRE	UTXC	0760			00 00											
	271	URAC	OURE	UIM	0770	00 0		00 00		00 0				00 0					
					0780	00 0			00 0					00 00					
UAR	to lu	ART1		_	0790 07A0			00 00	_			00		00 0					
		PRCT A			0780	00 0				00 0				00 0					
$\frac{10}{10}$					0700	00 0				00 0	~ ~~			00 0					
10 10					0700			00 00											
**					07E0			00 00											
					07F0	00 0	0 00	00 00	00	00 00	0 00	00	00	00 00	0 00	00	00	0	
۰.				_	0800	00 0	0 00	00 00	00	00 0	0 00	00	00 (	00 00	0 00	00	00	0	
•	1	Sregt		"m32 1600		00 0	0 00	00 00	00	00 0	0 00	00	00 (	00 0	0 00	00	00	0	
	23	Scrys Shyst		48	0820	00 0	0 00	00 00	00	00 0	0 00	00	00 (	00 00	0 00	00	00	D	
	4	Ssyst		32	0830	00 0				00 0				00 00					
	5	\$11ai	lesize	- 34	0040	00 0								00 00					
	7	6 h	- 10		0850			00 00			-				-	-			
•	8		1 = 192 g Conl		0860	00 0				00 0 00 0				00 0 00 0					
	10	Die 1	- 222			00 0				00 0				00 0					
	11 12	DIR P	ts232 /	IS BY	0890			00 00		00 0								0 10	
	13	'Enab	le Rec	eive	0010	00 0		00 00	00	00 0					0 00	-	-		
•	14 15	Enabl	e Urxo	:_1SI :	0880	00 0	0 00	00 00	00	00 00	0 00	00	00 0	00 00	0 00	00	00		
•	16 17		e Inte		0900	00 0	0 00	00 00	00	00 0	0 00	00	00	00 00	0 00	00	00		
	18	Do			0000	00 0	0 00	00 00	00	00 0	0 00	01	34 (	01 2	3 00	00	00	D	
	19	Inor	>		08E0	00 C	6 00	93 14	00	00 0	8 D0	80	FE (	00 9	8 00	00	00	Ø Æ.LÐ.þ.L	
	20	Loop			08F0	00 0	0 00	00 00	00	00 0	0 08	A8	00 0	00 00	0 00	00	64	b.	

# 6.23 \$HWCHECK, \$SWCHECK, \$SOFTCHECK

### Action

This directive can be used to determine the required stack space.

#### Syntax

\$HWCHECK \$FRAMECHECK \$SOFTCHECK

# Remarks

All variables you DIM in your application require RAM or SRAM space. But an application needs more RAM space.

Each time you call a sub or function, or us gosub, the processor need to know at which address to return after returning from the call. For this purpose, the processor saves this address on the hardware stack. There is noting you can do about this. This hardware stack grows downwards. Some basic statements compile into code that do not need any calls. But some call a machine language function which in turn can call other functions. Which and how many other calls will be made depend on the selected processor and other options. sometimes it also depends on variable parameters.

When parameters are passed to a sub or function, the address is passed of the variables. These are word addresses thus using 2 bytes for each variable. This passing is being done via the so called soft stack. This area is located below the HW stack space. And it also grows down.

All LOCAL variables you use also need 2 bytes of the soft stack.

When you pass a parameter with BYVAL or when you create a LOCAL variable, some temporarily space is need.

Consider this example : somestring = "abc" + somestring When the compiler assigns "abc" to somestring, the somestring variable will become "abc" and it will overwrite the content making it impossible to add it's content after the "abc".

So we first need to store the content of somestring before we can start assigning new data to this string.

This copy also requires space.

This space is created dynamically and is taken from the so called frame space. This space is located below the soft stack.

Now you can use \$DBG or some default values for most projects to determine the values.

But when you have a problem and have absolutely no idea how the settings must be made, you can use the \$HWCHECK option.

You start with including a special library named "stackcheck.lib" to your code. Then you run your application and somewhere in your code you print the value of the generated **\_hw\_lowest** variable.

This variable is set to &HFFFF and each time a call is made, the stack is compared to this value. If the hardware stack (SPL and SPH registers) are lower then the hw lowest value, hw lowest is assigned with the new lowest stack value.

This way you determine the lowest possible hardware stack value that occurred during the runtime of your application.

Of course it is important that your application runs all code.

You can print the value or show it on LCD. To determine the actual needed space you subtract it from the stacktop value.

For the softstack the same applies. It will store the lowest Y-pointer value to the variable named \_sw\_lowest.

For the framespace the the variable \_fw\_highest is used and this variables is increasing.

The stackcheck.bas example demonstrates how to retrieve the values when a recursive sub is used.

See also

#### Example

\$regfile = "m88def.dat"
\$hwstack = 40
\$swstack = 80
\$framesize = 80
\$lib "stackcheck.lib"
Declare Sub Test(byval Prm As Byte)
Print "stack test"
Dim G As Byte , W As Word
Dim P As Byte
\$hwcheck
check on

'hw stack

#### 360 BASCOM-AVR

```
$framecheck
$softcheck
Test P
Print _hw_lowest
W = _hwstackstart - _hw_lowest
Print "HW stack needed : " ; W
Print _fw_highest
If _fw_highest > 0 Then
   W = _frame_high - _fw_highest
  Print "Frame space needed : " ; W
End If
Print _sw_lowest
W = _hwstack_low - _sw_lowest
Print "SW stack needed : " ; W
End
Sub Test(byval Prm As Byte)
  Local L As Byte
  Print "HWSTACK:" ; _hw_lowest
  Print "Frame:" ; _fw_highest
  Print "SWSTACK:" ; _sw_lowest
  G = G + 1
                                                              ' global var
   If G >= 5 Then
     Exit Sub
  Else
                                                              'recursive
      Test P
call
  End If
End Sub
```

### 6.24 \$INC

#### Action

Includes a binary file in the program at the current position.

### **Syntax**

**\$INC** label , size | nosize , "file"

### Remarks

Label	The name of the label you can use to refer to the data.
	Specify either nosize or size. When you use size, the size of the data will be included. This way you know how many bytes you can retrieve.
File	Name of the file which must be included.

Use RESTORE to get a pointer to the data. And use READ, to read in the data.

The \$INC statement is an alternative for the DATA statement. While DATA works ok for little data, it is harder to use on large sets of data.

' set

' get size

#### See Also

<u>RESTORE</u> 8927, <u>DATA</u> 6587, <u>READ</u> 8797

#### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

Dim Size As Word , W As Word , B As Byte

**Restore** L1 pointer to label **Read** Size of the data

Print Size ; " bytes stored at label L1"
For W = 1 To Size
 Read B : Print Chr(b);
Next

#### End

'include some data here
\$inc L1 , Size , "c:\test.bas"
'when you get an error, insert a file you have on your system

## 6.25 \$INCLUDE

### Action

Includes an ASCII file in the program at the current position.

### Syntax

**\$INCLUDE** "file"

### Remarks

File Name of the ASCII file, which must contain valid BASCOM statements. This option can be used if you make use of the same routines in many programs. You can write modules and include them into your program. If there are changes to make you only have to change the module file, not all your BASCOM programs. You can only include ASCII files!

Use \$INC when you want to include binary files.

# See Also

\$INC 360

#### 362 BASCOM-AVR

## Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'-----
Print "INCLUDE.BAS"
```

```
'Note that the file 123.bas contains an error
$include "123.bas" 'include file that prints
Hello
Print "Back in INCLUDE.BAS"
End
```

# 6.26 \$INITMICRO

# Action

Calls a user routine at startup to perform important initialization functions such as setting ports.

### Syntax \$INITMICRO

# Remarks

This directive will call a label named \_INIT\_MICRO just after the most important initialization is performed. You can put the \_INIT\_MICRO routine into your program, or you can put it in a library. Advantage of a library is that it is the same for all programs, and advantage of storing the code into your program is that you can change it for every program.

It is important that you end the routine with a RETURN as the label is called and expects a return.

The \$initmicro can be used to set a port direction or value as it performs before the memory is cleared which can take some mS.

The best solution for a defined logic level at startup remains the usage of pull up/pull down resistors.

# See Also

NONE

# Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

#### \$initmicro

Print Version()
and time of compilation

'show date

Print Portb

```
nop
Loop
End
'do not write a complete application in this routine.
'only perform needed init functions
__init_micro:
    Config Portb = Output
    Portb = 3
Return
```

# 6.27 \$LCD

Do

# Action

Instruct the compiler to generate code for 8-bit LCD displays attached to the data bus.

#### Syntax

**\$LCD** = [&H]address

## Remarks

Address	The address where must be written to, to enable the LCD display and the RS line of the LCD display.
	The db0-db7 lines of the LCD must be connected to the data lines D0- D7. (or is 4 bit mode, connect only D4-D7) The RS line of the LCD can be configured with the LCDRS statement.
	On systems with external RAM, it makes more sense to attach the LCD to the data bus. With an address decoder, you can select the LCD display.

Do not confuse \$LCD with the LCD statement.

The compiler will create a constant named \_\_\_\_LCD\_ADR which you could use in an alternative LCD library.

# See also

\$LCDRS 3687, CONFIG LCD 5677

### Example

```
364
       BASCOM-AVR
    'D4
                 D4
    'D5
                D5
    'D6
                D6
     'D7
                 D7
     'WR
                 WR
    ' E
                 Е
    'RS
                RS
    '+5V
                +5V
    ' GND
                GND
    'V0
                V0
    D0-D3 are not connected since 4 bit bus mode is used!
    'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 ,
    Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6
    Rem with the config lcdpin statement you can override the compiler
    settings
    $regfile = "8515def.dat"
    $lcd = &HC000
    $lcdrs = &H8000
    Config Lcdbus = 4
    Dim A As Byte
    Config Lcd = 16 \times 2
                                                                   'configure
    lcd screen
    'other options are 16 * 2 , 16 * 4 and 20 * 4, 20 * 2 , 16 * 1a
    'When you dont include this option 16 \,\star\, 2 is assumed
    '16 * 1a is intended for 16 character displays with split addresses over
    2 lines
    '$LCD = address will turn LCD into 8-bit databus mode
            use this with uP with external RAM and/or ROM
    .
            because it aint need the port pins !
    Cls
                                                                   'clear the
    LCD display
    Lcd "Hello world."
                                                                   'display
    this at the top line
    Wait 1
    Lowerline
                                                                   'select the
    lower line
    Wait 1
    Lcd "Shift this."
                                                                   'display
    this at the lower line
    Wait 1
    For A = 1 To 10
       Shiftlcd Right
                                                                   'shift the
    text to the right
                                                                   'wait a
       Wait 1
    moment
    Next
    For A = 1 To 10
       Shiftlcd Left
                                                                   'shift the
    text to the left
       Wait 1
                                                                   'wait a
    moment
    Next
    Locate 2 , 1
                                                                   'set cursor
    position
    Lcd "*"
                                                                   'display
    this
```

	BASCOM Language Reference	365
Wait 1 moment	'wait	a
Shiftcursor Right	'shif	t the
cursor Lcd "@" this	'disp	lay
Wait 1 moment	'wait	a
Home Upper	'sele	ct line
1 and return home Lcd "Replaced."	'repla	ace the
text Wait 1 moment	'wait	a
Cursor Off Noblink Wait 1	'hide 'wait	cursor a
moment Cursor On Blink Wait 1	'show 'wait	cursor a
moment Display Off	'turn	
display off Wait 1	'wait	а
moment <b>Display On</b> display on	'turn	
Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third on line three Home Fourth	'goto	home
Home F Home F letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1	'firs	t
'Now lets build a special character 'the first number is the characternumber 'The other numbers are the rowvalues 'Use the LCD tool to insert this line	c (0-7)	
<b>Deflcdchar</b> 1 , 225 , 227 , 226 , 226 , 2 replace ? with number (0-7)		1
<b>Deflcdchar</b> 0 , 240 , 224 , 224 , 255 , 2 replace ? with number (0-7) <b>Cls</b>		' ct data
RAM Rem it is important that a CLS is follow		ents
<pre>because it will set the controller back Lcd Chr(0) ; Chr(1) special character</pre>	in datamode 'prin	t the
<pre>' Now use an internal : _temp1 = 1</pre>		e into
ACC !rCall _write_lcd LCD End	'put	it on

# 6.28 \$LCDPUTCTRL

# Action

Specifies that LCD control output must be redirected.

# **Syntax**

**\$LCDPUTCTRL** = label

# Remarks

Label	The name of the assembler routine that must be called when a control byte is printed with the LCD statement. The character must be placed in register R24.
-------	--

With the redirection of the LCD statement, you can use your own routines.

# See also

\$LCDPUTDATA 367

# Example

```
$regfile = "m48def.dat"
crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'dimension used variables
Dim S As String* 10
Dim W As Long
'inform the compiler which routine must be called to get serial
'characters
$lcdputdata= Myoutput
$lcdputctrl= Myoutputctrl
'make a never ending loop
Do
 Lcd "test"
Loop
End
'custom character handling routine
'instead of saving and restoring only the used registers
'and write full ASM code, we use Pushall and PopAll to save and 'restore
'all registers so we can use all BASIC statements
'$LCDPUTDATA requires that the character is passed in R24
Myoutput:
 Pushall
                                                             'save all
registers
  'your code here
 Popall
                                                             'restore
registers
Return
```

```
MyoutputCtrl:

Pushall

registers

'your code here

Popall

registers

Return
```

'save all

'restore

# 6.29 \$LCDPUTDATA

#### Action

Specifies that LCD data output must be redirected.

#### Syntax

**\$LCDPUTDATA** = label

## Remarks

Label The name of the assembler routine that must be called when a character is printed with the LCD statement. The character must be placed in R24.

With the redirection of the LCD statement, you can use your own routines.

#### See also

\$LCDPUTCTRL 366

### Example

```
$regfile = "m48def.dat"
crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'dimension used variables
Dim S As String* 10
Dim W As Long
'inform the compiler which routine must be called to get serial
'characters
$lcdputdata= Myoutput
$lcdputctrl= Myoutputctrl
'make a never ending loop
Do
 Lcd "test"
Loop
End
'custom character handling routine
'instead of saving and restoring only the used registers
'and write full ASM code, we use Pushall and PopAll to save and 'restore
'all registers so we can use all BASIC statements
'$LCDPUTDATA requires that the character is passed in R24
```

Myoutput: Pushall

'save all

```
368 BASCOM-AVR
```

```
registers

'your code here

Popall 'restore

registers

Return

MyoutputCtrl:

Pushall 'save all

registers

'your code here

Popall 'restore

registers

Return
```

# 6.30 \$LCDRS

# Action

Instruct the compiler to generate code for 8-bit LCD displays attached to the data bus.

# **Syntax**

**\$LCDRS** = [&H]address

# Remarks

Address	The address where must be written to, to enable the LCD display.
	The db0-db7 lines of the LCD must be connected to the data lines D0-D7. (or is 4 bit mode, connect only D4-D7)
	On systems with external RAM, it makes more sense to attach the LCD to the data bus. With an address decoder, you can select the LCD display.

The compiler will create a constant named \_\_\_\_LCDRS\_ADR which you could use in an alternative LCD library.

# See also

<u>\$LCD</u> उढ3 , <u>CONFIG LCDBUS</u> जिनी

# Example

```
(c) 1995-2005 MCS Electronics
·_____
 file: LCD.BAS
÷.
 demo: LCD, CLS, LOWERLINE, SHIFTLCD, SHIFTCURSOR, HOME
÷.
  CURSOR, DISPLAY
*_____
'note : tested in bus mode with 4-bit on the STK200
'LCD – STK200
._____
'D4
      D4
      D5
'D5
'D6
      D6
'D7
      D7
'WR
      WR
```

' E Е 'RS RS '+5V +5V ' GND GND ' V0 V0 D0-D3 are not connected since 4 bit bus mode is used! 'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 , Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6 Rem with the config lcdpin statement you can override the compiler settings \$regfile = "8515def.dat" **\$1cd** = &HC000 **\$lcdrs** = &H8000 **Config** Lcdbus = 4 Dim A As Byte Config Lcd =  $16 \times 2$ 'configure lcd screen 'other options are 16 \* 2 , 16 \* 4 and 20 \* 4, 20 \* 2 , 16 \* 1a 'When you dont include this option 16 \* 2 is assumed '16 \* la is intended for 16 character displays with split addresses over 2 lines '\$LCD = address will turn LCD into 8-bit databus mode use this with uP with external RAM and/or ROM because it aint need the port pins ! Cls 'clear the LCD display Lcd "Hello world." 'display this at the top line Wait 1 Lowerline 'select the lower line Wait 1 Lcd "Shift this." 'display this at the lower line Wait 1 **For** A = 1 **To** 10 Shiftlcd Right 'shift the text to the right Wait 1 'wait a moment Next **For** A = 1 **To** 10 Shiftlcd Left 'shift the text to the left Wait 1 'wait a moment Next Locate 2 , 1 'set cursor position Lcd "\*" 'display this Wait 1 'wait a moment Shiftcursor Right 'shift the cursor

370 **BASCOM-AVR** Lcd "@" 'display this Wait 1 'wait a moment 'select line Home Upper 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor Wait 1 'wait a moment Cursor On Blink 'show cursor Wait 1 'wait a moment Display Off 'turn display off Wait 1 'wait a moment Display On 'turn display on '-----NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth Home F 'first letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1 'Now lets build a special character 'the first number is the characternumber (0-7)'The other numbers are the rowvalues 'Use the LCD tool to insert this line Deflcdchar 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 replace ? with number (0-7) **Deflcdchar** 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 replace ? with number (0-7)Cls 'select data RAM Rem it is important that a CLS is following the deflcdchar statements because it will set the controller back in datamode Lcd Chr(0); Chr(1)'print the special character '----- Now use an internal routine ------'value into  $\_temp1 = 1$ ACC !rCall \_write\_lcd 'put it on LCD End

# 6.31 \$LCDVFO

# Action

Instruct the compiler to generate very short Enable pulse for VFO displays.

#### Syntax \$LCDVF0

# Remarks

VFO based displays need a very short Enable pulse. Normal LCD displays need a longer pulse. To support VFO displays this compiler directive has been added.

The display need to be instruction compatible with normal HD44780 based text displays.

Noritake is the biggest manufacturer of VFO displays.

The \$LCDVFO directive is intended to be used in combination with the LCD routines.

# ASM

NONE

See also

# Example

NONE

# 6.32 \$LIB

# Action

Informs the compiler about the used libraries.

### Syntax

\$LIB "libname1" [, "libname2"]

### Remarks

Libname1 is the name of the library that holds ASM routines that are used by your program. More filenames can be specified by separating the names by a comma.

The specified libraries will be searched when you specify the routines to use with the \$EXTERNAL directive.

The search order is the same as the order you specify the library names.

The MCS.LBX will be searched last and is always included so you don't need to specify it with the \$LIB directive.

Because the MCS.LBX is searched last you can include duplicate routines in your own

#### 372 BASCOM-AVR

library. These routines will be used instead of the ones from the default MCS.LBX library. This is a good way when you want to enhance the MCS.LBX routines. Just copy the MCS.LIB to a new file and make the changes in this new file. When we make changes to the library your changes will be preserved.

# Creating your own LIB file

A library file is a simple ASCII file. It can be created with the BASCOM editor, notepad or any other ASCII editor.

When you use BASCOM, make sure that the LIB extension is added to the Options, Environment, Editor, "No reformat extension".

This will prevent the editor to reformat the LIB file when you open it.

The file must include the following header information. It is not used yet but will be later.

copyright = Your name www = optional location where people can find the latest source email = your email address comment = AVR compiler library libversion = the version of the library in the format : 1.00 date = date of last modification statement = A statement with copyright and usage information

The routine must start with the name in brackets and must end with the [END].

The following ASM routine example is from the MYLIB.LIB library.

[test] Test: Idd r26,y+2 ; load address of X Idd r27,y+3 Id r24,x ; get value into r24 Inc r24 ; value + 1 St x,r24 ; put back Idd r26,y+0 ; address of Y Idd r27,y+1 st x,r24 ; store ret ; ready [END]

After you have saved your library in the **LIB** subdirectory you must compile it with the <u>LIB Manager</u>. Or you can include it with the LIB extension in which case you don't have to compile it.

### About the assembler.

When you reference constants that are declared in your basic program you need to put a star(\*) before the line.

'basic program CONST myconst = 7

'asm lib \* sbi portb, myconst By adding the \*, the line will be compiled when the basic program is compiled. It will not be changed into object code in the LBX file.

When you use constants you need to use valid BASIC constants:

Ldi r24,12 Ldi r24, 1+1 Ldi r24, &B001 Ldi r24,0b001 Ldi r24,&HFF Ldi r24,\$FF Ldi r24,\$FF

Other syntax is NOT supported.

# See also

**\$EXTERNAL** 346

### **Example**

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'In order to let this work you must put the mylib.lib file in the LIB
dir
'And compile it to a LBX
1 - - - -
                                _____
'define the used library
$lib"mylib.lbx"
'you can also use the original ASM :
'$LIB "mylib.LIB"
'also define the used routines
$external Test
'this is needed so the parameters will be placed correct on the stack
Declare Sub Test(byval X Asbyte , Y Asbyte)
'reserve some space
Dim Z As Byte
'call our own sub routine
Call Test(1, Z)
'z will be 2 in the used example
End
```

## 6.33 \$LOADER

# Action

Instruct the compiler to create a boot loader at the specified address. Can be used for all AVR that support a boot loader like ATMEGA and ATXMEGA chips.

## **Syntax**

**\$LOADER** = address

# Remarks

The address where the boot loader is located. You can find this address
in the data sheet.

A lot of AVR microcontrollers are configured such that it is possible to use a boot loader able to receive firmware updates and to reprogram the Flash memory on demand.

These AVR which support boot loader have a so called boot section.

Normally a chip will start at address 0 when it resets.

This is also called the reset vector.

Chips that have a boot section, split the flash memory in two parts. The boot section is a small part of the normal flash and by setting a fuse bit you select that the chip runs code at the boot sector when it resets instead of the normal reset vector.

The Program Flash memory space of ATXMEGA chips is also divided into Application and Boot sections. Both sections

have dedicated Lock Bits for setting restrictions on write or read/write operations.

ATXMEGA Program Flash memory parts:

- 1. Application Section for application code
- 2. Application Table Section for application code or data storage
- 3. Boot Section for application code or bootloader code

You need to set the fuse bits so the chip jump to the boot loader address at reset (BOOTRST) !

Some chips also have fuse bits to select the size of the boot loader (e.g. 1024 words, 2048 words, 4096 words)

The boot loader start address depends also on the boot size. You can find following information in the data sheet of the device (example for **ATMEGA644**):

Boot Size	Boot Loader Flash Section	Boot Reset Address (Start Boot Loader Section)
512 words	0x7E00 - 0x7FFF	<b>\$loader =</b> \$7E00
1024 words	0x7C00 - 0x7FFF	<b>\$loader = \$7C00</b>
2048 words	0x7800 - 0x7FFF	<b>\$loader = \$7800</b>
4096 words	0x7000 - 0x7FFF	<b>\$loader =</b> \$7000

For ATXMEGA chips like ATXMEGA32A4 the boot section is part of the Flash Program Memory.

You can find following information in the data sheet of the ATXMEGA device under Flash Program Memory

(example for ATxmega16A4 .....ATxmega128A4):

BASCOM Language Reference

375

Chip	<b>Boot Loader Flash Section</b>
ATxmega16A4	0x2000 - 0x7FFF
ATxmega32A4	0x4000 - 0x47FF
ATxmega64A4	0x8000 - 0x87FF
ATxmega128A4	0x10000 - 0x10FFF

Boot Reset Address (Start Boot Loader Section) \$loader = &H2000 \$loader = &H4000 \$loader = &H8000 \$loader = &H10000

An external programmer is needed to program the boot loader into the chip. After the fuse bits are set and the boot loader is programmed you do not need the external programmer anymore for this chip (except you want to change the fuse bits).

The MCS boot loader sample is a serial boot loader that uses the serial port (USART).

With ATXMEGA or with ATMEGA with more then one USART you can choose which USART (COM port) should be used with the boot loader.

For example you can use COM7 with an ATXMEGA:

Config Com7 = 57600 , Mode = Asynchroneous , Parity = None , Stopbits = 1 , Databits = 8 Open "COM7:" For Binary As #7

When using another UART as COM1 do not forget to add the Interface number (in this example **#7**) to all the Serial IO functions like Waitkey(#7) or Print #7, Chr( bstatus); in the boot loader example

The boot loader uses the X-modem checksum protocol to receive the data. (XModem protocol (packet size = 128)) Most terminal emulators can send X-modem checksum.

The Boot loader sample can upload both normal flash programs and EEPROM images. The Boot loader sends a byte with value of 123 to the AVR Boot loader. This boot loader program then enter the boot loader or will jump to the reset vector (0000) to execute the normal flash program.

When it receives 124 instead of 123, it will upload the EEPROM. When you select a BIN file the flash will be uploaded. When you select an EEP file, the EEPROM will be uploaded.

The following sample is written so it supports all chips with a boot section.

#### How you need to use this ATMEGA boot loader example program:

1. Uncomment the Chip type and **Const** Loaderchip you want to use (for example ATMEGA644)

**\$regfile =** "m644def.dat" '\$regfile = "m644Pdef.dat" **Const** Loaderchip = 644

- 2. Double check the baud rate and COM port you want to use
- 3. Compile the boot loader example
- 4. Program it into the chip with an external programmer like AVR ISP MKII
- 5. Select <u>MCS Bootloader</u> [128] from programmer (select the right COM Port and baud rate)
- 6. compile a new program or example for this chip
- 7. reset the chip

#### Ways to reset the AVR chip:

#### Hardware reset:

- 1. Hardware Reset switch/button to GND (manual)
- 2. MCS Bootloader can set and reset the DTR or RTS line of serial COM port which can be used to reset the AVR (automatic)

#### Software Reset:

- 1. Reset with Watchdog Timer (e.g. setting the Watchdog to 16ms, start it and let it time out)
- 2. With coro command (e.g. when ATMEGA644 is used the boot loader start at \$7c00 (\$loader = \$7c00).
  - Then you can use:

GOTO &H7c00

to jump to the boot loader start.

- 3. With ATXMEGA there is a special register to reset the ATXMEGA via software. See also topic ATXMEGA
- 4. With MCS Bootloader you can send one or several ASCII character to reset the chip like with string "boot\_me". In this case the "boot\_me" must be detected in your main application on the AVR and then use for example Watchdog or GOTO to reset the chip.

The boot loader is written to work at a baud rate of 57600. This baud rate works for most chips that use the internal oscillator. But it is best to check it first with a simple program. When you use a crystal you might even use a higher baud rate. You can change this by changing the baud rate in the boot loader example (take care to use also the same baud rate in the boot loader application (e.g. <u>MCS Bootloader</u> 128) on the PC side)

Now make a new test program and compile it. Press **F4** to start the <u>MCS bootloader</u> 128. You now need to reset the chip so that it will start the boot loader section. The boot loader will send a byte with value of 123 and the Bascom boot loader receives this and thus starts the loader process.

There will be a stand alone boot loader available too. And the sample will be extended to support other AVR chips with boot section too.

There is a \$BOOT directive too. It is advised to use \$LOADER as it allows you to write the boot loader in BASIC.

You can not use interrupts in your boot loader program as the interrupts will point to the reset vector which is located in the lower section of the flash. When you start to writing pages, you overwrite this part.

Take care when Watchdog is enabled by fuse bits and using a boot loader. You need to reset or deactivate the Watchdog in the boot loader example otherwise the firmware upload could be terminated by watchdog reset !

If you want to analyze the MCU Control and Status Register to know which reset source caused the reset you need to save this register already in the boot loader example because this register will be cleared and it will be always 0 when you check it at start of your application.

When you use a boot loader it will use space from the available flash memory. The compiler does not know if you use a boot loader or not. When your program exceeds the available space and runs into the boot sector space, it will overwrite the boot loader.

The <u>\$LOADERSIZE</u> as directive will take the boot loader size into account so you will get an error when the target file gets too big.

# **Encryption/Decryption with Bootloader:**

You can use for example AES or XTEA (<u>XTEADECODE</u>, <u>XTEAENCODE</u>) in combination with boot loader examples.

There is an AES with boot loader and AVR-DOS example in the ...BASCOM-AVR\SAMPLES\boot folder (xmega\_dos\_boot\_AES.zip).

# See also

\$BOOT 338, \$LOADERSIZE 388, MCS Bootloader 128

There is an example for ATMEGA chips and for ATXMEGA Chips:

# **ATMEGA Example:**

(c) 1995-2009, MCS Bootloader.bas This sample demonstrates how you can write your own bootloader in BASCOM BASIC VERSION 2 of the BOOTLOADER. The waiting for the NAK is stretched further a bug was resolved for the M64/M128 that have a big page size This sample will be extended to support other chips with bootloader The loader is supported from the IDE

'possible	return codes of the PC bootloader.exe
· -6005	Cancel requested
' -6006	Fatal time out
' -6007	Unrecoverable event during protocol
' -6008	Too many errors during protocol
' -6009	Block sequence error in Xmodem
' -6016	Session aborted

'\$regfile "m8def.dat" = 'Const Loaderchip = 8 '\$regfile = "m168def.dat" 'Const Loaderchip = 168 '\$regfile "m16def.dat" = 'Const Loaderchip = 16 '\$regfile "m32def.dat" 'Const Loaderchip = 32 "m88def.dat" \$regfile \_ 'Const Loaderchip = 88 = "m162def.dat" '\$reafile 'Const Loaderchip = 162 = "m8515.dat" '\$regfile 'Const Loaderchip = 8515 "m128def.dat" '\$regfile = 'Const Loaderchip = 128

#### 378 BASCOM-AVR

```
'$regfile = "m64def.da
'Const Loaderchip = 64
                 "m64def.dat"
          = "m2561def.dat"
$reafile
'Const Loaderchip = 2561
'$regfile = "m2560def.da
'Const Loaderchip = 2560
                  "m2560def.dat"
             = "m329def.dat"
'$regfile
            =
'Const Loaderchip = 329
'$regfile
           =
                  "m324pdef.dat"
'Const Loaderchip = 324
$regfile = "m644def.dat"

'$regfile = "m644Pdef.dat"

Const Loaderchip = 644
#i f Loaderchip = 8
$loader = $c00
      Loaderchip = 88
                                                                             'Mega88
                                                                             'this address you can find in
the
      datasheet
     'the loader address is the same as the boot vector address 
Const Maxwordbit = 5
     Config Com1 = Dummy , Synchrone = 0 ,
                                                        Parity = None,
                                                                             Stopbits = 1,
                                                                                                Databits = 8,
Clockpol = 0
#endif
     Loaderchip = 168

$loader = $1c00

datasheet
#if
                                                                             'Mega168
                                                                             'this address you can find in
the
     the loader address is the same as the boot vector address Const Maxwordbit = 6
     Config Com1 = Dummy , Synchrone = 0 ,
                                                        Parity = None,
                                                                             Stopbits = 1, Databits = 8,
Clockpol = 0
#endif
     Loaderchip = 32

$loader = $3c00

Const Maxwordbit = 6
                                                                             Mega32
#if
                                                                                1024 words
                                                                             'Z6 is maximum bit
     Config Com1 = Dummy , Synchrone = 0 ,
                                                      Parity = None,
                                                                             Stopbits = 1,
                                                                                                Databits = 8,
Clockpol = 0
#endif
     Loaderchip = 8

$loader = $c00

Const Maxwordbit = 5
#if
                                                                             ' Mega8
                                                                                1024 words
                                                                             'Z5 is maximum bit
     Config Com1 = Dummy , Synchrone = 0 ,
                                                        Parity = None ,
                                                                             Stopbits = 1,
                                                                                                Databits = 8,
Clockpol = 0
#endif
     Loaderchip = 161

$loader = $1e00

Const Maxwordbit = 6
                                                                             / Mega161
#if
                                                                                1024 words
                                                                             'Z6 is maximum bit
#endif
                                                                             .
     Loaderchip = 162

$loader = $1c00

Const Maxwordbit = 6
                                                                               Mega162
#if
                                                                             .
                                                                                1024 words
                                                                             'Z6 is maximum bit
Config Com1 = Dummy , Synchrone = 0 ,
Clockpol = 0
                                                                             Stopbits = 1,
                                                        Parity = None,
                                                                                                Databits = 8,
#endiˈf
     Loaderchip = 8515

$loader = $c00

Const Maxwordbit = 5
                                                                             Mega8515
#if
                                                                                1024 words
                                                                             'Z6 is maximum bit
     Config Com1 = Dummy , Synchrone = 0 , Parity = None ,
                                                                             Stopbits = 1,
                                                                                                Databits = 8,
Clockpol = 0
                                                                             ' the internal osc needed a
    Osccal = &HB3
new
     value
#endif
#i f Loaderchip = 64
$loader = $7c00
Const Maxwordbit = 7
                                                                             ' Mega64
                                                                                1024 words
                                                                             'Z7 is maximum bit
     Config Com1 = Dummy , Synchrone = 0 , Parity = None ,
                                                                             Stopbits = 1,
                                                                                                Databits = 8,
Clockpol = 0
#endif
#i f Loaderchip = 128
                                                                             ' Mega128
```

BASCOM Language Reference 379

\$loader = &HFC00 1024 words 'Z7 is maximum bit Const Maxwordbit = 7 Stopbits = 1, Databits = 8. #endif Mega2561 Loaderchip = 2561 **\$loader = &**H1FC00 **Const** Maxwordbit = 7 #if 1024 words 'Z7 is maximum bit **Config** Com1 = Dummy , Synchrone = 0 , Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0 #endif Loaderchip = 2560 **\$loader = &**H1FC00 **Const** Maxwordbit = 7 #if Mega2560 1024 words 'Z7 is maximum bit **Config** Com1 = Dummy , Synchrone = 0 , Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0#endif Loaderchip = 16 **\$loader** = \$1c00 **Const** Maxwordbit = 6 / Mega16 #if 1024 words 'Z6 is maximum bit **Config** Com1 = Dummy , Synchrone = 0 , Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0#endif Mega32 1024 words #i f Loaderchip = 329 \$loader = \$3c00 Const Maxwordbit = 6 'Z6 is maximum bit **Config** Com1 = Dummy , Synchrone = 0 , Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0 #endif Loaderchip = 324 **\$loader** = \$3c00 **Const** Maxwordbit = 6 / Mega32 #i f 1024 words 'Z6 is maximum bit **Config** Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1, Databits = 8, Clockpol = 0#endif #i f Loaderchip = 644 \$loader = \$7c00 Const Maxwordbit = 7 Mega644P 1024 words 'Z7 is maximum bit Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1, Databits = 8. Clockpol = 0 #endif Const Maxword = (2 ^ Maxwordbit) \* 2 128 Const Maxwordshift = Maxwordbit + 1 Const Cdebug = 0 ' leave this to 0 #i f Cdebug Print Maxword Print Maxwordshift #endif 'Dim the used variables Dim Bstatus As Byte, Bretries As Byte, Bblock As Byte, Bblocklocal Dim Bcsum1 As Byte, Bcsum2 As Byte, Buf(128) As Byte, Csum As Byte Dim J As Byte, Spmcrval As Byte Bblocklocal As Byte self program command byte value 'this is the Z pointer word ' these bytes are used for the Dim Z As Long Dim VI As Byte , Vh As Byte data values Dim Wrd As Word , Page As Word 'these vars contain the page and word address Dim Bkind As Byte , Bstarted As Byte 'Mega 88 : 32 words, 128 pages **Disable Interrupts** 'we do not use ints

#### 380 BASCOM-AVR

```
'wait 100 msec sec
'Waitms 100
'We start with receiving a file. The PC must send this binary file
'some constants used in serial com
Const Nak = &H15
Const Ack = &H06
Const Can = &H18
      use some leds as indication in this sample , you might want to remove it
'we
Config Pinb. 2 = Output
Portb. 2 = 1
                                                                                    'the stk200 has inverted logic
for the leds

Config Pinb. 3 = Output

Portb. 3 = 1
$timeout = 400000 'we use a time
'When you get LOADER errors during the upload, increase the timeout value
'for example at 16 Mhz, use 200000
                                                                                    'we use a timeout
Bretries = 5
Testfor123:
                                                                                     'we try 5 times
#if Cdebug
Print "Try
     Print "Try ";
Print "Wait"
                             Bretries
#endif
Bstatus = Waitkey()
                                                                                    'wait for the loader to send a
byte
#ifCdebug
Print "Got "
#endif
Print Chr(bstatus) ;
I f Bstatus = 123 Then
                                                                                     'did we received value 123 ?
Bkind = 0
Goto Loader
Elseif Bstatus = 124 Then
                                                                                     'normal flash loader
                                                                                    'EEPROM
     Bkind = 1
                                                                                      EEPROM loader
Goto Loader
Elseif Bstatus <> 0 Then
Decr Bretries
I f Bretries <> 0 Then Goto Testfor123
End I f
                                                                                     'we test again
For J = 1 To 10
that we start the normal reset vector
Toggle Portb. 2 : Waitms 100
                                                                                    'this is
                                                                                                 a simple indication
Next
#i f Cdebug
Print "RESET"
#endif
Goto reset
                                                                                     'goto the normal reset vector
at address 0
'this is the loader routine. It is a Xmodem-checksum reception routine
'this ic
Loader:
#i f Cdebug
Print "Clear
                          buffer"
   #endif
  Do
Bstatus = Waitkey()
Loop Until Bstatus = 0
For J = 1 To 3
that we start the normal reset vector
Toggle Portb. 2 : Waitms 50
                                                                                     'this is a simple indication
   Next
  I f Bkind = 0 Then
Spmcrval = 3 : Gosub Do_spm
Spmcrval = 17 : Gosub Do_spm
                                                                                       erase
                                                                                                  the first page
                                                                                    ÷.
                                                                                        re-enable page
   End I f
Bretries = 10
                                                                                     'number of
                                                                                                     retries
Do
                                                                                    ' we were not started yet
'checksum is 0 when we start
' firt time send a nack
     Bstarted = 0
  Csum = 0
Print Chr(nak);
   Do
```

```
Bstatus = Waitkey()
      Select Case Bstatus
           Case 1:
ready to send
                   Incr Bblocklocal
                   Csum = 1
                   Csum = 1
Bblock = Waitkey() : Csum = Csum + Bblock
Bcsum1 = Waitkey() : Csum = Csum + Bcsum1
For J = 1 To 128
Buf(j) = Waitkey() : Csum = Csum + Buf(j)
                   Next
                  Next
Bcsum2 = Waitkey()
I f Bblocklocal = Bblock Then
I f Bcsum2 = Csum Then
Gosub Writepage
Print Chr(ack);
                        Else
                            Print Chr(nak);
                        End I f
                   Else
Print Chr(nak) ;
                   End I f
           Case 4:
is
        transmitted
                    I f Wrd > 0 And Bkind = 0 Then
in the page
                           Wrd = 0
                            Spmcrval = 5 : Gosub Do_spm
Spmcrval = 17 : Gosub Do_spm
                    End I f
Waitms 100
DTR SIGNAL ARRIVES TO EARLY
                    Print Chr(ack);
                    Portb. 3 = 0
are finished and ok
Waitms 20
                    Goto _reset
           Case &H18:
           Goto _reset
Case 123 : Exit Do
buffer
           Case 124 : Exit Do
Case Else
               Exit Do
      End Select
   Loop
I f Bretries > 0 Then
        Waitms 1000
       Decr Bretries
   Else
       Goto _reset
   End I f
Loop
'write one or more pages
Writepage:
 I f Bkind = 0 Then

For J = 1 To 128 Step 2

VI = Buf(j) : Vh = Buf(j + 1)

Ids r0, {v I}
registers
        lds r1, {vh}
Spmcrval = 1 : Gosub Do_spm
address
Wrd = Wrd + 2
2 because LS bit of Z is not used
         I f Wrd = Maxword Then
                Wrd = 0
                 Spmcrval = 5 : Gosub Do_spm
Spmcrval = 17 : Gosub Do_spm
                Page = Page + 1
Spmcrval = 3 : Gosub Do_spm
Spmcrval = 17 : Gosub Do_spm
         End I f
    Next
 Else
        For J = 1 To 128
Writeeeprom Buf(j) , Wrd
Wrd = Wrd + 1
```

'wait for bvte statuse ' start of heading, PC is 'increase local 'checksum is 1 block count block 'get checksum first byte get 'get 128 bytes 'get second checksum byte 'are the blocks the same? 'is the checksum the same? 'yes go write the page 'acknowledge 'no match so send nak 'blocks do not match 1.1 end of transmission , file 'if there was something left 'Z pointer needs wrd to be 0 'write page re-enable page ' OPTIONAL REMARK THIS IF THE ' send ack and ready simple indication that we start new program PC aborts transm . transmission τ. ready 'was probably still in the ' no valid data 'attempte left? 'decrease attempts 'reset chip 'we write 2 bytes into a page 'get Low and High bytes 'store them into r0 and r1 'write value into page at word word address increases with ' page is full 'Z pointer needs wrd to be 0 write page re-enable page page e next\_page 'next erase re-enable page 'eeprom

#### BASCOM-AVR

```
Next
 End I f
  Toggle Portb. 2 : Waitms 10 : Toggle Portb. 2
                                                                                                   'indication that we
                                                                                                                                      write
Return
Do_spm:
                                                                                                   ' check for previous SPM
   Bitwait Spmcsr. 0 , Reset
complete
   Bitwait Eecr. 1, Reset
                                                                                                    'wait for eeprom
   Z = Page
Shift Z , Left , Maxwordshift
Z = Z + Wrd
                                                                                                    'make equal to page
                                                                                                    'shift to proper place
'add word
   lds r30, {Z}
lds r31, {Z+1}
' we need to set rampz also
   Spmcsr = Spmcrval
                                                                                                    'assign
                                                                                                                   register
                                                                                                    'this is an asm instruction
   spm
   nop
   nop
Return
How you need to use this program:

'1- compile this program

'2- program into chip with sample elctronics programmer

'3- select MCS Bootloader from programmers

'4- compile a new program for example M88.bas

'5- press F4 and reset your micro

' the program will now be uploaded into the chip with Xmodem Checksum

' you can write your own loader.too

'A stand alone command line loader is also available
'How to call the bootloader from your program without a reset ???
'Do
       Print "test"
Waitms 1000
.
       If Inkey() = 27 Then
Print "boot"
        Goto &H1C00
Υ.
Υ.
      End If
'Loop
'The GOTO will do the work, you need to specify the correct bootloader address 'this is the same as the $LOADER statement.
```

# **ATXMEGA Example:**

(c) 1995-2009, MCS BootloaderXmega32A4.bas This sample demonstrates how you can write your own bootloader in BASCOM BASIC for the XMEGA 'The loader is supported from the IDE \$crystal = 3200000 ' xmega128 is running on 32 MHz \$regfile = "xm32a4def.dat" \$lib "xmega.lib" ' add a reference to this lib 'first enabled the osc of your choice Config Osc = Disabled , 32mhzosc = Enabled enabled 'internal 2 MHz and 32 MHz 'configure the systemclock Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1\_1 ' we will use 32 MHz and divide by 1 to end up with 32 MHz \$loader = &H4000 ' bootloader starts after the

382

383

#### application

Config Com1 = 57600 , Mode = Asynchroneous , Parity = None , Stopbits = 1, Databits = 8' use USART CO 'COM0-USARTCO, COM1-USARTC2, COM2-USARTD0. etc. Config Portc. 3 = Output Config Pinc. 2 = Input 'define TX as output **Const** Maxwordbit = 7 ' Z7 is maximum bit Const Maxword = (2 ^ Maxwordbit) \* 2 Const Maxwordshift = Maxwordbit + 1 Const Cdebug = 0 '128 ' leave this to 0 'Dim the used variables Dim Bstatus As Byte , Bretries As Byte , Bmincount As Byte , Bblock As Byte , Bblocklocal As Byte Dim Bcsum1 As Byte, Bcsum2 As Byte, Buf(128) As Byte, Csum As Byte Dim J As Byte , Spmcrval As Byte self program command byte value Dim Z As Long Dim VI As Byte , Vh As Byte data values 'this is the Z pointer word ' these bytes are used for the Dim Wrd As Word , Page As Word and word address 'these vars contain the page **Disable Interrupts** 'we do not use ints 'We start with receiving a file. The PC must send this binary file 'some constants used in serial com Const Nak = &H15 Const Ack = &H06 Const Can = &H18 **\$timeout = 300000** 'we use a timeout When you get LOADER errors during the upload, increase the timeout value for example at 16 Mhz, use 200000 Bretries = 5 : Bmincount = 3 get 123 at least 3 times Do 'we try 10 times and want to Bstatus = Waitkey() 'wait for the loader to send a byte I f Bstatus = 123 Then 'did we received value 123 ? I f Bmincount > 0 Then Decr Bmincount Else Print Chr(bstatus); ' yes so run bootloader Goto Loader End I f 'we received some other data Else Bretries > 0 Then Bmincount = 3 Decr Bretries Ĩf left? 'retries Else Rampz = 0 Goto Proces\_reset 'goto the normal reset vector at address 0 End I f End I f Loop 'this is the loader routine. It is a Xmodem-checksum reception routine Loader: Do Bstatus = Waitkey() Loop Until Bstatus = 0 ' erase Spmcrval = &H20 : Gosub Do\_spm all app pages Bretries = 10of 'number retries Do

384

```
Csum = 0
   Print Chr(nak) ;
   Do
        Bstatus = Waitkey()
      Select Case Bstatus
          Case 1:
ready to send
                 Incr Bblocklocal
                Csum = 1

Bblock = Waitkey() : Csum = Csum + Bblock

Bcsum1 = Waitkey() : Csum = Csum + Bcsum1

For J = 1 To 128

Buf(j) = Waitkey() : Csum = Csum + Buf(j)

Next
                 Bcsum2 = Waitkey()
                 I f
                         Bblocklocal = Bblock Then
                     I f Bcsum2 = Csum Then
                          Gosub Writepage
Print Chr(ack);
                      Else
Print Chr(nak) ;
                      End I f
                 Else
Print Chr(nak);
                 End I f
          Case 4:
is
        transmitted
                   I f Wrd > 0 Then
in the page
                        Wrd = 0
                          Spmcrval = &H24 : Gosub Do_spm
                   End I f
                   Print Chr(ack);
Waitms 20
Goto Proces_reset
          Case &H18:
                   Goto Proces_reset
          Case 123 : Exit Do
buffer
          Case 124 : Exit Do
Case Else
             Exit Do
     End Select
   Loop
I f Bretries > 0 Then
       Waitms 1000
       Decr Bretries
   Else
      Goto Proces_reset
   End I f
Loop
'write one or more pages
Writepage:
    For J = 1 To 128 Step 2
VI = Buf(j) : Vh = Buf(j + 1)
Ids r0, {v I}
registers
        lds r1, {vh}
Spmcrval = &H23 : Gosub Do_spm
address
address

Wrd = Wrd + 2

2 because LS bit of Z is not used

I f Wrd = Maxword Then

Wrd = 0

Wrd = 0
                Spmcrval = &H24 : Gosub Do_spm
              Page = Page + 1
        End I f
    Next
Return
Do_spm:
   Z = Page
Shift Z , Lo
Z = Z + Wrd
                Left, Maxwordshift
  lds r30, {Z}
lds r31, {Z+1}
   #i f _romsize > 65536
```

'checksum is 0 when we start ' firt time send a nack 'wait for statuse byte ' start of heading, PC is 'increase local 'checksum is 1 block count block 'aet checksum first byte 'get 'get 128 bytes 'get second checksum byte 'are the blocks the same? 'is the checksum the same? 'yes go write the page 'acknowledge 'no match so send nak 'blocks do not match ' end of transmission , file 'if there was something left 'Z pointer needs wrd to be 0 'write page ' send ack and ready ' PC ' ready aborts transmission 'was probably still in the ' no valid data 'attempte left? 'decrease attempts 'reset chip we write 2 bytes into a page get Low and High bytes store them into r0 and r1 'write value into page at word ' word address increases with ' page is full 'Z pointer needs wrd to be 0 'write page page 'next

```
'make equal to page
'shift to proper place
'add word
```

BASCOM Language Reference 385

lds r24, {Z+2} sts rampz, r24 for the M128 ' we need to set rampz also #endif Nvm\_cmd = Spmcrval  $Cpu\_ccp = \&H9D$ spm 'this is an asm instruction Do\_spm\_busy: Ids r23, NVM\_STATUS sbrc r23,7; if busy bit is cleared rjmp\_do\_spm\_busy skip **next** instruc tion Return Proces\_reset: Rampz = 0 Goto \_reset 'start at address 0

# 6.34 \$LOADERSIZE

# Action

Instruct the compiler that a boot loader is used so it will not overwrite the boot space.

# Syntax

**\$LOADERSIZE** = size

# Remarks

size The amount of space that is used by the boot loader.

When you use a boot loader it will use space from the available flash memory. The compiler does not know if you use a boot loader or not. When your program exceeds the available space and runs into the boot sector space, it will overwrite the boot loader.

The \$loadersize directive will take the boot loader size into account so you will get an error when the target file gets too big.

When you select the MCS boot loader as programmer the IDE also will take into account the specified boot loader size.

The directive can be used when you have a different programmer selected. For example an external programmer that does not know about the boot size.

# See also

\$LOADER 374



Example

# 6.35 \$MAP

# Action

Will generate label info in the report.

# Syntax

\$MAP

# Remarks

The \$MAP directive will put an entry for each line number with the address into the report file. This info can be used for debugging purposes with other tools.

# See also

NONE

# ASM

NONE

# Example

\$MAP

The report file will not contain the following section :

### Code map

Line	Address(hex)	
1	0	
9	36	
26	39	
30	3B	
31	3E	
32	48	
33	4B	
36	50	
37	56	
42	5B	
43	6C	
44	7D	
45	80	
46	81	

# 6.36 \$NOCOMPILE

# Action

Instruct the compiler not to compile the file.

# Syntax

#### **\$NOCOMPILE**

# Remarks

This looks like an odd directive. Since you can split your program in multiple files, and you can create configuration files, you might open a file and try to compile it. Only normal project files can be compiled and you will get a number of errors and also unwanted files like error, report, etc.

To prevent that you compile a file that is intended to be included, you can insert the \$NOCOMPILE directive.

Then the file will only be compiled when it is called from your main file, or other include file.

A file that is opened as thus the main file, and which includes the \$NOCOMP directive, can not be compiled.

The IDE will see it as a successful compilation. This is important for the Batch Compiler.

# See also

Batch Compiler 90

# Example

\$NOCOMPILE

# 6.37 \$NOINIT

### Action

Instruct the compiler to generate code without initialization code.

#### Syntax \$NOINIT

# Remarks

\$NOINIT is only needed in rare situations. It will instruct the compiler not to add initialization code. But that means that you need to write your own code then. \$NOINIT was added in order to support boot loaders. But the new \$LOADER directive can better be used as it does not require special ASM knowledge.

# See also

\$LOADER 374

#### Example NONE

# 6.38 \$NORAMCLEAR

# Action

Instruct the compiler to not generate initial RAM clear code.

#### Syntax \$NORAMCLEAR

## Remarks

Normally the SRAM is cleared in the initialization code. When you don't want the SRAM to be cleared(set to 0) you can use this directive.

Because all variables are automatically set to 0 or ""(strings) without the \$NORAMCLEAR, using \$NORAMCLEAR will set the variables to an unknown value. That is, the variables will probably set to FF but you cannot count on it.

When you have a battery back upped circuit, you do not want to clear the RAM at start up. So that would be a situation when you could use \$NORAMCLEAR.

### See also

**<u>\$NOINIT</u>** 387

## 6.39 \$NORAMPZ

### Action

This compiler directive disables RAMPZ clearing.

# Syntax

\$NORAMPZ

# Remarks

Processors with more then 64 KB of memory need to set the RAMPZ register in order to point to the proper 64 KB page.

If the RAMPZ register is used, it will be cleared when it is used for something different then accessing the flash.

BASCOM uses the Z register to access flash memory or RAM memory. Since processors with external memory capability can access more then 64KB of RAM, the

RAMPZ must be set/cleared when accessing this memory. Otherwise accessing the flash code could result in a change of RAMPZ, and after this, accessing the RAM would not point to the proper place in memory.

But setting this register requires extra code. When your application just fitted into a M128 or M256 and you do not want this RAMPZ handling because your application works fine, then you can use this \$NORAMPZ directive.

To see if your processor

See also NONE

© 2012 MCS Electronics

#### Example NONE

#### 6.40 **\$NOTRANSFORM**

# Action

This option controls transformation of unsupported ASM mnemonics.

# Syntax

**\$NOTRANSFORM ON|OFF** 

# Remarks

By default, assembler mnemonics that are not supported for a chip or register are transformed into different assembler mnemonics.

The IN and OUT instructions for example only work on hardware registers with an address lower then 64. Most PORT registers are located in this lower address space, but there are many chips that have more ports which are located in extended memory. For such chips, using a IN or OUT on an extended address would result in a failure.

Thus the compiler changes IN into an LDS and an OUT into an STS. When a register is required, R23 will be used.

When you develop some ASM code, you might want to get an error when you are using an instruction the wrong way. For this purpose you can turn off the transformation.

\$NOTRANSFORM OFFwill turn off the transformation. And with \$NOTRANFORM ON you can turn it back on.

You should only use this option on your own code. When you use it on your whole program, it will not compile since the bascom libraries which use CBI, SBI, SBIS, IN, OUT, etc. will use the transformation.

#### See also NONE

# Example

NONE

#### 6.41 **\$PROJECTTIME**

# Action

This directive will keep track of time you spend on the source.

# Syntax

**\$PROJECTTIME** 

# Remarks

Keeping track of project time is the only purpose of this directive. It will be ignored by the compiler.

When the IDE finds the \$PROJECTTIME directive, it will count the minutes you spend on the code.

Each time you save the code, the updated value will be shown. The IDE will automatic insert the value after \$PROJECTTIME.

So how does this work?

When you type, you start a timer. When there are no keystrokes for 2 minutes, this process stops. It is started automatic as soon as you start typing. So when you type a character each minute, each minute will be counted a a full minutes of work.

The time is counted and shown in minutes.

While you can edit the value in the source, it will be changed as soon as you save the source.

See also

# Example

**\$PROJECTTIME** 

## 6.42 \$PROG

## Action

Directive to auto program the lock and fuse bits.

### Syntax

**\$PROG** LB, FB , FBH , FBX

# Syntax Xmega

**\$PROG** LB, F0 , F1 , F2 , F3 , F4 , F5

# Remarks

While the lock and fuse bits make the AVR customizable, the settings for your project can give some problems.

The \$PROG directive will create a file with the project name and the PRG extension.

Every time you program the chip, it will check the lock and fuse bit settings and will change them if needed.

So in a new chip, the lock and fuse bits will be set automatically. A chip that has been programmed with the desired settings will not be changed.

The programmer has an option to create the PRG file from the current chip settings.

The LB, FH, FBH and FBX values are stored in hexadecimal format in the PRJ file. You may use any notation as long as it is a numeric constant.

Some chips might not have a setting for FBH or FBX, or you might not want to set all values. In that case, do NOT specify the value. For example:

\$PROG &H20 ,,,

This will only write the Lockbit settings.

\$PROG ,,&H30,

This will only write the FBH settings.

LB	Lockbit settings
FB	Fusebit settings
FBH	Fusebit High settings
FBX	Extended Fusebit settings

Sometimes the data sheet refers to the Fusebit as the Fusebit Low settings.

The \$PROG setting is only supported by the AVRISP, STK200/300, Sample Electronics and Universal MCS Programmer Interface. The USB-ISP programmer also supports the \$PROG directive.

When you select the wrong Fuse bit, you could lock your chip. For example when you choose the wrong oscillator option, it could mean that the micro expects an external crystal oscillator. But when you connect a simple crystal, it will not work. In these cases where you can not communicate with the micro anymore, the advise is to apply a clock signal to X1 input of the micro.

You can then select the proper fuse bits again.

When you set the Lock bits, you can not read the chip content anymore. Only after erasing the chip, it could be reprogrammed again.

Once the lock bits and fuse bits are set, it is best to remark the \$PROG directive. This because it takes more time to read and compare the bits every time.

#### Xmega

The Xmega has one lock byte and 6 fuse bytes. For an Xmega the Write PRG option will write the correct code.

#### See also

Programmers 108, \$PROG 390

#### 6.43 \$PROGRAMMER

## Action

Will set the programmer from the source code.

#### Syntax

**\$PROGRAMMER** = number

## Remarks

Number A numeric constant that identifies the programmer.

The \$PROGRAMMER directive will set the programmer just before it starts programming. When you press F4 to program a chip, the selected programmer will be

#### 392 BASCOM-AVR

made active. This is convenient when you have different project open and use different programmers.

But it can also lead to frustration as you might think that you have the 'STK200' selected, and the directive will set it to USB-ISP.

The following values can be used :

Value	Programmer
0	AVR-ISP programmer(old AN 910)
1	STK200/STK300
2	PG302
3	External programmer
4	Sample Electronics
5	Eddie Mc Mullen
6	KITSRUS K122
7	STK500
8	Universal MCS Interface
9	STK500 extended
10	Lawicel Bootloader
11	MCS USB
12	USB-ISP I
13	MCS Bootloader
14	Proggy
15	FLIP

# See also

**<u>\$PROG</u>** 390

# ASM

NONE

# Example

\$REGFILE

# 6.44 \$REGFILE

# Action

Instruct the compiler to use the specified register file instead of the selected dat file.

# **Syntax**

**\$REGFILE** = "name"

# Remarks

Name	The name of the register file. The register files are stored in the BASCOM-AVR application directory and they all have the DAT extension.
	The register file holds information about the chip such as the internal

registers and interrupt addresses. The register file info is derived from atmel definition files.

The \$REGFILE statement overrides the setting from the Options, Compiler, Chip menu.

The settings are stored in a <project>.CFG file.

The \$REGFILE directive must be the first statement in your program. It may not be put into an included file since only the main source file is checked for the \$REGFILE directive.

It is good practice to use the \$REGFILE directive. It has the advantage that you can see at the source which chip it was written for. The \$REGFILE directive is also needed when the PinOut ab viewer or the PDF ab viewer is used.

The register files contain the hardware register names from the micro. They also contain the bit names. These are constants that you may use in your program. But the names can not be used to dim a variable for example.

Example : *DIM PORTA As Byte* This will not work as PORTA is a register constant.

# See also

<u>\$SWSTACK</u> बिण्टी , <u>\$HWSTACK</u> ब्रिडी , <u>\$FRAMESIZE</u> ब्रिमी, <u>Memory usage</u> वि

# ASM

NONE

# Example

\$REGFILE = "8515DEF.DAT"

# 6.45 \$RESOURCE

## Action

Instruct the compiler to use a special resource file for multi language support.

### Syntax

**\$RESOURCE** [DUMP] "lang1" [, "lang2"] **\$RESOURCE** ON | OFF

# Remarks

lang1	This is the name of the first and default language. You can add a maximum of 8 languages. The names will be used in the resource editor. But they are only intended as a reference. The resource names will not end up in your application. They are used for the column names in the resource editor.
lang2	The second language. You can add multiple languages separated by a comma. The language must be specified within double quotes.

	This will turn on the languages resource handling. In some cases you need to turn the language handling ON or OFF which is explained later
OFF	This will turn OFF the language handling
	This mode will create a <project>.BCS file which contains all used string constants</project>

Some applications require that the interface is available in multiple languages. You write your application the same way as you always do.

When it is ready, you can add the \$RESOURCE directive to make the application suited for multiple languages.

The \$RESOURCE option will generate a BYTE variable named LANGUAGE. You can change the value in your application. The compiler will take care that the proper string is shown.

But first you need to translate the strings into the languages of your choice. For this purpose you can use the Resource Editor. The <u>Resource Editor</u> a BCS file (BASCOM String file) which contains the languages and the strings. You can then add a string for all languages.

So first make sure your application works. Then compile using the \$RESOURCE DUMP option.

When you test the languages.bas sample the content will look like this : "English", "Dutch", "German", "Italian" "Multi language test"

"This" " is a test" "Name " "Hello "

As you can see, the first line contains the languages. The other lines only contain a string. Each string is only stored once in BASCOM. So even while "Mark" can have multiple meanings, it will only end up once in the BCS file. After you have translated the strings, the content of the BCR (BASCOM Resource) file will look like :

"English", "Dutch", "German", "Italian" "This", "Dit", "Dies", "Questo" "Name ", "Naam", "Name", "Nome" "Multi language test", "Meertalen test", "", "Test multilingua" "Hello ", "Hallo", "Hallo", "Ciao" " is a test", " is een test", "ist ein test", "è un test" "mark", "Mark", "Marcus", "Marco"

You may edit this file yourself, using Notepad or you can use the Resource Editor. Untranslated strings will be stored as "". Untranslated strings will be shown in the original language !

Now recompile your project and the compiler will handle every string it will find in the resource file (BCR) in a special way. Strings that are not found in the BCR file, are not processed and handled like normal. For example when you have a PRINT "check this out", and you did not put that in the BCR file, it will show the same no matter which value the LANGUAGE variable has.

But for each string found in the BCR file, the compiler will show the string depending on the LANGUAGE variable. When one of the languages is not translated, it will show as the original language.

When LANGUAGE is 0, it will show the first string (the string from the first column). When languages is 1, it will show the string from the second column, and so on.

You must take care that the LANGUAGE variables has a valid value.

So by switching/changing 1 variable, you can change the language in the entire application. Strings are used for PRINT, LCD and other commands. It will work on every string that is in the BCR file. But that also brings us to the next option.

Image this code : If S = "mark" Then Print "we can not change names" End If

As you can see, we use a string. The code will fail if the string is translated (and is different in each language). You can simply remove the this string from the Resource file. But when you also need the word "mark" in the interface, you have a problem. For this purpose you can turn off the resource handling using \$RESOURCE OFF The compiler will then not process the code following the directive with the special resource handling.

And when you are done, you can turn the resource handling on again using \$RESOURCE ON.

### See also

Resource Editor 94

# Example

```
_____
                         language.bas
                 (c) 1995-2008 , MCS Electronics
'This example will only work with the resource add on
'resources are only needed for multi language applications
'By changing the LANGUAGE variable all strings used will be shown in the proper lar
$regfile = "m88def.dat"
$crystal = 8000000
$baud = 19200
'a few steps are needed to create a multi language application
'STEP 1, make your program as usual
'STEP 2, generate a file with all string resources using the $RESOURCE DUMP direct:
'$resource Dump , "English" , "Dutch" , "German" , "Italian" 'we will use 4 language
'STEP 3, compile and you will find a file with the BCS extesion
'STEP 4, use Tools, Resource Editor and inport the resources
'STEP 5, add languages, translate the original strings
'STEP 6, compile your program this time with specifying the languages without the I
$resource "English" , "Dutch" , "German" , "Italian"
'this must be done before you use any other resource !
'in this sample 4 languages are used
'this because all resources found are looked up in the BCR file(BasCom Resource)
Dim S As String * 20
Dim B As Byte
Print "Multi language test"
Do
  Print "This" ;
  S = " is a test" : Print S
   Input "Name " , S
```

```
Print "Hello " ; S
   'now something to look out for !
   'all string data not found in the BCR file is not resourced. so there is no prob
   If S = "mark" Then
      Print "we can not change names"
   End If
   'but if you want to have "mark" resourced for another sentence you have a proble
   'the solution is to turn off resourcing
   Sresource Off
   Print "mark"
   If S = "mark" Then
      Print "we can not change names"
   End If
   $resource On
   Language = Language + 1
   If Language > 3 Then Language = 0
Loop
```

# 6.46 \$ROMSTART

# Action

Instruct the compiler to generate a hex file that starts at the specified address.

# **Syntax**

**\$ROMSTART** = address

# Remarks

Address The address where the code must start. By default the first address is 0. The bin file will still begin at address 0.

The \$ROMFILE could be used to locate code at a different address for example for a boot loader.

It is best to use the new \$LOADER directive to add boot loader support.

# See also

\$LOADER 374

# ASM

NONE

# Example

\$ROMSTART = &H4000

#### 6.47 \$SERIALINPUT

#### Action

Specifies that serial input must be redirected.

#### **Syntax**

**\$SERIALINPUT** = label

#### Remarks

Label	The name of the assembler routine that must be called when a character
	is needed by the INPUT routine. The character must be returned in R24.

With the redirection of the INPUT command, you can use your own input routines.

This way you can use other devices as input devices. Note that the INPUT statement is terminated when a RETURN code (13) is received.

By default when you use INPUT or INKEY(), the compiler will expect data from the COM port. When you want to use a keyboard or remote control as the input device you can write a custom routine that puts the data into register R24 once it needs this data.

#### See also

**\$SERIALOUTPUT** 4∞0

```
_____
_____
'name
                      : $serialinput.bas
'copyright
                      : (c) 1995-2005, MCS Electronics
                      : demonstrates $SERIALINPUT redirection of
'purpose
serial input
'micro
                     : Mega48
'suited for demo
                      : yes
'commercial addon needed : no
_____
                                           _____
$regfile = "m48def.dat"
'define used crystal
$crystal = 4000000
$hwstack = 32
                                                    ' default
use 32 for the hardware stack
\$swstack = 10
                                                    'default use
10 for the SW stack
$framesize = 40
                                                    'default use
40 for the frame space
'dimension used variables
Dim S As String * 10
Dim W As Long
```

398

```
'inform the compiler which routine must be called to get serial
characters
$serialinput = Myinput
'make a never ending loop
Do
  'ask for name
  Input "name " , S
  Print S
  'error is set on time out
  Print "Error " ; Err
Loop
End
'custom character handling routine
'instead of saving and restoring only the used registers
'and write full ASM code, we use Pushall and PopAll to save and restore
'all registers so we can use all BASIC statements
'$SERIALINPUT requires that the character is passed back in R24
Myinput:
 Pushall
                                                               'save all
registers
 W = 0
                                                               'reset
counter
Myinput1:
   Incr W
                                                               'increase
counter
   Sbis USR, 7
                                                                ' Wait for
character
   Rjmp myinput2
                                                               'no charac
waiting so check again
                                                               'we got
   Popall
something
  \mathbf{Err} = 0
                                                               'reset error
   In _temp1, UDR
                                                                ' Read
character from UART
  Return
                                                               'end of
routine
Myinput2:
   If W > 1000000 Then
                                                                'with 4 MHz
ca 10 sec delay
      rjmp Myinput_exit
                                                               'waited too
long
   Else
                                                               'try again
      Goto Myinput1
   End If
Myinput_exit:
 Popall
                                                               'restore
registers
 \mathbf{Err} = 1
                                                               'set error
variable
  ldi R24, 13
                                                                'fake enter
so INPUT will end
Return
```

#### 6.48 \$SERIALINPUT1

#### Action

Specifies that serial input of the second UART must be redirected.

#### Syntax \$SERIALINPUT1 = label

#### Remarks

Label The name of the assembler routine that must be called when a character is needed from the INPUT routine. The character must be returned in R24.

With the redirection of the INPUT command, you can use your own input routines.

This way you can use other devices as input devices. Note that the INPUT statement is terminated when a RETURN code (13) is received.

By default when you use INPUT or INKEY(), the compiler will expect data from the COM2 port. When you want to use a keyboard or remote control as the input device you can write a custom routine that puts the data into register R24 once it asks for this data.

#### See also

\$SERIALOUTPUT1 40 , \$SERIALINPUT 33 , \$SERIALOUTPUT 400

#### Example

See the <u>\$SERIALINPUT</u> 397 sample

#### 6.49 \$SERIALINPUT2LCD

#### Action

This compiler directive will redirect all serial input to the LCD display instead of echoing to the serial port.

#### Syntax \$SERIALINPUT2LCD

#### Remarks

You can also write your own custom input or output driver with the <u>\$SERIALINPUT</u> and <u>\$SERIALOUTPUT</u> (400) statements, but the \$SERIALINPUT2LCD is handy when you use a LCD display. By adding only this directive, you can view all output form routines such as PRINT, PRINTBIN, on the LCD display.

#### See also

\$SERIALINPUT 33时, \$SERIALOUTPUT 400时, \$SERIALINPUT1 33时, \$SERIALOUTPUT1 400日

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

```
400 BASCOM-AVR
```

```
Config Lcdpin = Pin , Db4 = Portb.4 , Db5 = Portb.5 , Db6 = Portb.6 ,
Db7 = Portb.7 , E = Portc.7 , Rs = Portc.6
$serialinput2lcd
Dim V As Byte
Do
Cls
Input "Number " , V 'this will
go to the LCD display
Loop
```

# 6.50 \$SERIALOUTPUT

#### Action

Specifies that serial output must be redirected.

#### **Syntax**

**\$SERIALOUTPUT** = label

#### Remarks

Label	The name of the assembler routine that must be called when a character is send to the serial buffer (UDR).
	The character is placed into R24.

With the redirection of the PRINT and other serial output related commands, you can use your own routines.

This way you can use other devices as output devices.

## See also

<u>\$SERIALINPUT</u> अभे , <u>\$SERIALINPUT2LCD</u> अभे , <u>\$SERIALINPUT1</u> अभे , <u>\$SERIALOUTPUT1</u> 40ने

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
$serialoutput = Myoutput
'your program goes here
Do
 Print "Hello"
Loop
End
myoutput:
'perform the needed actions here
'the data arrives in R24
'just set the output to PORTB
  !outportb,r24
ret
```

# 6.51 \$SERIALOUTPUT1

#### Action

Specifies that serial output of the second UART must be redirected.

#### **Syntax**

**\$SERIALOUTPUT1** = label

#### Remarks

Label	The name of the assembler routine that must be called when a character is send to the serial buffer (UDR1).
	The character is placed into R24.

With the redirection of the PRINT and other serial output related commands, you can use your own routines.

This way you can use other devices as output devices.

#### See also

<u>\$SERIALINPUT1</u> 39时, <u>\$SERIALINPUT</u> 39时, <u>\$SERIALINPUT2LCD</u> 39时, <u>\$SERIALOUTPUT</u> 400

#### Example

See the **\$SERIALOUTPUT** 400 example

#### 6.52 \$SIM

#### Action

Instructs the compiler to generate empty wait loops for the WAIT and WAITMS statements. This to allow faster simulation.

#### Syntax

\$SIM

#### Remarks

Simulation of a WAIT statement can take a long time especially when memory view windows are opened.

The \$SIM compiler directive instructs the compiler to not generate code for WAITMS and WAIT. This will of course allows faster simulation.

When your application is ready you must remark the \$SIM directive or otherwise the WAIT and WAITMS statements will not work as expected.

When you forget to remove the \$SIM option and you try to program a chip you will receive a warning that \$SIM was used.

# See also

NONE

# ASM

NONE

# Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
$sim
Do
Wait 1
Print "Hello"
Loop
```

# 6.53 \$SWSTACK

#### Action

Sets the available space for the software stack.

#### Syntax

**\$SWSTACK** = var

# Remarks

Var A numeric decimal value.

While you can configure the SW Stack in Options, Compiler, Chip, it is good practice to put the value into your code. This way you do no need the cfg(configuration) file.

The \$SWSTACK directive overrides the value from the IDE Options.

It is important that the \$SWSTACK directive occurs in your main project file. It may not be included in an \$include file as only the main file is parsed for \$SWSTACK

Software Stack stores the parameter addresses passed to a subroutine and LOCAL variable addresses.

So the Software stack stores the addresses of variables where each passed variable and local variable use 2 bytes per respective addresses.

When using SUB or FUNCTION there are 3 ways for parameters:

- Using BYREF pass a variable by reference with its ADDRESS (so it is pointing to an existing variable which is already in SRAM)
- Using BYVAL the value is stored in FRAME (during the SUB is processed) so it is pointing to the address in FRAME.

• Using BYLABEL pass the address of a label

When nothing is specified the parameter will be passed BYREF.

# See also

\$HWSTACK [355], \$FRAMESIZE [347], Memory Usage [171]

403

For example if you have used 10 locals in a SUB and there are 3 parameters passed to it, you need: (10 \* 2 Byte) + (3 \* 2 Byte) = **26 Byte Software Stack**.


The following SUB need 10 Byte of Software Stack: 5\* 2 Byte = **10 Byte** 

```
Sub My_sub()
Local A1 As Byte , A2 As Byte , A3 As Byte , A4 As Byte , A5 As Byte
A1 = 1
A2 = 2
A3 = 3
A4 = 4
A5 = 5
End Sub
```

So the software stack size <u>can be calculated by taking the maximum number of</u> <u>parameter passed to a SUB routine, adding the number of LOCAL variables and</u> <u>multiplying the result by 2</u>. To be safe, add 4 more bytes for internally used LOCAL variables.

If you have several SUB or FUNCTIONS search for the SUB or FUNCTION with the most parameters and LOCAL variables and use that calculated maximum numbers for defining the Software Stack (\$swstack).

The Software Stack is growing top down (see picture) and start direct after the Hardware Stack. The Software Stack grows against the FRAME.



Picture: Example Memory of ATXMEGA128A1

[\*\*\*\*] [17f]

#### Example

```
$regfile = "xm128a1def.dat"
$crystal = 32000000 '32MHz
$hwstack = 64
$swstack = 128
$framesize = 288
Config Osc = Enabled, 32mhzosc = Enabled '32MHz
'configure
            the
                     systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
'32MHz
'Config
             Interrupts
                                                 Application , Lo =
Config Priority = Static ,
                                    Vector =
Config Priority = Static , Vector = Application , Lo =
Enabled 'Enable Lo Level Interrupts
Config Com1 = 57600 , Mode = Asynchroneous , Parity = None ,
Stopbits = 1, Databits = 8
Declare Sub My_sub()
Call My_sub()
End 'end program
Sub My_sub()
  Local A1 As Byte, A2 As Byte, A3 As Byte, A4 As Byte,
A5 As Byte
  Local S As String * 254
 For A1 = 1 To 254
S = S + "1"
 Next A1
 A1 = 1
 A2 = 2
 A3 = 3
 A4 = 4
 A5 = 5
  Print A1
End Sub
                                            'default use 40 for the frame
space
```

#### 6.54 **\$TIMEOUT**

#### Action

Enable timeout on the hardware UART 0 and UART1.

#### Syntax **STIMEOUT** = value

## Remarks

Value A constant that fits into a LONG , indicating how much time must be waited before the waiting is terminated.

All RS-232 serial statements and functions(except INKEY) that use the HW UART, will halt the program until a character is received. Only with buffered serial input you can process your main program while the buffer received data on the background.

\$TIMEOUT is an alternative for normal serial reception. It is not intended to be used with buffered serial reception.

When you assign a constant to \$TIMEOUT, you actual assign a value to the internal created value named \_\_\_\_\_TIMEOUT.

This value will be decremented in the routine that waits for serial data. When it reaches zero, it will terminate.

So the bigger the value, the longer the wait time before the timeout occurs. The timeout is not in seconds or microseconds, it is a relative number. Only the speed of the oscillator has effect on the duration. And the value of the number of course.

When the time out is reached, a zero/null will be returned to the calling routine. Waitkey() will return 0 when used with a byte. When you use INPUT with a string, the timeout will be set for every character. So when 5 characters are expected, and they arrive just before the timeout value is reached, it may take a long time until the code is executed.

When the timeout occurs on the first character, it will return much faster.

When you already sent data, this data will be returned. For example, "123" was sent but a RETURN was never sent, INPUT will return "123". While without the \$TIMEOUT, INPUT will not return until a RETURN is received.

When you activate \$TIMEOUT, and your micro has two UARTS(Mega128 for example) it will be active for both UART0 and UART1.

\$TIMEOUT is not supported by the software UART.

#### See Also

INPUT 7947, WAITKEY 1000

#### Example

```
'name: timeout.bas'copyright: (c) 1995-2005, MCS Electronics'purpose: demonstration of the $timeout option'micro: Mega48'suited for demo: yes'commercial addon needed: no
```

\_\_\_\_\_

```
_____
$regfile = "m48def.dat"
                                                             ' specify
the used micro
$crystal = 8000000
                                                             ' used
crystal frequency
$baud = 19200
                                                             ' use baud
rate
$hwstack = 32
                                                             ' default
use 32 for the hardware stack
\$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
'most serial communication functions and routines wait until a character
'or end of line is received.
'This blocks execution of your program. SOmething you can change by
using buffered input
'There is also another option : using a timeout
'$timeout Does Not Work With Buffered Serial Input
Dim Sname As String * 10
Dim B As Byte
Do
   $timeout = 1000000
   Input "Name : " , Sname
  Print "Hello " ; Sname
   $timeout = 5000000
   Input "Name : " , Sname
  Print "Hello " ; Sname
LOOD
'you can re-configure $timeout
```

## 6.55 \$TINY

#### Action

Instruct the compiler to generate initialize code without setting up the stacks.

# Syntax

\$TINY

#### Remarks

The tiny11 for example is a powerful chip. It only does not have SRAM. BASCOM depends on SRAM for the hardware stack and software stack. When you like to program in ASM you can use BASCOM with the \$TINY directive.

Some BASCOM statements will also already work but the biggest part will not work. A future version will support a subset of the BASCOM statements and function to be used with the chips without SRAM.

Note that the generated code is not yet optimized for the tiny parts. Some used ASM statements for example will not work because the chip does not support it.

406

#### See also

NONE

#### ASM

NONE

# Example

\$regfile = "at15def.dat"
the used micro
\$crystal = 1000000
crystal frequency

' specify

' used

# \$tiny \$noramclear Dim A As Iram Byte Dim B As Iram Byte A = 100 : B = 5 A = A + B nop

#### 6.56 \$VERSION

#### Action

This compiler directive stores version information.

# 

**\$VERSION V,S,R** 

#### Remarks

Version info is important information. If you need to maintain source code, it will make it easy to identify the code.

\$VERSION has 3 parameters. These must be numeric digits. Each time you compile your code, the release number is increased.

You can use Version(2) to print this information. \$version 1,2,3 will be printed as 1.2.3

See also VERSION 998

#### **Example**

\$version 1,2,3
Print Version(2)

#### 6.57 \$WAITSTATE

#### Action

Compiler directive to activate external SRAM and to insert a WAIT STATE for a slower ALE signal.

CONFIG XRAM 📾 should be used instead.

#### Syntax \$WAITSTATE

## Remarks

The \$WAITSTATE can be used to override the Compiler Chip Options setting. Wait states are needed for slow external components that can not handle the fast ALE signal from the AVR chip.

#### See also

\$XA 4087 , CONFIG XRAM 6337

#### Example

\$WAITSTATE

# 6.58 \$XA

# Action

Compiler directive to activate external memory access.

\rm CONFIG XRAM 🖾 should be used instead.

# Syntax

\$XA

#### Remarks

The \$XA directive can be used to override the Compiler Chip Options setting. This way you can store the setting in your program code. It is strongly advised to do this.

See also \$WAITSTATE 4087, CONFIG XRAM 6337

#### Example

\$XA

#### 6.59 \$XRAMSIZE

#### Action

Specifies the size of the external RAM memory.

#### Syntax

**\$XRAMSIZE** = [&H] size

#### Remarks

```
Size A constant with the size of the external RAM memory chip.
```

The size of the chip can be selected from the <u>Options Compiler Chip</u> and menu. The \$XRAMSIZE overrides this setting. It is important that \$XRAMSTART precedes \$XRAMSIZE

#### See also

<u>\$XRAMSTART</u> 410

# Example

```
_____
                      : m128.bas
'name
                      : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                      : demonstrate using $XRAM directive
                      : Megal28
'micro
'suited for demo
                      : yes
'commercial addon needed : no
_____
$regfile = "m128def.dat"
                                                     ' specify
the used micro
$crystal = 1000000
                                                     ' used
crystal frequency
\$hwstack = 32
                                                     ' default
use 32 for the hardware stack
```

\_\_\_\_\_

' default

' default

\$xramstart = &H1000

use 10 for the SW stack

use 40 for the frame space

\$swstack = 10

**\$framesize** = 40

\$xramsize = &H1000
Dim X As X

#### 6.60 \$XRAMSTART

#### Action

Specifies the location of the external RAM memory.

#### **Syntax**

**\$XRAMSTART** = [&H]address

#### Remarks

Address	The (hex)-address where the data is stored.
	Or the lowest address that enables the RAM chip. You can use this option when you want to run your code in systems with external RAM memory. Address must be a constant.

By default the extended RAM will start after the internal memory so the lower addresses of the external RAM can't be used to store information.

When you want to protect an area of the chip, you can specify a higher address for the compiler to store the data. For example, you can specify &H400. The first dimensioned variable will be placed in address &H400 and not in &H260.

It is important that when you use \$XRAMSTART and \$XRAMSIZE that \$XRAMSTART comes before \$XRAMSIZE.

#### See also

<u>\$XRAMSIZE</u> 409

```
$regfile = "m128def.dat"
                                                              ' specify
the used micro
$crystal = 1000000
                                                              ' used
crystal frequency
                                                              ' default
\$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
$xramstart = &H1000
$xramsize = &H1000
Dim X As X
```

#### 6.61 \$XTEAKEY

#### Action

This directive accepts a 16 byte XTEA key and informs the compiler to encrypt the binary image.

#### **Syntax**

\$XTEAKEY 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16

# Remarks

\$XTEAKEY accepts 16 parameters. These are the 16 bytes which together form a 128 bit key.

When your code is compiled, the resulting binary code will be encrypted with the provided key.

A boot loader could then use XTEA and decrypt the binary file before writing to flash memory.

The XTEADECODE statement can be used inside a boot loader to decrypt the encrypted blocks.

Only the binary image is encrypted, the HEX file is not encrypted! You can not simulate an encrypted program. Add this option when your project is ready.

#### See also

\$AESKEY [331], XTEAENCODE [1012], XTEADECODE [1010]

# Example

NONE

#### 6.62 1WIRECOUNT

#### Action

This statement reads the number of 1wire devices attached to the bus.

#### **Syntax**

var2 = 1WIRECOUNT()
var2 = 1WIRECOUNT( port , pin)

#### Remarks

	A WORD variable that is assigned with the number of devices on the bus.
port	The PIN port name like PINB or PIND.
	The pin number of the port. In the range from 0-7. May be a numeric constant or variable.

The variable must be of the type word or integer.

You can use the 1wirecount() function to know how many times the 1wsearchNext() function should be called to get all the Id's on the bus.

The 1wirecount function will take 4 bytes of SRAM.

\_\_\_\_1w\_bitstorage , Byte used for bit storage : lastdeviceflag bit 0 id\_bit bit 1 cmp\_id\_bit bit 2 search\_dir bit 3 \_\_\_\_1wid\_bit\_number, Byte \_\_\_1wlast\_zero, Byte \_\_\_1wlast\_discrepancy , Byte

#### ASM

The following asm routines are called from mcs.lib.

\_1wire\_Count : (calls \_1WIRE, \_1WIRE\_SEARCH\_FIRST , \_1WIRE\_SEARCH\_NEXT)

Parameters passed : R24 : pin number, R30 : port , Y+0,Y+1 : 2 bytes of soft stack, X : pointer to the frame space

Returns Y+0 and Y+1 with the value of the count. This is assigned to the target variable.

#### See also

<u>1WWRITE</u>[425], <u>1WRESET</u>[414], <u>1WREAD</u> [416], <u>1WSEARCHFIRST</u>[418], <u>1WSEARCHNEXT</u>[420], Using the 1wire protocol [197]

# Example

\_\_\_\_\_ \_\_\_\_\_ · \_ \_ \_ \_ \_ \_ . \_\_\_\_\_ 'name : lwireSearch.bas 'copyright : (c) 1995-2005, MCS Electronics : demonstrates 1wsearch 'purpose 'micro : Mega48 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" \$crystal = 4000000\$hwstack = 32' default use 32 for the hardware stack \$swstack = 10'default use 10 for the SW stack **\$framesize** = 40 'default use 40 for the frame space 'use this **Config** lwire = Portb.0 pin 'On the STK200 jumper B.0 must be inserted

```
'The following internal bytes are used by the scan routines
 ____1w_bitstorage , Byte used for bit storage :
       lastdeviceflag bit 0
       id_bit
                     bit 1
       cmp_id_bit
                     bit
       search dir
                     bit 3
   _1wid_bit_number, Byte
  ___1wlast_zero, Byte
  ____1wire_data , string * 7 (8 bytes)
'[DIM variables used]
'we need some space from at least 8 bytes to store the ID
Dim Reg_no(8) As Byte
'we need a loop counter and a word/integer for counting the ID's on the
bus
Dim I As Byte , W As Word
'Now search for the first device on the bus
Reg_no(1) = 1wsearchfirst()
For I = 1 To 8
                                                            'print the
number
   Print Hex(reg_no(i));
Next
Print
Do
  'Now search for other devices
  Reg_no(1) = 1wsearchnext()
  For I = 1 To 8
    Print Hex(reg_no(i));
 Next
 Print
Loop Until Err = 1
'When ERR = 1 is returned it means that no device is found anymore
'You could also count the number of devices
W = 1wirecount()
'It is IMPORTANT that the 1wirecount function returns a word/integer
'So the result variable must be of the type word or integer
'But you may assign it to a byte or long too of course
Print W
'as a bonus the next routine :
' first fill the array with an existing number
Reg_no(1) = 1wsearchfirst()
' unremark next line to chance a byte to test the ERR flag
'Reg_no(1) = 2
'now verify if the number exists
lwverify Reg_no(1)
Print Err
'err =1 when the ID passed n reg_no() does NOT exist
' optinal call it with pinnumber line lwverify reg_no(1),pinb,1
'As for the other lwire statements/functions, you can provide the port
and pin number as anoption
'W = lwirecount(pinb , 1)
                                                             'for
example look at pin PINB.1
```

End

#### 6.63 **1WRESET**

#### Action

This statement brings the 1wire pin to the correct state, and sends a reset to the bus.

#### Syntax

1WRESET 1WRESET, PORT, PIN

#### Remarks

	Reset the 1WIRE bus. The error variable ERR will return 1 if an error occurred
Port	The register name of the input port. Like PINB, PIND.
	The pin number to use. In the range from 0-7. May be a numeric constant or variable.

The global variable ERR is set when an error occurs. There is also support for multi 1-wire devices on different pins.

To use this you must specify the port and pin that is used for the communication.

The 1wreset, 1wwrite and 1wread statements will work together when used with the old syntax. And the pin can be configured from the compiler options or with the CONFIG 1WIRE statement.

The syntax for additional 1-wire devices is :

1WRESET port , pin 1WWRITE var/constant ,bytes] , port, pin var = 1WREAD( bytes) , for the configured 1 wire pin var = 1WREAD(bytes, port, pin) ,for reading multiple bytes

#### See also

1WREAD 416 , 1WWRITE 425

#### Example

'name	: lwire.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: demonstrates lwreset, lwwrite and lwread()
'micro	: Mega48
'suited for demo	: yes
'commercial addon needed	: no
' pull-up of 4K7 required	to VCC from Portb.2
' DS2401 serial button co	nnected to Portb.2
'	

\_\_\_\_\_

```
$regfile = "m48def.dat"
$crystal = 4000000
$hwstack = 32
                                                               ' default
use 32 for the hardware stack
\$swstack = 10
                                                               'default use
10 for the SW stack
$framesize = 40
                                                               'default use
40 for the frame space
'when only bytes are used, use the following lib for smaller code
$lib "mcsbyte.lib"
Config 1wire = Portb.0
                                                               'use this
pin
'On the STK200 jumper B.0 must be inserted
Dim Ar(8) As Byte , A As Byte , I As Byte
Do
  Wait 1
  1wreset
                                                               'reset the
device
  Print Err
                                                               'print error
1 if error
                                                               'read ROM
  lwwrite &H33
command
 For I = 1 To 8
   Ar(i) = 1wread()
                                                               'place into
array
 Next
'You could also read 8 bytes a time by unremarking the next line
'and by deleting the for next above
'Ar(1) = 1wread(8)
                                                                'read 8
bytes
  For I = 1 To 8
     Print Hex(ar(i));
                                                               'print
output
 Next
 Print
                                                               'linefeed
Loop
'NOTE THAT WHEN YOU COMPILE THIS SAMPLE THE CODE WILL RUN TO THIS POINT
'THIS because of the DO LOOP that is never terminated!!!
'New is the possibility to use more than one 1 wire bus
'The following syntax must be used:
For I = 1 To 8
 Ar(i) = 0
                                                               'clear array
to see that it works
Next
lwreset Pinb , 2
                                                               'use this
port and pin for the second device
lwwrite &H33 , 1 , Pinb , 2
now the number of bytes must be specified!
                                                               'note that
'lwwrite Ar(1) , 5,pinb,2
'reading is also different
```

```
BASCOM-AVR
```

416

```
Ar(1) = 1wread(8, Pinb, 2)
                                                             'read 8
bytes from portB on pin 2
For I = 1 To 8
 Print Hex(ar(i));
Next
'you could create a loop with a variable for the bit number !
For I = 0 To 3
                                                              'for pin 0-3
  1wreset Pinb , I
  lwwrite &H33 , 1 , Pinb , I
 Ar(1) = 1wread(8 , Pinb , I)
 For A = 1 To 8
   Print Hex(ar(a));
 Next
 Print
Next
End
```

#### 6.64 1WREAD

#### Action

This statement reads data from the 1wire bus into a variable.

#### **Syntax**

var2 = 1WREAD( [ bytes] )
var2 = 1WREAD( bytes , port , pin)

#### Remarks

var2	Reads a byte from the bus and places it into variable var2.	
	Optional the number of bytes to read can be specified.	
Port	The PIN port name like PINB or PIND.	
Pin	The pin number of the port. In the range from 0-7. Maybe a numeric constant or variable.	

Multi 1-wire devices on different pins are supported. To use this you must specify the port pin that is used for the communication.

The 1wreset, 1wwrite and 1wread statements will work together when used with the old syntax. And the pin can be configured from the compiler options or with the CONFIG 1WIRE statement [483].

The syntax for additional 1-wire devices is : 1WRESET port, pin 1WWRITE var/constant , bytes, port, pin var = 1WREAD(bytes, port, pin) for reading multiple bytes

#### See also

1WWRITE 425, 1WRESET 414

```
_____
_____
'name
                        : 1wire.bas
'copyright
                         : (c) 1995-2005, MCS Electronics
                         : demonstrates lwreset, lwwrite and lwread()
'purpose
'micro
                         : Mega48
'suited for demo
                         : yes
'commercial addon needed : no
' pull-up of 4K7 required to VCC from Portb.2
' DS2401 serial button connected to Portb.2
·-----
                                             _____
_____
$regfile = "m48def.dat"
$crystal = 4000000
$hwstack = 32
                                                          ' default
use 32 for the hardware stack
\$swstack = 10
                                                          'default use
10 for the SW stack
$framesize = 40
                                                          'default use
40 for the frame space
'when only bytes are used, use the following lib for smaller code
$lib "mcsbyte.lib"
Config 1wire = Portb.0
                                                          'use this
pin
'On the STK200 jumper B.0 must be inserted
Dim Ar(8) As Byte , A As Byte , I As Byte
Do
 Wait 1
 1wreset
                                                          'reset the
device
 Print Err
                                                          'print error
1 if error
 1wwrite &H33
                                                          'read ROM
command
 For I = 1 To 8
   Ar(i) = lwread()
                                                          'place into
array
 Next
'You could also read 8 bytes a time by unremarking the next line
'and by deleting the for next above
'Ar(1) = 1wread(8)
                                                           'read 8
bytes
 For I = 1 To 8
    Print Hex(ar(i));
                                                          'print
output
 Next
 Print
                                                          'linefeed
Loop
'NOTE THAT WHEN YOU COMPILE THIS SAMPLE THE CODE WILL RUN TO THIS POINT
'THIS because of the DO LOOP that is never terminated!!!
```

```
'New is the possibility to use more than one 1 wire bus
'The following syntax must be used:
For I = 1 To 8
 Ar(i) = 0
                                                                'clear array
to see that it works
Next
1wreset Pinb , 2
                                                                'use this
port and pin for the second device
1wwrite &H33 , 1 , Pinb , 2
now the number of bytes must be specified!
                                                                'note that
'lwwrite Ar(1) , 5,pinb,2
'reading is also different
Ar(1) = 1wread(8, Pinb, 2)
                                                                'read 8
bytes from portB on pin 2
For I = 1 To 8
 Print Hex(ar(i));
Next
'you could create a loop with a variable for the bit number !
For I = 0 To 3
                                                                'for pin 0-3
  lwreset Pinb , I
  lwwrite &H33 , 1 , Pinb , I
  Ar(1) = 1wread(8, Pinb, I)
  For A = 1 To 8
    Print Hex(ar(a));
 Next
 Print
Next
End
```

#### 6.65 1WSEARCHFIRST

#### Action

This statement reads the first ID from the 1wire bus into a variable(array).

#### **Syntax**

```
var2 = 1WSEARCHFIRST()
var2 = 1WSEARCHFIRST( port , pin)
```

#### Remarks

var2	A variable or array that should be at least 8 bytes long that will be assigned with the 8 byte ID from the first 1wire device on the bus.
port	The PIN port name like PINB or PIND.
pin	The pin number of the port. In the range from 0-7. Maybe a numeric constant or variable.

The 1wireSearchFirst() function must be called once to initiate the ID retrieval process. After the 1wireSearchFirst() function is used you should use successive function calls to the 1wSearchNext function to retrieve other ID's on the bus.

A string can not be assigned to get the values from the bus. This because a null may be returned as a value and the null is also used as a string terminator.

I would advice to use a byte array as shown in the example.

The 1wirecount function will take 4 bytes of SRAM. \_\_\_\_1w\_bitstorage , Byte used for bit storage : lastdeviceflag bit 0 id\_bit bit 1 cmp\_id\_bit bit 2 search\_dir bit 3 \_\_\_1wid\_bit\_number, Byte \_\_\_1wlast\_zero, Byte \_\_\_1wlast\_discrepancy , Byte

#### ASM

The following asm routines are called from mcs.lib.

\_1wire\_Search\_First : (calls \_1WIRE, \_ADJUST\_PIN , \_ADJUST\_BIT\_ADDRESS) Parameters passed : R24 : pin number, R30 : port , X : address of target array Returns nothing.

#### See also

1WWRITE 4251, 1WRESET 4141, 1WREAD 4161, 1WSEARCHNEXT 4201, 1WIRECOUNT 411

```
_____
'name
                         : 1wireSearch.bas
                         : (c) 1995-2005, MCS Electronics
'copyright
                         : demonstrates 1wsearch
'purpose
                        : Mega48
'micro
'suited for demo
                        : yes
'commercial addon needed : no
                                               _____
_____
$regfile = "m48def.dat"
$crystal = 4000000
$hwstack = 32
                                                           ' default
use 32 for the hardware stack
$swstack = 10
                                                           'default use
10 for the SW stack
$framesize = 40
                                                           'default use
40 for the frame space
Config 1wire = Portb.0
                                                           'use this
pin
'On the STK200 jumper B.0 must be inserted
'The following internal bytes are used by the scan routines
  ____1w_bitstorage , Byte used for bit storage :
      lastdeviceflag bit 0
      id_bit
                     bit 1
      cmp_id_bit
      cmp_id_bit bit 2
search_dir bit 3
  ____1wid_bit_number, Byte
 ____1wlast_zero, Byte
 ____lwlast_discrepancy , Byte
___lwire_data , string * 7 (8 bytes)
```

```
'[DIM variables used]
'we need some space from at least 8 bytes to store the ID
Dim Reg_no(8) As Byte
'we need a loop counter and a word/integer for counting the ID's on the
bus
Dim I As Byte , W As Word
'Now search for the first device on the bus
Reg_no(1) = lwsearchfirst()
For I = 1 To 8
                                                             'print the
number
    Print Hex(req no(i));
Next
Print
Do
  'Now search for other devices
  Reg_no(1) = lwsearchnext()
  For I = 1 To 8
     Print Hex(reg_no(i));
  Next
  Print
Loop Until Err = 1
'When ERR = 1 is returned it means that no device is found anymore
'You could also count the number of devices
W = 1wirecount()
'It is IMPORTANT that the lwirecount function returns a word/integer
'So the result variable must be of the type word or integer
'But you may assign it to a byte or long too of course
Print W
'as a bonus the next routine :
' first fill the array with an existing number
Reg_no(1) = 1wsearchfirst()
' unremark next line to chance a byte to test the ERR flag
'Reg_no(1) = 2
'now verify if the number exists
lwverify Reg_no(1)
Print Err
'err =1 when the ID passed n reg_no() does NOT exist
' optinal call it with pinnumber line lwverify reg_no(1),pinb,1
'As for the other lwire statements/functions, you can provide the port
and pin number as anoption
'W = lwirecount(pinb , 1)
                                                              'for
example look at pin PINB.1
End
```

#### 6.66 1WSEARCHNEXT

#### Action

This statement reads the next ID from the 1wire bus into a variable(array).

#### Syntax

```
var2 = 1WSEARCHNEXT()
var2 = 1WSEARCHNEXT( port , pin)
```

#### **Remarks**

	A variable or array that should be at least 8 bytes long that will be assigned with the 8 byte ID from the next 1wire device on the bus.
Port	The PIN port name like PINB or PIND.
	The pin number of the port. In the range from 0-7. May be a numeric constant or variable.

The 1wireSearchFirst() function must be called once to initiate the ID retrieval process. After the 1wireSearchFirst() function is used you should use successive function calls to the 1wireSearchNext function to retrieve other ID's on the bus.

A string can not be assigned to get the values from the bus. This because a null may be returned as a value and the null is also used as a string terminator.

I would advice to use a byte array as shown in the example.

The 1wirecount function will take 4 bytes of SRAM.

\_\_\_\_1w\_bitstorage , Byte used for bit storage :
lastdeviceflag bit 0
id\_bit bit 1
cmp\_id\_bit bit 2
search\_dir bit 3
\_\_\_\_1wid\_bit\_number, Byte
\_\_\_1wlast\_zero, Byte
\_\_\_1wlast\_discrepancy , Byte

#### ASM

The following asm routines are called from mcs.lib.

\_1wire\_Search\_Next : (calls \_1WIRE, \_ADJUST\_PIN , \_ADJUST\_BIT\_ADDRESS) Parameters passed : R24 : pin number, R30 : port , X : address of target array Returns nothing.

#### See also

1WWRITE 425), 1WRESET 414), 1WREAD 416), 1WSEARCHFIRST 418), 1WIRECOUNT 411)

'name 'copyright	: lwireSearch.bas : (c) 1995-2005, MCS Electronics
'purpose	: demonstrates lwsearch
'micro	: Mega48
'suited for demo	: yes
'commercial addon needed	: no

```
$regfile = "m48def.dat"
$crystal = 4000000
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              'default use
10 for the SW stack
$framesize = 40
                                                              'default use
40 for the frame space
Config 1wire = Portb.0
                                                              'use this
pin
'On the STK200 jumper B.0 must be inserted
'The following internal bytes are used by the scan routines
 ____1w_bitstorage , Byte used for bit storage :
       lastdeviceflag bit 0
       id_bit
                     bit 1
       cmp_id_bit
                      bit 2
       search dir
                      bit
                          3
   _1wid_bit_number, Byte
   _1wlast_zero, Byte
  __lwlast_discrepancy , Byte
  ___1wire_data , string * 7 (8 bytes)
'[DIM variables used]
'we need some space from at least 8 bytes to store the ID
Dim Reg_no(8) As Byte
'we need a loop counter and a word/integer for counting the ID's on the
bus
Dim I As Byte , W As Word
'Now search for the first device on the bus
Reg_no(1) = 1wsearchfirst()
For I = 1 To 8
                                                              'print the
number
   Print Hex(reg_no(i));
Next
Print
Do
  'Now search for other devices
 Reg_no(1) = lwsearchnext()
 For I = 1 To 8
    Print Hex(reg_no(i));
 Next
 Print
Loop Until Err = 1
'When ERR = 1 is returned it means that no device is found anymore
'You could also count the number of devices
W = 1 wirecount()
'It is IMPORTANT that the lwirecount function returns a word/integer
'So the result variable must be of the type word or integer
'But you may assign it to a byte or long too of course
Print W
```

'as a bonus the next routine :

```
' first fill the array with an existing number
Reg_no(1) = lwsearchfirst()
' unremark next line to chance a byte to test the ERR flag
'Reg_no(1) = 2
'now verify if the number exists
lwverify Reg_no(1)
Print Err
'err =1 when the ID passed n reg_no() does NOT exist
' optinal call it with pinnumber line lwverify reg_no(1),pinb,1
'As for the other lwire statements/functions, you can provide the port
and pin number as anoption
'W = lwirecount(pinb , 1) 'for
example look at pin PINB.1
End
```

#### 6.67 1WVERIFY

#### Action

This verifies if an ID is available on the 1wire bus.

#### **Syntax**

**1WVERIFY** ar(1) **1WVERIFY** ar(1), port, pin

#### Remarks

Ar(1)	A byte array that holds the ID to verify.
port	The name of the PORT PINx register like PINB or PIND.
1' ·	The pin number in the range from 0-7. May be a numeric constant or variable.

Returns ERR set to 0 when the ID is found on the bus otherwise it will be 1.

#### ASM

The following asm routines are called from mcs.lib. \_1wire\_Search\_Next : (calls \_1WIRE, \_ADJUST\_PIN , \_ADJUST\_BIT\_ADDRESS)

#### See also

1WWRITE 4251, 1WRESET 4141, 1WREAD 4161, 1WSEARCHFIRST 4181, 1WIRECOUNT 411

#### Example

!\_\_\_\_\_

```
_____
'name
                    : lwireSearch.bas
'copyright
                    : (c) 1995-2005, MCS Electronics
                    : demonstrates 1wsearch
'purpose
                    : Mega48
'micro
                   : yes
'suited for demo
'commercial addon needed : no
                       -----
......
                  _ _ _ _ _
_____
```

\_\_\_\_\_

\$regfile = "m48def.dat"

```
Scrystal = 4000000
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                             'default use
10 for the SW stack
$framesize = 40
                                                             'default use
40 for the frame space
Config 1wire = Portb.0
                                                              'use this
pin
'On the STK200 jumper B.0 must be inserted
'The following internal bytes are used by the scan routines
 ____1w_bitstorage , Byte used for bit storage :
       lastdeviceflag bit 0
       id_bit
                     bit 1
       cmp_id_bit
                     bit 2
       search_dir
                      bit 3
   _1wid_bit_number, Byte
   _1wlast_zero, Byte
   _1wlast_discrepancy , Byte
  ___1wire_data , string * 7 (8 bytes)
'[DIM variables used]
'we need some space from at least 8 bytes to store the ID
Dim Reg_no(8) As Byte
'we need a loop counter and a word/integer for counting the ID's on the
bus
Dim I As Byte , W As Word
'Now search for the first device on the bus
Reg_no(1) = lwsearchfirst()
For I = 1 To 8
                                                              'print the
number
   Print Hex(reg_no(i));
Next
Print
Do
  'Now search for other devices
 Reg_no(1) = lwsearchnext()
 For I = 1 To 8
     Print Hex(reg_no(i));
 Next
  Print
Loop Until Err = 1
'When ERR = 1 is returned it means that no device is found anymore
'You could also count the number of devices
W = lwirecount()
'It is IMPORTANT that the lwirecount function returns a word/integer
'So the result variable must be of the type word or integer
'But you may assign it to a byte or long too of course
Print W
'as a bonus the next routine :
' first fill the array with an existing number
Reg_no(1) = lwsearchfirst()
```

\_\_\_\_\_

```
' unremark next line to chance a byte to test the ERR flag
'Reg_no(1) = 2
'now verify if the number exists
lwverify Reg_no(1)
Print Err
'err =1 when the ID passed n reg_no() does NOT exist
' optional call it with pinnumber line lwverify reg_no(1),pinb,1
'As for the other lwire statements/functions, you can provide the port
and pin number as anoption
'W = lwirecount(pinb , 1) 'for
example look at pin PINB.1
End
```

#### 6.68 1WWRITE

#### Action

This statement writes a variable to the 1wire bus.

#### **Syntax**

1WWRITE var1
1WWRITE var1, bytes
1WWRITE var1 , bytes , port , pin

#### Remarks

var1	Sends the value of var1 to the bus. The number of bytes can be specified too but this is optional.
bytes	The number of bytes to write. Must be specified when port and pin are used.
port	The name of the PORT PINx register like PINB or PIND.
pin	The pin number in the range from 0-7. May be a numeric constant or variable.

Multiple 1-wire devices on different pins are supported. To use this you must specify the port and pin that are used for the communication.

The 1wreset, 1wwrite and 1wread statements will work together when used with the old syntax. And the pin can be configured from the compiler options or with the <u>CONFIG 1WIRE</u> statement.

The syntax for additional 1-wire devices is : 1WRESET port , pin 1WWRITE var/constant, bytes, port , pin var = 1WREAD(bytes, port, pin) ,for reading multiple bytes

See also <u>1WREAD</u> [416] , <u>1WRESET</u> [414]

```
426 BASCOM-AVR
```

```
____
'name
                         : lwire.bas
                         : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                         : demonstrates lwreset, lwwrite and lwread()
'micro
                         : Mega48
'suited for demo
                         : yes
'commercial addon needed : no
' pull-up of 4K7 required to VCC from Portb.2
' DS2401 serial button connected to Portb.2
/_____
                                            _____
_____
$regfile = "m48def.dat"
$crystal = 4000000
\$hwstack = 32
                                                           ' default
use 32 for the hardware stack
\$swstack = 10
                                                           'default use
10 for the SW stack
$framesize = 40
                                                           'default use
40 for the frame space
'when only bytes are used, use the following lib for smaller code
$lib "mcsbyte.lib"
Config 1wire = Portb.0
                                                           'use this
pin
'On the STK200 jumper B.0 must be inserted
Dim Ar(8) As Byte , A As Byte , I As Byte
Do
 Wait 1
 1wreset
                                                           'reset the
device
 Print Err
                                                           'print error
1 if error
                                                           'read ROM
 1wwrite &H33
command
 For I = 1 To 8
   Ar(i) = lwread()
                                                           'place into
array
 Next
'You could also read 8 bytes a time by unremarking the next line
'and by deleting the for next above
'Ar(1) = 1wread(8)
                                                            'read 8
bytes
 For I = 1 To 8
    Print Hex(ar(i));
                                                           'print
output
 Next
 Print
                                                           'linefeed
Loop
'NOTE THAT WHEN YOU COMPILE THIS SAMPLE THE CODE WILL RUN TO THIS POINT
'THIS because of the DO LOOP that is never terminated!!!
'New is the possibility to use more than one 1 wire bus
'The following syntax must be used:
For I = 1 To 8
```

```
Ar(i) = 0
                                                                 'clear array
to see that it works
Next
                                                                 'use this
1wreset Pinb , 2
port and pin for the second device
lwwrite &H33 , 1 , Pinb , 2
now the number of bytes must be specified!
                                                                 'note that
'lwwrite Ar(1) , 5,pinb,2
'reading is also different
Ar(1) = 1wread(8, Pinb, 2)
                                                                 'read 8
bytes from portB on pin 2
For I = 1 To 8
 Print Hex(ar(i));
Next
'you could create a loop with a variable for the bit number !
For I = 0 To 3
                                                                 'for pin 0-3
  1wreset Pinb , I
  lwwrite &H33 , 1 , Pinb , I
  Ar(1) = lwread(8 , Pinb , I)
  For A = 1 To 8
   Print Hex(ar(a));
 Next
  Print
Next
End
```

#### 6.69 ABS

#### Action

Returns the absolute value of a numeric signed variable.

#### **Syntax**

var = **ABS**(var2)

#### Remarks

Var	Variable that is assigned with the absolute value of var2.
Var2	The source variable to retrieve the absolute value from.

var : Integer , Long, Single or Double. var2 : Integer, Long, Single or Double.

The absolute value of a number is always positive.

# See also

NONE

#### **ASM**

Calls: \_abs16 for an Integer and \_abs32 for a Long

Input: R16-R17 for an Integer and R16-R19 for a Long Output:R16-R17 for an Integer and R16-R19 for a Long

Calls \_Fltabsmem for a single from the fp\_trig library.

#### Example

```
Dim a as Integer, c as Integer
a =-1000
c = Abs(a)
Print c
End
```

# 6.70 ACOS

#### Action

Returns the arccosine of a single in radians.

#### **Syntax**

var = **ACOS**( x )

#### Remarks

A floating point variable such as single or double, that is assigned with the ACOS of variable x.
The float to get the ACOS of. Input is valid from $-1$ to $+1$ and returns p to 0.
If Input is $< -1$ than p and input is $> 1$ than 0 will returned.

If Input is cause of rounding effect in float-operations a little bit over 1 or -1, the value for 1.0 (-1.0) will be returned. This is the reason to give the value of the limit-point back, if Input is beyond limit. Generally the user have to take care, that Input to this function lies within -1 to +1.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG [873], DEG2RAD [695], COS [642], SIN [936], TAN [971], ATN [442], ASIN [441], ATN2 [443]

#### Example

' specify

' use baud

' default

' default

' default

' used

```
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

```
Dim S As Single , X As Single
x= 0.5 : S = Acos(x)
Print S
End
```

#### 6.71 ADR, ADR2

#### Action

Create label address.

#### Syntax

ADR label ADR2 label

#### Remarks

label The name of a label.

The AVR uses WORD addresses. ADR will create the word address. To find a byte in memory, you need to multiply by 2. For this purpose ADR2 is available. It will create the address of the label multiplied by 2.

Using ADR2 you can use tables. The sample program demonstrates this together with some more advanced ASM code.

The sample includes ADR2.LIB. This lib contains a special version of \_MoveConst2String . The normal routine in MCS.LIB will stop printing once a null byte (zero) is encountered that indicates the end of a string.

But for the sample program, we may not change the address, so the address is restored when the null byte is found.

#### See Also

NONE

```
' This is an example of how to create an interactive menu system supporting
' sub-menus and support routines using the !ADR and !ADR2 statements
'
$regfile = "M644def.dat"
$crystal = 8000000
$hwstack = 64 ' specify the hardware
$swstack = 64 ' specify the software
$framesize = 64 ' specify the framesize
```

```
430 BASCOM-AVR
```

```
$lib "adr2.lib"
Dim Menupointer As Word
Dim Actionpointer As Word
Dim Entries As Byte
Dim Dummy As Byte
Dim Message As String * 32
Dim Locall As Byte
Dim Local_loop1 As Byte
Const Menu_id = & HAA
                                                           ' sub-menu ID byte
                                                           ' service routine ID by
Const Routine_id = &H55
*_____
                                                                 _____
                                                           ' point to the start of
Restore Main_menu
sts {MenuPointer}, R8
                                                             { store the pointer t
                                                           1
sts {MenuPointer + 1}, R9
Display_new_menu:
lds R8, {MenuPointer}
                                                             } restore the pointer
lds R9, {MenuPointer + 1}
Read Entries
                                                           ' get the number of ent
Print
For Local_loop1 = 1 To Entries
 Read Message
                                                           ' read the message
                                                           ' send it to the consol
 Print Message
Next
Read Dataptr
                                                           ' get the pointer to the
sts {ActionPointer}, R8
sts {ActionPointer + 1}, R9
                                                             } store the pointer t
Input "Entry ? " , Local1
                                                           ' ask the user which me
If Local1 = 0 Then
                                                           ' is it valid ?
 Goto Display_new_menu
                                                           ' if not, re-display th
End If
If Local1 => Entries Then
                                                           ' is it valid ?
                                                           ' if not, re-display th
 Goto Display_new_menu
End If
lds R8,{ActionPointer}
lds R9,{ActionPointer + 1}
                                                             } restore the pointer
If Locall <> 1 Then
    For Local_loop1 = 2 To Local1
                                                           ī.
                                                           τ.
  ldI R30,4
  clr R1
                                                           ī.
                                                           ÷
  add R8,R30
  adc R9,R1
    Next
                                                               calculate the locat
End If
Read Local1
                                                           ' get the menu entry's
                                                           ' to handle the uP expe
Read Dummy
If Local1 = Menu_id Then
                                                           ' did the user select a
 Read Dataptr
```

BASCOM Language Reference 431 sts {MenuPointer}, R8 store the start of sts {MenuPointer + 1}, R9 Goto Display\_new\_menu End If ' get the address of the Read Dataptr movw R30,R8 icall ' pass control to the e Goto Display\_new\_menu ' re-display the last r ·\_\_\_\_. \_\_\_\_\_ \_\_\_\_\_ 1.1 Test support routines 1 \_ \_ \_ . \_\_\_\_\_ Hello message: Print Print "You asked to print 'Hello'" ' confirmation that Mer Return 2nd\_menu\_1st\_entry\_routine: Print Print "You selected Entry 1 of the 2nd menu" ' confirmation that Mer Return 2nd\_menu\_2nd\_entry\_routine: Print Print "You selected Entry 2 of the 2nd menu" ' confirmation that Mer Return 3rd\_menu\_1st\_entry\_routine: Print Print "You selected Entry 1 of the 3rd menu" ' confirmation that Mer Return 3rd\_menu\_2nd\_entry\_routine: Print Print "You selected Entry 2 of the 3rd menu" ' confirmation the Menu Return End ! \_\_\_\_\_ ' Data Statements ! \_\_\_\_\_ Śdata ' Main Menu \_\_\_\_\_ Main menu: ' number of entries in Data 4 Data "MAIN MENU" ' } menu title Data "1. Go to Menu 2" 1 } 1st menu entry ' } 2nd menu entry Data "2. Go to Menu 3"

432

Data "3. Print 'Hello' message" ' } 3rd menu entry Adr2 Mainmenu\_supporttable ' point to this menu su \_\_\_\_\_ Mainmenu supporttable: ' identify this menu er Data Menu\_id ' address of next menu Adr2 Second\_menu Data Menu id ' identify this menu er ' address of next menu Adr2 Third menu Data Routine\_id ' identify this menu er ' address of the support Adr Hello\_message ۱<u>\_\_\_\_\_</u> ' Second Menu \*\_\_\_\_\_ Second\_menu: Data 4 ' number of entries in ' } menu title Data "SECOND MENU" ' } 1st menu entry Data "1. 2nd Menu Entry #1" Data "2. 2nd Menu Entry #2" ' } 2nd menu entry ' } 3rd menu entry Data "3. Go to previous menu" Adr2 Secondmenu\_supporttable ' point to this menu su \*\_\_\_\_\_ Secondmenu\_supporttable: Data Routine\_id ' identify this menu er Adr 2nd\_menu\_1st\_entry\_routine ' support routine for 1 ' identify this menu er **Data** Routine\_id Adr 2nd\_menu\_2nd\_entry\_routine ' support routine for 2 Data Menu\_id ' identify this menu er Adr2 Main menu ' support routine for 3 ۱<u>\_\_\_\_\_</u> ' Third Menu \*\_\_\_\_\_ Third\_menu: ' number of entries in Data 4 Data "THIRD MENU" ' } menu title ' } 1st menu entry
' } 2nd menu entry Data "1. 3rd Menu Entry #1" Data "2. 3rd Menu Entry #2" ' } 3rd menu entry Data "3. Go to previous menu" Adr2 Thirdmenu\_supporttable ' point to this menu su \*\_\_\_\_\_

Thirdmenu\_supporttable:

BASCOM Language Reference 433

identify this menu er support routine for 1
identify this menu er support routine for 2
identify this menu er support routine for 3

# 6.72 AESDECRYPT

#### Action

This statement of function uses the Xmega AES encryption engine to decrypt a block of data.

#### **Syntax**

**AESDECRYPT** key, var, size targ = **AESDECRYPT** (key, var, size)

# Remarks

key	The name of a label that contains 16 bytes of key data. Or an array holding 16 bytes of key data.
var	A variable or array containing the data to be encrypted. When you use the statement, this variable will contains the encrypted data after the conversion.
size	The number of bytes to encrypt. Encryption is done with blocks of 16 bytes. So the size should be a multiple of 16. If you supply only 14 bytes this is ok too, but the result will still be 16 bytes. It is important that your array is big enough to hold the result. Without the full 16 byte result, you can not decrypt the data.
targ	In case you use the function, this variable will hold the result.

This function only works for Xmega chips that have an AES encryption unit. 128 bit encryption is used.

You can either use a label with a fixed key, or use a variable. You should use the same key data for encryption and decryption.

# See also

AESENCRYPT 435

#### 434 BASCOM-AVR

```
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 38400 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
'$external _aes_enc
                                                              ' room for
Dim Key(16) As Byte
key
Dim Ar(34) As Byte
Dim Arenc(34) As Byte
Dim J As Byte
Print "AES test"
Restore Keydata
                                                              ' load a key
For J = 1 To 16
to memory
  Read Key(j)
Next
'load some data
For J = 1 To 32
                                                              ' fill some
data to encrypt
 Ar(j) = J
Next
Aesencrypt Keydata , Ar(1) , 32
Print "Encrypted data"
For J = 1 To 32
                                                              ' fill some
data to encrypt
 Print Ar(j)
Next
Aesdecrypt Keydata , Ar(1) , 32
Print "Decrypted data"
For J = 1 To 32
                                                              ' fill some
data to encrypt
 Print Ar(j)
Next
Print "Encrypt function"
Arenc(1) = Aesencrypt(keydata , Ar(1) , 32)
For J = 1 To 32
                                                              ' fill some
data to encrypt
  Print Ar(j) ; "-" ; Arenc(j)
Next
Print "Decrypt function"
```

```
Ar(1) = Aesdecrypt(keydata , Arenc(1) , 32)
For J = 1 To 32
Print J ; ">" ; Ar(j) ; "-" ; Arenc(j)
Next
End
```

```
Keydata:
Data 1 , 2 , 3 , 4 , 5 , 6 , 7 , 8 , 9 , 10 , 11 , 12 , 13 , 14 , 15 ,
16
```

#### 6.73 AESENCRYPT

#### Action

This statement of function uses the Xmega AES encryption engine to encrypt a block of data.

#### **Syntax**

```
AESENCRYPT key, var , size
targ = AESENCRYPT ( key, var , size)
```

#### Remarks

key	The name of a label that contains 16 bytes of key data. Or an array holding 16 bytes of key data.
var	A variable or array containing the data to be encrypted. When you use the statement, this variable will contains the encrypted data after the conversion.
size	The number of bytes to encrypt. Encryption is done with blocks of 16 bytes. So the size should be a multiple of 16. If you supply only 14 bytes this is ok too, but the result will still be 16 bytes. It is important that your array is big enough to hold the result. Without the full 16 byte result, you can not decrypt the data.
targ	In case you use the function, this variable will hold the result.

This function only works for Xmega chips that have an AES encryption unit. 128 bit encryption is used.

You can either use a label with a fixed key, or use a variable. You should use the same key data for encryption and decryption.

See also

AESDECRYPT 433

```
(c) 1995-2010, MCS
xm128-AES.bas
This sample demonstrates the Xmega128A1 AES encryption/decryption
```

```
$regfile = "xm128a1def.dat"
$crystal = 3200000
$hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 38400 , Mode = Asynchroneous , Parity = None , Stopbits =
1, Databits = 8
'$external _aes_enc
Dim Key(16) As Byte
                                                               ' room for
key
Dim Ar(34) As Byte
Dim Arenc(34) As Byte
Dim J As Byte
Print "AES test"
Restore Keydata
For J = 1 To 16
                                                               ' load a key
to memory
   Read Key(j)
Next
'load some data
For J = 1 To 32
                                                               ' fill some
data to encrypt
 Ar(j) = J
Next
Aesencrypt Keydata , Ar(1) , 32
Print "Encrypted data"
For J = 1 To 32
                                                               ' fill some
data to encrypt
 Print Ar(j)
Next
Aesdecrypt Keydata , Ar(1) , 32
Print "Decrypted data"
For J = 1 To 32
                                                               ' fill some
data to encrypt
 Print Ar(j)
Next
Print "Encrypt function"
Arenc(1) = Aesencrypt(keydata , Ar(1) , 32)
                                                               ' fill some
For J = 1 To 32
data to encrypt
```

```
Print Ar(j) ; "-" ; Arenc(j)
Next
Print "Decrypt function"
Ar(1) = Aesdecrypt(keydata , Arenc(1) , 32)
For J = 1 To 32
Print J ; ">" ; Ar(j) ; "-" ; Arenc(j)
Next
```

#### End

Keydata: Data 1 , 2 , 3 , 4 , 5 , 6 , 7 , 8 , 9 , 10 , 11 , 12 , 13 , 14 , 15 , 16

#### 6.74 ALIAS

#### Action

Indicates that the variable can be referenced with another name.

#### Syntax

newvar ALIAS oldvar

#### Remarks

oldvar	Name of the variable such as PORTB.1
newvar	New name of the variable such as direction

Aliasing port pins can give the pin names a more meaningful name. For example, when your program uses 4 different pins to control 4 different relays, you could name them portb.1, portb.2, portb.3 and portb.4.

But it would be more convenient to refer to them as relais1, relais2, relais3 and realais4.

When you later on change your PCB and decide that relays 4 must be connected to portD.4 instead of portb.4, you only need to change the ALIAS line, and not your whole program.

#### See also

CONST 640

# Example

```
'copyright : (c) 1995-2005, MCS Electronics
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
'purpose : demonstrates ALIAS
'_______
```

\_\_\_\_\_

```
438 BASCOM-AVR
```

```
$regfile = "m48def.dat"
$crystal = 4000000
crystal
Const On = 1
Const Off = 0
Config Portb = Output
Relais1 Alias Portb.1
Relais2 Alias Portb.2
Relais3 Alias Portd.5
Relais4 Alias Portd.2
Set Relais1
Relais2 = 0
Relais3 = On
Relais4 = Off
End
```

# 6.75 ASC

# Action

Assigns a numeric variable with the ASCII value of the first character of a string.

# **Syntax**

var = **ASC**(string)

# Remarks

Var	Target numeric variable that is assigned.
String	String variable or constant from which to retrieve the ASCII value.

Note that only the first character of the string will be used. When the string is empty, a zero will be returned.

ASCII stands for American Standard Code for Information Interchange. Computers can only understand numbers, so an ASCII code is the numerical representation of a character such as 'a' or '@' or an action of some sort. ASCII was developed a long time ago and now the non-printing characters are rarely used for their original purpose. Below is the ASCII character table and this includes descriptions of the first 32 non-printing characters. ASCII was actually designed for use with teletypes and so the descriptions are somewhat obscure. If someone says they want your CV however in ASCII format, all this means is they want 'plain' text with no formatting such as tabs, bold or underscoring - the raw format that any computer can understand. This is usually so they can easily import the file into their own applications without issues. Notepad.exe creates ASCII text, or in MS Word you can save a file as 'text only'

' 4 MHz

BASCOM Language Reference

4:	39	

Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char
0	00	Null	32	20	Space	64	40	0	96	60	·
1	01	Start of heading	33	21	1	65	41	Å			a
2	02	Start of text	34	22		66	42	в	98	62	b
3	03	End of text	35	23	#	67	43	c	99	63	c
4	04	End of transmit	36	24	ş	68	44	D	100	64	d
5	05	Enquiry	37	25	*	69	45	Е	101	65	e
6	06	Acknowledge	38	26	æ	70	46	F	102	66	f
7	07	Audible bell	39	27	1	71	47	G	103	67	g
8	08	Backspace	40	28	(	72	48	н	104	68	h
9	09	Horizontal tab	41	29	)	73	49	I	105	69	i
10	OA	Line feed	42	2A	*	74	4A	J	106	6A	j
11	OB	Vertical tab	43	2 B	+	75	4B	к	107	6B	k
12	oc	Form feed	44	2C	,	76	4C	L	108	6C	1
13	OD	Carriage return	45	2D	. <del></del>	77	4D	м	109	6D	m
14	OE	Shift out	46	2 E	-	78	4E	N	110	6E	n
15	OF	Shift in	47	2 <b>F</b>	1	79	4F	0	111	6F	0
16	10	Data link escape	48	30	o	80	50	Р	112	70	р
17	11	Device control 1	49	31	1	81	51	Q	113	71	q
18	12	Device control 2	50	32	2	82	52	R	114	72	r
19	13	Device control 3	51	33	3	83	53	s	115	73	s
20	14	Device control 4	52	34	4	84	54	Т	116	74	t
21	15	Neg. acknowledge	53	35	5	85	55	U	117	75	u
22	16	Synchronous idle	54	36	6	86	56	v	118	76	v
23	17	End trans. block	55	37	7	87	57	ឃ	119	77	w
24	18	Cancel	56	38	8	88	58	x	120	78	x
25	19	End of medium	57	39	9	89	59	Y	121	79	У
26	1A	Substitution	58	ЗA	:	90	5A	z	122	7A	z
27	1B	Escape	59	ЗB	;	91	5B	C	123	7B	{
28	1C	File separator	60	ЗC	<	92	5C	١	124	7C	1
29	1D	Group separator	61	ЗD	=2	93	5D	]	125	7D	}
30	1E	Record separator	62	ЗE	>	94	5E	^	126	7E	~
31	1F	Unit separator	63	ЗF	2	95	SF	1000	127	7F	

# **Extended ASCII**

As people gradually required computers to understand additional characters and nonprinting characters the ASCII set became restrictive. As with most technology, it took a while to get a single standard for these extra characters and hence there are few varying 'extended' sets. The most popular is presented below.

BASCON	1-AVR
--------	-------

Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char	Dec	Hex	Char
128	80	ç	160	AO	á	192	CO	L	224	EO	α
129	81	ü	161	A1	í	193	C1	<b>Т</b> .	225	E1	ß
130	82	é	162	A2	ó	194	C2	т	226	<b>E</b> 2	Г
131	83	â	163	A3	ú	195	C3	F	227	E3	п
132	84	ä	164	A4	ñ	196	C4	<del></del>	228	E4	Σ
133	85	à	165	A5	Ñ	197	C5	+	229	E5	σ
134	86	å	166	A6	2	198	C6	F	230	E6	μ
135	87	ç	167	A7	•	199	C7	⊩	231	E7	τ
136	88	ê	168	A8	č	200	C8	L	232	E8	Φ
137	89	ë	169	A9	<b>-</b>	201	C9	F	233	E9	۲
138	8A	è	170	AA	7	202	CA	ᆂ	234	EA	Ω
139	8 B	ï	171	AB	₩	203	CB	ਜ	235	EB	δ
140	8C	î	172	AC	1.a	204	CC	F	236	EC	œ
141	8 D	ì	173	AD	i.	205	CD	<del></del>	237	ED	ള
142	8 E	Ä	174	AE	«	206	CE	╬	238	EE	ε
143	8 F	Å	175	AF	»	207	CF	ᆂ	239	EF	Π
144	90	É	176	BO	*	208	DO	Щ	240	FO	=
145	91	æ	177	B1		209	D1	╤	241	F1	±
146	92	Æ	178	B2		210	D2	π	242	F2	≥
147	93	ô	179	B3	I.	211	DЗ	L	243	F3	≤
148	94	ö	180	В4	4	212	D4	F	244	F4	ſ
149	95	ò	181	B5	4	213	D5	F	245	F5	J
150	96	û	182	B6	┨	214	D6	Г	246	F6	÷
151	97	ù	183	В7	п	215	D7	#	247	F7	*
152	98	ÿ	184	B8	F	216	D8	ŧ	248	F8	•
153	99	Ö	185	B9	뤽	217	D9	Г	249	F9	۰.
154	9A	Ü	186	BA	1	218	DA	Г	250	FA	9
155	9B	¢	187	BB	า	219	DB	<b>.</b>	251	FB	٧
156	90	£	188	BC	П	220	DC	•	252	FC	ъ
157	9D	¥	189	BD	Ш	221	DD	L	253	FD	z
158	9E	R.	190	BE	3	222	DE	1	254	FE	•
159	9F	f	191	BF	1 I	223	DF	•	255	FF	

#### See also

<u>CHR</u> 467

# ASM

NONE

Example
\$regfile = "m48def.dat" the used micro **\$crystal** = 8000000 crystal frequency **\$baud** = 19200 rate \$hwstack = 32 use 32 for the hardware stack \$swstack = 10

' specify

' used

' use baud

' default

' default

```
use 10 for the SW stack
$framesize = 40 ' default
use 40 for the frame space
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim A As Byte , S As String * 10
s = "ABC"
A = Asc(s)
Print A 'will print
65
End
```

#### 6.76 ASIN

#### Action

Returns the arcsine of a single in radians.

#### **Syntax**

var = **ASIN**( x )

#### Remarks

	A float variable such as single or double that is assigned with the ASIN of variable x.
х	The float to get the ASIN of. Input is valid from $-1$ to $+1$ and returns $-p/2$ to $+p/2$ .
	If Input is $< -1$ than -p/2 and input is > 1 than p/2 will returned.

If Input is cause of rounding effect in single-operations a little bit over 1 or -1, the value for 1.0 (-1.0) will be returned. This is the reason to give the value of the limit-point back, if Input is beyond limit. Generally the user have to take care, that Input to this function lies within -1 to +1.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

#### See Also

RAD2DEG [873], DEG2RAD [695], COS [642], SIN [936], TAN [971], ATN [442], ACOS [428], ATN2 [443]

#### Example

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
```

' specify ' used

' use baud

' default

' default

```
442 BASCOM-AVR
```

```
$framesize = 40 ' default
use 40 for the frame space
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As Single , X As Single
X = 0.5 : S = Asin(x)
Print S '0.523595867
```

End

# 6.77 ATN

#### Action

Returns the Arctangent of a single in radians.

#### **Syntax**

var = **ATN**( single )

# Remarks

	A float variable that is assigned with the arctangent of variable single.
Single	The float variable to get the arctangent of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG [873], DEG2RAD [695], COS [642], SIN [936], TAN [971], ATN2 [443]

```
$regfile = "m48def.dat"
                                                              ' specify
the used micro
$crystal = 8000000
                                                              ' used
crystal frequency
$baud = 19200
                                                              ' use baud
rate
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As Single , X As Single
S = Atn(1) * 4
Print S ' prints 3.141593 PI
End
```

#### 6.78 ATN2

#### Action

ATN2 is a four-quadrant arc-tangent.


While the ATN-function returns from -p/2 (-90°) to p/2 (90°), the ATN2 function returns the whole range of a circle from -p (-180°) to +p (180°). The result depends on the ratio of Y/X and the signs of X and Y.

#### **Syntax**

var = **ATN2**( y, x )

#### Remarks

Var	A single variable that is assigned with the ATN2 of variable single.
Х	The single variable with the distance in x-direction.
Y	The single variable with the distance in y-direction



Quadrant	Sign Y	Sign X	ATN2
Ι	+	+	0 to p/2
II	+	-	p/2 to p
III	-	-	-p/2 to -p
IV	-	+	0 to -p/2

If you go with the ratio Y/X into ATN you will get same result for X greater zero (right side in coordinate system) as with ATN2. ATN2 uses X and Y and can give information of the angle of the point over 360° in the coordinates system.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG 873, DEG2RAD 695, COS 642, SIN 936, TAN 971, ATN 442

#### **Example**

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
```

' specify

' used

#### 444 BASCOM-AVR

```
$baud = 19200
                                                              ' use baud
rate
                                                              ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As Single , X As Single
X = 0.5 : S = 1.1
S = Atn2(s, X)
Print S ' prints 1.144164676
```

End

#### 6.79 BASE64DEC

#### Action

Converts Base-64 data into the original data.

#### Syntax

Result = **BASE64DEC**( source)

#### Remarks

Result	A string variable that is assigned with the un-coded string.
Source	The source string that is coded with base-64.

Base-64 is not an encryption protocol. It sends data in 7-bit ASCII data format. MIME, web servers, and other Internet servers and clients use Base-64 coding.

The provided Base64Dec() function is a decoding function. It was written to add authentication to the web server sample.

When the web server asks for authentication, the client will send the user and password unencrypted, but base-64 coded to the web server.

Base-64 coded strings are always in pairs of 4 bytes. These 4 bytes represent 3 bytes.

#### See also

<u>CONFIG TCPIP</u> किथे, <u>GETSOCKET</u> किंगे, <u>SOCKETCONNECT</u> अिंगे, <u>SOCKETSTAT</u> अभी, <u>TCPWRITE</u> जिंहो, <u>TCPWRITESTR</u> जिंहो, <u>CLOSESOCKET</u> मिंहो , <u>SOCKETLISTEN</u> जिंकी , <u>BASE64ENC</u> 445

1	specify
1	used
1	use baud
1	default

```
use 32 for the hardware stack
$swstack = 10 ' default
use 10 for the SW stack
$framesize = 40 ' default
use 40 for the frame space
$lib "tcpip.lbx"
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As String * 15 , Z As String * 15
S = "bWFyazptYXJr"
Z = Base64dec(s)
Print Z 'mark:mark
```

End

#### 6.80 BASE64ENC

#### Action

Converts a string into the Base-64 representation.

#### Syntax

Result = **BASE64ENC**( source)

#### Remarks

Result	A string variable that is assigned with the coded string.
Source	The source string that must be code with base-64.

Base-64 is not an encryption protocol. It sends data in 7-bit ASCII data format. MIME, web servers, and other Internet servers and clients use Base-64 coding.

The provided Base64Enc() function is an encoding function. You need it when you want to send attachments with POP3 for example.

The target string will use 1 additional byte for every 3 bytes.

So make sure the target string is dimensioned longer then the original string.

# See also

<u>CONFIG TCPIP</u> िक्वी, <u>GETSOCKET</u> िकी, <u>SOCKETCONNECT</u> अत्रिती, <u>SOCKETSTAT</u> अभी, <u>TCPWRITE</u> जिन्ही, <u>TCPWRITESTR</u> जिन्ही, <u>CLOSESOCKET</u> बिनही, <u>SOCKETLISTEN</u> जिम्ही, <u>BASE64DEC</u> बिनही

<pre>\$regfile = "m48def.dat"</pre>	,	specify
the used micro		
<b>\$crystal =</b> 8000000	1	used
crystal frequency		
<b>\$baud</b> = 19200	1	use baud
rate		
<pre>\$hwstack = 32</pre>	1	default
use 32 for the hardware stack		
<pre>\$swstack = 10</pre>	1	default
use 10 for the SW stack		

```
446 BASCOM-AVR
```

```
$framesize = 40 ' default
use 40 for the frame space
$lib "tcpip.lbx"
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As String * 15 , Z As String * 15
S = "bWFyazptYXJr"
Z = Base64dec(s)
Print Z 'mark:mark
s = Base64Enc(z)
Print s
End
```

# 6.81 BAUD

#### Action

Changes the baud rate for the hardware UART.

# **Syntax**

**BAUD** = var **BAUD** #x , const

# Remarks

Var	The baud rate that you want to use.
Х	The channel number of the software UART.
Const	A numeric constant for the baud rate that you want to use.

**I** Do not confuse the BAUD statement with the **<u>\$BAUD</u>** compiler directive.

And do not confuse \$CRYSTAL 338 and CRYSTAL 654

\$BAUD overrides the compiler setting for the baud rate and BAUD will change the current baud rate.

So \$BAUD is a global project setting in your source code while BAUD will change the baud rate during run time.

You could use BAUD to change the baud rate during run time after the user changes a setting.

 $BAUD = \dots$  will work on the hardware UART.

BAUD #x, yyyy will work on the software UART.

# See also

\$CRYSTAL 3387, \$BAUD 3327, BAUD1 4477



#### Example

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

Print "Hello"

'Now change the baud rate in a program
Baud = 9600
Print "Did you change the terminal emulator baud rate too?"
End

#### 6.82 BAUD1

#### Action

Changes the baud rate for the second hardware UART.

#### Syntax

**BAUD1** = var **BAUD1** #x , const

#### Remarks

Var	The baud rate that you want to use.
Х	The channel number of the software UART.
Const	A numeric constant for the baud rate that you want to use.

Do not confuse the BAUD1 statement with the \$BAUD1 compiler directive.

And do not confuse \$CRYSTAL 338 and CRYSTAL 654

\$BAUD1 overrides the compiler setting for the baud rate and BAUD1 will change the current baud rate.

 $BAUD1 = \dots$  will work on the hardware UART. BAUD #x, yyyy will work on the software UART.

#### See also

\$CRYSTAL 338 , \$BAUD 332 , \$BAUD1 333 , BAUD 446

#### ASM

NONE

```
'copyright : (c) 1995-2005, MCS Electronics
'micro : Megal62
'suited for demo : yes
```

# 6.83 BCD

448

**BASCOM-AVR** 

#### Action

Converts a variable stored in BCD format into a string.

#### **Syntax**

PRINT **BCD**( var ) LCD **BCD**( var)

# Remarks

Var Numeric variable to convert.

When you want to use an I2C clock device which stores its values in BCD format you can use this function to print the value correctly. BCD() displays values with a leading zero.

The BCD() function is intended for the PRINT/LCD statements. Use the MAKEBCD function to convert variables from decimal to BCD. Use the MAKEDEC function to convert variables from BCD to decimal.

#### See also

MAKEDEC 830 , MAKEBCD 828

# ASM

Calls: \_BcdStr Input: X hold address of variable Output: R0 with number of bytes, frame with data.

# Example

'name : bcd.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demonstration of split and combine BCD Bytes

\_\_\_\_\_

'suited for demo : yes 'commercial addon needed : no 'use in simulator : possible \_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate **Config** Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 , Clockpol = 0\$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space \_\_\_\_\_ ' Set up Variables ======== Dim A As Byte 'Setup A Variable Dim B As Byte 'Setup B Variable Dim C As Byte 'Setup C Variable A = &H89\*\_\_\_\_\_ ======== ' Main \*\_\_\_\_\_ ======== Main: Print "Combined : " ; Hex(a) 'Print A \*\_\_\_\_\_ \_\_\_\_\_ B = A And &B1111\_0000 'Mask To Get Only High Nibble Of Byte Shift B , Right , 4 'Shift High Nibble To Low Nibble Position , Store As B C = A And &B0000\_1111 'Mask To Get Only Low Nibble Of Byte , Store As  $\ensuremath{\mathsf{C}}$ Print "Split : " ; B ; " " ; C 'Print B (High Nibble) , C(low Nibble) \_\_\_\_\_ Shift B , Left , 4 'Shift Data From Low Nibble Into High Nibble Position A = B + C'Add B (High Nibble) And C(low Nibble) Together Print "Re-Combined: " ; Hex(a) 'Print A (re combined Byte) End 'End Program

#### 6.84 BIN

# Action

Convert a numeric variable into the binary string representation.

#### **Syntax**

Var = **Bin**(source)

#### Remarks

	The target string that will be assigned with the binary representation of the variable source.
Source	The numeric variable that will be converted.

The BIN() function can be used to display the state of a port.

When the variable source has the value &B10100011 the string named var will be assigned with "10100011".

It can be easily printed to the serial port.

#### See also

HEX 7727, STR 9627, VAL 9967, HEXVAL 7737, BINVAL 4517

# ASM

NONE

<pre>\$regfile = "m48def.dat" the used micro</pre>	1	specify
<b>\$crystal =</b> 8000000	1	used
crystal frequency <b>\$baud =</b> 19200		use baud
rate		use bauu
<pre>\$hwstack = 32</pre>	r.	default
use 32 for the hardware stack		
\$swstack = 10	1	default
use 10 for the SW stack		1 6 1.
\$framesize = 40		default
use 40 for the frame space		
<pre>Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbi Databits = 8 , Clockpol = 0</pre>	ts	. = 1 ,
<b>Dim</b> B <b>As Byte</b> ' assign value to B B = 45		
<pre>Dim S As String * 10 'convert to string S = Bin(b)</pre>		
'assign value to portb Portb = 33		

```
Print Bin(portb)
```

'of course it also works for other numerics  $\ensuremath{\textbf{End}}$ 

# 6.85 BINVAL

#### Action

Converts a string representation of a binary number into a number.

#### Syntax

var = **Binval**(s)

#### Remarks

Var	A numeric variable that is assigned with the value of s.
S	Variable of the string type. Should contain only 0 and 1 digits.

#### See also

STR 9627, HEXVAL 7737, HEX 7727, BIN 4507, VAL 9967

#### **Example**

\$regfile = "m48def.dat" ' specify the used micro **\$crystal** = 8000000 ' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10 ' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 , Clockpol = 0Dim S As String \* 8 S = "11001100"Dim B As Byte ' assign value to B B = Binval(s) Print B End

#### 6.86 BIN2GRAY

#### Action

Returns the Gray-code of a variable.

#### **Syntax**

var1 = Bin2gray(var2)

#### Remarks

var1	Variable that will be assigned with the Gray code.
var2	A variable that will be converted.

Gray code is used for rotary encoders. Bin2gray() works with byte , integer, word and long variables.

The data type of the variable that will be assigned determines if a byte, word or long conversion will be done.

#### See also

GRAY2BIN 771, ENCODER 728

#### ASM

Depending on the data type of the target variable the following routine will be called from mcs.lbx:

\_\_\_\_\_

\_grey2Bin for bytes , \_grey2bin2 for integer/word and \_grey2bin4 for longs.

\_\_\_\_\_

```
_____
'name
                        : graycode.bas
'copyright
                        : (c) 1995-2005, MCS Electronics
                        : show the Bin2Gray and Gray2Bin functions
'purpose
                        : Mega48
'micro
'suited for demo
                        : yes
'commercial addon needed : no
                                               _____
! _____.
$regfile = "m48def.dat"
                                                          ' specify
the used micro
$crystal = 4000000
                                                          ' used
crystal frequency
                                                          ' use baud
$baud = 19200
rate
$hwstack = 32
                                                          ' default
use 32 for the hardware stack
\$swstack = 10
                                                          ' default
use 10 for the SW stack
$framesize = 40
                                                          ' default
use 40 for the frame space
'Bin2Gray() converts a byte, integer, word or long into grey code.
'Gray2Bin() converts a gray code into a binary value
```

#### ' could be

```
Dim B As Byte
word,integer or long too
Print "BIN" ; Spc(8) ; "GREY"
For B = 0 To 15
    Print B ; Spc(10) ; Bin2gray(b)
Next
Print "GREY" ; Spc(8) ; "BIN"
For B = 0 To 15
    Print B ; Spc(10) ; Gray2bin(b)
Next
End
```

#### 6.87 BITWAIT

Iх

#### Action

Wait until a bit is set or reset.

#### **Syntax**

**BITWAIT** x , SET/RESET

#### Remarks

Bit variable or internal register like PORTB.x , where x ranges from 0-7.

When using bit variables make sure that they are set/reset by software otherwise your program will stay in a loop.

When you use internal registers that can be set/reset by hardware such as PINB.0 this doesn't apply since this state can change as a result from for example a key press.

# See also

NONE

#### ASM

Calls: NONE Input: NONE Output: NONE

Code : shown for address 0-31

label1: Sbic PINB.0,label2 Rjmp label1 Label2:

#### Example

\$regfile = "m48def.dat"

' specify the used mich

#### 454 BASCOM-AVR

```
Scrystal = 8000000
                                                              ' used crystal frequence
$baud = 19200
                                                              ' use baud rate
\$hwstack = 32
                                                              ' default use 32 for th
\$swstack = 10
                                                              ' default use 10 for th
                                                              ' default use 40 for th
$framesize = 40
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8
Dim A As Bit
Bitwait A , Set
                                                              'wait until bit a is se
'the above will never contine because it is not set i software
'it could be set in an ISR routine
Bitwait Pinb.7 , Reset
                                                              'wait until bit 7 of Po
End
```

#### 6.88 BITS

#### Action

Set all specified bits to 1.

#### **Syntax**

Var = Bits( b1 [,bn])

#### Remarks

Var	The BYTE/PORT variable that is assigned with the constant.
B1,bn	A list of bit numbers that must be set to 1.

While it is simple to assign a value to a byte, and there is special Boolean notation &B for assigning bits, the Bits() function makes it simple to assign a few bits.

B = &B1000001 : how many zero's are there?

This would make it more readable : B = Bits(0, 6)

You can read from the code that bit 0 and bit 6 are set to 1. It does not save code space as the effect is the same. It can only be used on bytes and port registers.

Valid bits are in range from 0 to 7.

# See Also

NBITS 839

```
'name : bits-nbits.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demo for Bits() AND Nbits()
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
'use in simulator : possible
```

455

' specify

' use baud

' default

' default

' default

' used

\_\_\_\_\_

```
$regfile = "m48def.dat"
the used micro
$crystal = 4000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
$framesize = 40
```

use 40 for the frame space

Dim B As Byte

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_

```
'while you can use &B notation for setting bits, like B = &B1000_0111
'there is also an alternative by specifying the bits to set
B = Bits(0, 1, 2, 7) 'set only
bit 0,1,2 and 7
Print B
'and while bits() will set all bits specified to 1, there is also Nbits
()
'the N is for NOT. Nbits(1,2) means, set all bits except 1 and 2
B = Nbits(7) 'do not set
bit 7
Print B
End
```

#### 6.89 BLOAD

#### Action

Writes the Content of a File into SRAM

#### Syntax

**BLoad** sFileName, wSRAMPointer

#### Remarks

sFileName	(String) Name of the File to be read
	(Word) Variable, which holds the SRAM Address to which the content of the file should be written

This function writes the content of a file to a desired space in SRAM. A free handle is needed for this function.

#### See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [748], FILEATTR [734], SEEK [907], BSAVE [459], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], PUT [870], FILEDATE [738], FILETIME [738], FILEDATETIME [738], DIR [706], FILELEN [737], WRITE [1007], INPUT [794]

#### ASM

Calls	_BLoad	
		Z: Pointer to Long-variable, which holds the start position of SRAM
Output	r25: Errorcode	C-Flag: Set on Error

#### Example

```
' THIS IS A CODE FRAGMENT, it needs AVR-DOS in order to work
'now the good old bsave and bload
Dim Ar(100)as Byte , I Asbyte
For I = 1 To 100
                                                              ' fill the
 Ar(i) = I
array
Next
Wait 2
W = Varptr(ar(1))
Bsave"josef.img", W , 100
For I = 1 To 100
  Ar(i) = 0
                                                              ' reset the
array
Next
Bload "josef.img" , W
                                                              ' Josef you
are amazing !
For I = 1 To 10
 Print Ar(i) ; " ";
Next
Print
```

#### 6.90 BOX

#### Action

Create a filled box on a graphical display.

#### **Syntax**

**BOX** (x1,y1) - (x2,y2) , color

#### Remarks

x1	The left corner position of the box
y1	The top position of the box
x2	The right corner position of the box
y2	The bottom position of the box
color	The color to use to fill the box

On COLOR displays, the box will be filled with the specified color.

On B&W displays, the box will not be filled. Only the box is drawn in the specified color.

On B&W displays you can use the BOXFILL statement to create a solid box.

#### See also

LINE 810, CIRCLE 468, BOXFILL 458

#### ASM

NONE

#### Example

\_\_\_\_\_ ' The support for this display has been made possible by Peter Küsters from (c) Display3000 ' You can buy the displays from Display3000 or MCS Electronics -----! \$lib "lcd-pcf8833.lbx" 'special color display support \$regfile = "m88def.dat" 'ATMega 8, change if using different processors '8 MHz **\$crystal** = 8000000 'First we define that we use a graphic LCD Config Graphled = Color , Controlport = Porte , Cs = 1 , Rs = 0 , Sel = 3 , Sda = 2'here we define the colors **Const** Blue = & B00000011 ''predefined contants are making programming easier Const Yellow = &B11111100 **Const** Red = &B11100000 **Const** Green = & B00011100 Const Black = & B0000000 **Const** White = &B11111111 **Const** Brightgreen = & B00111110 **Const** Darkgreen = &B00010100 Const Darkred = &B10100000 Const Darkblue = & B00000010 **Const** Brightblue = &B00011111 Const Orange = &B11111000 'clear the display Cls 'create a cross Line(0 , 0) -(130 , 130) , Blue Line(130 , 0) -(0 , 130) , Red Waitms 1000 'show an RLE encoded picture Showpic 0 , 0 , Plaatje Showpic 40 , 40 , Plaatje

#### 458 BASCOM-AVR

```
Waitms 1000
'select a font
Setfont Color16x16
'and show some text
Lcdat 100 , 0 , "12345678" , Blue , Yellow
Waitms 1000
Circle(30, 30), 10, Blue
Waitms 1000
'make a box
Box(10, 30) -(60, 100), Red
'set some pixels
Pset 32 , 110 , Black
Pset 38 , 110 , Black
Pset 35 , 112 , Black
End
Plaatje:
$bgf "a.bgc"
$include "color.font"
```

# 6.91 BOXFILL

#### Action

Create a filled box on a graphical display.

#### Syntax

BOXFILL (x1,y1) - (x2,y2), color

\$include "color16x16.font"

# Remarks

x1	The left corner position of the box
y1	The top position of the box
x2	The right corner position of the box
y2	The bottom position of the box
color	The color to use to fill the box

The BOXFILL command will draw a number of lines which will appear as a filled box.

# See also

LINE 810, CIRCLE 468, BOX 456



# Example

 $\begin{array}{c} \mbox{'create} & a & bargraph & effect \\ \mbox{Boxfill}(0 \ , \ 0) \ - \ (60 \ , \ 10) \ , \ 1 \\ \mbox{Boxfill}(2 \ , \ 2) \ - \ (40 \ , \ 8) \ , \ 0 \end{array}$ 

#### 6.92 BSAVE

#### Action

Save a range in SRAM to a File

#### **Syntax**

BSave sFileName, wSRAMPointer, wLength

#### **Remarks**

sFileName	(String) Name of the File to be written
wSRAMPointer	(Word) Variable, which holds the SRAM Address, from where SRAM
	should be written to a File
wLength	(Word) Count of Bytes from SRAM, which should be written to the file

This function writes a range from the SRAM to a file. A free file handle is needed for this function.

# See also

INITFILESYSTEM 787, OPEN 845, CLOSE 476, FLUSH 739, PRINT 867, LINE INPUT 813, LOC 817, LOF 818, EOF 737, FREEFILE 745, FILEATTR 734, SEEK 907, BLOAD 455, KILL 807, DISKFREE 709, DISKSIZE 710, GET 747, PUT 870, FILEDATE 735, FILETIME 738, FILEDATETIME 736, DIR 706, FILELEN 737, WRITE 1004, INPUT 794

#### ASM

Calls	_BSave	
		Z: Pointer to Long-variable, which holds the start position of SRAM
	r20/r21: Count of bytes to be written	
Output	r25: Errorcode	C-Flag: Set on Error

```
' THIS IS A CODE FRAGMENT, it needs AVR-DOS in order to work
'now the good old bsave and bload
Dim Ar(100)as Byte , I Asbyte
For I = 1 To 100
  Ar(i) = I ' fill the
array
Next
Wait 2
W = Varptr(ar(1))
Bsave"josef.img", W , 100
```

```
460 BASCOM-AVR
```

```
For I = 1 To 100
   Ar(i) = 0
array
Next
Bload "josef.img" , W
are amazing !
For I = 1 To 10
   Print Ar(i) ; " ";
Next
Print
```

' reset the

' Josef you

#### 6.93 BUFSPACE

#### Action

Returns the amount of free space of a serial buffer.

#### Syntax

Var = BufSpace(n)

#### Remarks

Var	A word or integer variable that is assigned with the free buffer space.
Ν	A constant in the range from 0-3.
	A value of 0 : output buffer first UART
	A value of 1 : input buffer first UART
	A value of 2 : output buffer second UART
	A value of 3 : input buffer second UART

While serial buffers are great because you do not have to wait/block the processor, the buffer can become full when the micro has no time to empty the buffer. With the bufspace() function you can determine if there is still room in the buffer.

# See Also

CONFIG SERIAL 587, CLEAR 471

# Example

'\_\_\_\_\_ NONE

# 6.94 BYVAL

#### Action

Specifies that a variable will be passed by value.

Syntax Sub Test(BYVAL var)

# Remarks

#### Var Variable name

The default for passing variables to SUBS and FUNCTIONS, is by reference(BYREF). When you pass a variable by reference, the address is passed to the SUB or FUNCTION. When you pass a variable by Value, a temp variable is created on the frame and the address of the copy is passed.

When you pass by reference, changes to the variable will be made to the calling variable.

When you pass by value, changes to the variable will be made to the copy so the original value will not be changed.

By default passing by reference is used. Note that calling by reference will generate less code.

#### See also

CALL 461, DECLARE 690, SUB 9651, FUNCTION 6881

#### ASM

NONE

#### Example

Declare Sub Test(Byval X As Byte, Byref Y As Byte, Z As Byte)

#### 6.95 CALL

#### Action

Call and execute a subroutine.

#### Syntax

CALL Test [ (var1, var-n) ]

#### Remarks

Var1	Any BASCOM variable or constant.
Var-n	Any BASCOM variable or constant.
Test	Name of the subroutine. In this case Test.

You can call sub routines with or without passing parameters.

It is important that the SUB routine is DECLARED before you make the CALL to the subroutine. Of course the number of declared parameters must match the number of passed parameters.

It is also important that when you pass constants to a SUB routine, you must DECLARE these parameters with the BYVAL argument.

With the CALL statement, you can call a procedure or subroutine.

For example: Call Test2

The call statement enables you to implement your own statements. You don't have to use the CALL statement: Test2 will also call subroutine test2

When you don't supply the CALL statement, you must leave out the parenthesis. So Call Routine(x,y,z) must be written as Routine x,y,x

Unlike normal SUB programs called with the GOSUB statement, the CALL statement enables you to pass variables to a SUB routine that may be local to the SUB.

#### See also

DECLARE [690], SUB [965], EXIT [732], FUNCTION [688], LOCAL [819], CONFIG SUBMODE [598]

#### **Example**

\$regfile = "m48def.dat" ' specify the used micro ' used **\$crystal** = 8000000 crystal frequency **\$baud** = 19200 ' use baud rate **\$hwstack = 32** ' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space **Config** Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 , Clockpol = 0'dimension Dim A As Byte , B As Byte some variables Declare Sub Test(b1 As Byte , Byval B2 As Byte) 'declare the SUB program A = 65'assign a value to variable A **Call** Test(a , 5)'call test with parameter A and constant Test A , 5 'alternative call Print A 'now print the new value End Sub Test(b1 As Byte , Byval B2 As Byte) 'use the same variable names as 'the declared one Print B1 'print it Print Bcd(b2) B1 = 10 'reassign the variable  $B_{2} = 15$ 'reassign the variable End Sub



One important thing to notice is that you can change b2 but that the change will

not be reflected to the calling program! Variable A is changed however.

This is the difference between the BYVAL and BYREF argument in the DECLARE ration of the SUB program.

When you use BYVAL, this means that you will pass the argument by its value. A copy of the variable is made and passed to the SUB program. So the SUB program can use the value and modify it, but the change will not be reflected to the calling parameter. It would be impossible too when you pass a numeric constant for example.

If you do not specify BYVAL, BYREF will be used by default and you will pass the address of the variable. So when you reassign B1 in the above example, you are actually changing parameter A.

#### 6.96 CHARPOS

#### Action

Returns the position of a single character in a string.

#### **Syntax**

pos = CHARPOS(string , search [,start [,SAFE]])

#### Remarks

Pos	Numeric variable that will be assigned with the position of the sub string in the string. Returns 0 when the sub string is not found.
String	The string to search.
Search	The search string. This can be a numeric variable too. For example a byte. When a string is used, only the first character will be used for the search.
Offset	An optional start position where the searching must start.
SAFE	If you specify an offset, Charpos will check if the offset is not located after the string. For example , when the string is "abc" and you specify an offset of 10, it will be located after the string. The SAFE option is default. When you specify SPEED, the compiler will add the offset without checking. This will result in shorter and quicker code.

No constant can be used for string it must be a string variable.

L) The search is sensitive to case.

#### See also

<u>SPLIT</u> [953], <u>INSTR</u> 798], <u>REPLACECHARS</u> छिने, <u>DELCHAR</u> छिने, <u>INSERTCHAR</u> 797), <u>DELCHARS</u> छिने

\_\_\_\_\_

```
charpos.bas
(c) 1995-2009 MCS Electronics
```

```
464 BASCOM-AVR
```

```
$regfile = "m88def.dat"
$crystal = 8000000
$baud = 19200
'-----
Dim S As String * 20
Dim Bpos As Byte
Dim Z As String * 1
Z = "*"
Do
    Input "S:" , S
    Bpos = Charpos(s , Z)
    Print Bpos
Loop Until S = ""
```

#### Do

```
Input "S:" , S
Bpos = Charpos(s , "A")
charpos is sensitive to case
Print Bpos
Loop
```

' notice

# 6.97 CHECKFLOAT

# Action

This function validates the value of a floating point variable.

**Syntax** 

targ = CHECKFLOAT(var [,option])

# **Remarks**

targ	A numeric variable that will be assigned with the result of the validation. The following bits can be set: cBitInfinity = 0
	cmBitInfinity = 1 ;(2 ^ cBitInfinity)
	cBitZero = 1 cmBitZero = 2 ;(2 ^ cBitZero)
	cBitNAN = 2 cmBitNAN = 4 ;(2 ^ cBitNAN)
	cBitSign = 7 cmBitSign = 128 ;(2 ^ cBitSign)
	The byte values are shown in italic. The bit constants are defined in the single and double libraries.
var	A floating point variable such as a single or double to validate.
option	This is an optional numeric constant that servers as a mask. This allows to test for makes it possible to test for a single error.

A floating point value may contain an illegal value as the result of a calculation. These illegal values are NAN (not a number) and INFINITY.

465

The two other tests which are performed are a test for zero, and a sign test. If the result bit 0 is '1' then the number is infinity. If the result bit 1 is '1' then the number is zero. If the result bit 2 is '1' then the number if NAN. If the result bit 7 is '1' then the number is negative.

If you want to test only for NAN and INFINITY you can add the bits and pass this as the optional numeric mask. For NAN and INFINITY this would be 1+4=5 The resulting value will be AND-ed and if any of the two bits is set, the result will be non-zero, indicating an error. If both values are 0, the result will be zero.

#### See also

NONE

```
$regfile = "m2561def.dat"
$crystal = 8000000
hwstack = 64
\$swstack = 64
$framesize = 64
$baud = 19200
$lib "single.lbx"
Dim S1 As Single , S2 As Single , S3 As Single
dim d1 as Double , d2 as Double , d3 as Double
dim bCheck as Byte
dim bs(4) as Byte at s3 overlay
dim bd(8) as Byte at d3 overlay
S1 = 0 : Bcheck = Checkfloat(s1) : Print Bin(bcheck)
S1 = 0 : Bcheck = Checkfloat(s1 , 2) : Print Bin(bcheck)
d1 = 1: d2 = 0: d3 = d1 / d2
   ' 1/0 should result in infinty
Bcheck = Checkfloat(d3) : Print Bin(bcheck)
                                                            ' test for
Bcheck = Checkfloat(d3 , 5) : Print Bcheck
infinity and nan
d1 = -1
d3 = sqr(d1)
                       ' should produce NAN
Bcheck = Checkfloat(d3) : Print Bin(bcheck)
' single routines must be checked for returning IEEE-Rulues according
values
s1 = 1: s2 = 0 : s3 = s1 / s2
    ' 1/0 should result in infinty
Bcheck = Checkfloat(s3) : Print Bin(bcheck)
s1 = -1
s3 = sqr(s1)
                      ' should produce NAN
Bcheck = Checkfloat(s3) : Print Bin(bcheck)
' now check with hard-coded values for singles
```

#### BASCOM-AVR

```
bs(1) = &HFF: bs(2) = &HFF: bs(3) = &HFF: bs(4) = &H7F ' NAN
Bcheck = Checkfloat(s3) : Print Bin(bcheck)
bs(1) = &H00: bs(2) = &H00: bs(3) = &H80: bs(4) = &H7F ' infinity
Bcheck = Checkfloat(s3) : Print Bin(bcheck)
```

End

466

#### 6.98 CHECKSUM CHECKSUMXOR

#### Action

Returns a checksum of a string.

```
Syntax
```

PRINT Checksum(var) b = Checksum(var) b = ChecksumXOR(var)

#### Remarks

Var	A string variable.
В	A numeric variable that is assigned with the checksum.

The checksum is computed by counting all the bytes of the string variable. The checksumXOR is computed by Xor-ing all the bytes of the string variable. Checksums are often used with serial communication. The checksum is a byte checksum. The following VB code is equivalent :

Dim Check as Byte Check = 0 For x = 1 To Len(s\$) Check = check + ASC(mid\$(s\$,x,1)) Next

The following VB code is equivalent for ChecksumXOR Dim Check as Byte Check = 0 For x = 1 To Len(s\$) Check = check XOR ASC(mid\$(s\$,x,1)) Next

#### See also

CRC8 647 , CRC16 649 , CRC32 653

#### Example

\$regfile = "m48def.dat"
the used micro
\$crystal = 8000000
crystal frequency
\$baud = 19200
rate
\$hwstack = 32
use 32 for the hardware stack

' specify ' used

' use baud

' default

```
BASCOM Language Reference
                                                                       467
\$swstack = 10
                                                               ' default
use 10 for the SW stack
                                                               ' default
$framesize = 40
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As String * 10
                                                               'dim
variable
S = "test"
                                                               'assign
variable
Print Checksum(s)
                                                               'print value
(192)
```

#### 6.99 CHR

End

#### Action

Convert a numeric variable or a constant to a string with a length of 1 character. The character represents the ASCII value of the numeric value.

#### Syntax

PRINT **CHR**(var) s = **CHR**(var)

#### Remarks

Var	Numeric variable or numeric constant.
S	A string variable.

When you want to print a character to the screen or the LCD display, you must convert it with the CHR() function.

When you use PRINT numvar, the value will be printed. When you use PRINT Chr(numvar), the ASCII character itself will be printed. The Chr() function is handy in combination with the LCD custom characters where you can redefine characters 0-7 of the ASCII table.

# See also

ASC 438

# Example

```
'name : chr.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : shows how to use the CHR() and BCD()
function and
' HEX() function in combination with a PRINT
statement
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
```

\_\_\_\_\_

#### BASCOM-AVR

```
_____
$regfile = "m48def.dat"
                                                             ' specify
the used micro
$crystal = 4000000
                                                             ' used
crystal frequency
$baud = 19200
                                                             ' use baud
rate
\$hwstack = 32
                                                             ' default
use 32 for the hardware stack
\$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim K As Byte
K = 65
Print K ; Chr(k) ; K ; Chr(66) ; Bcd(k) ; Hex(k)
End
```

# 6.100 CIRCLE

#### Action

Draws a circle on a graphic display.

#### **Syntax**

CIRCLE(x0,y0), radius, color

#### Remarks

X0	Starting horizontal location of the line.
Y0	Starting vertical location of the line.
Radius	Radius of the circle
Color	Color of the circle

# See Also

LINE 810

# Example

#### 468

BASCOM Language Reference 469

\$regfile = "m8535.dat" ' specify the used micro ' used **\$crystal** = 8000000 crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space ·\_\_\_\_\_ (c) 2001-2003 MCS Electronics r. T6963C graphic display support demo 240 \* 128 ·\_\_\_\_\_ 'The connections of the LCD used in this demo 'LCD pin connected to ' 1 GND GND ' 2 GND GND ' 3 +5V -9V +5V ' 4 -9V potmeter ' 5 /WR PORTC.0 /RD '6 PORTC.1 '7 /CE PORTC.2 PORTC.3 ' 8 C/D NC '9 not conneted '10 RESET '11-18 D0-D7 PORTC.4 PA '19 PORTC.5 FS '20 NC not connected 'First we define that we use a graphic LCD ' Only 240\*64 supported yet Config Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2 , Cd = 3 , Wr = 0 , Rd = 1 , Reset = 4 , Fs = 5 , Mode = 8 'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE, CD etc. are the pin number of the CONTROLPORT. ' For example CE = 2 because it is connected to PORTC.2 'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns 'Dim variables (y not used) Dim X As Byte , Y As Byte 'Clear the screen will both clear text and graph display Cls 'Other options are : ' CLS TEXT to clear only the text display ' CLS GRAPH to clear only the graphical part Cursor Off Wait 1 'locate works like the normal LCD locate statement ' LOCATE LINE, COLUMN LINE can be 1-8 and column 0-30 Locate 1 , 1

#### 470 BASCOM-AVR

```
'Show some text
Lcd "MCS Electronics"
'And some othe text on line 2
Locate 2 , 1 : Lcd "T6963c support"
Locate 3 , 1 : Lcd "1234567890123456789012345678901234567890"
Locate 16 , 1 : Lcd "write this to the lower line"
Wait 2
Cls Text
'use the new LINE statement to create a box
'LINE(X0,Y0) - (X1,Y1), on/off
Line(0, 0) -(239, 127), 255
                                                             ' diagonal
line
Line(0, 127) - (239, 0), 255
                                                             ' diagonal
line
Line(0, 0) - (240, 0), 255
                                                             ' horizontal
upper line
Line(0 , 127) - (239 , 127) , 255
                                                             'horizontal
lower line
Line(0 , 0) -(0 , 127) , 255
                                                             ' vertical
left line
Line(239, 0) -(239, 127), 255
                                                             ' vertical
right line
Wait 2
' draw a line using PSET X,Y, ON/OFF
' PSET on.off param is 0 to clear a pixel and any other value to turn it
on
For X = 0 To 140
  Pset X , 20 , 255
                                                             ' set the
pixel
Next
For X = 0 To 140
                                                             ' set the
   Pset X , 127 , 255
pixel
Next
Wait 2
'circle time
'circle(X,Y), radius, color
'X,y is the middle of the circle, color must be 255 to show a pixel and 0
to clear a pixel
For X = 1 To 10
  Circle(20, 20), X, 255
                                                             ' show
circle
 Wait 1
  Circle(20 , 20) , X , 0
                                                             'remove
circle
  Wait 1
Next
Wait 2
For X = 1 To 10
 Circle(20 , 20) , X , 255
                                                             ' show
circle
 Waitms 200
Next
```

```
Wait 2
'Now it is time to show a picture
'SHOWPIC X,Y,label
'The label points to a label that holds the image data
Test:
Showpic 0 , 0 , Plaatje
Showpic 0 , 64 , Plaatje
                                                              ' show 2
since we have a big display
Wait 2
Cls Text
                                                              ' clear the
text
End
'This label holds the mage data
Plaatje:
'$BGF will put the bitmap into the program at this location
$bgf "mcs.bgf"
```

'You could insert other picture data here

#### 6.101 CLEAR

#### Action

Clear serial input or output buffer

#### **Syntax**

CLEAR bufname

#### Remarks

Bufname Serial buffer name to clear.	
	SERIALIN, SERIALINO - COM1/UARTO input buffer SERIALIN2 - COM2/UART1 input buffer SERIALIN3 - COM3/UART2 input buffer SERIALIN4 - COM4/UART3 input buffer
	SERIALOUT,SERIALOUTO - COM1/UARTO output buffer SERIALOUT1 - COM2/UART1 output buffer SERIALOUT2 - COM3/UART2 output buffer SERIALOUT3 - COM4/UART3 output buffer

When you use buffered serial input or buffered serial output, you might want to clear the buffer.

While you can make the head pointer equal to the tail pointer, an interrupt could be active which might result in an update of the buffer variables, resulting in an unexpected result.

The CLEAR statement will reset the head and tail pointers of the ring buffer, and it will set the buffer count variable to 0. The buffer count variable is new and introduced in 1.11.8.3. It counts how many bytes are in the buffer.

The internal buffercount variable is named  $\_RS\_BUFCOUNTxy$ , where X is **R** for **R** eceive, and **W** for **W**rite, and y is 0 for the first UART, and 1 for the second UART.

#### See also CONFIG SERIALIN ब्रिटे, CONFIG SERIALOUT ब्रिटे

© 2012 MCS Electronics

#### ASM

Calls \_BUF\_CLEAR from MCS.LIB

#### Example

CLEAR SERIALIN

#### 6.102 CLS

#### Action

Clear the LCD display and set the cursor to home.

Syntax CLS

#### Syntax for graphical LCD

CLS CLS TEXT CLS GRAPH CLS Y, X1 , X2 [, CHAR]

#### Remarks

Clearing the LCD display does not clear the CG-RAM in which the custom characters are stored.

For graphical LCD displays CLS will clear both the text and the graphical display. The EADOG128 and KS108 support the option to clear a portion of a line. Depending on the used graphic chip, this option might be added to other graphical LCD lib's too.

Graphical displays coordinates start with 1. To clear the entire first line you need to code : CLS 1,1,128

This will clear the first line, from the starting position X1(1) to the ending position (X2). You may specify an optional character to use. By default 0 is used. When you have inverse text, you need to use 255.

#### See also

\$LCD [363], \$LCDRS [368], LCD [803], SHIFTLCD [933], SHIFTCURSOR [928], SHIFTLCD [933], INITLCD [788]

# Example

'name : lcd.bas 'copyright : (c) 1995-2005, MCS Electronics 'purpose : demo: LCD, CLS, LOWERLINE, SHIFTLCD, SHIFTCURSOR, HOME ' CURSOR, DISPLAY 'micro : Mega8515 'suited for demo : yes 'commercial addon needed : no

473

\_\_\_\_\_

\_\_\_\_\_ \$regfile = "m8515.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate **\$hwstack = 32** ' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space \$sim 'REMOVE the above command for the real program !! '\$sim is used for faster simulation 'note : tested in PIN mode with 4-bit 'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 , Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6 Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 , Db7 = Porta.7 , E = Portc.7 , Rs = Portc.6 'These settings are for the STK200 in PIN mode 'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-D7 'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of the LCD connector 'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector Rem with the config lcdpin statement you can override the compiler settings Dim A As Byte Config Lcd =  $16 \times 2$ 'configure lcd screen 'other options are 16 \* 4 and 20 \* 4, 20 \* 2 , 16 \* 1a 'When you dont include this option 16 \* 2 is assumed '16 \* 1a is intended for 16 character displays with split addresses over 2 lines '\$LCD = address will turn LCD into 8-bit databus mode use this with uP with external RAM and/or ROM because it aint need the port pins ! Cls 'clear the LCD display Lcd "Hello world." 'display this at the top line Wait 1 Lowerline 'select the lower line Wait 1 Lcd "Shift this." 'display this at the lower line Wait 1

	BASCOM-AVR	
I	For A = 1 To 10	
	Shiftlcd Right	'shift the
t	text to the right Wait 1	'wait a
n	noment	
ľ	lext	
F	For A = 1 To 10 Shiftlcd Left	'shift the
t	text to the left	SIIII CHE
	Wait 1	'wait a
n	noment	
ľ	lext	
	Locate 2 , 1	'set cursor
	position	
		'display
	chis Nait 1	'wait a
	noment	Wait d
	Shiftcursor Right	'shift the
	cursor Lecd "@"	
	cd "@" chis	'display
	Vait 1	'wait a
	noment	ware a
F	Iome Upper	'select line
	and return home	
I	Lcd "Replaced."	'replace the
	text	
	Mait 1 noment	'wait a
	Cursor Off Noblink	'hide cursor
	Vait 1	'wait a
	noment Cursor On Blink	'show cursor
	Vait 1	'wait a
	noment	
I	Display Off	'turn
	display off	
	Nait 1	'wait a
	noment	1 targen
Ċ	Display On Hisplay on	'turn
	NEW support for 4-line LCD	
	Lcd "Line 3"	
	Fourthline	
I	Lcd "Line 4"	
	Iome Third	'goto home
	on line three	
	Iome Fourth	
	Iome F	'first
	Letteer also works Locate 4 , 1 : Lcd "Line 4"	
	Nait 1	
	Now lets build a special character	
1	the first number is the characternumber (0-7)	
	The other numbers are the rowvalues	
1	Use the LCD tool to insert this line	

475

**Deflcdchar** 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 replace ? with number (0-7)Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 replace ? with number (0-7)Cls 'select data RAM Rem it is important that a CLS is following the deflcdchar statements because it will set the controller back in datamode Lcd Chr(0); Chr(1)'print the special character '----- Now use an internal routine -----temp1 = 1'value into ACC 'put it on !rCall \_write\_lcd LCD End

#### 6.103 CLOCKDIVISION

#### Action

Will set the system clock division available in the MEGA chips.

#### Syntax

**CLOCKDIVISON** = var

#### Remarks

Var

Variable or numeric constant that sets the clock division. Valid values are from 2-129.

A value of 0 will disable the division.

On the MEGA 103 and 603 the system clock frequency can be divided so you can save power for instance. A value of 0 will disable the clock divider. The divider can divide from 2 to 127. So the other valid values are from 2 - 127.

Some routines that rely on the system clock will not work proper anymore when you use the divider. WAITMS for example will take twice the time when you use a value of 2.

#### See also

POWERSAVE 860

#### Example

```
$regfile = "m103def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
```

- ' specify
- ' used
- ' use baud
- ' default
- ' default

#### 476 BASCOM-AVR

```
use 10 for the SW stack
$framesize = 40 ' default
use 40 for the frame space
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

Clockdivision = 2

## 6.104 CLOSE

## Action

Closes an opened device.

#### **Syntax**

OPEN "device" for MODE As #channel **CLOSE** #channel

## Remarks

Kennan	
Device	The default device is COM1 and you don't need to open a channel to use INPUT/OUTPUT on this device. With the implementation of the software UART, the compiler must know to which pin/device you will send/receive the data. So that is why the OPEN statement must be used. It tells the compiler about the pin you use for the serial input or output and the baud rate you want to use.
	COMB.0:9600,8,N,2 will use PORT B.0 at 9600 baud with 2 stop bits.
	The format for COM1 is : COM1:
	Some chips have 2 UARTS. You can use COM2: to open the second HW UART.
	Other chips might have 4 or 8 UARTS.
	The format for the software UART is: COMpin:speed,8,N,stop bits[, INVERTED] Whore pip is the pame of the POPT-pip
	Where pin is the name of the PORT-pin. Speed must be specified and stop bits can be 1 or 2.
	An optional parameter ,INVERTED can be specified to use inverted RS- 232.
	Open "COMD.1:9600,8,N,1,INVERTED" For Output As #1 , will use pin PORTD.1 for output with 9600 baud, 1 stop bit and with inverted RS-232.
MODE	You can use BINARY or RANDOM for COM1 and COM2, but for the software UART pins, you must specify INPUT or OUTPUT.
Channel	The number of the channel to open. Must be a positive constant >0.

The statements that support the device are  $\mathsf{PRINT}$  ,  $\mathsf{INPUT}$  and  $\mathsf{INPUTHEX}$  ,  $\mathsf{INKEY},$  <code>WAITKEY</code>.

Every opened device must be closed using the CLOSE #channel statement. Of course, you must use the same channel number.

' specify

' use baud

' default

' default

' default

' used

The best place for the CLOSE statement is at the end of your program.

The INPUT statement in combination with the software UART, will not echo characters back because there is no default associated pin for this.

For the AVR-DOS file system, you may place the CLOSE at any place in your program. This because the file system supports real file handles. For the UART, SPI or other devices, you do not need to close the device. Only AVR-DOS needs a CLOSE so the file will be flushed.

#### See also

OPEN 8457, PRINT 8677

#### Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	: open.bas : (c) 1995-2005, MCS Electronics : demonstrates software UART : Mega48 : yes : no
'	

\$regfile = "m48def.dat"
the used micro
\$crystal = 10000000
crystal frequency
\$baud = 19200
rate
\$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
use 10 for the SW stack
\$framesize = 40
use 40 for the frame space

#### Dim B As Byte

'Optional you can fine tune the calculated bit delay 'Why would you want to do that? 'Because chips that have an internal oscillator may not 'run at the speed specified. This depends on the voltage, temp etc. 'You can either change \$CRYSTAL or you can use 'BAUD #1,9610 'In this example file we use the DT006 from www.simmstick.com 'This allows easy testing with the existing serial port 'The MAX232 is fitted for this example. 'Because we use the hardware UART pins we MAY NOT use the hardware UART 'The hardware UART is used when you use PRINT, INPUT or other related statements 'We will use the software UART. Waitms 100

'open channel for output

#### 478 BASCOM-AVR

```
Open "comd.1:19200,8,n,1" For Output As #1
Print #1 , "serial output"
'Now open a pin for input
Open "comd.0:19200,8,n,1" For Input As #2
'since there is no relation between the input and output pin
'there is NO ECHO while keys are typed
Print #1 , "Number"
'get a number
Input #2 , B
'print the number
Print #1 , B
'now loop until ESC is pressed
'With INKEY() we can check if there is data available
'To use it with the software UART you must provide the channel
Do
   'store in byte
   B = Inkey(#2)
   'when the value > 0 we got something
   If B > 0 Then
      Print #1 , Chr(b)
                                                              'print the
character
   End If
Loop Until B = 27
Close #2
Close #1
'OPTIONAL you may use the HARDWARE UART
'The software UART will not work on the hardware UART pins
'so you must choose other pins
'use normal hardware UART for printing
'Print B
'When you dont want to use a level inverter such as the MAX-232
'You can specify , INVERTED :
'Open "comd.0:300,8,n,1,inverted" For Input As #2
'Now the logic is inverted and there is no need for a level converter
'But the distance of the wires must be shorter with this
End
```

#### 6.105 CLOSESOCKET

#### Action

Closes a socket connection.

#### Syntax

CloseSocket socket [, prm]

Socket	The socket number you want to close in the range of 0-3. When the socket is already closed, no action will be performed.
	An optional parameter to change the behavior of the CloseSocket statement. The following values are possible :

<ul> <li>0 - The code will behave as if no parameter has been set.</li> <li>1 - In normal cases, there is a test to see if all data written to the chip has been sent. When you set bit 0 (value of 1), this test is not performed.</li> <li>2 - In normal cases, there is a test to see if the socket is actually closed after the command has been given to the chip. When it is not closed, you can not re-use the socket. The statement will block program execution however and you could test at a later time if the connection has been closed.</li> </ul>
You may combine the values. So 3 will combine parameter value 1 and 2. It is advised to use option value 1 with care.

You must close a socket when you receive the SOCK\_CLOSE\_WAIT status. You may also close a socket if that is needed by your protocol. You will receive a SOCK\_CLOSE\_WAIT status when the server closes the connection.

When you use CloseSocket you actively close the connection. Note that it is not needed to wait for a SOCK\_CLOSE\_WAIT message in order to close a socket connection.

After you have closed the connection, you need to use GetSocket in order to use the socket number again.

In normal conditions, without using the optional parameter, the statement can block your code for a short or longer time, depending on the connection speed.

#### See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETCONNECT [937], SOCKETSTAT [947], TCPWRITE [976], TCPWRITESTR [976], TCPREAD [975], SOCKETLISTEN [940]

## Example

· ·	
<pre>' 'name 'copyright 'purpose port 5000 'micro 'suited for demo 'commercial addon needed '</pre>	: yes 
\$swstack = 40	' default
use 40 for the SW stack <b>\$framesize = 64</b> use64 for the frame space	' default
<pre>Const Sock_stream = \$01 Const Sock_dgram = \$02 Const Sock_ipl_raw = \$03 Raw Sock Const Sock_macl_raw = \$04</pre>	' Tcp ' Udp ' Ip Layer ' Mac Layer

#### BASCOM-AVR

Raw Sock	
Const Sel_control = 0 Socket Status	' Confirm
Const Sel_send = 1	' Confirm Tx
Free Buffer Size	
<b>Const</b> Sel_recv = 2 Data Size	' Confirm Rx
'socket status	
Const Sock_closed = \$00 Connection Closed	' Status Of
<b>Const</b> Sock_arp = \$01	' Status Of
Arp Const Sock_listen = \$02	' Status Of
Waiting For Tcp Connection Setup	
<b>Const</b> Sock_synsent = \$03 Setting Up Tcp Connection	' Status Of
Const Sock_synsent_ack = \$04	' Status Of
Setting Up Tcp Connection	_
<b>Const</b> Sock_synrecv = \$05 Setting Up Tcp Connection	' Status Of
Const Sock_established = \$06	' Status Of
Tcp Connection Established	
<b>Const</b> Sock_close_wait = \$07 Closing Tcp Connection	' Status Of
Const Sock_last_ack = \$08	' Status Of
Closing Tcp Connection Const Sock_fin_wait1 = \$09	' Status Of
Closing Tcp Connection	Status OI
<b>Const</b> Sock_fin_wait2 = \$0a	' Status Of
Closing Tcp Connection Const Sock_closing = \$0b	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_time_wait = \$0c Closing Tcp Connection	' Status Of
Const Sock_reset = \$0d	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_init = \$0e Socket Initialization	' Status Of
Const Sock_udp = \$0f	' Status Of
Udp	l Obeber of
<b>Const</b> Sock_raw = \$10 IP RAW	' Status of
\$lib "tcpip.lbx"	' specify
the topip library	
<b>Print</b> "Init , set IP to 192.168.0.8" message	' display a
Enable Interrupts	' before we
use config tcpip , we need to enable the interrupts Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 3	100 160 0 0
Submask = $255.255.255.0$ , Gateway = $0.0.0.0$ , Localport	
\$55 , Rx = \$55	·
'Use the line below if you have a gate way	
'Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip =	192.168.0.8 ,
Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Local	
= \$55 , Rx = \$55	
Dim Bclient As Byte	' socket
number	
Dim Idx As Byte	

480

```
Dim Result As Word
                                                             ' result
Dim S As String * 80
For Idx = 0 To 3
                                                             ' for all
sockets
 Bclient = Getsocket(idx , Sock_stream , 0 , 0)
                                                             ' get socket
for client mode, specify port 0 so loal_port is used
 Print "Local port : " ; Local_port
                                                             ' print
local port that was used
 Print "Socket " ; Idx ; " " ; Bclient
 Result = Socketconnect(idx , 192.168.0.3 , 5000)
                                                             ' connect to
easytcpip.exe server
 Print "Result " ; Result
Next
Do
 If Ischarwaiting() <> 0 Then
                                                             ' is there a
key waiting in the uart?
    Bclient = Waitkey()
                                                             ' get the
key
    If Bclient = 27 Then
      Input "Enter string to send " , S
                                                             ' send WHO ,
TIME or EXIT
      For Idx = 0 To 3
         Result = Tcpwritestr(idx , S , 255)
      Next
    End If
  End If
  For Idx = 0 To 3
     Result = Socketstat(idx , 0)
                                                             ' get status
     Select Case Result
      Case Sock_established
            Result = Socketstat(idx , Sel_recv)
                                                             ' get number
of bytes waiting
            If Result > 0 Then
               Do
                 Result = Tcpread(idx , S)
                 Print "Data from server: " ; Idx ; " " ; S
               Loop Until Result = 0
            End If
       Case Sock_close_wait
            Print "close_wait"
            Closesocket Idx
       Case Sock_closed
            'Print "closed"
     End Select
 Next
LOOD
End
```

#### 6.106 CONFIG

The CONFIG statement is used to configure the various hardware devices.

DIRECTIVE	RE- USABLE	XMEGA ONLY
CONFIG 1WIRE 483	NO	
CONFIG ACXX 488	YES	Х
CONFIG ACI 487	YES	

	NO
CONFIG ADCx 492	YES X
CONFIG ATEMU 494	NO
CONFIG BASE	NO
CONFIG BCCARD 497	NO
	NO
CONFIG CLOCKDIV 504	YES
CONFIG COM1 505	YES
	YES
<u>CONFIG COM2</u> ब्रिगे also COM3 - COM8	TES
<u>CONFIG DAC</u> जिनी	YES X
CONFIG DATE 512	NO
CONFIG DCF77 515	NO
<u>CONFIG DEBOUNCE</u> जिटी	NO
CONFIG DMA 522	YES X
CONFIG DMACHx 523	YES X
CONFIG DMXSLAVE	NO
CONFIG DP 529	NO
CONFIG EEPROM 530	NO X
CONFIG ERROR 530	NO
CONFIG EVENT_SYSTEM 531	
CONFIG EXTENDED_PORT	NO
CONFIG GRAPHLCD 533	NO
CONFIG HITAG 539	NO
CONFIG I2CDELAY	NO
CONFIG I2CSLAVE	NO
CONFIG INPUT 550	NO
CONFIG INTx 551	YES
CONFIG KBD 553	NO
CONFIG KEYBOARD 553	NO
CONFIG LCD 557	NO
CONFIG LCDBUS	NO
CONFIG LCDB05	NO
CONFIG LCDPIN 564	NO
CONFIG OSC 568	YES X
CONFIG RC5	NO X
CONFIG PORT	
	YES
CONFIG POWERMODE	YES
CONFIG POWER_REDUCTION	NO X
<u>CONFIG PRIORITY</u> जिन्ही	YES X
CONFIG PRINT	NO
CONFIG PRINTBIN 578	NO
CONFIG PS2EMU	NO
CONFIG SERIALIN 582	NO
CONFIG SERIALIN1 582	NO
CONFIG SERIALIN2 582	NO
CONFIG SERIALIN3	NO

	1	
CONFIG SERIALOUT 587	NO	
CONFIG SERIALOUT1 587	NO	
CONFIG SERIALOUT2 587	NO	
CONFIG SERIALOUT3 587	NO	
CONFIG SERVOS 595	NO	
<u>CONFIG SHIFTIN</u> जिमे	NO	
<u>CONFIG SINGLE</u> जि	NO	
CONFIG SDA 581	NO	
CONFIG SCL 582	NO	
<u>CONFIG SPI</u> जिने	NO	
CONFIG SPIx 593	YES	Х
CONFIG SUBMODE	NO	
CONFIG SYSCLOCK 599	YES	Х
<u>CONFIG TCXX</u> ணி	YES	Х
CONFIG TCPIP 602	NO	
CONFIG TWI 612	YES	
CONFIG TWISLAVE	NO	
<u>CONFIG TIMER0</u> ை	YES	
CONFIG TIMER1	YES	
CONFIG TIMER2 and 3 लिगे	YES	
CONFIG USB 619	NO	
CONFIG VPORT	YES	Х
CONFIG WATCHDOG	YES	
CONFIG WAITSUART	NO	
CONFIG X10 बिउने	NO	
CONFIG XPIN 632	YES	Х
CONFIG XRAM	YES	

Some CONFIG directives are intended to be used once. Others can be used multiple times. For example you can specify that a port must be set to input after you have specified that it is used as an input.

You cannot change the LCD pins during run time. In that case the last specification will be used or an error message will be displayed.

Some Configuration commands are only available to the Xmega. An X in the 'Xmega Only' indicates that the command can only be used for an Xmega processor.

## 6.107 CONFIG 1WIRE

## Action

Configure the pin to use for 1WIRE statements and override the compiler setting.

#### **Syntax**

**CONFIG 1WIRE** = pin [, extended=0|1]

#### Remarks

Pin

The port pin to use such as PORTB.0

extended An optional constant value which need to be 0 or 1.

The CONFIG 1WIRE statement overrides the compiler setting. It is the preferred that you use it. This way the setting is stored in your source code.

You can configure only one pin for the 1WIRE statements because the idea is that you can attach multiple 1WIRE devices to the 1WIRE bus.

You can however use multiple pins and thus multiple busses. All 1wire commands and functions need the port and pin in that case.

The 1wire commands and function will automatically set the DDR and PORT register bits to the proper state. You do not need to bring the pins into the right state yourself.

It is important that you use a pull up resistor of 4K7 ohm on the 1wire pin. The pull up resistor of the AVR is not sufficient.

Also notice that some 1wire chips also need +5V. 1 wire is just marketing since you need GND anyway. The least is 2 wires and typical you need 3 wires.

#### Extended

The extended option is only needed when you use multiple busses/pins and if these are pins mix normal and extended addresses.

Let's clear that up. When the 1wire code was written in 1995 all the port addresses were normal I/O addresses. These are addresses that fit in the I/O space (address < &H60). To save code, register R31 was cleared in the library and the port register was passed in R30.

When Atmel introduced the extended I/O registers with address >&HFF, it was possible to set R31 to a fixed value when the user port was an extended I/O address. But when you want to mix the addresses, there is no other way then to pass the word address of the I/O register to the library code.

And that is exactly what EXTENDED=1 will do. It will use more code. This support was written for a customer that already made his PCB's. We do advise to use the same port when you use multiple pins.

## See also

<u>1WRESET</u> 414 , <u>1WREAD</u> 416 , <u>1WWRITE</u> 425 , <u>1WIRECOUNT</u> 417, <u>1WRESET</u> 414 , <u>1WSEARCHFIRST</u> 418 , <u>1WSEARCHNEXT</u> 420

## Example

```
'name : lwire.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demonstrates lwreset, lwwrite and lwread()
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
' pull-up of 4K7 required to VCC from Portb.2
' DS2401 serial button connected to Portb.2
'-------
```

\_\_\_\_\_

```
$regfile = "m48def.dat"
$crystal = 8000000
```

```
$hwstack = 32
                                                               ' default
use 32 for the hardware stack
\$swstack = 10
                                                               'default use
10 for the SW stack
$framesize = 40
                                                               'default use
40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'when only bytes are used, use the following lib for smaller code
$lib "mcsbyte.lib"
Config 1wire = Portb.0
                                                               'use this
pin
'On the STK200 jumper B.0 must be inserted
Dim Ar(8) As Byte , A As Byte , I As Byte
Do
  Wait 1
  1wreset
                                                               'reset the
device
  Print Err
                                                               'print error
1 if error
                                                               'read ROM
  1wwrite &H33
command
 For I = 1 To 8
   Ar(i) = 1wread()
                                                               'place into
array
 Next
'You could also read 8 bytes a time by unremarking the next line
'and by deleting the for next above
'Ar(1) = 1wread(8)
                                                                'read 8
bytes
  For I = 1 To 8
     Print Hex(ar(i));
                                                               'print
output
 Next
  Print
                                                               'linefeed
Loop
'NOTE THAT WHEN YOU COMPILE THIS SAMPLE THE CODE WILL RUN TO THIS POINT
'THIS because of the DO LOOP that is never terminated!!!
'New is the possibility to use more than one 1 wire bus
'The following syntax must be used:
For I = 1 To 8
 Ar(i) = 0
                                                               'clear array
to see that it works
Next
1wreset Pinb , 2
                                                               'use this
port and pin for the second device
1wwrite &H33 , 1 , Pinb , 2
now the number of bytes must be specified!
                                                               'note that
'lwwrite Ar(1) , 5,pinb,2
'reading is also different
```

#### © 2012 MCS Electronics

```
BASCOM-AVR
```

```
Ar(1) = 1wread(8, Pinb, 2)
                                                             'read 8
bytes from portB on pin 2
For I = 1 To 8
  Print Hex(ar(i));
Next
'you could create a loop with a variable for the bit number !
For I = 0 To 3
                                                             'for pin 0-3
  lwreset Pinb , I
  lwwrite &H33 , 1 , Pinb , I
  Ar(1) = 1wread(8, Pinb, I)
  For A = 1 To 8
   Print Hex(ar(a));
 Next
 Print
Next
End
```

\_\_\_\_\_

#### Xmega Example

\_\_\_\_\_ : XM128-1wire.bas 'name : (c) 1995-2010, MCS Electronics 'copyright 'purpose : demonstrates lwreset, lwwrite and lwread() : Xm128A1 'micro 'suited for demo : no 'commercial addon needed : no ' pull-up of 4K7 required to VCC from Portb.0 ' DS2401 serial button connected to Portb.0 !\_\_\_\_\_ \_\_\_\_\_ \$regfile = "xm128a1def.dat" **\$crystal** = 32000000 \$lib "xmega.lib" : \$external \_xmegafix\_clear : \$external \_xmegafix\_rol\_r1014 \$hwstack = 32' default use 32 for the hardware stack \$swstack = 32'default use 10 for the SW stack \$framesize = 32 'default use 40 for the frame space 'First Enable The Osc Of Your Choice Config Osc = Enabled , 32mhzosc = Enabled 'configure the systemclock **Config** Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1\_1 'configure UART Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits = 1, Databits = 8'configure lwire pin **Config** 1wire = Portb.0 'use this pin Dim Ar(8) As Byte , A As Byte , I As Byte Print "start"

#### 486

```
A = 1wirecount()
Print A ; " devices found"
'get first
Ar(1) = lwsearchfirst()
For I = 1 To 8
                                                              'print the
number
  Print Hex(ar(i));
Next
Print
Do
   'Now search for other devices
  Ar(1) = 1wsearchnext()
                                                              ' get next
device
  For I = 1 To 8
   Print Hex(ar(i));
  Next
   Print
Loop Until Err = 1
Waitms 2000
Do
                                                              'reset the
  1wreset
device
 Print Err
                                                              'print error
1 if error
  1wwrite &H33
                                                             'read ROM
command
' Ar(1) = 1wread(8) you can use this instead of the code below
 For I = 1 To 8
   Ar(i) = 1wread()
                                                              'place into
array
 Next
 For I = 1 To 8
    Print Hex(ar(i));
                                                              'print
output
 Next
                                                             'linefeed
 Print
 Waitms 1000
Loop
```

```
End
```

## 6.108 CONFIG ACI

#### Action

Configures the Analog Comparator.

#### **Syntax**

**CONFIG ACI** = ON|OFF, COMPARE = ON|OFF, TRIGGER=TOGGLE|RISING|FALLING

#### Remarks

ACI	Can be switched on or off
COMPARE	Can be on or off.
	When switched ON, the TIMER1 in capture mode will trigger on ACI too.
	Specifies which comparator events trigger the analog comparator interrupts.

#### See also

NONE

## Example

NONE

## 6.109 CONFIG ACXX

#### Action

Configures the Analog Comparator of the Xmega.

#### **Syntax**

**CONFIG ACXX** = state, TRIGGER=trigger, HISPEED=speed, HYSMODE=hys, MUXPLUS=mp, MUXMIN=mm, OUTPUT=otp, SCALE=scale, WINDOW=w, WINTMODE = wint

ACXX	The name of the Analog comparator : ACA0,ACA1, ACB0 or ACB1 Some XMEGA chips might not have (all) comparators.
State	ON or OFF. Select ON to turn the comparator on. By default it is off.
HiSpeed	When ENABLED, the comparator hi speed mode is activated. Default mode is DISABLED.
Trigger	Specifies which comparator event triggers the analog comparator interrupts. This options are : RISING, FALLING or BOTH / TOGGLE.
Hysmode	To prevent quick toggling, a hysteresis is built in. You can chose the mode : - OFF - SMALL - LARGE
MuxPlus	This option controls which pin is connected to the positive input of the comparator. Possible values : 0-7, DAC. When you chose 7, DAC will also be used. So 7 and DAC are equivalent.
MuxMin	This option controls which pin is connected to the negative input of the comparator. Possible values : 0-7, DAC, BANDGAP, SCALER. 0 - connects pin 0 1 - connects pin 1 2 - connects pin 3 ! 3 - connects pin 5 4 - connects pin 7

	5 - connects the DAC output (same as DAC option) 6 - connects the BANDGAP voltage (same as BANDGAP option) 7 - connects the SCALER output (same as SCALE option)
Output	Enabled or Disabled (default). When the output is enabled, the output of the comparator is routed to pin 7 of the port.
Scale	The input voltage of the negative mux pin can be scaled. The scale value must be in range from 0-63. The scale output voltage is calculated as : (vcc * (scale+1)) / 64 Thus a value of 63 would give VCC. And 32 would give vcc/2
Windows	Enabled or Disabled (default). When enabled, the two comparators of the port (ACA0 + ACA1) or (ACB0 + ACB1) form a window discriminator so you can control if a voltage is in the range of the lower and upper comparator.
WintMode	The status register contains the window state. (bit 6 and 7). You can also fire an interrupt at one of the states: ABOVE : interrupt on signal above window INSIDE : interrupt on signal inside window BELOW : interrupt on signal below window OUTSIDE : interrupt on signal outside window

A window is used in battery voltage meters. you could set the lower voltage to 12 V. And the upper voltage to 14 V.

If the voltage is inside this window : >=12V and <=14V then the battery is OK.

If the voltage is below the battery need to be charged.

If the voltage is above the window the battery if fully charged. The mentioned values are just an example.

## See also

NONE

## Example

```
(c) 1995-2010, MCS
                     xm128-AC.bas
  This sample demonstrates the Analog Comparator
       ------
$regfile = "xm128a1def.dat"
$crystal = 32000000
\$hwstack = 64
\$swstack = 64
$framesize = 64
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external xmegafix rol r1014
'First Enable The Osc Of Your Choice , make sure to enable 32 KHz clock
or use an external 32 KHz clock
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
```

```
490 BASCOM-AVR
```

```
'setup comparator pin 0 and pin 1 are the input of portA. Pin 7 is an
output in this sample
Config Aca0 = On , Hysmode = Small , Muxplus = 0 , Muxmin = 1 , Output =
Enabled
```

#### Do

```
Print Bin(aca_status)
Print Aca_status.4
Waitms 1000
Loop
```

' output ac0

## 6.110 CONFIG ADC

### Action

Configures the A/D converter.

#### Syntax

**CONFIG ADC** = single, PRESCALER = AUTO, REFERENCE = opt

ADC	Running mode. May be SINGLE or FREE.	
	A numeric constant for the clock divider. Use AUTO to let the compiler generate the best value depending on the XTAL	
E	The options depend on the used micro. Some chips like the M163 have additional reference options. In the definition files you will find : $ADC_REFMODEL = x$ This specifies which reference options are available. The possible values are listed in the table below.	

Chip	Modes	ADC_REFMODEL
2233,4433,4434,8535,m103,	OFF	0
m603, m128103	AVCC	
m165, m169, m325,m3250,	OFF	1
m645, m6450, m329,m3290,	AVCC	
m649, m6490,m48,m88,m168	INTERNAL or INTERNAL_1.1	
tiny15,tiny26	AVCC	2
	OFF	
	INTERNAL	
	INTERNALEXTCAP	
tiny13	AVCC	3
	INTERNAL	
tiny24,tiny44,tiny85	AVCC	4
	EXTERNAL or OFF	
	INTERNAL or INTERNAL_1.1	
m164,m324,m644,m640,m1280,	AREF or OFF	5
m1281,m2561,m2560	AVCC	
	INTERNAL1.1	
	INTERNAL_2.56	

BASCOM Language Reference

491

		-
tiny261,tiny461,tiny861, tiny25,	AVCC	7
tiny45,tiny85	EXTERNAL or OFF	
	INTERNAL_1.1	
	INTERNAL_2.56_NOCAP	
	INTERNAL_2.56_EXTCAP	
CAN128, PWM2_3,USB1287,	AREF or OFF	8
m128, m16, m163, m32, m323,	AVCC	
m64	INTERNAL or INTERNAL_2.56	
	You may also use VALUE=value	

When you use VALUE=value, you may specify any value. The disadvantage is that when you port your code from one chip to another it will not work. While the AREF, AVCC, etc. are all converter to the right settings, the value can not be converted.

The AD converter is started automatic when you use the CONFIG ADC command. You can use STOP ADC and START ADC to disable and enable the power of the AD converter.

The GETADC() function is intended to be used with the SINGLE running mode. This means that each time you call GETADC(), a conversion is started. If you use the free running mode, you need to retrieve the value from the AD converter yourself. For example by reading the internal ADC word variable.

#### See also

GETADC 7507, CONFIG ADCx 4927

#### Example

· ·	
'name	: adc.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: demonstration of GETADC() function for 8535
or M163 micro	
'micro	· Maga162
	: Megal63
'suited for demo	1
'commercial addon needed	
'use in simulator	: possible
' Getadc() will also work	for other AVR chips that have an ADC converter
· ·	
<pre>\$reqfile = "m163def.dat"</pre>	' we use the
M163	
<b>\$crystal</b> = 4000000	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware s	tack
swstack = 10	'default use
10 for the SW stack	
<b>Śframesize</b> = 40	'default use
40 for the frame space	

'configure single mode and auto prescaler setting

#### 492 BASCOM-AVR

```
'The single mode must be used with the GETADC() function
'The prescaler divides the internal clock by 2,4,8,16,32,64 or 128
'Because the ADC needs a clock from 50-200 KHz
'The AUTO feature, will select the highest clockrate possible
Config Adc = Single , Prescaler = Auto
'Now give power to the chip
Start Adc ' NOT required since it will start automatic
'With STOP ADC, you can remove the power from the chip
'Stop Adc
Dim W As Word , Channel As Byte
Channel = 0
'now read A/D value from channel 0
Do
 W = Getadc(channel)
 Print "Channel " ; Channel ; " value " ; W
  Incr Channel
  If Channel > 7 Then Channel = 0
Loop
End
'The new M163 has options for the reference voltage
'For this chip you can use the additional param :
'Config Adc = Single , Prescaler = Auto, Reference = Internal
'The reference param may be :
'OFF
         : AREF, internal reference turned off
'AVCC
         : AVCC, with external capacitor at AREF pin
'INTERNAL : Internal 2.56 voltage reference with external capacitor ar
AREF pin
```

'Using the additional param on chip that do not have the internal reference will have no effect.

## 6.111 CONFIG ADCx

#### Action

Configures the A/D converter of the Xmega.

#### Syntax

**CONFIG ADCA | ADCB** = mode, CONVMODE=sign, RESOLUTION=res, DMA=dma, REFERENCE=ref,EVENT\_MODE=evt, EVENT\_CHANNEL=evtchan, PRESCALER=pre, BANDGAP=gap, TEMPREF=tref, SWEEP=sweep, CH0\_GAIN=gain, CH0\_INP= inp, MUX0=mux, CH1\_GAIN=gain, CH1\_INP= inp, MUX1=mux , CH2\_GAIN=gain, CH2\_INP= inp, MUX2=mux, CH3\_GAIN=gain, CH3\_INP= inp, MUX3=mux

mode	Running mode. May be SINGLE or FREE.
sign	The conversion mode. This can be <b>SIGNED</b> or <b>UNSIGNED</b> . When choosing SIGNED you should assign the result to an integer. When choosing UNSIGNED you should assign the result to a word. The default is UNSIGNED.
res	The resolution of the conversion. Valid values are : - <b>8BIT</b> - <b>12BIT</b> . This is the default

	- <b>LEFT12BIT</b> . This will result in a left aligned 21 bit value.
dma	<pre>If you want to use the DMA channel, you can select which DMA channels must be used: - OFF (no DMA) - CH01 (channel 0 + 1) - CH012 (channel 0 + 1 + 2) - CH0123 (channel 0 + 1 + 2 + 3)</pre>
ref	<ul> <li>Selects the reference to use. Valid options :</li> <li>INT1V. For internal 1V reference</li> <li>INTVCC. For internal voltage divided by 1.6</li> <li>AREFA. External reference from AREF pin on PORT A.</li> <li>AREFB. External reference from AREF pin on PORT B.</li> </ul>
gap	Enables the bangap reference. Use <b>ENABLED</b> or <b>DISABLED</b> . Setting this bit enables the bandgap to prepare for ADC measurement. Note that if any other functions are using the bandgap already, this bit does not need to be set. This could be when the internal 1V reference is used in ADC or DAC, or if the Brown-out Detector is enabled.
tref	Enables the temperature reference. Use <b>ENABLED</b> or <b>DISABLED</b> . Setting this bit enables the temperature reference to prepare for ADC measurement
sweep	Selects which channels are included in a sweep when a channel sweep is triggered by the event system or in the free running mode. Valid options : - CH0 : channel 0 included - CH01 : channel 0 and 1 included - CH012 : channel 0-2 included - CH0123 : all channels are included
evtchan	<ul> <li>Event channel selection. This selects which channel should trigger which ADC channel.</li> <li>Valid options:</li> <li>CH0123. Event channel 0, 1, 2, 3 as selected inputs</li> <li>CH1234. Event channel 1, 2, 3, 4 as selected inputs</li> <li>CH2345. Event channel 2,3, 4, 5 as selected inputs</li> <li>CH3456. Event channel 3, 4, 5, 6 as selected inputs</li> <li>CH4567. Event channel 4, 5, 6, 7 as selected inputs</li> <li>CH456. Event channel 4, 5, 6 as selected inputs</li> <li>CH456. Event channel 4, 5, 6 as selected inputs</li> <li>CH456. Event channel 4, 5, 6 as selected inputs</li> <li>CH456. Event channel 4, 5, 6 as selected inputs</li> <li>CH456. Event channel 7 as selected inputs</li> </ul>
evt	<ul> <li>Event channel mode selection. This selects how many of the selected event channel are in use. Valid options:</li> <li>NONE. Event system is not used</li> <li>CH0. Event channel with the lowest number, defined by evtchan triggers conversion on channel 0</li> <li>CH01. Event channel with the two lowest numbers, defined by evtchan trigger conversion on channel 0 and 1 respectively</li> <li>CH012. Event channel with the three lowest numbers, defined by evtchan trigger conversion on channel 0, 1 and 2 respectively</li> <li>CH0123. Event channel defined by evtchan trigger conversion on channel 0, 1 and 2 respectively</li> <li>SWEEP. One sweep of all active ADC channels defined by SWEEP on incoming event channel with the lowest number, defined by evtchan</li> <li>SYNCSWEEP. One sweep of all active ADC channels defined by</li> </ul>

	SWEEP on incoming event channel with the lowest number, defined by evtchan. In addition, the conversion will be synchronized on event to ensure a very accurate timing for the conversion.
pre	Prescaler value. The prescaler divides the system clock and applies it to the A/D converter. Valid prescaler values : - 4, 8, 16, 32, 64, 128, 256 and 512
gain	Each of the 4 channels can have a different gain. Valid values are : 1,2,4,8,16,32 and 64
inp	<ul> <li>Each of the 4 channels can have a different mode. The 4 modes are :</li> <li>INTERNAL. For example for temperature measurement</li> <li>SINGLE_ENDED. For measuring positive voltages</li> <li>DIFF. For differential input without gain which allows to measure negative voltages.</li> <li>DIFFWGAIN. Same as DIFF but with gain.</li> </ul>
mux	Selects the MUX to use with the channel. This must be a numeric constant. The value depends on the mode. See page 284 of the XMega manual. At run time you can change the ADC <b>x</b> _CH <b>y</b> _MUXCTRL register. Where x is A or B, and y is the channel 0-3

#### See also

GETADC 7507, CONFIG ADC 4907

## Example

```
'setup the ADC-A converter
Config Adca = Single , Convmode = Unsigned , Resolution = 12bit , Dma =
Off , Reference = Intlv , Event_mode = None , Prescaler = 32 , Ch0_gain
= 1 , Ch0_inp = Single_ended , Mux0 = 0 'you can setup other
channels as well
```

\_\_\_\_\_

W = Getadc( adca , 0)

## 6.112 CONFIG ATEMU

#### Action

Configures the PS/2 keyboard data and clock pins.


#### Syntax


**CONFIG ATEMU** = int , DATA = data, CLOCK=clock [,INIT=VALUE]

Int	The interrupt used such as INT0 or INT1.
	The pin that is connected to the DATA line. This must be the same pin as the used interrupt.
CLOCK	The pin that is connected to the CLOCK line.

495

INIT An optional value that will identify the keyboard. By default or when omitted this is &HAB83. The code that identifies a keyboard. Some mother boards/BIOS seems to require the reverse &H83AB. By making it an option you can pass any possible value. The MSB is passed first, the LSB last.





Old PC's are equipped with a 5-pin DIN female connector. Newer PC's have a 6-pin mini DIN female connector.

The male sockets must be used for the connection with the micro.

Besides the DATA and CLOCK you need to connect from the PC to the micro, you need to connect ground. You can use the +5V from the PC to power your microprocessor.

The config statement will setup an ISR that is triggered when the INT pin goes low. This routine you can find in the library.

The ISR will retrieve a byte from the PC and will send the proper commands back to the PC.

The SENDSCANKBD statement allows you to send keyboard commands.

Note that unlike the mouse emulator, the keyboard emulator is also recognized after your PC has booted.

The PS2 Keyboard and mouse emulator needs an additional commercial addon library.

#### See also

SENDSCANKBD 915

#### Example

```
_____
                      : ps2_kbdemul.bas
'name
                      : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : PS2 AT Keyboard emulator
                       : 90S2313
'micro
'micro : 9052313
'suited for demo : no, ADD ONE NEEDED
'commercial addon needed : yes
·_____
_____
$regfile = "2313def.dat"
                                                     ' specify
the used micro
$crystal = 4000000
                                                     ' used
crystal frequency
$baud = 19200
                                                      ' use baud
rate
$hwstack = 32
                                                      ' default
use 32 for the hardware stack
\$swstack = 10
                                                     ' default
use 10 for the SW stack
$framesize = 40
                                                      ' default
use 40 for the frame space
$lib "mcsbyteint.lbx"
                                                     ' use
optional lib since we use only bytes
'configure PS2 AT pins
Enable Interrupts
                                                     ' you need
to turn on interrupts yourself since an INT is used
Config Atemu = Int1 , Data = Pind.3 , Clock = Pinb.0
                ^----- used interrupt
                          ^----- pin connected to DATA
                                  ^-- pin connected to clock
'Note that the DATA must be connected to the used interrupt pin
Waitms 500
                                                     ' optional
delay
'rcall _AT_KBD_INIT
Print "Press t for test, and set focus to the editor window"
Dim Key2 As Byte , Key As Byte
Do
   Key2 = Waitkey()
                                                      ' get key
from terminal
   Select Case Key2
     Case "t" :
     Waitms 1500
                                                     ' send a
    Sendscankbd Mark
scan code
    Case Else
   End Select
Loop
Print Hex(key)
Mark:
                                                     ' send mark
```

## 6.113 CONFIG BASE

#### Action

This option specifies the lower boundary of all arrays.

#### Syntax CONFIG BASE= value

## Remarks

By default the first element of an array starts at 1. With CONFIG BASE=0 you can override this default so that all arrays start at 0.

In some cases it is simpler that elements start at 0.

A constant named  $\_\mathsf{BASE}$  reflects the setting. You can not change the <code>BASE</code> at run time.

When you change this setting in existing code, you need to alter your code. For example when you used this code: Dim a(10) as byte : a(10) = 10

And you set CONFIG BASE=0, it will mean that element 10 is invalid.

While in QB an additional element is created, this is not a good idea in bascom because it will require more space.

## See also

NONE

## Example

CONFIG BASE=0 Dim ar(10) as byte , j as byte For j=0 to 9 ar(j)=j Next

## 6.114 CONFIG BCCARD

#### Action

Initializes the pins that are connected to the BasicCard.

## Syntax

**CONFIG BCCARD** = port , IO=pin, RESET=pin

The PORT of the micro that is connected to the BasicCard. This can be PORTB or PORTD and will depend on the used micro.
The pin number that is connected to the IO of the BasicCard. Must be in the range from 0-7
The pin number that is connected to the RESET of the BasicCard. Must be in the range from 0-7

The variables SW1, SW2 and \_BC\_PCB are automatically dimensioned by the CONFIG BCCARD statement.

This statements uses BCCARD.LIB, a library that is available separately from MCS Electronics.

## See Also

BCRESET 1053 , BCDEF 1047 , BCCALL 1047

## Example

\_\_\_\_\_ BCCARD.BAS ' This AN shows how to use the BasicCard from Zeitcontrol www.basiccard.com ..... \_\_\_\_\_ \_\_\_\_\_ 'connections: ' C1 = +5V' C2 = PORTD.4 - RESET ' C3 = PIN 4 - CLOCK ' C5 = GND ' C7 = PORTD.5 - I/O /----\ 1 1 C1 C5 C2 C6 C3 C7 C4 C8 \ \_\_\_\_\_ / '----- configure the pins we use ------**Config** Bccard = PORTD , Io = 5 , **Reset** = 4 ^ PORTD.4 ^----- PORTD.5 ^----- PORT D 'Load the sample calc.bas into the basiccard ' Now define the procedure in BASCOM ' We pass a string and also receive a string Bcdef Calc(string) 'We need to dim the following variables 'SW1 and SW2 are returned by the BasicCard

```
'BC PCB must be set to 0 before you start a session
'Our program uses a string to pass the data so DIM it
Dim S As String * 15
'Baudrate might be changed
$baud = 9600
' Crystal used must be 3579545 since it is connected to the Card too
$crystal = 3579545
'Perform an ATR
Bcreset
'Now we call the procedure in the BasicCard
'bccall funcname(nad, cla, ins, p1, p2, PRM as TYPE, PRM as TYPE)
                                                           ' we want to
S = "1+1+3"
calculate the result of this expression
Bccall Calc(0 , &H20 , 1 , 0 , 0 , S)
                                   ^--- variable to pass that holds the
expression
                              ^---- P2
                          ^----- P1
                      ^----- INS
                 ^----- CLA
            ^____ NAD
'For info about NAD, CLA, INS, P1 and P2 see your BasicCard manual
'if an error occurs ERR is set
' The BCCALL returns also the variables SW1 and SW2
Print "Result of calc : " ; S
Print "SW1 = " ; Hex(sw1)
Print "SW2 = " ; Hex(sw2)
'Print Hex(_bc_pcb) ' for test you can see that it toggles between 0
and 40
Print "Error : " ; Err
'You can call this or another function again in this session
S = "2+2"
Bccall Calc(0 , &H20 , 1 , 0 , 0 , S)
Print "Result of calc : " ; S
Print "SW1 = " ; Hex(sw1)
Print "SW2 = " ; Hex(sw2)
'Print Hex(_bc_pcb) ' for test you can see that it toggles between 0
and 40
Print "Error : " ; Err
'perform another ATR
Bcreset
Input "expression " , S
Bccall Calc(0 , &H20 , 1 , 0 , 0 , S)
Print "Answer : " ; S
'---and now perform an ATR as a function
Dim Buf(25) As Byte , I As Byte
Buf(1) = Bcreset()
For I = 1 To 25
 Print I ; " " ; Hex(buf(i))
Next
```

```
'typical returns :
'TS = 3B
'TO = EF
'TB1 = 00
'TC1 = FF
'TD1 = 81
          T=1 indication
'TD2 = 31 TA3, TB3 follow T=1 indicator
'TA3 = 50 or 20 IFSC ,50 =Compact Card, 20 = Enhanced Card
'TB3 = 45 BWT blocl waiting time
'T1 -Tk = 42 61 73 69 63 43 61 72 64 20 5A 43 31 32 33 00 00
         BasicCard
                                      Z C 1 2
                                                   3
'and another test
'define the procedure in the BasicCard program
Bcdef Paramtest(byte , Word , Long )
'dim some variables
Dim B As Byte , W As Word , L As Long
'assign the variables
B = 1 : W = \&H1234 : L = \&H12345678
Bccall Paramtest(0 , &HF6 , 1 , 0 , 0 , B , W , L)
Print Hex(sw1) ; Spc(3) ; Hex(sw2)
'and see that the variables are changed by the BasicCard !
Print B ; Spc(3) ; Hex(w) ; " " ; Hex(1)
'try the echotest command
Bcdef Echotest(byte)
Bccall Echotest(0 , &HC0 , &H14 , 1 , 0 , B)
Print B
```

'end program

#### 6.115 CONFIG CLOCK

#### Action

End

Configures the timer to be used for the TIME\$ and DATE\$ variables.

#### Syntax

**CONFIG CLOCK** = soft | USER [, GOSUB = SECTIC] [,RTC=rtc] [,RTC32=rtc32]

Soft	Use SOFT for using the software based clock routines. You need to add an ENABLE INTERRUPTS statement to your code since the SOFT mode uses the timer in interrupt mode. The timer interrupt is enabled automatic but the global interrupt you need to enable yourself. While the compiler could enable the global interrupt automatic, you would not have control anymore when it is enabled when using multiple interrupts. In general you enable global interrupts after all interrupts are setup.
	Use USER to write/use your own code in combination with an I2C clock chip for example.

Sectic	This option allows to jump to a user routine with the label sectic. Since the interrupt occurs every second you may handle various tasks in the sectic label. It is important that you use the name SECTIC and that you return with a RETURN statement from this label.		
	The usage of the optional SECTIC routine will use 30 bytes of the hardware stack. This option only works with the SOFT clock mode. It does not work in USER mode.		
RTC	This option is only available for processors with an RTC (XMEGA). This option sets the RTC clock source.		
	Valid parameters are : 1KHZ_INT32KHZ_ULP 1 kHz from internal 32 kHz ULP 1KHZ_32KHZ_CRYSTOSC 1 kHz from 32 kHz Crystal Oscillator on TOSC 1KHZ_INT32KHZ_RCOSC 1 kHz from internal 32 kHz RC Oscillator 32KHZ_32KHZ_CRYSTOSC 32 kHz from 32 kHz Crystal Oscillator on TOSC		
	e 1KHz clocks will load the PER register with 1000-1 and the 32 KHz ck will load PER with a value of 32768-1. e overflow mode is used and you can use the compare overflow if uired.		
	Do not forget to enable the 32 KHz oscillator and the interrupts as shown in the Xmega example.		
RTC32	This option is available for few XMEGA chips. You can use it instead of the RTC. You can not use both RTC and RTC32 together. RTC32 only accepts one value : 32KHZ_32KHZ_CRYSTOSC This also means that you must use an external 32 KHz crystal oscillator.		

When you use the CONFIG CLOCK directive the compiler will DIM the following variables automatic : \_sec , \_min , \_hour, \_day , \_month , \_year The variables TIME\$ and DATE\$ will also be dimensioned. These are special variables since they are treated different. See TIME\$ 100 DATE\$ 100 DAT

The \_sec, \_min and other internal variables can be changed by the user too. But of course changing their values will change the DATE\$/TIME\$ variables.

The compiler also creates an ISR that gets updates once a second. This works only for the 8535, M163 and M103 and M603, or other AVR chips that have a timer that can work in asynchrony mode.

For the 90S8535, timer2 is used. It can not be used my the user anymore! This is also true for the other chips async timer.

Notice that you need to connect a 32768 Hz crystal in order to use the timer in async mode, the mode that is used for the clock timer.

When you choose the USER option, only the internal variables are created. With the USER option you need to write the clock code yourself.

See the datetime.bas example that shows how you can use a DS1307 clock chip for the date and time generation.

Numeric Values to calculate with Date and Time:

- SecOfDay: (Type LONG) Seconds elapsed since Midnight. 00:00:00 start with 0 to 85399 at 23:59:59.
- SysSec: (Type LONG) Seconds elapsed since begin of century (at 2000-01-01!). 00:00:00 at 2000-01-01 start with 0 to 2147483647 (overflow of LONG-Type) at 2068-01-19 03:14:07
- DayOfYear: (Type WORD) Days elapsed since first January of the current year.
- First January start with 0 to 364 (365 in a leap year)
- SysDay: (Type WORD) Days elapsed since begin of century (at 2000-01-01!). 2000-01-01 starts with 0 to 36524 at 2099-12-31
- DayOfWeek: (Type Byte) Days elapsed since Monday of current week. Monday start with 0 to Sunday = 6

With the numeric type calculations with Time and date are possible. Type 1 (discrete Bytes) and 2 (Strings) can be converted to an according numeric value. Than Seconds (at SecOfDay and SysSec) or Days (at DayOfYear, SysDay), can be added or subtracted. The Result can be converted back.

#### See also

TIME\$ 981, DATE\$ 671, CONFIG DATE 512, Memory usage 171

#### ASM

The following ASM routines are called from datetime.lib \_soft\_clock. This is the ISR that gets called once per second.

## Example

'name 'copyright 'purpose variables 'micro 'suited for demo 'commercial addon needed	: no		
<pre>\$regfile = "m103def.dat" the used micro \$crystal = 4000000 crystal frequency \$baud = 19200 rate</pre>	' specify ' used ' use baud		
\$hwstack = 32	' default		
<pre>use 32 for the hardware stack \$swstack = 10 ' use 10 for the SW stack</pre>			
\$framesize = 40' defaultuse 40 for the frame space' default			

503

```
'With the 8535 and timer2 or the Mega103 and TIMER0 you can
'easily implement a clock by attaching a 32768 Hz xtal to the timer
'And of course some BASCOM code
'This example is written for the STK300 with M103
Enable Interrupts
'[configure LCD]
$lcd = &HC000
                                                           'address for
E and RS
$lcdrs = &H8000
                                                           'address for
only E
Config Lcd = 20 \times 4
                                                           'nice
display from bg micro
Config Lcdbus = 4
                                                           'we run it
in bus mode and I hooked up only db4-db7
Config Lcdmode = Bus
                                                           'tell about
the bus mode
'[now init the clock]
Config Date = Mdy, Separator = /
                                                           ' ANSI-
Format
Config Clock = Soft
                                                           'this is how
simple it is
'The above statement will bind in an ISR so you can not use the TIMER
anymore!
'For the M103 in this case it means that TIMER0 can not be used by the
user anymore
'assign the date to the reserved date$
'The format is MM/DD/YY
Date$ = "11/11/00"
'assign the time, format in hh:mm:ss military format(24 hours)
'You may not use 1:2:3 !! adding support for this would mean overhead
'But of course you can alter the library routines used
Time$ = "02:20:00"
·_____
'clear the LCD display
Cls
Do
 Home
                                                           'cursor home
 Lcd Date$ ; " " ; Time$
                                                           'show the
date and time
Loop
'The clock routine does use the following internal variables:
'_day , _month, _year , _sec, _hour, _min
'These are all bytes. You can assign or use them directly
_day = 1
'For the _year variable only the year is stored, not the century
End
Xmega Sample
```

(c) 1995-2010, MCS xm128-RTC.bas This sample demonstrates the Xmega128A1 RTC

```
$regfile = "xm128a1def.dat"
$crystal = 32000000
$hwstack = 64
\$swstack = 64
$framesize = 64
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
Config Portb = Output
'First Enable The Osc Of Your Choice , make sure to enable 32 KHz clock
or use an external 32 KHz clock
Config Osc = Enabled , 32mhzosc = Enabled , 32khzosc = Enabled
' For the CLOCK we use the RTC so make sure the 32 KHZ osc is enabled !!!
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1, Databits = 8
Open "COM1:" For Binary As #1
Config Clock = Soft , Rtc = 1khz int32khz ulp
                                                                   ' we select
the internal 1 KHz clock from the 32KHz internal oscillator
'the following clocks can be used to clock the RTC
' 1KHZ_INT32KHZ_ULP 1 kHz from internal 32 kHz ULP
 1KHZ_32KHZ_CRYSTOSC1 kHz from 32 kHz Crystal Oscillator on TOSC1KHZ_INT32KHZ_RCOSC1 kHz from internal 32 kHz RC Oscillator32KHZ_32KHZ_CRYSTOSC32 kHz from 32 kHz Crystal Oscillator on TOSC
' 1KHZ_32KHZ_CRYSTOSC
Config Priority = Static , Vector = Application , Lo = Enabled
the RTC uses LO priority interrupts so these must be enabled !!!
Enable Interrupts
                                                                    ' as usual
interrupts must be enabled
Do
 Print Time$
                                                                    ' print the
time
 Waitms 1000
LOOD
Sectic:
  Toggle Portb
                                                                   'optional
toggle some leds when using the gosub=sectic option
Return
```

#### 6.116 CONFIG CLOCKDIV

#### Action

Sets the clock divisor.

#### Syntax

**CONFIG CLOCKDIV** = constant

## **Remarks**

constant	The clock division factor to use. Possible values are 1, 2, 4, 8, 16,
	32,64, 128 and 256.

The options to set the clock divisor is available in most new chips. Under normal conditions the clock divisor is one. Thus an oscillator value of 8 MHz will result in a system clock of 8 MHz. With a clock divisor of 8, you would get a system clock of 1 MHz.

Low speeds can be used to generate an accurate system frequency and for low power consumption.

Some chips have a 8 or 16 division enabled by default by a fuse bit. You can then reprogram the fuse bit or you can set the divisor from code.

When you set the clock divisor take care that you adjust the CRYSTAL directive also. CRYSTAL specifies the clock frequency of the system. So with 8 MHz clock and divisor of 8 you would specify CRYSTAL = 1000000.

## See also

\$CRYSTAL 338

## Example

CONFIG  $\bar{\text{CLOCKDIV}}$  = 8 'we divide 8 MHz crystal clock by 8 resulting in 1 MHz speed

# 6.117 CONFIG COM1

## Action

Configures the UART of AVR chips that have an extended UART like the M8.

## **Syntax**

**CONFIG COM1** = baud , synchrone=0|1,parity=none|disabled|even|odd,stopbits=1| 2,databits=4|6|7|8|9,clockpol=0|1

## Remarks

baud	Baud rate to use. Use 'dummy' to leave the baud rate at the \$baud value.
synchrone	0 for asynchrone operation (default) and 1 for synchrone operation.
Parity	None, disabled, even or odd
Stopbits	The number of stop bits : 1 or 2
Databits	The number of data bits : 4,5,7,8 or 9.
Clockpol	Clock polarity. 0 or 1.

Note that not all AVR chips have the extended UART. Most AVR chips have a UART with fixed communication parameters. These are : No parity, 1 stop bit, 8 data bits.

Normally you set the BAUD rate with \$BAUD or at run time with BAUD. You may also set the baud rate when you open the COM channel. It is intended for the Mega2560

#### 506 BASCOM-AVR

that has 4 UARTS and it is simpler to specify the baud rate when you open the channel. It may also be used with the first and second UART but it will generate additional code since using the first UART will always result in generating BAUD rate init code.

#### See Also

CONFIG COM2 500 , CONFIG COMx 500

## Example

\*\_\_\_\_\_ 'name : : (c) 1995-2005, MCS Electronics 'copyright : test for M128 support in M128 mode 'purpose 'micro : Megal28 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ -----\$regfile = "m128def.dat" ' specify the used micro crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate **\$baud1** = 19200 \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'By default the M128 has the M103 compatibility fuse set. Set the fuse to M128 'It also runs on a 1 MHz internal oscillator by default 'Set the internal osc to 4 MHz for this example DCBA=1100 'use the ml28def.dat file when you wanto to use the Ml28 in Ml28 mode 'The M128 mode will use memory from \$60-\$9F for the extended registers 'Since some ports are located in extended registers it means that some statements 'will not work on these ports. Especially statements that will set or reset a bit 'in a register. You can set any bit yourself with the PORTF.1=1 statement for example 'But the I2C routines use ASM instructions to set the bit of a port. These ASM instructions may 'only be used on port registers. PORTF and PORTG will not work with I2C. 'The M128 has an extended UART.

```
'when CONFIG COMx is not used, the default N,8,1 will be used
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Config Com2 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
```

'try the second hardware UART

## 6.118 CONFIG COM2

#### Action

Configures the UART of AVR chips that have a second extended UART like the M128.

## **Syntax**

**CONFIG COM2** = baud , synchrone=0|1,parity=none|disabled|even|odd,stopbits=1| 2,databits=4|6|7|8|9,clockpol=0|1

# Remarks

	Baud rate to use. Use 'dummy' to leave the baud rate at the \$baud1 value.	
synchrone	0 for asynchrone operation (default) and 1 for synchrone operation.	
Parity	None, disabled, even or odd	
Stopbits	The number of stopbits : 1 or 2	
Databits	The number of databits : 4,5,7,8 or 9.	
Clockpol	Clock polarity. 0 or 1.	

Normally you set the BAUD rate with \$BAUD or at run time with BAUD. You may also set the baud rate when you open the COM channel. It is intended for the Mega2560 that has 4 UARTS and it is simpler to specify the baud rate when you open the channel. It may also be used with the first and second UART but it will generate additional code since using the first or second UART will always result in generating BAUD rate init code.

Note that not all AVR chips have the extended UART. Most AVR chips have a UART with fixed communication parameters. They are : No parity, 1 stopbit, 8 data bits.

See Also CONFIG COM1 জ্জি , CONFIG COMx জ্ঞা

## Example

© 2012 MCS Electronics

#### BASCOM-AVR

508

```
'name
                         : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                         : test for M128 support in M128 mode
'micro
                         : Megal28
'suited for demo
                         : yes
'commercial addon needed : no
·-----
                                      _____
_____
$regfile = "m128def.dat"
                                                           ' specify
the used micro
$crystal = 4000000
                                                           ' used
crystal frequency
$baud = 19200
                                                           ' use baud
rate
$baud1 = 19200
$hwstack = 32
                                                           ' default
use 32 for the hardware stack
\$swstack = 10
                                                           ' default
use 10 for the SW stack
$framesize = 40
                                                           ' default
use 40 for the frame space
'By default the M128 has the M103 compatibility fuse set. Set the fuse
to M128
'It also runs on a 1 MHz internal oscillator by default
'Set the internal osc to 4 MHz for this example DCBA=1100
'use the m128def.dat file when you wanto to use the M128 in M128 mode
'The M128 mode will use memory from $60-$9F for the extended registers
'Since some ports are located in extended registers it means that some
statements
'will not work on these ports. Especially statements that will set or
reset a bit
'in a register. You can set any bit yourself with the PORTF.1=1
statement for example
'But the I2C routines use ASM instructions to set the bit of a port.
These ASM instructions may
'only be used on port registers. PORTF and PORTG will not work with I2C.
'The M128 has an extended UART.
'when CONFIG COMx is not used, the default N,8,1 will be used
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Config Com2 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'try the second hardware UART
Open "com2:" For Binary As #1
'try to access an extended register
Config Portf = Output
'Config Portf = Input
Print "Hello"
Dim B As Byte
Do
  Input "test serial port 0" , B
  Print B
  Print #1 , "test serial port 2"
```

Loop

Close #1 End

## 6.119 CONFIG COMx

## Action

Configures the UART of AVR chips that have an extended UART like the M2560.

# **Syntax**

**CONFIG COMx** = baud , synchrone=0|1,parity=none|disabled|even|odd,stopbits=1| 2,databits=4|6|7|8|9,clockpol=0|1

# Syntax Xmega

**CONFIG COMx** = baud , Mode=mode, Parity=parity, Stopbits=stopbits, Databits=databits,clockpol=Clockpol

# Remarks

COMx	The COM port to configure. Value in range from 1-4	
baud	Baud rate to use.	
synchrone	0 for asynchrone operation (default) and 1 for synchrone operation.	
Parity	None, disabled, even or odd	
Stopbits	The number of stop bits : 1 or 2	
Databits	The number of data bits : 4,5,7,8 or 9.	
Clockpol	Clock polarity. 0 or 1.	



Note that not all AVR chips have the extended UART. Most AVR chips have a UART with fixed communication parameters. These are : No parity, 1 stopbit, 8 data bits.

The Mega2560 does support 4 UART's.

## **Remarks Xmega**

СОМх	The COM port to configure. Value in range from 1-8
baud	Baud rate to use. If the baud rate can be generated accurately depends on the system clock.
mode	The USART mode, this can be : - ASYNCHRONEOUS or 0 (default) for asynchronous operation. - SYNCHRONEOUS or 1 , for synchronous operation. - IRDA or IRCOM for IRDA operation - SPI or MSPI for operation as SPI controller
Parity	None, disabled, even or odd
Stopbits	The number of stop bits : 1 or 2
Databits	The number of data bits : 5,6,7,8 or 9.

In the Xmega the registers have a fixed offset. This allows to use dynamic UARTS : you can change settings at run time by using a variable. This will use some more

#### 510 BASCOM-AVR

code when using just one UART but will save code when using multiple UARTS because you need only one copy of the code.

In the Xmega you MUST use CONFIG COM before you can use the UART. The CONFIG commands makes a call to \_INIT\_XMEGA\_UART where the various parameters are passed to setup the UART. You also need to specify the baud rate. Do not use \$BAUD.

The CLOCKPOL for the SPI mode has been removed, it will be added to a configuration command for the SPI.

The CONFIG COM will set the TX pin to output mode. This are the following pins :

UART	TX pin	RX pin
COM1	PORTC.3	PORTC.2
COM2	PORTC.7	PORTC.6
СОМЗ	PORTD.3	PORTD.2
COM4	PORTD.7	PORTD.6
COM5	PORTE.3	PORTE.2
COM6	PORTE.7	PORTE.6
COM7	PORTF.3	PORTF.2
COM8	PORTF.7	PORTF.6

## See Also

CONFIG COM1 505, CONFIG COM2 505

## Example

```
_____
'name
                          :
                          : (c) 1995-2008, MCS Electronics
'copyright
'purpose
                           : test for M2560 support
'micro
                           : Mega2560
'suited for demo
                           : yes
'commercial addon needed : no
·_____
$regfile = "m2560def.dat"
                                                                ' specify the used mich
$crystal = 8000000
                                                                ' used crystal frequence
$hwstack = 40
                                                                ' default use 32 for th
                                                                ' default use 10 for th
\$swstack = 40
                                                                ' default use 40 for th
$framesize = 40
'The M128 has an extended UART.
'when CO'NFIG COMx is not used, the default {\tt N,8,1} will be used
Config Com1 = 19200 , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 .
Config Com2 = 19200 , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 ,
Config Com3 = 19200 , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8
Config Com4 = 19200 , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8
'Open all UARTS
Open "com2:" For Binary As #1
Open "Com3:" For Binary As #2
Open "Com4:" For Binary As #3
Print "Hello"
                                                                'first uart
Dim B As Byte
```

```
Dim Tel As Word
Do
  Incr Tel
  Print Tel ; " test serial port 1"
  Print #1 , Tel ; " test serial port 2"
  Print #2 , Tel ; " test serial port 3"
  Print #3 , Tel ; " test serial port 4"
  B = Inkey(#3)
  If B <> 0 Then
     Print #3 , B ; " from port 4"
  End If
  Waitms 500
Loop
Close #1
Close #2
Close #3
End
```

## 6.120 CONFIG DACx

#### Action

This statement configures the DACA or DACB in the Xmega.

## **Syntax**

```
CONFIG DACx=dac, IO0=IO0, IO1=IO1, INTERNAL_OUTPUT =INTOTP,
CHANNEL=channel, TRIGGER_CH0=trig0, TRIGGER_CH1=trig1, REFERENCE=
ref, LEFT_ADJUSTED=adjusted, EVENT_CHANNEL=event, INTERVAL=interval,
REFRESH=refresh
```

## Remarks

DACX	Chose either DACA or DACB. DACA is connected to PORTA. DACB is connected to PORTB.
dac	ENABLED or DISABLED. Chose ENABLED to enable the DAC.
100	ENABLED or DISABLED. Chose ENABLED to enable output 0. Each DAC has 2 outputs. When multiple outputs are used, the DAC is using S&H.
IO1	ENABLED or DISABLED. Chose ENABLED to enable output 1.
Intotp	ENABLED or DISABLED. Chose ENABLED to enable the internal output.
Channel	SINGLE or DUAL. If both outputs are used, you need to enable the second output with IO1.
Trig0	ENABLED or DISABLED. Chose ENABLED to enable the trigger of channel 0.
Trig1	ENABLED or DISABLED. Chose ENABLED to enable the trigger of channel 1.
Ref	The DAC needs a stable voltage reference. You can chose one of the following: - INT1V. This will select the internal 1V reference - AVCC. This will use AVCC as reference.

	<ul> <li>AREFA. This will use AREFA as reference.</li> <li>AREFB. This will use AREFB as reference.</li> <li>The output of the DAC can never be higher then the voltage reference. When you chose INT1V, the output is from 0-1V in 4096 steps.</li> </ul>
Adjusted	ENABLED or DISABLED. By default the DAC output is right adjusted. You can left alight the result.
Event	The event channel to use for the event system.
Interval	The minimum interval between 2 conversions. This is a value of : 1,2,4,8,16,32,64 or 128. The default in the register is 64. A value of 64 will give an interval of 64 clock cycles.
Refresh	The DAC channel refresh timing. This is the interval refresh time in DUAL channel mode. Possible values: OFF 16, 32, 128, 256, 512, 1014, 2048, 4096, 8192, 16384, 32768, 65536. A value of 16 means an interval of 16 clock cycles. The default loaded is 64.

The DAC data register is available in the DACA0, DACA1 and DACB0 and DACB1 variables.

## See also

<u>START</u> 955ो , <u>STOP</u> 96ने

## **Example**

```
Config Daca = Enabled , Io0 = Enabled , Channel = Single , Reference =
Int1v , Interval = 64 , Refresh = 64
Daca0 = 4095 '1 V output
on porta.2
```

See also the example xm128a1.bas from the samples\chips folder

# 6.121 CONFIG DATE

## Action

Configure the Format of the Date String for Input to and Output from BASCOM – Date functions

## **Syntax**

**CONFIG DATE** = DMY , Separator = char

# Remarks

DMY	The Day, month and year order. Use DMY, MDY or YMD.
	The character used to separate the day, month and year. Old syntax : /, - or . (dot).

Preferred new syntax : MINUS, SLASH or DOT.
Example: Config Date = DMY, SEPARATOR=MINUS

The following table shows the common formats of date and the associated statements.

Country	Format	Statement
American	mm/dd/yy	Config Date = MDY, Separator = SLASH
ANSI	yy.mm.dd	Config Date = YMD, Separator = DOT
Britisch/French	dd/mm/yy	Config Date = DMY, Separator = SLASH
German	dd.mm.yy	Config Date = DMY, Separator = DOT
Italian	dd-mm-yy	Config Date = DMY, Separator = MINUS
Japan/Taiwan	yy/mm/dd	Config Date = YMD, Separator = SLASH
USA	mm-dd-yy	Config Date = MDY, Separator = MINUS

When you live in Holland you would use : CONFIG DATE = DMY, separator = MINUS This would print 24-04-02 for 24 November 2002.

When you line in the US, you would use : CONFIG DATE = MDY , separator = SLASH This would print 04/24/02 for 24 November 2002.

# See also

CONFIG CLOCK 500 , DATE TIME functions 1044 , DayOfWeek 664 , DayOfYear 670 , SecOfDay 900 , SecElapsed 900 , SysDay 668 , SysSecElapsed 667 , Time 982 , Date 673

# Example

'	
'name 'copyright 'purpose variables 'micro 'suited for demo 'commercial addon needed	<pre>: megaclock.bas : (c) 1995-2005, MCS Electronics : shows the new TIME\$ and DATE\$ reserved : Megal03 : yes : no</pre>
<pre>\$regfile = "m103def.dat" the used micro</pre>	' specify
\$crystal = 4000000	' used
crystal frequency <b>\$baud</b> = 19200 rate	' use baud
<pre>\$hwstack = 32</pre>	' default
<pre>use 32 for the hardware s \$swstack = 10 use 10 for the SW stack</pre>	tack ' default
\$framesize = 40	' default

```
514 BASCOM-AVR
use 40 for the frame space
'With the 8535 and timer2 or the Megal03 and TIMER0 you can
'easily implement a clock by attaching a 32768 Hz xtal to the timer
'And of course some BASCOM code
```

```
'This example is written for the STK300 with M103 Enable Interrupts
```

End

```
'[configure LCD]
$lcd = &HC000
                                                                'address for
E and RS
$lcdrs = &H8000
                                                                'address for
only E
Config Lcd = 20 \times 4
                                                                'nice
display from bg micro
Config Lcdbus = 4
                                                                'we run it
in bus mode and I hooked up only db4-db7
Config Lcdmode = Bus
                                                                'tell about
the bus mode
'[now init the clock]
Config Date = Mdy, Separator = SLASH
                                                                    ' ANSI-
Format
Config Clock = Soft
                                                                'this is how
simple it is
'The above statement will bind in an ISR so you can not use the TIMER
anymore!
'For the M103 in this case it means that TIMER0 can not be used by the
user anymore
'assign the date to the reserved date$
'The format is MM/DD/YY
Date$ = "11/11/00"
'assign the time, format in hh:mm:ss military format(24 hours)
'You may not use 1:2:3 !! adding support for this would mean overhead
'But of course you can alter the library routines used
Time$ = "02:20:00"
'clear the LCD display
Cls
Do
 Home
                                                                'cursor home
 Lcd Date$ ; " " ; Time$
                                                                'show the
date and time
Loop
'The clock routine does use the following internal variables:
'_day , _month, _year , _sec, _hour, _min
'These are all bytes. You can assign or use them directly
_day = 1
'For the _year variable only the year is stored, not the century
```

# 6.122 CONFIG DCF77

# Action

Instruct the compiler to use DCF-77 radio signal to get atom clock precision time

# Syntax

**CONFIG DCF77** = pin , timer = timer **[** INVERTED=inv, CHECK=check, UPDATE=upd, UPDATETIME=updtime , TIMER1SEC=tmr1sec, SWITCHPOWER=swpwr, POWERPIN=pin, POWERLEVEL = pwrlvl , SECONDTICKS=sectick ,DEBUG=dbg , GOSUB = Sectic **]** 

## Remarks

PIN	The input pin that is connected to the DCF-77 signal. This can be any micro processor pin that can be used as an input.
TIMER	The timer that is used to generate the compare interrupts, needed to determine the level of the DCF signal. Supported timers are : TIMER1.
	For Xmega : TCC0,TCC1,TCE0,TCE1,TCD0,TCD1,TCF0,TCF1 Xmega needs the MED priority set with <u>CONFIG PRIORITY</u> [575] because the MED priority is used for the timer interrupt.
INVERTED	This value is <b>0</b> by default. When you specify 1, the compiler will assume you use an inverted DCF signal. Most DCF-77 receivers have a normal output and an inverted output.
CHECK	<ul> <li>Check is 1 by default. The possible values are :</li> <li><b>0</b> - The DCF-77 parity bits are checked. No other checks are performed.</li> <li>Use it when you have exceptional signal strength</li> <li><b>1</b> - The received minutes are compared with the previous received minutes. And the difference must be 1.</li> <li><b>2</b> - All received values(minutes, hours, etc.) are compared with their previous received values. Only the minutes must differ with 1, the other values must be exactly the same.</li> <li>This value uses more internal ram but it gives the best check. Use this when you have bad signal reception.</li> </ul>
UPDATE	<ul> <li>Upd determines how often the internal date/time variables are updated with the DCF received values. The default value is 0.</li> <li>There are 3 possible values :</li> <li>O - Continuous update. The date and time variables are updated every time the correct values have been received</li> <li>1 - Hourly update. The date and time variables are updated once an hour.</li> <li>2- Daily update. The date and time variables are updated once a day.</li> <li>The UPDATE value also determines the maximum value of the UPDATETIME option.</li> </ul>
UPDATETIME	This value depends on the used UPDATE parameter. When UPDATE is 1, the value must be in the range from 0-59. Start every hour at this minute with the new update. When UPDATE is 2, the value must be in the range from 0-23. Start every day at this hour with the new update. The default is <b>0</b> .
TIMER1SEC	16 bit timers with the right crystal value can generate a precise

	interrupt that fires every second. This can be used to synchronize only once a day or hour with the DCF values. The remaining time, the 1-sec interrupt will update the soft clock. By default this value is 0.
SWITCHPOWER	This option can be used to turn on/off the DCF-77 module with the control of a port pin. The default is <b>0</b> . When you specify a value of <b>1</b> , the DCF receiver will be switched off to save power, as soon as the clock is synchronized.
POWERPIN	The name of a pin like pinB.2 that will be used to turn on/off the DCF module.
	This option controls the level of the output pin that will result in a power ON for the module. 0 - When a logic 0 is applied to the power pin, the module is ON. 1 - When a logic 1 is applied to the power pin, the module is ON. Use a transistor to power the module. Do not power it from a port PIN directly. When you do power from a pin, make sure you sink the current. Ie : connect VCC to module, and GND of the module to ground. A logic 0 will then turn on the module.
	The number of times that the DCF signal state is read. This is the number of times per second that the interrupt is executed. This value is calculated by the compiler. The highest possible timer pre scale value is used and the lowest possible number of times that the interrupt is executed. This gives least impact on your main application. You can override the value by defining your own value. For example when you want to run some own code in the interrupt and need it to execute more often.
DEBUG	Optional value to fill 2 variables with debug info. DEBUG is on when a value of 1 is specified. By default, DEBUG is off. This has nothing to do with other DEBUG options of the compiler, it is only for the DCF77 code! When 1 is specified the compiler will create 2 internal variable named : bDCF_Pause and bDCF_Impuls. These values contain the DCF pulse length of the pause and the impulse. In the sample these values are printed.
GOSUB	The Sectic option will call a label in the main program every second. You have to insert this label yourself. You must also end it with a RETURN. The option is the same as used with <u>CONFIG CLOCK</u>

The DCF decoding routines use a status byte. This byte can be examined as in the example. The bits have the following meaning.

Bit	Explanation
0	The last reading of the DCF pin.
1	This bit is reserved.
	This Bit is set, if after a complete time-stamp at second 58 the time-stamp is checked and it is OK. If after a minute mark (2 sec pause) this bit is set, the time from the DCF-Part is copied to the Clock-Part and this bit reset too. Every second mark also resets this bit. So time is only set, if after second 58 a minute mark follows. Normally this bit is only at value 1 from Second 58 to second 60/00.
	This Bit indicates, that the DCF-Part should be stopped, if time is set. (at the option of updating once per hour or day).
4	This Bit indicated that the DCF-Part is stopped.

5	This bit indicates, that the CLOCK is configured the way, that during DCF-Clock is stopped, there is only one ISR-Call in one second.
	This Bit determines the level of the DCF input-pin at the pulse (100/200 mSec part).
7	This bit indicates, that the DCF-Part has set the time of the Clock-part.

## See Also

DCF77TIMEZONE 683

You can read the Status-Bit 7 (DCF\_Status.7), to check whether the internal clock was synchronized by the DCF-Part. You can also reset this Bit with <u>RESET</u> of DCF\_Status.7. The DCF-Part will set this bit again, if a valid time-stamp is received. You can read all other bits, but don't change them.

The DCF-77 signal is broadcasted by the German Time and Frequency department. The following information is copied from : <u>http://www.ptb.de/en/org/4/44/\_index.</u> <u>htm</u>

The main task of the department time and frequency is the realization and dissemination of the base unit time (second) and the dissemination of the legal time in the Federal Republic of Germany.

The second is defined as the duration of 9 192 631 770 periods of the radiation corresponding to the transition between the two hyper fine levels of the ground state of the cesium-133 atom.

For the realization and dissemination of the unit of time, the department develops and operates cesium atomic clocks as primary standards of time and frequency. In the past decades, these, as the worldwide most accurate atomic clocks, have contributed to the international atomic time scale (TAI) and represent the basis for the legal time in Germany. Dissemination of the legal time to the various users in industry, society, and research is performed via satellite, via a low frequency transmitter DCF77 and via an internet- and telephone service.

The department participates in the tests for the future European satellite navigation system "Galileo".

Presently the primary clocks realizing the time unit are augmented by Cs clocks with laser cooled atoms ("Cs-fountain clocks") whose accuracy presently exceeds the clocks with thermal beams by a factor of 10 (frequency uncertainty of 1 . 10-15).

Future atomic clocks will most likely be based on atomic transitions in the optical range of single stored ions. Such standards are presently being developed along with the means to relate their optical frequencies without errors to radio-frequencies or 1 second pulsed.

As one may expect transitions in nuclei of atoms to be better shielded from environmental perturbations than electron-shell transitions which have been used so far as atomic clock references, the department attempts to use an optical transition in the nucleus of 229Th for a future generation of atomic clocks.

The work of the department is complemented by research in nonlinear optics (Solitons) and precision time transfer techniques, funded in the frame of several European projects and by national funding by Deutsche Forschungsgemeinschaft particularly in the frame of Sonderforschungsbereich 407 jointly with Hannover University.

The following information is copied from wikipedia : <u>http://en.wikipedia.org/wiki/</u> DCF77

The signal can be received in this area:



DCF77 is a long wave time signal and standard-frequency radio station. Its primary and backup transmitter are located in Mainflingen, about 25 km south-east of Frankfurt, Germany. It is operated by T-Systems Media Broadcast, a subsidiary of Deutsche Telekom AG, on behalf of the Physikalisch-Technische Bundesanstalt, Germany's national physics laboratory. DCF77 has been in service as a standardfrequency station since 1959; date and time information was added in 1973.

The 77.5 kHz carrier signal is generated from local atomic clocks that are linked with the German master clocks in Braunschweig. With a relatively-high power of 50 kW, the station can be received in large parts of Europe, as far as 2000 km from Frankfurt. Its signal carries an amplitude-modulated, pulse-width coded 1 bit/s data signal. The same data signal is also phase modulated onto the carrier using a 511-bit long pseudo random sequence (direct-sequence spread spectrum modulation). The transmitted data repeats each minute

Map showing the range of the DCF77 signal.

Map showing the range of the DCF77 signal.

- \* the current date and time;
- \* a leap second warning bit;
- \* a summer time bit;
- \* a primary/backup transmitter identification bit;
- \* several parity bits.


Since 2003, 14 previously unused bits of the time code have been used for civil defence emergency signals. This is still an experimental service, aimed to replace one day the German network of civil defense sirens.

The call sign stands for D=Deutschland (Germany), C=long wave signal, F=Frankfurt, 77=frequency: 77.5 kHz. It is transmitted three times per hour in morse code.

Radio clocks have been very popular in Europe since the late 1980s and most of them use the DCF77 signal to set their time automatically.

For further reference see wikipedia, a great on line information resource.

The DCF library parameters state diagram looks as following:



If the SECTIC option is used, the Sectic Interrupt routine should not need more time, than to the next timer interrupt. If you use a timer for dcf (and softclock) usually with 40 tics per second, the Sectic routine should take only less than 25msec.

If the Sectic routines needs more than this limit, you will lose accuracy of the softclock time (especially during the time, where the clock is not synchronized by DCF) and also measurement of the length of the DCF-pulses.

If the SECTIC routine needs more time than the short DCF-pulse (100ms, with some instability in DCF-receiver may be 80ms) you will lose synchronization with the DCF-signal.

It is the principle of the DCF-routine, that the timer-interrupt measures the DCF-Pulse length and if you need more time in the interrupt routine as the duration from one timer interrupt to the next, you will get a problem.

Thus keep the SECTIC routine as short as possible and set a flag in the SECTIC routine, which is checked in a loop of the main-program.

## See also

CONFIG DATE 512

# ASM

\_DCF77 from DCF77.LBX is included by the compiler when you use the CONFIG statement.

## Example

```
$regfile = "M88def.dat"
$crystal = 8000000
$hwstack = 128
\$swstack = 128
$framesize = 128
$baud = 19200
'Config Dcf77 = Pind.2 , Debug = 1 , Inverted = 0 , Check = 2 , Update =
0 , Updatetime = 30 , Switchpower = 0 , Secondticks = 50 , Timer1sec = 1
, Powerlevel = 1 , Timer = 1
Config Dcf77 = Pind.2 , Timer = 1 , Timerlsec = 1 , Debug = 1
Enable Interrupts
Config Date = Dmy , Separator = .
Dim I As Integer
Dim Sec_old As Byte , Dcfsec_old As Byte
Sec_old = 99 : Dcfsec_old = 99
                                                              1:
DCF\_Debug\_Timer = 0
' Testroutine für die DCF77 Clock
Print "Test DCF77 Version 1.00"
Do
   For I = 1 To 78
      Waitms 10
      If Sec_old <> _sec Then
         Exit For
      End If
      If Dcfsec_old <> Dcf_sec Then
         Exit For
      End If
   Next
```

```
Waitms 220
Sec_old = _sec
Dcfsec_old = Dcf_sec
Print Time$ ; " " ; Date$ ; " " ; Time(dcf_sec) ; " " ; Date(dcf_day)
; " " ; Bin(dcf_status) ; " " ; Bin(dcf_bits) ; " " ; Bdcf_impuls ; " "
; Bdcf_pause
Loop
End
```

## 6.123 CONFIG DEBOUNCE

## Action

Configures the delay time for the DEBOUNCE statement.

# Syntax

**CONFIG DEBOUNCE** = time

## Remarks

Time A numeric constant which specifies the delay time in mS.

When debounce time is not configured, 25 mS will be used as a default.

## See also

DEBOUNCE 685

# Example

```
! _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _
                     _____
        _____
'name
                        : deboun.bas
'copyright
                        : (c) 1995-2005, MCS Electronics
'purpose
                        : demonstrates DEBOUNCE
                        : Mega48
'micro
'suited for demo
                        : yes
'commercial addon needed : no
! _____
$regfile = "m48def.dat"
                                                         ' specify
the used micro
$crystal = 4000000
                                                         ' used
crystal frequency
$baud = 19200
                                                         ' use baud
rate
$hwstack = 32
                                                         ' default
use 32 for the hardware stack
\$swstack = 10
                                                         ' default
use 10 for the SW stack
$framesize = 40
                                                         ' default
use 40 for the frame space
Config Debounce = 30
                                                         'when the
config statement is not used a default of 25mS will be used
```

'Debounce Pind.0 , 1 , Pr 'try this for branching when high(1)

```
Debounce Pind.0 , 0 , Pr , Sub
Debounce Pind.0 , 0 , Pr , Sub
' ^----- label to branch to
' ^----- Branch when Pl.0 goes low(0)
' ^------ Examine Pl.0
'When Pind.0 goes low jump to subroutine Pr
'Pind.0 must go high again before it jumps again
'to the label Pr when Pind.0 is low
Debounce Pind.0 , 1 , Pr 'no branch
'will result
in a return without gosub
End
Pr:
Print "PIND.0 was/is low"
Return
```

# 6.124 CONFIG DMA

## Action

Configures the direct memory access (DMA) module of the XMEGA.

## **Syntax**

**CONFIG DMA=**enabled|disabled, DOUBLEBUF=db, CPM=cpm

# Remarks

DMA	By default the DMA is disabled. Use ENABLED to enable the module.
db	<b>DOUBLE BUFFER</b> This options will set the double buffer mode. By default is is DISABLED. To allow for continuous transfer, two channels can be interlinked so that the second takes over the transfer when the first is finished and vice versa. This is called double buffering. When a transmission is completed for the first channel, the second channel is enabled. When a request is detected on the second channel, the transfer starts and when this is completed the first channel is enabled again
	Modes : - DISABLED : No double buffer enabled - CH01 : Double buffer enabled on channel0/1 - CH23 : Double buffer enabled on channel2/3 - CH01CH23 : Double buffer enabled on channel0/1 and channel2/3
cpm	<b>Channel Priority Mode</b> If several channels request data transfer at the same time a priority scheme is available to determine which channel is allowed to transfer data. Application software can decide whether one or more channels should have a fixed priority or if a round robin scheme should be used. A round robin scheme means that the channel that last transferred data will have the lowest priority
	Modes : RR : Round Robin CH0RR123 : Channel0 > Round Robin (Channel 1, 2 and 3)

523

CH01RR23 : Channel0 > Channel1 > Round Robin (Channel 2 and 3) CH0123 : Channel0 > Channel1 > Channel2 > Channel3

You also need to set the individual DMA channels using CONFIG DMACHx.

## See also

CONFIG DMACHx 523), START DMACHx 553

## Example

See CONFIG DMACHx 523

## 6.125 CONFIG DMACHx

## Action

Configures the direct memory access (DMA) channel of the XMEGA.

## Syntax

**CONFIG DMACHx**=enabled|disabled,BURSTLEN=bl, CHANRPT=chrpt, CTR=ctr, SINGLESHOT=ss, TCI=tci, EIL=eil,SAR=sar, SAM=sam,DAR=dar,DAM=dam, TRIGGER,trig, BTC=btc, REPEAT=rpt,SADR=sadr, DADR=dadr

# Remarks

In order to understand the various options better, we first have a better look at DMA. Normally, when you want to transfer data, the processor need to execute a number of operations.

The BASCOM MEMCOPY for example will use processor instructions like LD (load data) and ST(store data) in a loop.

If you want to clear 32KB of memory you need at least 32 K instructions. This will consume time, and all this time the processor can not handle other tasks.

In a PC, you do not want to use the processor to be busy when you load a file from disk. The DMA controller will handle this. It can move blocks of memory between devices.

#### **DMA Transaction**

A complete DMA read and write operation between memories and/or peripherals is called a DMA transaction.

A transaction is done in data blocks and the size of the transaction (number of bytes to transfer) is selectable from software and controlled by the block size and repeat counter

settings. Each block transfer is divided into smaller bursts

#### Block Transfer and Repeat

The size of the block transfer is set by the Block Transfer Count Register, and can be anything from 1 byte to 64 KBytes.

A repeat counter can be enabled to set a number of repeated block transfers before a transaction is complete. The repeat is from 1 to 255 and unlimited repeat count can be achieved by

setting the repeat count to zero.


#### **Burst Transfer**

As the AVR CPU and DMA controller use the same data buses a block transfer is divided into smaller burst transfers. The burst transfer is selectable to 1, 2, 4, or 8 bytes.

This means that, if the DMA acquires a data bus and a transfer request is pending it will occupy the bus until all bytes in the burst transfer is transferred.

A bus arbiter controls when the DMA controller and the AVR CPU can use the bus. The CPU always has priority, so as long as the CPU request access to the bus, any pending burst transfer

must wait. The CPU requests bus access when it executes an instruction that write or read data to SRAM, I/O memory, EEPROM and the External Bus Interface



DMA transaction

DMACHx	There are 4 DMA channels numbered 0-3. By default these DMA channels are disabled. Use ENABLED to enable the channel.
bl	<ul> <li>BURSTLEN</li> <li>Each DMA channel has an internal transfer buffer that is used for 2, 4 and 8 byte burst transfers.</li> <li>When a transfer is triggered, a DMA channel will wait until the transfer buffer contains two bytes before the transfer starts. For 4 or 8 byte transfer, any remaining bytes is transferred as soon as they are ready for a DMA channel. The buffer is used to reduce the time the DMA controller occupy the bus.</li> <li>Options : <ul> <li>1 : 1 byte burst mode</li> <li>2 : 2 byte burst mode</li> <li>4 : 4 byte burst mode</li> <li>8 : 8 byte burst mode</li> </ul> </li> </ul>
chanrpt	Channel Repeat Setting this bit enables the repeat mode. In repeat mode, this bit is cleared by hardware in the beginning of the last block transfer. The REPCNT register should be configured before setting the REPEAT bit. When using the CONFIG command, the compiler will handle this. Options : Enabled : enabled repeat mode Disabled : disabled repeat mode
ctr	DMA Channel Transfer Request Setting this bit requests a data transfer on the DMA Channel. This bit is automatically cleared at the beginning of the data transfer Options : Enabled : request transfer
SS	DMA Channel Single Shot Data transfer

525

	Setting this bit enables the single shot mode. The channel will then do a
	burst transfer of BL bytes on the transfer trigger. This bit can not be
	changed if the channel is busy. Options :
	Enabled : enable SS mode.
tci	DMA Channel Transaction Complete Interrupt Level
	The interrupt can be turned OFF, or be given a pritoriy LO, MED or HI
eil	DMA Channel Error Interrupt Level
	The interrupt can be turned OFF, or be given a pritoriy LO, MED or HI
sar	Source Address Reload
	The channel source address can be reloaded the following way:
	NONE : No reload performed.
	BLOCK : DMA source address register is reloaded with initial value at end of
	each block transfer.
	BURST : DMA source address register is reloaded with initial value at
	end of each burst transfer.
	TRANSACTION : DMA source address register is reloaded with initial
	value at
	end of each transaction.
sam	Source Address Mode
	The address can be altered the following way :
	FIXED : The address remains the same.
	INC : The address is incremented by one
	DEC : The address is decremented by one If you want to write to a PORT, for example to generate a wave, you
	would chose FIXED. But if you want to move a block of memory, you
	want to use INC so the the source address is increased after each byte.
dar	Channel Destination Address Reload
	The channel destiny address can be reloaded the following way:
	NONE : No reload performed.
	BLOCK : DMA destiny address register is reloaded with initial value at
	end of each block transfer.
	BURST : DMA destiny address register is reloaded with initial value at
	end of
	each burst transfer.
	TRANSACTION : DMA destiny address register is reloaded with initial
	value at
	end of each transaction.
dam	Destiny Address Mode
	The address can be altered the following way : FIXED : The address remains the same.
	INC : The address is incremented by one
	DEC : The address is decremented by one
	If you want to write to a PORT, for example to generate a wave, you
	would chose FIXED. But if you want to move a block of memory, you
	want to use INC so the the source address is increased after each byte.
trigger	Trigger Source Select
	The trigger selected which device triggers the DMA transfer. A zero (0)
	will disable a trigger. You can find the values in the datasheet. For example, EVENTSYS channel 0 would be 1. And EVENSTYS channel 1
	would be 1.
btc	Block Transfer Count
500	The BTC represents the 16-bit value TRFCNT. TRFCNT

	defines the number of bytes in a block transfer. The value of TRFCNT is decremented after each byte read by the DMA channel. When TRFCNT reaches zero, the register is reloaded with the last value written to it. When repeat is 1, this is the total amount of bytes to send in the DMA transaction.
repeat	<b>Repeat Counter Register</b> REPCNTcounts how many times a block transfer is performed. For each block transfer this register will be decremented.
sadr	<b>Source Address</b> This is the address of the DMA source. For example, the address of a variable. Or the address of a register. Use <u>VARPTR</u> () to find the address of a variable.
dadr	<b>Destination Address</b> The destiny address. Memory will be transferred to this address.

After you have configured the DMA channel, you can start the transfer with the START DMACHx statement.

This will write the TRFREQ bit in the CTRLA register.

## See also

CONFIG DMA 5227, START DMACHx 9557

# Example

```
_____
                  (c) 1995-2011, MCS
                  xm128A1-DMA.bas
 This sample demonstrates DMA with an Xmega128A1
      _____
$regfile = "xm128a1def.dat"
$crystal = 32000000
hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be
replaced since they are a workaround
$lib "xmega.lib"
$external xmegafix clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 38400 , Mode = Asynchroneous , Parity = None ,
Stopbits = 1 , Databits = 8
dim ar(100) as byte, dest(100) as byte, j as byte ,w as word
for j=1 to 100
 ar(j)=j ' create an array and assign a value
```

next

```
print "DMA DEMO"
config dma= enabled, doublebuf=disabled,cpm = RR ' enable DMA
'you can configure 4 DMA channels
config dmach0=enabled ,burstlen=8,chanrpt=enabled, tci=off,eil=
off, sar=none,sam=inc,dar=none,dam=inc ,trigger=0,btc=100 ,repeat
=1,sadr=varptr(ar(1)),dadr=varptr(dest(1))
start dmach0 ' this will do a manual/software DMA transfer, when
trigger<>0 you can use a hardware event as a trigger source
for j=1 to 50
  print j;"-";ar(j);"-";dest(j) ' print the values
next
end
```

# 6.126 CONFIG DMXSLAVE

## Action

Configures the DMX-512 slave.

## **Syntax**

**CONFIG DMXSLAVE** = com, Channels=nchannels, DmxStart = nstart, Store=nstore

## Remarks

com	The UART you want to use for the communication with the DMX-512 bus. This depends on the micro processor. In most cases this is COM1.
Channels	A numeric constant that defines the maximum number of channels you can receive. When you like to process all DMX data, you need to use 512 since 512 is the maximum. When you make a simple device a number of 8 would be sufficient.
DmxStart	The slave starting address. This is 1 by default. You will receive data starting at address 'Start'.
Store	The number of bytes you will receive and store.

You must chose the crystal/oscillator speed in a way that 250000 baud will give no errors. Typical 4, 8 and 16 MHz will work fine.

When you want to be sure, check the compiler report. It should have 0% error.

Since the DMX slave is running in interrupt mode on the background, you must ENABLE interrupts.

The serial interrupts used, is enabled by the CONFIG DMXSLAVE command.

So how does this work? When you configure the DMXSLAVE, it will receive data in interrupt mode. It will store the data into a byte arrays named \_DMX\_RECEIVED The first byte stored into this array is the value for address 'DMXSTART' : the address you defined with DMXSTART.

The number of bytes stored in the array depends on the 'STORE' setting.

Example : Config Dmxslave = Com1 , Channels = 16 , DmxStart = 3 , Store = 1 This will setup an array \_DMX\_RECEIVED that can hold 16 bytes. So the maximum value for STORE would be 16 too. In the example our address is 3, and we store only address 3.

We can dynamic change the DMXSTART address and the number of bytes to get ! For this purpose you can change the automatic generated internal variables \_DMX\_ADDRESS and \_DMX\_CHANNELS\_TOGET

\_DMX\_ADDRESS defines the starting address. And \_DMX\_CHANNELS\_TOGET defines the number of bytes to store after the address matches.

## See also

NONE

## Example

\_\_\_\_\_ dmx-receive.bas (c) 1995-2009 MCS Electronics ' this sample demonstates receiving a DMX datastream in the background 'we use a chip with 2 UARTS so we can print some data \$regfile = "m162def.dat" you need to use a crystal that can generate a good 250 KHz baud 'For example 8 Mhz, 16 or 20 Mhz **\$crystal** = 8000000 'define the stack **Shwstack = 40** Swstack = 32\$framesize = 32 'these are the pins we use. COM1/UART1 is used for the DMX data TX RX ' COM1 PD.1 PD.0 DMX PB.2 ' COM2 PB.3 RS-232 **Config** Dmxslave = Com1 , Channels = 16 , **DMXstart** = 3 , Store = 1 'this will set up the code. an array named \_dmx\_channels will contain the data 'the channels will define the size. So when you want to receive data for 8 channels, you set it to 8. 'the maximum size is 512 for retrieving all data 'START defines the starting address. By default it is 1. Thus the array will be filled starting at address 3 in the example 'STORE defines how many bytes you want to store 'By default, 1 channel is read. But you can alter the variable \_dmx\_channelels\_toget to specify how many bytes you want to receive 'So essential you need to chose how many bytes you like to receive. Most slaves only need 1 - 3 bytes. It would be a waste of space to define more channels then, 'Then you set the slave address with the variable : \_dmx\_address , which is also set by the optional [START] 'And finally you chose how many bytes you want to receive that start at the specified address. You do this by setting the \_dmx\_channels\_toget variable. 'Example : Config Dmxslave = Com1 , Channels = 16 , Start = 300 , Store = 4 this would store the bytes from address 300 - 303. the maximum would be 315 since channels is set to 16 Config Dmxslave = Com1 , Channels = 8 , Start = 1 , Store = 8 this would store the bytes from address 1 - 8. the maximum would be 8 since channels is set to 8

```
Config Com2 = 19200 , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Open "COM2:" For Binary As #1
Print #1 , "MCS DMX-512 test"
'since DMX data is received in an ISR routine, you must enable the
global interrupts
Enable Interrupts
Dim J As Byte
    If Inkey(#1) = 32 Then
                                                                 ' when you
press the space bar
                                                                 ' show the
      For J = 1 To _dmx_channels
data we received
         Print #1 , _dmx_received(j) ; " " ;
      Next
      Print #1,
   Elseif Inkey(\#1) = 27 Then
                                                                 'you ca
dynamic change the start address and the channels
     Input #1 , "start " , _dmx_address
Input #1 , "channels " , _dmx_channels_toget
   End If
Loop
```

'typical you would read a DIP switch and use the value as the address

End

Do

## 6.127 CONFIG DP

#### Action

This option sets the character used for the decimal point for singles and fusing.

#### Syntax

**CONFIG DP=** "dp"

#### Remarks

The decimal point is a dot (.) by default. The STR() and FUSING functions convert a single into a string. The fraction is separated by a dot. In a number of counties the comma is used as a separator.

Old Syntax: Valid options are : CONFIG DP = "." and CONFIG DP = ","

New preferred Syntax: Valid options are : CONFIG DP = DOT and CONFIG DP = COMMA

This options only sets the character for str() and fusing for singles. In your code you still need to code with a dot : var = 1234.333

# See also

NONE

# Example

CONFIG DP="," Dim s as single S=1234.56 print s

# 6.128 CONFIG EEPROM

## Action

Setup memory mode for EEPROM in XMEGA.

# Syntax

CONFIG EEPROM=mode

# Remarks

In Xmega, the EEPROM can be mapped so it can be used with pointer operations such as LD,ST, LDS and STS.

When EEPROM is mapped, it will start at &H1000. The advantage of mapping the EEPROM is that reading the EEPROM becomes much more simpler.

In release 1.11.9.6, only MAPPED is supported. When you use the BASCOM EEPROM routines, you must include this statement before you use the EEPROM.

To maintain compatibility with code and other AVR chips you can still use address 0 for the EEPROM. The library will add an offset of &H1000 to the address.

# See also

Memory usage

Example Config Eeprom = Mapped

# 6.129 CONFIG ERROR

## Action

Instructs the compiler to ignore one or more errors.

## **Syntax**

CONFIG ERROR=ignore, err=ignore [err1=ignore]

# Remarks

In some situations you might want to ignore an error. For example if a new version adds a certain check that was not available in a previous version you will get errors. If you ignore the error, the code will compile without errors. This will not work in any

situation. Some errors can not be ignored. You should never use this option for a finished product.

See also

NONE

# Example

Config Error = Ignore , 369 = Ignore

Lbl:

Dim Lbl As Word ' this would generate an error 369 without the ignore !!!

# 6.130 CONFIG EVENT\_SYSTEM

# Action

This statement configures the Xmega event routing.

# Syntax

**CONFIG EVENT\_SYSTEM =** dummy, MUX**x**=MUX, QD**x**=QD, QDI**x**=QDI, QDIRM**x** =QDIRM,DIGFLT**x**=DIGFLT

The letter X is used to indicate that a value between 0 and 7 can be used. So there is MUX0, MUX1, MUX2,MUX3 etc.

# Remarks

The Event System is a set of features for inter peripheral communication. It enables the possibility

for a change of state in one peripheral to automatically trigger actions in other peripherals.

The change of state in a peripheral that will trigger actions in other peripherals is configurable in

software. It is a simple, but powerful system as it allows for autonomous control of peripherals

without any use of interrupt, CPU or DMA resources.

There are 8 multiplexers and 8 control registers. Register 0, 2 and 4 can be used for quadrature decoding.

MUX	There are 8 multiplexers, named MUX0-MUX7. The MUX is used to select an event source. There are many sources for events : NONE : disabled, default RTC_OVF : Real Timer overflow
	RTC_CMP : Real Timer compare match
	ACA_CH0 : analog comparator ACA, channel 0
	ACA_CH1 : analog comparator ACA, channel 1
	ACA_WIN : analog comparator ACA, window
	ACB_CH0 : analog comparator ACB, channel 0
	ACB_CH1 : analog comparator ACB, channel 1

	ACB WIN : apalog comparator ACB window
	ACB_WIN : analog comparator ACB, window ADCA_CHO- ADCA_CH3 : ADCA channel 0-3 ADCB_CHO- ADCB_CH3 : ADCB channel 0-3 PORTA.0 - PORTA.7 : PORT A pin 0-7 PORTB.0 - PORTB.7 : PORT B pin 0-7 PORTC.0 - PORTC.7 : PORT C pin 0-7 PORTD.0 - PORTD.7 : PORT C pin 0-7 PORTE.0 - PORTE.7 : PORT E pin 0-7 PORTF.0 - PORTF.7 : PORT F pin 0-7 PORTF.0 - PORTF.7 : PORT F pin 0-7 PRESCALER1, PRESCALER2, PRESCALER4, PRESCALER8, PRESCALER16, PRESCALER32, PRESCALER64, PRESCALER128, PRESCALER256,
	PRESCALER512,PRESCALER1024,PRESCALER2048,PRESCALER4096, PRESCALER8192,PRESCALER16384 : The clock divided by 1,2,4,8,16,32,64,128,256 etc.
	TCC0_OVF : Timer TC0 overflow TCC0_ERR : Timer TC0 error TCC0_CCA : Timer TC0 capture or compare match A TCC0_CCB : Timer TC0 capture or compare match B TCC0_CCC : Timer TC0 capture or compare match C TCC0_CCD : Timer TC0 capture or compare match D TCC1_OVF : Timer TC1 overflow
	TCC1_ERR : Timer TC1 error TCC1_CCA : Timer TC1 capture or compare match A TCC1_CCB : Timer TC1 capture or compare match B TCC1_CCC : Timer TC1 capture or compare match C TCC1_CCD : Timer TC1 capture or compare match D
	Dito for TCD0, TCD1, TCE0, TCE1, TCF0 and TCF1
QD	Enables or disables the quadrature decoder. Will only work on QD0,QD2 and QD4.
QDI	Enables or disables the quadrature decode index. Will only work on QDI0, QDI2 and QDI4.
QDIRM	Quadrature decode index recognition mode. This is a numeric constant between 0 and 3. Each value represents the 2 possible bit values for the two input signals. Will only work on QDIRM0, QDIRM2 and QDIRM4.
DIGFLT	Defines the length of digital filtering used. Events will be passed through to the event channel only when the event source has been active and sampled with the same level for a number of peripheral clock for the number of cycles as defined by DIGFLT. The number of samples is in the range from 1-8. The default is 1 sample.

# See also

# Example

# 6.131 CONFIG EXTENDED\_PORT

# Action

Configures compiler to generate warning or error when transforming extended port register.

# Syntax

**CONFIG EXTENDED\_PORT** = WARNING|ERROR

# Remarks

A lot of AVR chips have so called extended registers. When the AVR was designed the designers did not set aside enough space for the hardware registers. A number of instructions work only with the lower 32 addresses, and a number only work on registers with an address till &H3F.

SRAM memory was moved up and the space after &H5F was used for registers. These are extended registers.

For these chips, the SRAM starts at &H100 or higher.

Because INP, OUT, SBI, SBI, SBIC, SBIS, etc. will not work on these extended registers, the compiler changes this automatic when needed. When INP or OUT is used, this is not a problem. LDS or STS can be used with the same register. But an instruction like SBIC that will test a pin , needs a temporarily register. Register R23 is used for this.

When you write your own ASM you might want to get a warning or an error. For this purpose you can use CONFIG EXTENDED\_PORT.

When you use WARNING there will be a warning in the report file. When you use ERROR, you will get an error and your code will not compile.

# See also

NONE

# 6.132 CONFIG GRAPHLCD

# Action

Configures the Graphical LCD display.

## **Syntax**

**Config GRAPHLCD** = type , DATAPORT = port, CONTROLPORT=port , CE = pin , CD = pin , WR = pin, RD=pin, RESET= pin, FS=pin, MODE = mode

## Remarks

Туре	This must be 240X64, 128X128, 128X64 , 160X48 , 240X128, 192X64 , SED180X32 or 192X64SED.
	For SED displays use 128X64sed or 120X64SED or SED180X32 For 132x132 color displays, use COLOR For EADOG128x64 use 128X64EADOGM For SSD1325 96x64 use 96X64SSD1325. See <u>SSD1325lib</u>

Dataport	The name of the port that is used to put the data on the LCD data pins db0-db7.
	PORTA for example.
Controlport	This is the name of the port that is used to control the LCD control pins. PORTC for example
Ce	The pin number that is used to enable the chip on the LCD.
Cd	The pin number that is used to control the CD pin of the display.
WR	The pin number that is used to control the /WR pin of the display.
RD	The pin number that is used to control the /RD pin of the display.
FS	The pin number that is used to control the FS pin of the display.
	Not needed for SED based displays.
RESET	The pin number that is used to control the RESET pin of the display.
MODE	The number of columns for use as text display. Use 8 for X-pixels $/ 8 = 30$ columns for a 240 pixel screen. When you specify 6, 240 $/ 6 = 40$ columns can be used.
	EADOG128M pins for SPI mode.
	This display only can write data. As a result, a number of grapical
	commands are not supported.
CS1	Chip select for EADOG128x64
A0	A0 line for EADOG128x64. This is the line that controls data/command
SI	This is the serial input pin for the EADOG128x64.
SCLK	This is the clock pin for the EADOG128x64.
	ST7565R parallel data mode A 128x64 graphical display which supports all graphic commands
dataport	The data port connected to the display. For example portJ
CS1	the chip enabled line
A0	the chip data/command mode pin
RST	the reset pin of the chip
WR	The /WR line of the chip
RD	The /RD line of the chip
C86	This pin selects the transfer mode.
PM	Some displays have this PM pin which sets the parallel mode
example	Config Graphlcd = 128 * 64eadogm ,dataport=portj, Cs1 = Porth.0 , A0 = Porth.2 , rst= Porth.1 , wr = Porth.3 , Rd = Porth.4,c86=porth.6

The first chip supported was T6963C. There are also driver for other LCD's such as SED and KS0108. The most popular LCD's will be supported with a custom driver.

The following connections were used for the T6963C:

PORTA.0 to PORTA.7 to DB0-DB7 of the LCD PORTC.5 to FS, font select of LCD PORTC.2 to CE, chip enable of LCD PORTC.3 to CD, code/data select of LCD PORTC.0 to WR of LCD, write PORTC.1 to RD of LCD, read PORTC.4 to RESET of LCD, reset LCD

The LCD used from www.conrad.de needs a negative voltage for the contrast.

Two 9V batteries were used with a pot meter. Some displays have a Vout that can be used for the contrast(Vo)

The T6963C displays have both a graphical area and a text area. They can be used together. The routines use the XOR mode to display both text and graphics layered over each other.

The statements that can be used with the graphical LCD are :

CLS [472], will clear the graphic display and the text display CLS GRAPH will clear only the graphic part of the display CLS TEXT will only clear the text part of the display

LOCATE [822] row, column : Will place the cursor at the specified row and column The row may vary from 1 to 16 and the column from 1 to 40. This depends on the size and mode of the display.

CURSOR 655 ON/OFF BLINK/NOBLINK can be used the same way as for text displays.

 $\underline{LCD}$  [803] : can be handled the same way as for text displays.

<u>SHOWPIC</u> [934] X, Y, Label : Show image where X and Y are the column and row and Label is the label where the picture info is placed.

<u>PSET</u> **BG** X, Y, color : Will set or reset a pixel. X can range from 0-239 and Y from 9-63. When color is 0 the pixel will turned off. When it is 1 the pixel will be set on.

**<u>\$BGF</u>**[334] "file.bgf" : inserts a BGF file at the current location

LINE [Bid] (x0,y0) – (x1,y1), color : Will draw a line from the coordinate x0,y0 to x1,y1. Color must be 0 to clear the line and 255 for a black line.

**BOX** 456 (x0,y0)-(x1,y1), color : Will draw a box from x0,y0 to x1,y1. Color must be 0 to clear the box and 255 for a black line.

**BOXFILL** 458 (x0,y0)-(x1,y1), color : Will draw a filled box from x0,y0 to x1,y1. Color must be 0 or 255.

The Graphic routines are located in the glib.lib or glib.lbx files. You can hard wire the FS and RESET and change the code from the glib.lib file so these pins can be used for other tasks.

# **COLOR LCD**

Color displays were always relatively expensive. The mobile phone market changed that. And Display3000.com , sorted out how to connect these small nice colorful displays.

You can buy brand new Color displays from Display3000. MCS Electronics offers the same displays.

There are two different chip sets used. One chipset is from EPSON and the other from Philips. For this reason there are two different libraries. When you select the wrong one it will not work, but you will not damage anything.

LCD-EPSON.LBX need to be used with the EPSON chipset.

LCD-PCF8833.LBX need to be used with the Philihps chipset.

Config GraphIcd = Color, Controlport = Portc, Cs = 1, Rs = 0, Scl = 3, Sda = 2

Controlpor	The port that is used to control the pins. PORTA, PORTB, etc.
CS	The chip select pin of the display screen. Specify the pin number. 1 will

	mean PORTC.1
RS	The RESET pin of the display
SCL	The clock pin of the display
SDA	The data pin of the display

As the color display does not have a built in font, you need to generate the fonts yourself.

You can use the <u>Fonteditor</u> for this task.

A number of statements accept a color parameter. See the samples below in **bold**.

LINE	Line(0 , 0) -(130 , 130) , <b>Blue</b>
LCDAT	Lcdat 100 , 0 , "12345678" , <b>Blue , Yellow</b>
CIRCLE	Circle(30 , 30) , 10 , <b>Blue</b>
PSET	32 , 110 , <b>Black</b>
BOX	Box(10, 30) -(60, 100) , <b>Red</b>

## See also

SHOWPIC 934), PSET 864), \$BGF 334), LINE 810), LCD 363), BOX 456), BOXFILL 458)

# Example

```
_____
                    : t6963 240 128.bas
'name
'copyright
                    : (c) 1995-2005, MCS Electronics
                    : T6963C graphic display support demo 240 *
'purpose
128
'micro
                    : Mega8535
'suited for demo : yes
'commercial addon needed : no
·-----
                                _____
------
$regfile = "m8535.dat"
                                                ' specify
the used micro
                                                ' used
$crystal = 8000000
crystal frequency
$baud = 19200
                                                ' use baud
rate
$hwstack = 32
                                                ' default
use 32 for the hardware stack
$swstack = 10
                                                ' default
use 10 for the SW stack
$framesize = 40
                                                ' default
use 40 for the frame space
!_____
                    _____
τ.
              (c) 2001-2008 MCS Electronics
τ.
             T6963C graphic display support demo 240 * 128
'The connections of the LCD used in this demo
'LCD pin
                    connected to
' 1
        GND
                    GND
' 2
      GND
                   GND
' 3
       +5V
                   +5V
' 4
       -9V
                   -9V potmeter
' 5
       /WR
                   PORTC.0
```

'6 PORTC.1 /RD '7 /CE PORTC.2 ' 8 C/D PORTC.3 19 NC not conneted '10 RESET PORTC.4 '11-18 D0-D7 PA '19 PORTC.5 FS '20 NC not connected 'First we define that we use a graphic LCD ' Only 240\*64 supported yet **Config** Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2, Cd = 3, Wr = 0, Rd = 1, Reset = 4, Fs = 5, Mode = 8'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE, CD etc. are the pin number of the CONTROLPORT. ' For example CE =2 because it is connected to PORTC.2 'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns 'Dim variables (y not used) Dim X As Byte , Y As Byte 'Clear the screen will both clear text and graph display Cls 'Other options are : ' CLS TEXT to clear only the text display ' CLS GRAPH to clear only the graphical part Cursor Off Wait 1 'locate works like the normal LCD locate statement ' LOCATE LINE, COLUMN LINE can be 1-8 and column 0-30 Locate 1 , 1 'Show some text Lcd "MCS Electronics" 'And some othe text on line 2 Locate 2 , 1 : Lcd "T6963c support" Locate 3 , 1 : Lcd "1234567890123456789012345678901234567890" Locate 16 , 1 : Lcd "write this to the lower line" Wait 2 Cls Text 'use the new LINE statement to create a box 'LINE(X0,Y0) - (X1,Y1), on/off Line(0 , 0) -(239 , 127) , 255 ' diagonal line Line(0 , 127) - (239 , 0) , 255 ' diagonal line Line(0 , 0) -(240 , 0) , 255 ' horizontal upper line Line(0 , 127) - (239 , 127) , 255 'horizontal lower line Line(0 , 0) -(0 , 127) , 255 ' vertical left line Line(239, 0) -(239, 127), 255 ' vertical

```
538 BASCOM-AVR
```

```
right line
Wait 2
' draw a line using PSET X,Y, ON/OFF
' PSET on.off param is 0 to clear a pixel and any other value to turn it
on
For X = 0 To 140
                                                              ' set the
   Pset X , 20 , 255
pixel
Next
For X = 0 To 140
  Pset X , 127 , 255
                                                              ' set the
pixel
Next
Wait 2
'circle time
'circle(X,Y), radius, color
'X,y is the middle of the circle,color must be 255 to show a pixel and 0
to clear a pixel
For X = 1 To 10
 Circle(20, 20), X, 255
                                                              ' show
circle
 Wait 1
  Circle(20 , 20) , X , 0
                                                              'remove
circle
  Wait 1
Next
Wait 2
For X = 1 To 10
  Circle(20 , 20) , X , 255
                                                              ' show
circle
  Waitms 200
Next
Wait 2
'Now it is time to show a picture
'SHOWPIC X,Y,label
'The label points to a label that holds the image data
Test:
Showpic 0 , 0 , Plaatje
Showpic 0 , 64 , Plaatje
                                                              ' show 2
since we have a big display
Wait 2
                                                              ' clear the
Cls Text
text
End
'This label holds the mage data
Plaatje:
'$BGF will put the bitmap into the program at this location
$bgf "mcs.bgf"
'You could insert other picture data here
```

# 6.133 CONFIG HITAG

# Action

Configures the timer and HITAG variables.

# **Syntax**

**CONFIG HITAG** = prescale, TYPE=tp, DOUT = dout, DIN=din , CLOCK=clock, INT=int

**CONFIG HITAG** = prescale, TYPE=tp, DEMOD= demod, INT=@int

# Remarks

syntax for HTRC110

prescale	The pre scaler value that is used by TIMER0. A value of 8 and 256 will work at 8 MHz.	
tp	The kind of RFID chip you use. Use HTRC110.	
DOUT	The pin that is connected to the DOUT pin of the HTRC110. This pin is used in input mode since DOUT is an output. A pin that support the pin- change interrupt or the PCINT should be selected.	
DIN	The pin that is connected to the DIN pin of the HTRC110. This pin is used in output mode. You can chose any pin that can be used in output mode.	
CLOCK	The pin that is connected tot the CLOCK pin of the HTRC110. This pin is used in output mode. You can chose any pin that can be used in output mode.	
INT	The interrupt used. Note that you need to precede the interrupt with an @ sign. For example for INT1 you provide : @INT1	

#### syntax for EM4095

	The pre scaler value that is used by TIMER0. A value of 8 and 256 will work at 8 MHz.
tp	The kind of RFID chip you use. Use EM4095.
	The pin that is connected to the DEMOD pin of the EM4095. This pin is used in input mode. A pin that support the pin-change interrupt or the PCINT should be selected.
	The interrupt used. Note that you need to precede the interrupt with an @ sign. For example for INT1 you provide : @INT1

The CONFIG HITAGE command will generate a number of internal used variables and constants.

Constants : \_TAG\_MIN\_SHORT, \_TAG\_MAX\_SHORT , \_TAG\_MIN\_LONG and \_TAG\_MAX\_LONG.

See the description of READHITAG to see how they are calculated. The actual value will depend on the prescale value you use.

Variables for HTRC110 :

\_htr\_statemachine , a byte that is used to maintain a state machine.

\_htcbit , a byte that will hold the received bit.

\_htcbitcount , a byte to store the number of received bits.

\_htcmpulse , a byte that stores the pulse

\_htr\_pulse\_state , a byte that is used to maintain the pulse state machine.

\_htc\_retries, a byte that is used for the number of retries.

\_tagdelta , a byte that will held the delta time between 2 edges.

\_tagtime , a byte with the actual timer0 value when an edge is detected.

\_taglasttime , a byte with the previous edge time, needed to calculate the delta time. \_tagparbit , a byte that will held the parity.

\_tagdata , a byte where the bits are stored before they are loaded into the serial number array.

\_tagid , a word that points to the serial number array

The HTRC110.LBX contains a number of other constants that are used to control the HTRC chip.

The \_init\_Tag routine is called automatically.

The clock output of the Mega88 is used to drive the HTRC110. Since the clock output of the internal oscillator is 8 MHz, the HTRC110 is also configured to work at 8 MHz. The .equ for Tag\_set\_config\_page3 = &H40 + 48 + Fsel0 in the LBX. You can set it to 12 and 16 MHz too but you can not drive it from the clock output then.

Variables for EM4095 :

\_tagflag , a byte that stores the return flag that will be loaded with 1 when a valid tag is detected

\_tag\_insync ,a byte that is used to store the state of the bit stream.

\_tag\_bitcount , a byte that stores the total bits when not in sync yet

\_tag\_tbit , a byte that stores the total received bits

\_tag\_par , a byte that stores the parity

\_tag\_timeout ,a byte that is loaded with the time that will be tried to detect an RFID chip

\_taglasttime , a byte that stores the last time a valid edge was detected

\_tagid , a word that points to the serial number array

## See also

READHITAG 883

# **Example HTRC110**

```
(c) 1995-2008 , MCS Electronics
' sample : readhitag.bas
' demonstrates usage of the READHITAG() function
                                                         _____
$regfile = "m88def.dat"
                                                            ' specify chip
$crystal = 8000000
                                                            ' used speed
$baud = 19200
                                                            'baud rate
'Notice that the CLOCK OUTPUT of the micro is connected to the clock input of the H
'PORTB.0 of the Mega88 can optional output the clock. You need to set the fusebit i
'This way all parts use the Mega88 internal oscillator
'The code is based on Philips(NXP) datasheets and code. We have signed an NDA to ge
'You can find more info on Philips website if you want their code
Print "HTC110 demo"
Config Hitag = 64 , Type = Htrc110 , Dout = Pind.2 , Din = Pind.3 , Clock = Pind.4
                 ^ use timer0 and select prescale value 64
                      ^ we used htrc110 chip
                                        '-- dout of HTRC110 is connected to PIND.2 w
                                                      ^ DIN of HTRC100 is connected
                                                                     ^clock of HTR
'the config statement will generate a number of constante and internal variables us
```

'the htrc110.lbx library is called 'each tag has 5 byte se Dim Tags(5) As Byte Dim J As Byte ' a loop counter 'you need to use a pin that can detect a pin level change 'most INT pins have this option 'OR , you can use the PCINT interrupt that is available on some chips 'In case you want PCINT option ' Pcmsk2 = &B0000\_0100 'set the mask to ONLY use the pin connected to DOUT ' On Pcint2 Checkints 'label to be called ' Enable Pcint2 'enable this interrupt 'In case you want to use INT option On Int0 Checkints ' PIND.2 is INT0 **Config** Int0 = Change 'you must configure the Enable Interrupts ' enable global interru Do If Readhitag(tags(1)) = 1 Then 'check if there is a ne **For** J = 1 **To** 5 'print the 5 bytes Print Hex(tags(j)) ; ","; Next Else 'there was nothing Print "Nothing" End If Waitms 500 'some delay Loop 'this routine is called by the interrupt routine Checkints: 'you must call this lak Call \_checkhitag 'you can do other things here but keep time to a minimum Return

## Example EM4095

```
(c) 1995-2008 MCS Electronics
  This sample will read a HITAG chip based on the EM4095 chip
  Consult EM4102 and EM4095 datasheets for more info
   _____
                                                          _____
  The EM4095 was implemented after an idea of Gerhard Günzel
  Gerhard provided the hardware and did research at the coil and capacitors.
  The EM4095 is much simpler to use than the HTRC110. It need less pins.
  A reference design with all parts is available from MCS
$regfile = "M88def.dat"
$baud = 19200
$crystal = 8000000
$hwstack = 40
\$swstack = 40
$framesize = 40
'Make SHD and MOD low
                                                        'make sure the array is
Dim Tags(5) As Byte
Dim J As Byte
Config Hitag = 64 , Type = Em4095 , Demod = Pind.3 , Int = @int1
```

\_\_\_\_\_

```
Print "Test EM4095"
'you could use the PCINT option too, but you must mask all pins out so it will only
' Pcmsk2 = &B0000_0100
' On Pcint2 Checkints
' Enable Pcint2
On Int1 Checkints Nosave 'we use the INT1 pin al
Config Int1 = Change 'we have to config so t
'we have to config so t
'as last we have to end
Do
Print "Check..."
```

```
If Readhitag(tags(1)) = 1 Then
    For J = 1 To 5
        Print Hex(tags(j)) ; ",";
        Next
        Print
Else
        Print "Nothing"
End If
    Waitms 500
Loop
```

Checkints: Call \_checkhitag Return 'this will enable INT1

'in case you have used

# 6.134 CONFIG I2CDELAY

#### Action

Compiler directive that overrides the internal I2C delay routine.

## **Syntax**

**CONFIG I2CDELAY** = value

## Remarks

value	A numeric value in the range from 1 to 255.
	A higher value means a slower I2C clock.

For the I2C routines the clock rate is calculated depending on the used crystal. In order to make it work for all I2C devices the slow mode is used. When you have faster I2C devices you can specify a low value.

By default a value of 5 is used. This will give a 200 kHZ clock. When you specify 10, 10 uS will be used resulting in a 100 KHz clock.

When you use a very low crystal frequency, it is not possible to work with high clock frequencies.

# ASM

The I2C routines are located in the i2c.lib/i2c.lbx files. For chips that have hardware TWI, you can use the MasterTWI lib.

#### See also

CONFIG SCL 5827, CONFIG SDA 587

```
Example
 _____
               _____
_____
'name
                       : i2c.bas
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : demo: I2CSEND and I2CRECEIVE
                       : Mega48
'micro
'suited for demo
                        : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                        ' specify
the used micro
                                                        ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                        ' use baud
rate
                                                        ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                        ' default
use 10 for the SW stack
$framesize = 40
                                                        ' default
use 40 for the frame space
Config Scl = Portb.4
Config Sda = Portb.5
Declare Sub Write_eeprom(byval Adres As Byte , Byval Value As Byte)
Declare Sub Read_eeprom(byval Adres As Byte , Value As Byte)
Const Addressw = 174
                                                        'slave write
address
Const Addressr = 175
                                                        'slave read
address
Dim B1 As Byte , Adres As Byte , Value As Byte
                                                        'dim byte
Call Write_eeprom(1 , 3)
                                                        'write value
of three to address 1 of EEPROM
Call Read_eeprom(1 , Value) : Print Value
                                                        'read it
back
Call Read_eeprom(5 , Value) : Print Value
                                                        'again for
address 5
'----- now write to a PCF8474 I/O expander ------
12csend &H40 , 255
                                                        'all outputs
high
I2creceive &H40 , B1
                                                        'retrieve
input
Print "Received data " ; B1
                                                        'print it
```

```
End
Rem Note That The Slaveaddress Is Adjusted Automaticly With I2csend &
I2creceive
Rem This Means You Can Specify The Baseaddress Of The Chip.
'sample of writing a byte to EEPROM AT2404
Sub Write_eeprom(byval Adres As Byte , Byval Value As Byte)
                                                              'start
    I2cstart
condition
    I2cwbyte Addressw
                                                              'slave
address
                                                              'asdress of
    12cwbyte Adres
EEPROM
    12cwbyte Value
                                                              'value to
write
    I2cstop
                                                              'stop
condition
    Waitms 10
                                                              'wait for 10
milliseconds
End Sub
'sample of reading a byte from EEPROM AT2404
Sub Read_eeprom(byval Adres As Byte , Value As Byte)
   I2cstart
                                                              'generate
start
   12cwbyte Addressw
                                                              'slave
adsress
   I2cwbyte Adres
                                                              'address of
EEPROM
   I2cstart
                                                              'repeated
start
   12cwbyte Addressr
                                                              'slave
address (read)
   I2crbyte Value , Nack
                                                              'read byte
   I2cstop
                                                              'generate
stop
End Sub
' when you want to control a chip with a larger memory like the 24c64 it
requires an additional byte
' to be sent (consult the datasheet):
' Wires from the I2C address that are not connected will default to 0 in
most cases!
```

```
.
   I2cstart
                                                               'start
condition
                                                               'slave
   I2cwbyte &B1010_0000
address
   I2cwbyte H
                                                               'high
address
                                                               'low address
   I2cwbyte L
    I2cwbyte Value
                                                               'value to
write
    I2cstop
                                                               'stop
.
condition
  Waitms 10
```

#### © 2012 MCS Electronics

# 6.135 CONFIG I2CSLAVE

The I2C-Slave library is intended to create I2C slave chips. This is an add-on library that is not included in Bascom-AVR by default. It is a commercial add on library. It is available from  $\underline{MCS}$  Electronics

The I2C Slave add on can turn some chips into a I2C slave device. You can start your own chip plant this way.

Most new AVR chips have a so called TWI/I2C interface. As a customer of the I2C slave lib, you can get both libs.

The **i2cslave.lib** works in interrupt mode and is the best way as it adds less overhead and also less system resources.

With this add-on library you get both libraries:

- i2cslave.lib and i2cslave.lbx : This library is used for AVR's which have <u>no</u> hardware TWI/I2C interface like for example ATTINY2313 or ATTINY13. In this case TIMER0 and INT0 is used for SDA and SCL (Timer0 Pin = SCL, INT0 Pin = SDA). Only AVR' with TIMER0 and INT0 <u>on the same port</u> can use this library like for example ATTINY2313 or ATTINY13. The i2cslave.lib file contains the ASM source. The i2cslave.lbx file contains the compiled ASM source. See CONFIG I2CSLAVE below.
- **i2c\_TWI-slave.LBX** : This library can be used when an AVR have an TWI/I2C hardware interface like for example ATMEGA8, ATMEGA644P or ATMEGA128. In this case the hardware SDA and SCL pin's of the AVR will be used (with ATMEGA8: SCL is PORTC.5 and SDA is PORTC.4). This library will be used when USERACK = OFF. When USERACK =ON then **i2c\_TWI-slave-acknack.LBX** will be used. See also <u>Config TWISLAVE</u> [613]

# Action

Configures the I2C slave mode.

# Before you begin

Copy the library files into the BASCOM-AVR\LIB directory.

# Syntax

**CONFIG I2CSLAVE** = address , INT = interrupt , TIMER = tmr (This function is part of the I2C-Slave library. This is an add-on library that is not included in Bascom-AVR by default. It is a commercial add on library. It is available from <u>MCS Electronics</u> )

# Remarks

Address	The slave address you want to assign to the I2C slave chip. This is an address that must be even like &H60. So &H61 cannot be used.
	I2C uses a 7 bit address from bit 1 to bit 7. Bit 0 is used to specify a read/write operation. In BASCOM the byte transmission address is used for I2C.
	This means that an I2C address of 1 becomes $\&B10 = 2$ . And we say the address is 2. This is done so you can copy the address from the data sheets which are in the same format in most cases.
Interrupt	The interrupt that must be used. This is INT0 by default.
Tmr	The timer that must be used. This is TIMER0 by default.

The library was written for TIMER0 and INT0.

While the interrupt can be specified, you need to change the library code when you use a non-default interrupt. For example when you like to use INT1 instead of the default INT0.

The same applies to the TIMER. You need to change the library when you like to use another timer.

You can not use these interrupts yourself. It also means that the SCL and SDA pins are fixed.

**CONFIG I2CSLAVE** will enable the global interrupts.

# Timer0 and INT0 Pin's of Various AVR's

The I2C slave routines use the TIMER0 and INT0.

The following table lists the	pins for the various	
Chip	SCL	SDA
AT90S1200	PORTD.4	PORTD.2
AT90S2313	PORTD.4	PORTD.2
AT90S2323	PORTB.2	PORTB.1
AT90S2333	PORTD.4	PORTD.2
AT90S2343	PORTB.2	PORTB.1
AT90S4433	PORTD.4	PORTD.2
ATTINY22	PORTB.2	PORTB.1
ATTINY13	PORTB.2	PORTB.1
ATTINY2313	PORTD.4	PORTD.2
ATMEGA1280	PORTD.7	PORTD.0
ATMEGA128CAN	PORTD.7	PORTD.0
ATMEGA168	PORTD.4	PORTD.2
ATMEGA2560	PORTD.7	PORTD.0
ATMEGA2561	PORTD.7	PORTD.0
ATMEGA48	PORTD.4	PORTD.2
ATMEGA88	PORTD.4	PORTD.2
ATMEGA8	PORTD.4	PORTD.2

The following table lists the pins for the various chips

After you have configured the slave address, you can insert your code.

A do-loop would be best:

Do ' your code here Loop

After your main program you need to insert two labels with a return:

When the master needs to read a byte, the following label is always called. You must put the data you want to send to the master in variable \_a1 which is register R16

```
I2c_master_needs_data:
'when your code is short, you need to put in a waitms statement
'Take in mind that during this routine, a wait state is active and the master will wait
'After the return, the waitstate is ended
Config Portb = Input ' make it an input
_a1 = Pinb ' Get input from portB and assign it
Return
```

When the master writes a byte, the following label is always called. It is your task to retrieve variable \_A1 and do something with it \_A1 is register R16 that could be destroyed/altered by BASIC statements For that reason it is important that you first save this variable.

# See Also

CONFIG TWI 612), CONFIG TWISLAVE 613), I2C TWI Slave Intel

#### **Debugging Hint's**

If you encounter a problem first check:

- Do you use the correct Pin's for SDA and SCL ?
- Pull-up Resistor from SDA and SCL to Vcc ?
- Try to reduce clockrate from I2C Master
- Try to use waitms XX between the I2CWBYTE in the I2C Master AVR
- Try to reduce code in the interrupt routine

# Example

```
_____
'name
                         : i2c_pcf8574.bas
'copyright
'purpose
                        : (c) 1995-2005, MCS Electronics
                        : shows how you could use the I2C slave
library to create a PCF8574
'micro : AT90S2313
'suited for demo : NO, ADDON
                        : NO, ADDON NEEDED
'commercial addon needed : yes
· _____.
 _____
$regfile = "2313def.dat"
                                                          ' specify
the used micro
$crystal = 3684000
                                                          ' used
crystal frequency
$baud = 19200
                                                          ' use baud
rate
$hwstack = 32
                                                          ' default
use 32 for the hardware stack
$swstack = 10
                                                          ' default
use 10 for the SW stack
$framesize = 40
                                                          ' default
use 40 for the frame space
```

\_\_\_\_\_

'This program shows how you could use the I2C slave library to create a PCF8574 'The PCF8574 is an IO extender chip that has 8 pins. 'The pins can be set to a logic level by writing the address followed by a value 'In order to read from the pins you need to make them '1' first 'This program uses a AT90S2313, PORTB is used as the PCF8574 PORT 'The slave library needs INTO and TIMERO in order to work. 'SCL is PORTD.4 (T0) 'SDA is PORTD.2 (INT0) 'Use 10K pull up resistors for both SCL and SDA 'The Slave library will only work for chips that have TO and INTO connected to the same PORT. 'These chips are : 2313,2323, 2333,2343,4433,tiny22, tiny12,tiny15, M8 'The other chips have build in hardware I2C(slave) support. 'specify the slave address. This is &H40 for the PCF8574 'You always need to specify the address used for write. In this case &H40 'The config i2cslave command will enable the global interrupt enable flag ! ' same as Config I2cslave = &B0100000 &H40 'Config I2cslave = &H40 , Int = Int0 , Timer = Timer0 'A byte named \_i2c\_slave\_address\_received is generated by the compiler. 'This byte will hold the received address. 'A byte named \_i2c\_slave\_address is generated by the compiler. 'This byte must be assigned with the slave address of your choice 'the following constants will be created that are used by the slave library: \_i2c\_pinmask = &H14 \_i2c\_slave\_port = Portd \_i2c\_slave\_pin = Pind \_i2c\_slave\_ddr = Ddrd \_i2c\_slave\_scl = 4 \_i2c\_slave\_sda = 2 'These values are adjusted automatic depending on the selected chip. 'You do not need to worry about it, only provided as additional info 'by default the PCF8574 port is set to input **Config** Portb = **Input** Portb = 255'all pins high by default 'DIM a byte that is not needed but shows how you can store/write the I2C DATA Dim Bfake As Byte 'empty loop Do ' you could put your other program code here 'In any case, do not use END since it will disable interrupts Loop

'here you can write your other program code

549

```
'But do not forget, do not use END. Use STOP when needed
1111111
            The following labels are called from the slave library
1111111
'When the master wants to read a byte, the following label is allways
called
'You must put the data you want to send to the master in variable al
which is register R16
I2c_master_needs_data:
  'when your code is short, you need to put in a waitms statement
  'Take in mind that during this routine, a wait state is active and the
master will wait
 'After the return, the waitstate is ended
 Config Portb = Input
                                                      ' make it an
input
 _al = Pinb
                                                      ' Get input
from portB and assign it
Return
'When the master writes a byte, the following label is always called
'It is your task to retrieve variable _A1 and do something with it
 _A1 is register R16 that could be destroyed/altered by BASIC statements
'For that reason it is important that you first save this variable
I2c_master_has_data:
  'when your code is short, you need to put in a waitms statement
 'Take in mind that during this routine, a wait state is active and the
master will wait
 'After the return, the waitstate is ended
 Bfake =
                                                      ' this is
         a1
not needed but it shows how you can store _A1 in a byte
 'after you have stored the received data into bFake, you can alter R16
 Config Portb = Output
                                                      ' make it an
output since it could be an input
                                                      'assign Al
 Portb = _a1
(R16)
Return
1111111
'You could simply extend this sample so it will use 3 pins of PORT D for
the address selection
'For example portD.1 , portd.2 and portD.3 could be used for the address
selection
'Then after the CONFIG I2CSLAVE = &H40 statement, you can put code like:
'Dim switches as Byte
                     ' dim byte
'switches = PIND
                     ' get dip switch value
'switches = switches and &H1110 ' we only need the lower nibble without
the LS bit
'_i2c_slave_address = &H40 + switches ' set the proper address
```

## 6.136 CONFIG INPUT

## Action

550

Instruct the compiler to modify serial input line terminator behaviour

#### **Syntax**

**CONFIG INPUT1** = term , ECHO=echo

#### Syntax Xmega

**CONFIG INPUT1|INPUT2|INPUT3|INPUT4|INPUT5|INPUT6|INPUT7|INPUT8** = term , ECHO=echo

# Remarks

INPUT	Use INPUT or INPUT1 for COM1, INPUT2 for COM2, INPUT3 for COM3, etc.
Term	A parameter with one of the following values : CR - Carriage Return (default) LF - Line Feed CRLF - Carriage Return followed by a Line Feed LFCR - Line Feed followed by a Carriage Return
Echo	A parameter with one of the following values : CR - Carriage Return LF - Line Feed CRLF - Carriage Return followed by a Line Feed (default) LFCR - Line Feed followed by a Carriage Return

The 'term' parameter specifies which character(s) are expected to terminate the <u>INPUT</u> statement with serial communication. It has no impact on the DOS file system INPUT.

In most cases, when you press <ENTER> , a carriage return(ASCII 13) will be sent. In some cases, a line feed (LF) will also be sent after the CR. It depends on the terminal emulator or serial communication OCX control you use.

The 'echo' parameter specifies which character(s) are send back to the terminal emulator after the INPUT terminator is received. By default CR and LF is sent. But you can specify which characters are sent. This can be different characters then the 'term' characters. So when you send in your VB application a string, and end it with a CR, you can send back a LF only when you want.

When NOECHO is used, **NO** characters are sent back even while configured with CONFIG INPUT

For the XMega you can specify for each UART how it should handle input and echo.

See also

ASM NONE

#### **Example**

```
Config Input1 = CR , Echo = CRLF
Dim S as String * 20
Input "Hello ",s
```

# 6.137 CONFIG INTx

# Action

Configures the way the interrupts 0,1 and 4-7 will be triggered.

#### Syntax

```
CONFIG INTx = state
```

Where X can be 0,1 and 4 to 7 in the MEGA chips.

# Remarks

state	LOW LEVEL to generate an interrupt while the pin is held low. Holding the pin low will generate an interrupt over and over again. FALLING to generate an interrupt on the falling edge. RISING to generate an interrupt on the rising edge. CHANGE to generate an interrupt on the change of the edge. Not all microprocessors support CHANGE.
-------	---

The MEGA103 has also INTO-INT3. These are always low level triggered so there is no need /possibility for configuration.

The number of interrupt pins depend on the used chip. Most chips only have int0 and int1.

## **XMEGA**

For the XMEGA you need to use <u>CONFIG XPIN</u> 632.

# Example

```
_ _ _ _ _ _ _ _ _ _ _
                       : spi-softslave.bas
'name
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : shows how to implement a SPI SLAVE with
software
                       : AT90S2313
'micro
'suited for demo
                      : yes
'commercial addon needed : no
·_____
                                     _____
_____
$regfile = "2313def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
\$hwstack = 32
                                                       ' default
use 32 for the hardware stack
$swstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
```

```
use 40 for the frame space
'Some atmel chips like the 2313 do not have a SPI port.
'The BASCOM SPI routines are all master mode routines
'This example show how to create a slave using the 2313
'ISP slave code
'define the constants used by the SPI slave
Const _softslavespi_port = Portd
                                                              ' we used
portD
Const _softslavespi_pin = Pind
                                                              'we use the
PIND register for reading
Const _softslavespi_ddr = Ddrd
                                                              ' data
direction of port D
Const _softslavespi_clock = 5
                                                              'pD.5 is
used for the CLOCK
Const _softslavespi_miso = 3
                                                              'pD.3 is
MISO
Const softslavespi mosi = 4
                                                              'pd.4 is
MOSI
                                                              ' pd.2 is SS
Const _softslavespi_ss = 2
'while you may choose all pins you must use the INTO pin for the SS
'for the 2313 this is pin 2
'PD.3(7), MISO must be output
'PD.4(8), MOSI
'Pd.5(9) , Clock
'PD.2(6), SS /INT0
'define the spi slave lib
$lib "spislave.lbx"
'sepcify wich routine to use
$external _spisoftslave
'we use the int0 interrupt to detect that our slave is addressed
On Int0 Isr_sspi Nosave
'we enable the int0 interrupt
Enable Int0
'we configure the INTO interrupt to trigger when a falling edge is
detected
Config Int0 = Falling
'finally we enabled interrupts
Enable Interrupts
Dim _ssspdr As Byte
                                                              ' this is
out SPI SLAVE SPDR register
Dim _ssspif As Bit
                                                              ' SPI
interrupt revceive bit
Dim Bsend As Byte , I As Byte , B As Byte
                                                              ' some other
demo variables
                                                              ' we send a
\_ssspdr = 0
0 the first time the master sends data
Do
   If _ssspif = 1 Then
   Print "received: " ; _ssspdr
  Reset _ssspif
_ssspdr = _ssspdr + 1
this the next time
                                                              ' we send
  End If
Loop
```

#### 6.138 CONFIG KBD

#### Action

Configure the GETKBD() function and tell which port to use.

#### Syntax

**CONFIG KBD** = PORTx , DEBOUNCE = value [, DELAY = value] [,COLS=cols]

Remarks		
PORTx	The name of the PORT to use such as PORTB or PORTD.	
DEBOUNCE	By default the debounce value is 20. A higher value might be needed. The maximum is 255.	
Delay	An optional parameter that will cause Getkbd() to wait the specified amount of time after the key is detected. This parameter might be added when you call GetKbd() repeatedly in a loop. Because of noise and static electricity, wrong values can be returned. A delay of say 100 mS, can eliminate this problem.	
COLS	This value is 4 by default. Some chips do not have port pin 7 and for these cases you can use COLS=3, or COLS=2. This does assume that columns are connected to the high port nibble.	

The GETKBD() function can be used to read the pressed key from a matrix keypad attached to a port of the uP.

You can define the port with the CONFIG KBD statement.

In addition to the default behavior you can configure the keyboard to have 6 rows instead of 4 rows.

CONFIG KBD = PORTx , DEBOUNCE = value , rows=6, row5=pinD.6, row6=pind.7

This would specify that row5 is connected to pind.6 and row7 to pind.7 Note that you can only use rows=6. Other values will not work.

## See also

GETKBD 759

# Example

```
-----
                : getkbd.bas
'name
'copyright
'purpose
                 : (c) 1995-2005, MCS Electronics
                 : demo : GETKBD
                 : Mega48
'micro
'suited for demo
                 : yes
'commercial addon needed : no
!_____
                    _____
_____
$regfile = "m48def.dat"
                                        ' specify
the used micro
$crystal = 4000000
                                        ' used
crystal frequency
$baud = 19200
                                        ' use baud
rate
```

```
' default
$hwstack = 32
use 32 for the hardware stack
                                                             ' default
\$swstack = 10
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
'specify which port must be used
'all 8 pins of the port are used
Config Kbd = Portb
'dimension a variable that receives the value of the pressed key
Dim B As Byte
'loop for ever
Do
 B = Getkbd()
  'look in the help file on how to connect the matrix keyboard
  'when you simulate the getkbd() it is important that you press/click
the keyboard button
  ' before running the getkbd() line !!!
 Print B
  'when no key is pressed 16 will be returned
  'use the Lookup() function to translate the value to another one
' this because the returned value does not match the number on the
keyboad
Loop
End
```

## 6.139 CONFIG KEYBOARD

#### Action

Configure the GETATKBD() function and tell which port pins to use.

#### **Syntax**

**CONFIG KEYBOARD** = PINX.y , DATA = PINX.y , KEYDATA = table

## Remarks

KEYBOARD	The PIN that serves as the CLOCK input.
DATA	The PIN that serves as the DATA input.
	The label where the key translation can be found. The AT keyboard returns scan codes instead of normal ASCII codes. So a translation table s needed to convert the keys. BASCOM allows the use of shifted keys too. Special keys like function keys are not supported.

The AT keyboard can be connected with only 4 wires: clock,data, gnd and vcc. Some info is displayed below. This is copied from an Atmel data sheet.

The INTO or INT1 shown can be in fact any pin that can serve as an INPUT pin.

The application note from Atmel works in interrupt mode. For BASCOM we rewrote the code so that no interrupt is needed/used.




Table 1. AT Keyboard Connector Pin Assignments

AT Computer	4 1 3 3	
Signals	DIN41524, Female at Computer, 5-pin DIN 180°	6-pin Mini DIN PS2 Style Female at Computer
Clock	1	5
Data	2	1
nc	3	2,6
GND	4	3
+5V	5	4
Shield	Shell	Shell

```
See also
```

GETATKBD 753

## Example

```
_____
                                 _____
    _____
        _____
'name
                       : getatkbd.bas
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                        : PC AT-KEYBOARD Sample
'micro
                        : Mega48
'suited for demo
                        : yes
'commercial addon needed : no
! _____
  _____
$regfile = "8535def.dat"
                                                        ' specify
the used micro
$crystal = 4000000
                                                        ' used
crystal frequency
                                                        ' use baud
$baud = 19200
rate
\$hwstack = 32
                                                        ' default
use 32 for the hardware stack
$swstack = 10
                                                        ' default
use 10 for the SW stack
$framesize = 40
                                                        ' default
use 40 for the frame space
'For this example :
'connect PC AT keyboard clock to PIND.2 on the 8535
'connect PC AT keyboard data to PIND.4 on the 8535
```

```
'The GetATKBD() function does not use an interrupt.
'But it waits until a key was pressed!
'configure the pins to use for the clock and data
'can be any pin that can serve as an input
'Keydata is the label of the key translation table
Config Keyboard = Pind.2 , Data = Pind.4 , Keydata = Keydata
'Dim some used variables
Dim S As String * 12
Dim B As Byte
'In this example we use SERIAL(COM) INPUT redirection
$serialinput = Kbdinput
'Show the program is running
Print "hello"
Do
  'The following code is remarked but show how to use the GetATKBD()
function
                       'get a byte and store it into byte variable
  ' B = Getatkbd()
  'When no real key is pressed the result is 0
  'So test if the result was > 0
  ' If B > 0 Then
  .
      Print B ; Chr(b)
  ' End If
  'The purpose of this sample was how to use a PC AT keyboard
  'The input that normally comes from the serial port is redirected to
the
  'external keyboard so you use it to type
  Input "Name " , S
  'and show the result
 Print S
  'now wait for the F1 key , we defined the number 200 for F1 in the
table
 Do
   B = Getatkbd()
 Loop Until B <> 0
 Print B
Loop
End
'Since we do a redirection we call the routine from the redirection
routine
Kbdinput:
'we come here when input is required from the COM port
'So we pass the key into R24 with the GetATkbd function
' We need some ASM code to save the registers used by the function
$asm
push r16
                  ; save used register
push r25
push r26
push r27
Kbdinput1:
rCall _getatkbd
                  ; call the function
tst r24
                  ; check for zero
                 ; yes so try again
breg Kbdinputl
pop r27
                  ; we got a valid key so restore registers
pop r26
```

pop r25 pop r16 \$end Asm 'just return Return 'The tricky part is that you MUST include a normal call to the routine 'otherwise you get an error 'This is no clean solution and will be changed B = Getatkbd() 'This is the key translation table Kevdata: 'normal keys lower case Data 0 , 0 , 0 , 0 , 0 , 113 , 49 , 0 , 0 , 0 , 122 , 115 , 97 , 119 , 50,0 Data 0 , 99 , 120 , 100 , 101 , 52 , 51 , 0 , 0 , 32 , 118 , 102 , 116 , 114 , 53 , 0 Data 0 , 110 , 98 , 104 , 103 , 121 , 54 , 7 , 8 , 44 , 109 , 106 , 117 , 55 , 56 , 0 Data 0 , 44 , 107 , 105 , 111 , 48 , 57 , 0 , 0 , 46 , 45 , 108 , 48 , 112 , 43 , 0 Data 0 , 0 , 0 , 0 , 0 , 92 , 0 , 0 , 0 , 0 , 13 , 0 , 0 , 92 , 0 , 0 Data 0 , 60 , 0 , 0 , 0 , 0 , 8 , 0 , 0 , 49 , 0 , 52 , 55 , 0 , 0 , 0 Data 48 , 44 , 50 , 53 , 54 , 56 , 0 , 0 , 0 , 43 , 51 , 45 , 42 , 57 , 0,0 'shifted keys UPPER case Data 0 , 0 , 0 , 0 , 0 , 81 , 33 , 0 , 0 , 0 , 90 , 83 , 65 , 87 , 34 , 0 Data 0 , 67 , 88 , 68 , 69 , 0 , 35 , 0 , 0 , 32 , 86 , 70 , 84 , 82 , 37,0 Data 0 , 78 , 66 , 72 , 71 , 89 , 38 , 0 , 0 , 76 , 77 , 74 , 85 , 47 , 40 , 0 Data 0 , 59 , 75 , 73 , 79 , 61 , 41 , 0 , 0 , 58 , 95 , 76 , 48 , 80 , 63 , 0 Data 0 , 0 , 0 , 0 , 0 , 96 , 0 , 0 , 0 , 0 , 13 , 94 , 0 , 42 , 0 , 0 Data 0, 62, 0, 0, 0, 8, 0, 0, 49, 0, 52, 55, 0, 0, 0, 0 Data 48 , 44 , 50 , 53 , 54 , 56 , 0 , 0 , 0 , 43 , 51 , 45 , 42 , 57 , 0,0

## 6.140 CONFIG LCD

#### Action

Configure the LCD display and override the compiler setting.

#### Syntax

**CONFIG LCD** = LCDtype , CHIPSET=KS077 | Dogm163v5 | DOG163V3 | DOG162V5 | DOG162V3 [,CONTRAST=value]

## Remarks

LCDtype	The type of LCD display used. This can be :
	40x4,16x1, 16x2, 16x4, 16x4, 20x2, 20x4, 16x1a or 20x4A. Default 16x2 is assumed.

Chipset KS077	Most text based LCD displays use the same chip from Hitachi. But some use the KS077 which is highly compatible but needs an additional function register to be set. This parameter will cause that this register is set when you initialize the display.
DOGM	The DOGM chip set uses a special function register that need to be set. The 16 x 2 LCD displays need DOG162V3 for 3V operation or DOG162V5 for 5V operation. The 16 x 3 LCD displays need DOG163V3 for 3V operation or Dogm163v5 for 5V operation
CONTRAST	The optional contrast parameter is only supported for the EADOG displays. By default a value from the manufacture is used. But you might want to override this value with a custom setting.

When you have a 16x2 display, you don't have to use this statement. The 16x1a is special. It is used for 2x8 displays that have the address of line 2, starting at location &H8.

The 20xA is also special. It uses the addresses &H00, &H20, &H40 and &H60 for the 4 lines. It will also set a special function register.

The CONFIG LCD can only be used once. You can not dynamic(at run time) change the pins.

When you want to initialize the LCD during run time, you can use the  $\underline{INITLCD}$  restatement.

## See Also

CONFIG LCDPIN 564, CONFIG LCDBUS 567

# Example1

'name	: lcd.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: demo: LCD, CLS, LOWERLINE, SHIFTLCD,
SHIFTCURSOR, HOME	
1	CURSOR, DISPLAY
'micro	: Mega8515
'suited for demo	: yes
'commercial addon needed	: no
!	

\_\_\_\_\_

\$regfile = "m8515.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate ' default \$hwstack = 32use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack ' default **\$framesize** = 40 use 40 for the frame space

#### \$sim

'REMOVE the above command for the real program !! '\$sim is used for faster simulation

'note : tested in PIN mode with 4-bit 'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 , Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6 Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 , Db7 = Porta.7, E = Portc.7, Rs = Portc.6'These settings are for the STK200 in PIN mode 'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-D7 'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of the LCD connector 'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector Rem with the config lcdpin statement you can override the compiler settings Dim A As Byte **Config Lcd = 16x2** 'configure lcd screen 'other options are 16 \* 4 and 20 \* 4, 20 \* 2 , 16 \* 1a 'When you dont include this option 16 \* 2 is assumed '16 \* 1a is intended for 16 character displays with split addresses over 2 lines '\$LCD = address will turn LCD into 8-bit databus mode use this with uP with external RAM and/or ROM because it aint need the port pins ! Cls 'clear the LCD display Lcd "Hello world." 'display this at the top line Wait 1 Lowerline 'select the lower line Wait 1 Lcd "Shift this." 'display this at the lower line Wait 1 **For** A = 1 **To** 10 Shiftlcd Right 'shift the text to the right Wait 1 'wait a moment Next **For** A = 1 **To** 10 Shiftlcd Left 'shift the text to the left Wait 1 'wait a moment Next Locate 2 , 1 'set cursor position Lcd "\*" 'display this Wait 1 'wait a moment

Shiftcursor Right 'shift the cursor Lcd "@" 'display this Wait 1 'wait a moment Home Upper 'select line 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor Wait 1 'wait a moment 'show cursor Cursor On Blink Wait 1 'wait a moment Display Off 'turn display off Wait 1 'wait a moment 'turn Display On display on '----- NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth Home F 'first letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1 'Now lets build a special character 'the first number is the characternumber (0-7)'The other numbers are the rowvalues 'Use the LCD tool to insert this line **Deflcdchar** 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 1 replace ? with number (0-7)**Deflcdchar** 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 ÷ replace ? with number (0-7) Cls 'select data RAM Rem it is important that a CLS is following the deflcdchar statements because it will set the controller back in datamode Lcd Chr(0); Chr(1)'print the special character '----- Now use an internal routine ------ $_{temp1} = 1$ 'value into ACC !rCall \_write\_lcd 'put it on LCD End

#### Example2

```
EADOG-M163.bas

Demonstration for EADOG 163 display

(c) 1995-2006, MCS Electronics

Sregfile = "M8515.dat"

Scrystal = 4000000

'I used the following settings

'Config Lcdpin = Pin , Db4 = Portb.2 , Db5 = Portb.3 , Db6 = Portb.4 , Db7 = Portb.5 , E =

Portb.1 , Rs = Portb.0

'CONNECT vin TO 5 VOLT

Config Lcd = 16x3 , Chipset = Dogm163v5 '16*3 type LCD display

'other options for chipset are DOG163V3 for 3Volt operation

'Config Lcd = 16 * 3 , Chipset = Dogm163v3 , Contrast = &H702 '16*3 type LCD display

'The CONTRAST can be specified when the default value is not what you need

'The EADOG-M162 is also supported :

'Chipset params for the DOGM162 : DOG162V5, DOG162V3

Cls 'Dit maakt het scherm leeg

Locate 1 , 1 : Lcd "Hello World"

Locate 2 , 1 : Lcd "line 2"

Locate 3 , 1 : Lcd "line 3"
```

# 6.141 CONFIG LCDBUS

#### Action

Configures the LCD data bus and overrides the compiler setting.

#### Syntax

**CONFIG LCDBUS** = constant

## Remarks

Constant 4 for 4-bit operation, 8 for 8-bit mode (default)

Use this statement together with the \$LCD = address statement.

When you use the LCD display in the bus mode the default is to connect all the data lines. With the 4-bit mode, you only have to connect data lines d7-d4.

#### See also

CONFIG LCD 557

## Example

```
' (c) 1995-2005 MCS Electronics
' file: LCD.BAS
' demo: LCD, CLS, LOWERLINE, SHIFTLCD, SHIFTCURSOR, HOME
' CURSOR, DISPLAY
'
```

```
'note : tested in bus mode with 4-bit on the STK200
'LCD – STK200
·_____
    D4
'D4
'D5
           D5
'D6
           D6
           D7
'D7
'WR
           WR
' E
           E
'RS
          RS
'+5V
           +5V
' GND
           GND
'V0
           V0
D0-D3 are not connected since 4 bit bus mode is used!
'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 ,
Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6
Rem with the config lcdpin statement you can override the compiler
settings
$regfile = "8515def.dat"
$1cd = &HC000
$lcdrs = &H8000
Config Lcdbus = 4
Dim A As Byte
Config Lcd = 16x2
                                                          'configure lcd
screen
'other options are 16 * 2 , 16 * 4 and 20 * 4, 20 * 2 , 16 * 1a
'When you dont include this option 16 * 2 is assumed
'16 * 1a is intended for 16 character displays with split addresses over
2 lines
'$LCD = address will turn LCD into 8-bit databus mode
   use this with uP with external RAM and/or ROM
.
       because it aint need the port pins !
Cls
                                                            'clear the
LCD display
Lcd "Hello world."
                                                            'display
this at the top line
Wait 1
Lowerline
                                                            'select the
lower line
Wait 1
Lcd "Shift this."
                                                            'display
this at the lower line
Wait 1
For A = 1 To 10
  Shiftlcd Right
                                                            'shift the
text to the right
                                                            'wait a
  Wait 1
moment
Next
For A = 1 To 10
   Shiftlcd Left
                                                            'shift the
text to the left
  Wait 1
                                                            'wait a
moment
Next
Locate 2 , 1
                                                            'set cursor
```

© 2012 MCS Electronics

position Lcd "\*" 'display this Wait 1 'wait a moment 'shift the Shiftcursor Right cursor Lcd "@" 'display this 'wait a Wait 1 moment 'select line Home Upper 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor Wait 1 'wait a moment Cursor On Blink 'show cursor Wait 1 'wait a moment 'turn Display Off display off Wait 1 'wait a moment Display On 'turn display on '-----NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth Home F 'first letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1 'Now lets build a special character 'the first number is the characternumber (0-7)'The other numbers are the rowvalues 'Use the LCD tool to insert this line  ${\tt Deflcdchar}$  1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 replace ? with number (0-7)Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 replace ? with number (0-7) Cls 'select data RAM Rem it is important that a CLS is following the deflcdchar statements because it will set the controller back in datamode Lcd Chr(0); Chr(1)'print the special character '----- Now use an internal routine -----temp1 = 1'value into ACC

564

```
!rCall _write_lcd
LCD
```

'put it on

# 6.142 CONFIG LCDMODE

# Action

Configures the LCD operation mode and overrides the compiler setting.

#### Syntax CONFIG LCDMODE = type

Remarks	

Туре	<b>PORT</b> Will drive the LCD in 4-bit port mode and is the default. In PORT mode you can choose different PIN's from different PORT's to connect to the upper 4 data lines of the LCD display. The RS and E can also be connected to a user selectable pin. This is very flexible since you can use pins that are not used by your design and makes the board layout simple. On the other hand, more software is necessary to drive the pins.
	<b>BUS</b> will drive the LCD in bus mode and in this mode is meant when you have external RAM and so have an address and data bus on your system. The RS and E line of the LCD display can be connected to an address decoder. Simply writing to an external memory location select the LCD and the data is sent to the LCD display. This means the data-lines of the LCD display are fixed to the data-bus lines.
	Use $\frac{LCD}{M} = $ address and $\frac{LCDRS}{M} = $ address, to specify the addresses that will enable the E and RS lines.

## See also

CONFIG LCD [557], \$LCD [363], \$LCDRS [368]

## **Example**

Config LCDMODE = PORT 'the report will show the settings Config LCDBUS = 4 '4 bit mode LCD "hello"

# 6.143 CONFIG LCDPIN

# Action

Override the LCD-PIN select options.

# Syntax

**CONFIG LCDPIN** = PIN , DB4= PN,DB5=PN, DB6=PN, DB7=PN, E=PN, RS=PN [WR=PIN] [BUSY=PIN] [MODE=mode] **CONFIG LCDPIN** = PIN , PORT=PORTx, E=PN, RS=PN

Remarks		
PN	The name of the PORT pin such as PORTB.2 for example.	
PORTX	When you want to use the LCD in 8 bit data, pin mode, you must specify the PORT to use.	
PIN	A port pin that is connected to the busy pin. The busy pin is only supported by the 20x4VFD display.	
MODE	A mode for the 20x4VFD display. Options : 0 : 4 bit parallel upper nibble first 1 : 4 bit parallel lower nibble first	

You can override the PIN selection from the Compiler Settings with this statement, so a second configuration lets you not choose more pins for a second LCD display.

The config command is preferred over the option settings since the code makes clear which pins are used. The CONFIG statement overrides the Options setting.

The PIN and MODE are only for the 20x4VFD display. See also LCDAUTODIM

The WR pin is optional. When you select the WR pin, an alternative library will be used. This library uses the WR pin and reads the BUSY signal from the LCD. The library lcd4busy\_anypin will be used, which is based on Luciano's LUC\_lcd4busy library.

Notice that since 2040 version, the compiler will generate LCD port pin info which you can use for your own libs.

By default the WR pin is optional and the WR signal of the LCD should be connected to ground. This saves the pin for other purposes. When you have enough pins, you better use the WR-pin.

If you do not connect the WR pin to ground but to a pin, and you do not specify the WR pin, but you set the logic level to 0 in your code, you have to use an INITLCD command after you have set the WR pin to 0.

# See also

CONFIG LCD 55升, CONFIG LCDMODE 56种, CONFIG LCDBUS 56种

# Example

'name	: lcd.bas	
'copyright 'purpose	: (c) 1995-2005, MCS Electronics : demo: LCD, CLS, LOWERLINE, SHIFT	LCD,
	CURSOR, DISPLAY : Mega8515 : yes	
'commercial addon needed '	• no	
<pre>\$regfile = "m8515.dat" the used micro</pre>		' specify
<b>\$crystal =</b> 4000000 crystal frequency		' used
<b>\$baud</b> = 19200 rate		' use baud
\$hwstack = 32		' default

566

```
use 32 for the hardware stack
                                                             ' default
\$swstack = 10
use 10 for the SW stack
                                                             ' default
$framesize = 40
use 40 for the frame space
$sim
'REMOVE the above command for the real program !!
'$sim is used for faster simulation
'note : tested in PIN mode with 4-bit
'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 ,
Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6
Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 ,
Db7 = Porta.7 , E = Portc.7 , Rs = Portc.6
'These settings are for the STK200 in PIN mode
'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-
D7
'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of
the LCD connector
'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector
Rem with the config lcdpin statement you can override the compiler
settings
Dim A As Byte
Config Lcd = 16x2
                                                           'configure lcd
screen
'other options are 16 * 4 and 20 * 4, 20 * 2 , 16 * 1a
'When you dont include this option 16 * 2 is assumed
'16 * la is intended for 16 character displays with split addresses over
2 lines
'$LCD = address will turn LCD into 8-bit databus mode
       use this with uP with external RAM and/or ROM
       because it aint need the port pins !
Cls
                                                             'clear the
LCD display
Lcd "Hello world."
                                                             'display
this at the top line
Wait 1
Lowerline
                                                             'select the
lower line
Wait 1
Lcd "Shift this."
                                                             'display
this at the lower line
Wait 1
For A = 1 To 10
   Shiftlcd Right
                                                             'shift the
text to the right
  Wait 1
                                                             'wait a
moment
Next
For A = 1 To 10
   Shiftlcd Left
                                                             'shift the
text to the left
```

**BASCOM Language Reference** 567 Wait 1 'wait a moment Next Locate 2 , 1 'set cursor position Lcd "\*" 'display this Wait 1 'wait a moment 'shift the Shiftcursor Right cursor Lcd "@" 'display this Wait 1 'wait a moment 'select line Home Upper 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor Wait 1 'wait a moment Cursor On Blink 'show cursor Wait 1 'wait a moment Display Off 'turn display off Wait 1 'wait a moment Display On 'turn display on '-----NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth 'first Home F letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1 'Now lets build a special character 'the first number is the characternumber (0-7)'The other numbers are the rowvalues 'Use the LCD tool to insert this line  ${\tt Deflcdchar}$  1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 replace ? with number (0-7) Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 replace ? with number (0-7)Cls 'select data RAM Rem it is important that a CLS is following the deflcdchar statements because it will set the controller back in datamode Lcd Chr(0); Chr(1)'print the

```
568 BASCOM-AVR
```

special character

```
'----- Now use an internal routine ------
_temp1 = 1 'value into
ACC
!rCall _write_lcd 'put it on
LCD
End
```

# 6.144 CONFIG OSC

# Action

Select and enable the oscillators available to the Xmega

# **Syntax**

**CONFIG OSC=**ENABLED|DISABLED, **PLLOSC=**ENABLED|DISABLED, **EXTOSC=** ENABLED|DISABLED, **32KHZOSC=**ENABLED|DISABLED, **32MHZOSC=**ENABLED| DISABLED, **RANGE=**range, **32KHZPOWERMODE=**powermode, **STARTUP=**startup

# Remarks

r	
OSC	Use ENABLED to enable the internal 2 MHZ oscillator. This oscillator is enabled by default. Use DISABLED to disable the internal oscillator.
PLLOSC	Use ENABLED to enable the PLL oscillator. The oscillator is disabled by default.
EXTOSC	Use ENABLED to enable the external oscillator. The external oscillator is disabled by default.
32KHZOSC	Use ENABLED to enable the internal 32 KHz oscillator. This oscillator is disabled by default.
32MHZOSC	Use ENABLED to enable the internal 32 MHz oscillator. This oscillator is disabled by default.
RANGE	Specify the range of the external oscillator. - 400KHZ_2MHZ - 2MHZ_9MHZ - 9MHZ_12MHZ - 12MHZ_16MHZ This option is only needed when using the external oscillator.
32KHZPOWERMODE	Select the power mode of the 32 KHz interal oscillator. This can be NORMAL or LOW_POWER. The default is NORMAL
STARTUP	The startup time can be specified. Use a value of : - EXTCLK (6 CLK) - 32KHZ (for 16 CLK) - XTAL_256CLK (for 256 CLK) - XTAL_1KCLK (for 1K CLK) - XTAL_16CLK (for 16K CLK)

## See also

CONFIG SYSCLOCK 599

#### **Example**

```
Config Osc = Enabled , 32mhzosc = Enabled ' enable 2 MHz and 32 MHz interal oscillators
```

# 6.145 CONFIG PORT

## Action

Sets the port or a port pin to the right data direction.

#### **Syntax**

**CONFIG PORTx** = state **CONFIG PINx.y** = state

# Remarks

state	A numeric constant that can be INPUT or OUTPUT.
	INPUT will set the data direction register to input for port X. OUTPUT will set the data direction to output for port X. You can also use a number for state. <b>&amp;B</b> 00001111, will set the upper nibble to input and the lower nibble to output.
	You can also set a single port pin with the CONFIG PIN = state, statement. Again, you can use INPUT, OUTPUT or a number. In this case the number can be only zero or one.
x	A valid port letter such as A,B,C etc. Example : CONFIG PORT <b>B</b> = Output
У	A valid pin number in the range of 0-7. Example : CONFIG PINB. <b>0</b> =INPUT

The best way to set the data direction for more than 1 pin, is to use the CONFIG PORT, statement and not multiple lines with CONFIG PIN statements.

You may not use variables for the port letters and pin numbers. If you need to dynamically set a pin direction, you can use this form : SET PORTB.somepin , where somepin may be a constant or a variable.

If the the port itself is also dynamic, then you could use OUT with the proper address.

# See Also

AVR Internal hardware ports

# Example

```
'name : port.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demo: PortB and PortD
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no<'/pre>
```

570

\_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack ' default **\$framesize** = 40 use 40 for the frame space Dim A As Byte , Count As Byte 'configure PORT D for input mode Config Portd = Input 'reading the PORT, will read the latch, that is the value 'you have written to the PORT. 'This is not the same as reading the logical values on the pins! 'When you want to know the logical state of the attached hardware, 'you MUST use the PIN register. A = Pind'a port or SFR can be treated as a byte A = A And Portd Print A 'print it Bitwait Pind.7 , Reset 'wait until bit is low 'We will use port B for output Config Portb = Output 'assign value Portb = 10'set port B to 10 Portb = Portb And 2 'set bit 0 Set Portb.0 of port B to 1 Incr Porth 'Now a light show on the STK200 Count = 0Do Incr Count Portb = 1**For** A = 1 **To** 8 'rotate bits Rotate Portb , Left left Wait 1 Next 'the following 2 lines do the same as the previous loop 'but there is no delay Portb = 1Rotate Portb , Left , 8 Loop Until Count = 10

Print "Ready"
'Again, note that the AVR port pins have a data direction register
'when you want to use a pin as an input it must be set low first
'you can do this by writing zeros to the DDRx:
'DDRB =&B1110000 'this will set portbl.0,portb.1,portb.2 and portb.3
to use as inputs.
'So : when you want to use a pin as an input set it low first in the
DDRx!
' and read with PINx
' and when you want to use the pin as output, write a 1 first
' and write the value to PORTx
End

# 6.146 CONFIG POWERMODE

# Action

Put the micro processor in one of the supported power reserving modes.

# Syntax

**CONFIG POWERMODE** mode

# Remarks

The mode depends on the micro processor. Some valid options are :

- IDLE
- POWERDOWN
- STANDBY
- ADCNOISE
- POWERSAVE

The modes and their exact behaviour is different on all processors. The following description from the datasheet is for the Mega88P.

# **IDLE MODE**

The Idle mode will stop the CPU but allowing the SPI, USART, Analog Comparator, ADC, 2-wire Serial

Interface, Timer/Counters, Watchdog, and the interrupt system to continue operating. This sleep mode basically halts clkcPu and clkFLASH, while allowing the other clocks to run.

Idle mode enables the MCU to wake up from external triggered interrupts as well as internal ones like the Timer Overflow and USART Transmit Complete interrupts. If wake-up from the Analog Comparator interrupt is not required, the Analog Comparator can be powered down by setting the ACD bit in the Analog Comparator Control and Status Register – ACSR. This will reduce power consumption in Idle mode. If the ADC is enabled, a conversion starts automatically when this mode is entered.

# ADC NOISE REDUCTION

This mode will stop the CPU but allowing the ADC, the external interrupts, the 2wire Serial Interface address watch, Timer/Counter2(1), and the Watchdog to continue operating (if enabled). This sleep mode basically halts clkI/O, clkCPU, and clkFLASH, while allowing the other clocks to run.

This improves the noise environment for the ADC, enabling higher resolution measurements. If the ADC is enabled, a conversion starts automatically when this mode is entered. Apart from the ADC Conversion Complete interrupt, only an External Reset, a Watchdog System Reset, a Watchdog Interrupt, a Brown-out Reset, a 2-wire Serial Interface address match, a

Timer/Counter2 interrupt, an SPM/EEPROM ready interrupt, an external level interrupt on INT0 or INT1 or a pin change interrupt can wake up the MCU from ADC Noise Reduction mode.

# POWERDOWN

In this mode, the external Oscillator is stopped, while the external interrupts, the 2wire Serial Interface address watch, and the Watchdog continue operating (if enabled). Only an External Reset, a Watchdog System Reset, a Watchdog Interrupt, a Brown-out Reset, a 2-wire Serial Interface address match, an external level interrupt on INT0 or INT1, or a pin change interrupt can wake up the MCU. This sleep mode basically halts all generated clocks, allowing operation of asynchronous modules only.

Note that if a level triggered interrupt is used for wake-up from Power-down mode, the changed level must be held for some time to wake up the MCU.

When waking up from Power-down mode, there is a delay from the wake-up condition occurs until the wake-up becomes effective. This allows the clock to restart and become stable after having been stopped. The wake-up period is defined by the same CKSEL Fuses that define the Reset Time-out period, as described in "Clock Sources"

# POWERSAVE

This mode is identical to Power-down, with one exception:

If Timer/Counter2 is enabled, it will keep running during sleep. The device can wake up from either Timer Overflow or Output Compare event from Timer/Counter2 if the corresponding Timer/Counter2 interrupt enable bits are set in TIMSK2, and the Global Interrupt Enable bit in SREG is set.

If Timer/Counter2 is not running, Power-down mode is recommended instead of Power-save mode.

The Timer/Counter2 can be clocked both synchronously and asynchronously in Power-save mode. If Timer/Counter2 is not using the asynchronous clock, the Timer/Counter Oscillator is stopped during sleep. If Timer/Counter2 is not using the synchronous clock, the clock source is stopped during sleep. Note that even if the synchronous clock is running in Power-save, this clock is only available for Timer/Counter2.

# **STANDBY**

This mode is identical to Power-down

with the exception that the Oscillator is kept running. From Standby mode, the device wakes up in six clock cycles.

# **EXTENDED STANDBY**

This mode is identical to

Power-save with the exception that the Oscillator is kept running. From Extended Standby mode, the device wakes up in six clock cycles.

So for standby you would use : POWER STANDBY

It is also possible to use POWERDOWN, IDLE or POWERSAVE. These modes were/are supported by most processors. It is recommended to use the new CONFIG POWERMODE command because it allows to use more modes.

# See also

IDLE 7857, POWERDOWN 8607, POWERSAVE 8607

Example CONFIG POWERMODE = IDLE

# 6.147 CONFIG POWER\_REDUCTION

# Action

This option configures the power reduction registers to reduce power consumption.

# Syntax

CONFIG POWER\_REDUCTION= dummy, device=ON|OFF

# Remarks

The Power Reduction (PR) registers provides a method to stop the clock to individual peripherals.

When this is done the current state of the peripheral is frozen and the associated I/O registers cannot be read or written. Resources used by the peripheral will remain occupied;

hence the peripheral should in most cases be disabled before stopping the clock. Enabling the

clock to a peripheral again, puts the peripheral in the same state as before it was stopped. This

can be used in Idle mode and Active mode to reduce the overall power consumption significantly.

In all other sleep modes, the peripheral clock is already stopped.

Not all devices have all the peripherals associated with a bit in the power reduction registers.

Setting a power reduction bit for a peripheral that is not available will have no effect.

Device	A hardware resource of the Xmega. The following hardware resources can be deactivated to reduce power: AES EBI RTC EVSYS DMA DACA, DACB ACA,ACB ADCA,ADCB TWIC,TWID,TWIE,TWIF USAPTCO USAPTC1 USAPTD1 USAPTE0
	USARTC0,USARTC1, USARTD0,USARTD1,USARTE0, USARTE1,USARTF0,USARTF1
	SPIC, SPID, SPIE, SPIF
	TCC0,TCC1,TCD0,TDC1,TCE0,TCE1,TCF0,TCF1 HIRESC,HIRESD,HIRESE,HIRESF
	A value of ON will leave the resource enabled and a value of OFF will activate the power reduction.

You should use the CONFIG POWER\_REDUCTION at start up to disable all unused resources. All the power reduction registers will be set for the provided resources. But the existing configuration will not be preserved. When you need to enable/disable an individual resource at run time, you can manual access the register with a SET or RESET command.

For example, the DMA, EVSYS, RTC, EBI and AES bits are located in the PRGEN register. If you disable DMA and AES the compiler will write a value of 17 (dma +aes)

to the PRGEN register.

It will not first read the existing value, and preserve the other bits. That is why this statement should be used once.

When you specify one value, for example DMA, it will write 1 to the PRGEN register and thus overwriting the previous AES bit that was 1, with a 0.

The additional code to mask and set the bits did not seem useful at implementation time. At user request this behaviour can be changed in a future version.

\_\_\_\_\_

## See also

NONE

## Example

XM128A1-POWER-REDUCTION.BAS (c) 1995-2011 MCS Electronics ' sample provided by MAK3 ' CONFIG POWER REDUCTION and USING EVENT SYSTEM ' This Example show how to use the config power\_reduction and give first insights to the XMEGA EVENT SYSTEM ' Regarding the Eventsytem this example easy show after event configuration that one Port Pin is routed to another Port Pin. ' You can see it works even during the WAIT 4 command and there are no PORT READ OR WRITE commands in the Do .... Loop ! ' It also shows how to manual fire an Event \$regfile = "xm128a1def.dat" **\$crystal** = 2000000 '2MHz \$hwstack = 64\$swstack = 40**\$framesize** = 40 \$lib "xmega.lib" :\$external \_xmegafix\_clear : \$external \_xmegafix\_rol\_r1014 **Config** Osc = Enabled **Config** Sysclock = 2mhz '2MHz ' YOU CAN MINIMIZE POWER CONSUMPTION FOR EXAMPLE WITH : ' 1. Use Low supply voltage ' 2. Use Sleep Modes ' 3. Keep Clock Frequencys low (also with Precsalers) ' 4. Use Powe Reduction Registers to shut down unused peripherals 'With Power\_reduction you can shut down specific peripherals that are not used in your application 'Paramters: aes,dma,ebi,rtc,evsys,daca,dacb,adca,adcb,aca,acb,twic,usartc0,usartc1,s pic, hiresc, tcc0, tcc1 Config Power\_reduction = Dummy , Aes = Off , Twic = Off , Twid = Off , Twie = Off , Aca = Off , Adcb = Off , Tcc0 = Off , Tcc1 = Off , Dma = Off 'For the following we need the EVENT System therefore we do not shut down EVENT SYSTEM

```
575
```

```
Config Com1 = 9600 , Mode = Asynchroneous , Parity = None , Stopbits =
       1, Databits = 8
       Open "COM1:" For Binary As #1
       Waitms 2
       Print #1 ,
       Print #1 , "-----S T A R T-----"
       'Configure PCO for input, triggered on falling edge
       Config Pinc.0 = Input
       Portc_pinOctrl = &B00_011_010
                             1.4
                             1.4
                                 React on falling edge (010)
                             1.4
                             'enable Pullup
       'Select PCO as input to event channel O
       'select the event source for Event Channel 0
       Evsys_ch0mux = \&B0110_0_000
                                                        'Event Source for
       Event Channel 0 = Portc.0
                        1.
                        1.4
                                ~
                        1.
                                Pin0
                        'portC
       Evsys_ch0ctrl = &B0_00_0_0_111
                                                        '8 SAMPLES for Digital
       Filter
                                   1.4
                                   'Digital Filter config
       Config Pinc.7 = Output
       'Event Channel 0 Ouput Configuration
       Portcfg_clkevout = &B0_0_01_0_00
                                                         'Output on PINC.7
       /Clock Out must be disabled
       Print #1 , "Portcfg_clkevout = " ; Bin(portcfg_clkevout)
       Print #1 , "Mainloop -->"
       Do
         'IMPORTANT: YOU WILL SEE THE PIN CHANGES ALSO DURING WAIT 4 BECAUSE IT
       USE EVENT SYSTEM
         Wait 4
         'This shows how to manual fire an Event
         Set Evsys_strobe.0
       Loop
                                                         'end program
       End
6.148 CONFIG PRIORITY
```

# Action

Configures the interrupt system and priority for Xmega

# **Syntax**

#### CONFIG PRIORITY= prio, VECTOR= vector, HI= hi, LO= lo, MED= med

prio	STATIC or ROUNDROBIN. In the AVR the lowest interrupt address has the highest priority. When you chose STATIC the interrupts behave as in non-Xmega chips. To prevent that a low priority interrupt never get executed you can select ROUNDROBIN
vector	APPLICATION or BOOT. Application is the default. This will place the interrupt vectors at address 0, the starting address. When you chose BOOT, the interrupt vectors are placed at the beginning of the boot section. This makes it possible to use interrupts in a boot application.
hi	ENABLED or DISABLED. Chose ENABLED to enable the HI priority interrupts.
lo	ENABLED or DISABLED. Chose ENABLED to enable the LO priority interrupts.
med	ENABLED or DISABLED. Chose ENABLED to enable the MED priority interrupts.

#### Remarks

In the XMEGA, you must enable HI, LO or MED interrupts before you can use them. When you enable an interrupt you also must specify the priority. For example : Enable Usartc0\_rxc , Lo This would enable the USARTC0\_RX interrupt and would assign it a low priority.

In this case, at least the LO priority should be enabled : Config Priority = Static , Vector = Application , Lo = Enabled

When you use LO and MED interrupts, you need to enable the both.

## See also

ENABLE 726, DISABLE 707, ON 840

## Example

Config Priority = Static , Vector = Application , Lo = Enabled

```
On Usartc0_rxc Rxc_isr
Enable Usartc0_rxc , Lo
Enable Interrupts
```

## 6.149 CONFIG PRINT

## Action

Configure the UART to be used for RS-485

Syntax

**CONFIG PRINT0** = pin **CONFIG PRINT1** = pin

#### **CONFIG PRINT2** = pin **CONFIG PRINT3** = pin

#### Remarks

	The name of the PORT pin that is used to control the direction of an RS-485 driver.
mode	SET or RESET

Use PRINT or PRINT0 for the first serial port. Use PRINT1 for the second serial port. PRINT2 for the third UART and PRINT3 for the fourth UART.

When you use RS-485 half duplex communication you need a pin for the direction of the data. The CONFIG PRINT automates the manual setting/resetting. It will either SET or RESET the logic level of the specified pin before data is printed with the BASCOM print routines. After the data is sent, it will inverse the pin so it goes into receive mode.

You need to set the direction of the used pin to output mode yourself.

## See also

CONFIG PRINTBIN 578

# Example

·····		
'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	: rs485.bas : (c) 1995-2006, MCS Electronics : demonstrates : Mega48 : yes : no	
<pre>\$regfile = "m48def.dat" M48 \$crystal = 8000000 \$baud = 19200</pre>		' we use the
<pre>\$hwstack = 32 \$swstack = 32 \$framesize = 32</pre>		
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Mode = Set	'set the
Dim Resp As String * 10 Do Print "test message" Input Resp response Loop		' get

## 6.150 CONFIG PRINTBIN

#### Action

578

Configure PRINTBIN behavior

#### **Syntax**

**CONFIG PRINTBIN** = extended

#### Remarks

extended	This mode is the only mode. It allows to send huge
	arrays(more then 255 elements) to the serial port. Without the CONFIG PRINTBIN option, the maximum
	number of elements is 255. Because support for big
	arrays requires more code, it is made optional.

#### See also

CONFIG PRINT 576

## Example

<pre>\$regfile = "m103def.dat" the used micro</pre>	l.	specify
<b>\$crystal</b> = 8000000	i.	used
crystal frequency		
<b>\$baud</b> = 19200	1	use baud
rate		
<pre>\$hwstack = 32</pre>	1	default
use 32 for the hardware stack		
\$swstack = 10	1	default
use 10 for the SW stack		
<pre>\$framesize = 40</pre>	1	default
use 40 for the frame space		
<pre>Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbi Databits = 8 , Clockpol = 0</pre>	ts	: = 1 ,
Config Printbin = Extended		
<b>Dim</b> A(1000)		
Printbin $A(1)$ ; 1000		

## 6.151 CONFIG PS2EMU

#### Action

Configures the PS2 mouse data and clock pins.

#### **Syntax**

**CONFIG PS2EMU=** int , DATA = data, CLOCK=clock


#### Remarks

Int The interrupt used such as INT0 or INT1.

579

DATA	The pin that is connected to the DATA line. This must be the same pin as the used interrupt.
CLOCK	The pin that is connected to the CLOCK line.

Male	Female	5-pin DIN (AT/ XT):
(Plug)	(Socket)	1 - Clock 2 - Data 3 - Not Implemented 4 - Ground 5 - +5v



Old PC's are equipped with a 5-pin DIN female connector. Newer PC's have a 6-pin mini DIN female connector.

The male sockets must be used for the connection with the micro.

Besides the DATA and CLOCK you need to connect from the PC to the micro, you need to connect ground. You can use the +5V from the PC to power your microprocessor.

The config statement will setup an ISR that is triggered when the INT pin goes low. This routine you can find in the library.

The ISR will retrieve a byte from the PC and will send the proper commands back to the PC.

The SENDSCAN and PS2MOUSEXY statements allow you to send mouse commands.

Note that the mouse emulator is only recognized after you have booted your PC. Mouse devices can not be plugged into your PC once it has booted. Inserting a mouse or mouse device when the PC is already booted, may damage your PC.

## See also

SENDSCAN (913), PS2MOUSEXY (867)

## Example

-----

```
580 BASCOM-AVR
```

```
: ps2 emul.bas
'name
                         : (c) 1995-2005, MCS Electronics
'copyright
                         : PS2 Mouse emulator
'purpose
'micro
                         : 90S2313
'suited for demo
                         : NO, commercial addon needed
'commercial addon needed : yes
! _____
                                              _____
_____
$regfile = "2313def.dat"
                                                           ' specify
the used micro
$crystal = 4000000
                                                           ' used
crystal frequency
$baud = 19200
                                                           ' use baud
rate
$hwstack = 32
                                                           ' default
use 32 for the hardware stack
$swstack = 10
                                                           ' default
use 10 for the SW stack
$framesize = 40
                                                           ' default
use 40 for the frame space
$lib "mcsbyteint.lbx"
                                                           ' use
optional lib since we use only bytes
'configure PS2 pins
Config Ps2emu = Int1 , Data = Pind.3 , Clock = Pinb.0
                ^----- used interrupt
                              ^---- pin connected to DATA
^-- pin connected to clock
'Note that the DATA must be connected to the used interrupt pin
Waitms 500
                                                           ' optional
delay
Enable Interrupts
                                                           ' you need
to turn on interrupts yourself since an INT is used
Print "Press u,d,l,r,b, or t"
Dim Key As Byte
Do
   Key = Waitkey()
                                                           ' get key
from terminal
   Select Case Key
     Case "u" : Ps2mousexy 0 , 10 , 0
                                                           'up
     Case "d" : Ps2mousexy 0 , -10 , 0
                                                           ' down
      Case "1" : Ps2mousexy -10 , 0 , 0
                                                           ' left
     Case "r" : Ps2mousexy 10 , 0 , 0
                                                           ' right
     Case "b" : Ps2mousexy 0 , 0 , 1
                                                           ' left
button pressed
                Ps2mousexy 0 , 0 , 0
                                                           ' left
button released
     Case "t" : Sendscan Mouseup
                                                           ' send a
scan code
     Case Else
   End Select
Loop
Mouseup:
Data 3 , &H08 , &H00 , &H01
                                                           ' mouse up
by 1 unit
```

#### 6.152 CONFIG RC5

#### Action

Overrides the RC5 pin assignment from the Option Compiler Settings 99.

#### Syntax

**CONFIG RC5** = pin [,TIMER=2] [,WAIT=value]

# RemarksPinThe port pin to which the RC5 receiver is connected.TIMERMust be 2. The micro must have a timer2 when you want to<br/>use this option. This additional parameter will cause that<br/>TIMER2 will be used instead of the default TIMER0.WAITThe default value is 100. Each unit is ca. 64 us. This gives a<br/>time out of 6.4 ms. Since a start bit is 3.5 ms, you can

time out of 6.4 ms. Since a start bit is 3.5 ms, you can reduce the value to 56. When you make it lower, it will not work. When you want the old behavior you need to specify a value of 2000 which is ca. 131 ms.

When you use different pins in different projects, you can use this statement to override the Options Compiler setting for the RC5 pin. This way you will remember which pin you used because it is in your code and you do not have to change the settings from the options. In BASCOM-AVR the settings are also stored in the project. CFG file.

## See also

GETRC5 763

#### Example

CONFIG RC5 = PIND.5 'PORTD.5 is the RC5 input line

## 6.153 CONFIG SDA

#### Action

Overrides the SDA pin assignment from the Option Compiler Settings 99.

#### **Syntax**

CONFIG SDA = pin

#### Remarks

Pin The port pin to which the I2C-SDA line is connected.

When you use different pins in different projects, you can use this statement to override the Options Compiler setting for the SDA pin. This way you will remember which pin you used because it is in your code and you do not have to change the settings from the options. In BASCOM-AVR the settings are also stored in the project. CFG file.

When using the Hardware TWI, you only need CONFIG SDA when you use the I2CINIT statement

#### See also

CONFIG SCL 5827, CONFIG I2CDELAY 5427, I2CINIT 775

#### Example

CONFIG SDA = PORTB.7 'PORTB.7 is the SDA line

## 6.154 CONFIG SCL

#### Action

Overrides the SCL pin assignment from the Option Compiler Settings 99.

#### Syntax

CONFIG SCL = pin

#### Remarks

Pin The port pin to which the I2C-SCL line is connected.

When you use different pins in different projects, you can use this statement to override the Options Compiler setting for the SCL pin. This way you will remember which pin you used because it is in your code and you do not have to change the settings from the options. Of course BASCOM-AVR also stores the settings in a project.CFG file.

When using the Hardware TWI, you only need CONFIG SCL when you use the I2CINIT statement

#### See also

CONFIG SDA 581, CONFIG I2CDELAY 542, I2CINIT 775

#### Example

CONFIG SCL = PORTB.5 'PORTB.5 is the SCL line

#### 6.155 CONFIG SERIALIN

#### Action

Configures the hardware UART to use a buffer for input

#### Syntax

```
CONFIG SERIALIN | SERIALIN1 | SERIALIN2 | SERIALIN3 = BUFFERED, SIZE
= size [, BYTEMATCH=ALL|BYTE|NONE] [,CTS=pin, RTS=pin, Threshold_full=num,
Threshold_empty=num ]
```

SerialIn	Some chips have multiple HW UARTS. Use the following parameter		
	values:		
	<ul> <li>SERIALIN or SERIALINO : first UART/UART0</li> </ul>		
	<ul> <li>SERIALIN1 : second UART/UART1</li> </ul>		
	SERIALIN2 : third UART/UART2		
	SERIALIN3 : fourth UART/UART3		
Size	A numeric constant that specifies how large the input buffer should be. The space is taken from the SRAM. The maximum is 255.		
Bytematch	The ASCII value of the byte that will result in calling a user label. When you specify <b>ALL</b> , the user label will be called for every byte that is received. You must include the label yourself in your code and end it with a return. The following label names must be used when you check for a specific byte value:		
	<ul> <li>SerialOCharMatch (for SERIALIN or the first UART/UARTO)</li> <li>Serial1CharMatch (for SERIALIN1 or the second UART/UART1)</li> <li>Serial2CharMatch (for SERIALIN2 or the third UART/UART2)</li> <li>Serial3CharMatch (for SERIALIN3 or the fourth UART/UART3)</li> </ul>		
	The following label names must be used when you check for any value:		
	<ul> <li>Serial<b>0</b>ByteReceived (for SERIALIN or the first UART/UART<b>0</b>)</li> <li>Serial<b>1</b>ByteReceived (for SERIALIN<b>1</b> or the second UART/UART<b>1</b>)</li> </ul>		
	<ul> <li>Serial2ByteReceived (for SERIALIN2 or the third UART/UART2)</li> <li>Serial3ByteReceived (for SERIALIN3 or the fourth UART/UART3)</li> </ul>		
	When you specify <b>NONE</b> , it is the same as not specifying this optional parameter.		
CTS	The pin used for the CTS.(Clear to send). For example PIND.6		
RTS	The pin used for RTS. (Ready to send). For example PIND.7		
Threshold_full	The number of bytes that will cause RTS to be set to '1'. This is an indication to the sender, that the buffer is full.		
Threshold_emp	t The number of free bytes that must be in the buffer before CTS		
v	may be made '0' again.		

The following internal variables will be generated for UARTO:

\_RS\_HEAD\_PTR**0** , a byte counter that stores the head of the buffer

\_RS\_TAIL\_PTR**0** , a byte counter that stores the tail of the buffer.

 $\_RS232INBUF\textbf{0}$  , an array of bytes that serves as a ring buffer for the received characters.

\_RS\_BUFCOUNTR**0**, a byte that holds the number of bytes that are in the buffer.

For the other UARTS, the variables are named similar. But they do have a different number.

A **1** for the second UART, a **3** for the third UART and a **4** for the fourth UART. Yes, the '**2**' is skipped.

While you can read and write the internal variables, we advise not to write to them. The variables are updated inside interrupts routines, and just when you write a value to them, an ISR can overwrite the value.

#### 584 BASCOM-AVR

The optional **BYTEMATCH** can be used to monitor the incoming bytes and call a label when the specified label is found. This label is a fixed label as mentioned in the table above.

This way you can determine the start of a serial stream.

While bytematch allows you to trap the incoming bytes, take care that you do not delay the program execution too much. After all the serial input interrupt is used in order not to miss incoming data. When you add delays or code that will delay execution too much you might loose incoming data.

When using the BYTEMATCH option, you must preserve the registers you alter. If you do not know which one, use <u>PUSHALL</u> and <u>POPALL</u> before.

To clear the buffer, use <u>CLEAR</u> (47) SERIALIN. Do not read and write the internal buffer variables yourself.

CTS-RTS is hardware flow control. Both the sender and receiver need to use CTS-RTS when CTS-RTS is used. When one of the parties does not use CTS-RTS, no communication will be possible.

CTS-RTS use two extra lines. The receiver must check the CTS pin to see if it may send. The CTS pin is a input pin as the receiver looks at the level that the sender can change.

The receiver can set the RTS pin to indicate to the sender that it can accept data. In the start condition, RTS is made '0' by the receiver. The sender will then check this logic level with it's CTS pin, and will start to send data. The receiver will store the data into the buffer and when the buffer is almost full, or better said, when the Threshold\_full is the same as the number of bytes in the receive buffer, the receiver will stop sending data. And will continue when the RTS is made '0' again.

The receiver can send data to the sender and it will check the CTS pin to see if it may send data.

In order to work with CTS-RTS, you need both a serial input buffer, and a serial output buffer. So use both CONFIG SERIALIN and CONFIG SERIALOUT to specify the buffers.

The CTS-RTS can only be configured with the CONFIG SERIALIN statement.

The thresholds are needed for high baud rates where it will take some time to react on a CTS-RTS.

You need to experiment with the thresholds but good start values are 80% full, and 20% empty.

You need to use a pin that is bit addressable. For most chips this is a pin from port A, B,C or D.

#### ASM

Routines called from MCS.LIB :

\_GotChar. This is an ISR that gets called when ever a character is received. When there is no room for the data it will not be stored. So the buffer must be emptied periodic by reading from the serial port using the normal statements like INKEY() and INPUT. Since URXC interrupt is used by \_GotChar, you can not use this interrupt anymore. Unless you modify the \_gotchar routine of course.

#### See also

CONFIG SERIALOUT 58計, ISCHARWAITING 800前, CLEAR 47刊

# Example

\_\_\_\_\_ \_\_\_\_\_ 'name : rs232buffer.bas : (c) 1995-2005, MCS Electronics 'copyright 'purpose : example shows the difference between normal and buffered serial INPUT 'micro : Megal61 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m161def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 9600 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'first compile and run this program with the line below remarked **Config** Serialin = Buffered , Size = 20 Dim Na As String \* 10 'the enabling of interrupts is not needed for the normal serial mode 'So the line below must be remarked to for the first test Enable Interrupts Print "Start" Do 'get a char from the UART If Ischarwaiting() = 1 Then 'was there a char? Input Na Print Na 'print it End If Wait 1 'wait 1 second LOOP 'You will see that when you slowly enter characters in the terminal emulator 'they will be received/displayed.

#### 586 BASCOM-AVR

```
'NOW remove the remarks from line 11 and 18
'and compile and program and run again
'This time the chars are received by an interrupt routine and are
'stored in a buffer. This way you will not loose characters providing
that
'you empty the buffer
'So when you fast type abcdefg, they will be printed after each other
with the
'1 second delay
```

'When you enter them fast you will see that you loose some chars

```
'Using the CONFIG SERIAL=BUFFERED, SIZE = 10 for example will
'use some SRAM memory
'The following internal variables will be generated :
'_Rs_head_ptr0 BYTE , a pointer to the location of the start of the
buffer
'_Rs_tail_ptr0 BYTE , a pointer to the location of tail of the buffer
'_RS232INBUF0 BYTE ARRAY , the actual buffer with the size of SIZE
```

.....

#### Example2

'name : (c) 1995-2008, MCS Electronics : test for M2560 support 'copyright 'purpose 'micro : Mega2560 'suited for demo : yes : no commercial addon needed \$regfile = "m2560def.dat" specify the used micro \$crystal = 8000000 \$hwstack = 40 hardware stack used crystal frequency default use 32 for the . \$swstack = 40 default use 10 for the SW stack ' default use 40 for the frame \$framesize = 40 space '\$timeout = 1000000 'The M128 has an extended UART. When CO'NFIG COMx is not used, the default N,8,1 will be used Config Com1 = 19200, Synchrone = 0, Parity = None, Stopbits Stopbits = 1, Databits = 8Clockpol = 0**Config** Com2 = 19200, Synchrone = 0, Parity = None, Stopbits = 1, Databits = 8. Clockpol = 0**Config** Com3 = 19200, Synchrone = 0, Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0Config Com4 = 19200 ,Synchrone = 0, Parity = None, Stopbits = 1, Databits = 8, Clockpol = 0**Enable Interrupts** Config Buffered , Size = 20 , Buffered , Size = 20 , Buffered , Size = 20 , Buffered Serialin = Serialin1 = Config Bytematch = 65Config Serialin2 = Bytematch = 66Buffered , Serialin3 = Size = 20, Config Bytematch = All 'Open all UARTS Open "COM2:" For Binary As #2 Open "COM3:" For Binary As #3 Open "COM4:" For Binary As #4 Print "Hello" 'first uart Dim B1 As Byte, B2 As Byte, B3 As Byte, B4 As Byte Dim Tel As Word, Nm As String \* 16 'unremark to test second UART 'Input #2 , "Name ?" , Nm 'Print #2 , "Hello " ; Nm

uart

'first

```
Do
  o
Incr Tel
Print Tel; "test
Print #2, Tel; "
Print #3, Tel; "
Print #4, Tel; "
                                serial
                                                  1"
                                         port
                                 test serial
                                                 port
                                                         2"
                                                         3"
4"
                                                 port
                                 test
                                        serial
                                test serial
                                                port
  B1 = Inkey()
B2 = Inkey(#2)
B3 = Inkey(#3)
B4 = Inkey(#4)
  I f B1 <> 0 Then
Print B1 ; " from port 1"
   End I f
   I f B2 <> 0 Then
Print #2 , B2 ; " from port 2"
   End I f
I f B3 <> 0 Then
Print #3 , B3 ; " from port 3"
  End I f
I f B4 <> 0 Then
Print #4, B4; " from port 4"
End I f
   Waitms 500
Loop
'Label called when UART2 received an A
Serial1charmatch:
  Print #2, "we got an A"
Return
'Label called when UART2 received a B
Serial2charmatch:
   Print #3, "we got a B"
Return
'Label called when UART3 receives a char
Serial3bytereceived:
Print #4, "we got a char"
Return
End
Close #2
Close #3
Close #4
$eeprom
Data 1, 2
```

## 6.156 CONFIG SERIALOUT

#### Action

Configures the hardware UART to use a buffer for output

#### Syntax

```
CONFIG SERIALOUT | SERIALOUT1 | SERIALOUT2 | SERIALOUT3 =
BUFFERED , SIZE = size
```

#### Remarks

SerialOut	Some chips have multiple HW UARTS. Use the following parameter
	values:

<ul> <li>SERIALOUT or SERIALOUT0 : first UART/UART0</li> <li>SERIALOUT1 : second UART/UART1</li> <li>SERIALOUT2 : third UART/UART2</li> <li>SERIALOUT3 : fourth UART/UART3</li> </ul>
A numeric constant that specifies how large the output buffer should be. The space is taken from the SRAM. The maximum value is 255.

The following internal variables will be used when you use CONFIG SERIALOUT

\_RS\_HEAD\_PTRW**0** , byte that stores the head of the buffer

\_RS\_TAIL\_PTRW**0** , byte that stores the tail of the buffer

\_RS232OUTBUF**0**, array of bytes for the ring buffer that stores the printed data.

\_RS\_BUFCOUNTW**0**, a byte that holds the number of bytes in the buffer.

For the other UARTS, the variables are named similar. But they do have a different number.

A **1** for the second UART, a **3** for the third UART and a **4** for the fourth UART. Yes, the '**2**' is skipped.

Serial buffered output can be used when you use a low baud rate. It would take relatively much time to print all data without a buffer. When you use a buffer, the data is printed on the background when the micro UART byte buffer is empty. It will get a byte from the buffer then and transmit it.

As with any buffer you have, you must make sure that it is emptied at one moment in time.

You can not keep filling it as it will become full. When you do not empty it, you will have the same situation as without a buffer !!! When the roof is leaking and you put a bucket on the floor and in the morning you empty it, it will work. But when you will go away for a day, the bucket will overflow and the result is that the floor is still wet.

Another important consideration is data loss. When you print a long string of 100 bytes, and there is only room in the buffer for 80 bytes, there is still a wait evolved since after 80 bytes, the code will wait for the buffer to become empty. When the buffer is empty it will continue to print the data. The advantage is that you do not loose any data, the disadvantage is that it blocks program execution just like a normal un-buffered PRINT would do.

## ASM

Routines called from MCS.LIB :

\_CHECKSENDCHAR. This is an ISR that gets called when ever the transmission buffer is empty.

Since UDRE interrupt is used , you can not use this interrupt anymore. Unless you modify the \_CheckSendChar routine of course.

When you use the PRINT statement to send data to the serial port, the UDRE interrupt will be enabled. And so the \_CheckSendChar routine will send the data from the buffer.

# See also

CONFIG SERIALIN 582

#### Example

------

```
589
```

```
: rs232bufferout.bas
'name
'copyright
                         : (c) 1995-2005, MCS Electronics
'purpose
                         : demonstrates how to use a serial output
buffer
'micro
                         : Megal28
'suited for demo
                         : yes
'commercial addon needed : no
·-----
                                               _____
------
$regfile = "m128def.dat"
                                                           ' specify
the used micro
                                                           ' used
$crystal = 4000000
crystal frequency
$baud = 9600
                                                           ' use baud
rate
\$hwstack = 40
                                                           ' default
use 32 for the hardware stack
\$swstack = 40
                                                           ' default
use 10 for the SW stack
$framesize = 40
                                                           ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Config Com2 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
'setup to use a serial output buffer
'and reserve 20 bytes for the buffer
Config Serialout = Buffered , Size = 255
'It is important since UDRE interrupt is used that you enable the
interrupts
Enable Interrupts
Print "Hello world"
Print "test1"
Do
Wait 1
'notice that using the UDRE interrupt will slown down execution of
waiting loops like waitms
Print "test"
Loop
End
```

## 6.157 CONFIG SINGLE

#### Action

Instruct the compiler to use an alternative conversion routine for representation of a single.

#### Syntax

**CONFIG SINGLE** = SCIENTIFIC , DIGITS = value

#### **Remarks**

A numeric constant with a value between 0 and 7. A value of 0 will result in no trailing zero's.

A value between 1-7 can be used to specify the number of digits behind the comma.

When a conversion is performed from numeric single variable, to a string, for example when you PRINT a single, or when you use the STR() function to convert a single into a string, a special conversion routine is used that will convert into human readable output. You will get an output of digits and a decimal point.

This is well suited for showing the value on an LCD display. But there is a downside also. The routine is limited in the way that it can not shown very big or very small numbers correct.

The CONFIG SINGLE will instruct the compiler to use a special version of the conversion routine. This version will use scientific notation such as : 12e3. You can specify how many digits you want to be included after the decimal point.

#### See also

NONE

## ASM

Uses single.lbx library

## Example

```
(c) 1995-2005, MCS
                            single_scientific.bas
   demonstation of scientific , single output
     . . . . . . . . . . . . . . . .
$regfile = "m88def.dat"
$crystal = 8000000
$baud = 19200
'you can view the difference by compiling and simulating
                                                                      this sample
with
      the
      below remarked
'line
                         and active
Config Single =
                       Scientific , Digits = 7
Dim S As Single
S = 1
Do
  S = S / 10
  Print S
Loop
```

#### 6.158 CONFIG SHIFTIN

#### Action

Instruct the compiler to use new behaviour of the SHIFTIN statement.

#### **Syntax**

**CONFIG SHIFTIN** = value

#### Remarks

value

This must be COMPATIBLE or NEW. By default the old behaviour is used.

So in order to use the new behaviour you must use : CONFIG SHIFTIN=NEW

The SHIFTOUT has been enhanced with a number of options which make it incompatible to the old SHIFTOUT.

In order to maintain compatibility with your old code, this option has been added so you have control over which SHIFTIN version is used.

#### See also

SHIFTIN 928

#### 6.159 CONFIG SPI

#### Action

Configures the SPI related statements.

#### Syntax for software SPI

**CONFIG SPI|SPISOFT** = SOFT, DIN = PIN, DOUT = PIN, SS = PIN|NONE, CLOCK = PIN, SPIIN=value, MODE=mode

#### Syntax for hardware SPI

**CONFIG SPI|SPIHARD** = HARD, INTERRUPT=ON|OFF, DATA\_ORDER = LSB|MSB, MASTER = YES|NO, POLARITY = HIGH|LOW, PHASE = 0|1, CLOCKRATE = 4|16|64| 128, NOSS=1|0, SPIIN=value

## Remarks

SPI	SOFT for software emulation of SPI, this allows you to choose the PINS to use. Only works in master mode.	
	HARD for the internal SPI hardware, that will use fixed pins of the microprocessor.	
DIN	Data input or MISO. Pin is the pin number to use such as PINB.0	
DOUT	Data output or MOSI. Pin is the pin number to use such as PORTB.1	
SS	Slave Select. Pin is the pin number to use such as PORTB.2 Use NONE when you do not want the SS signal to be generated. See remarks	
CLOCK	Clock. Pin is the pin number to use such as PORTB.3	
DATA ORDER	Selects if MSB or LSB is transferred first.	
MASTER	Selects if the SPI is run in master or slave mode.	
POLARITY	Select HIGH to make the CLOCK line high while the SPI is idle. LOW will make clock LOW while idle.	
PHASE	Refer to a data sheet to learn about the different settings in combination with polarity.	
CLOCKRATE	The clock rate selects the division of the of the oscillator frequency that serves as the SPI clock. So with 4 you will have a clock rate of	

	4.000000 / 4 =	4.000000 / 4 = 1 MHz , when a 4 MHZ XTAL is used.		
NOSS	1 or 0. Use 1 w master mode.	1 or 0. Use 1 when you do not want the SS signal to be generated in master mode.		
INTERRUPT	OFF disables SF	Specify ON or OFF. ON will enable the SPI interrupts to occur. While OFF disables SPI interrupts. ENABLE SPI and DISABLE SPI will accomplish the same.		
SPIIN	data you send. require a value provided, a valu	When reading from the SPI slave, it should not matter what kind of data you send. But some chips require a value of 255 while others require a value of 0. By default, when the SPIIN option is not provided, a value of 0 will be sent to the SPI slave. With this SPIIN option you can override this value.		
MODE	Without MODE, Also, when usin	A constant in the range from 0-3 which defines the SPI MODE. Without MODE, the default mode 1 will be used. Also, when using MODE, new SPI code will be used. When using MODE, you can also specify SPEED and SETUP.		
	<b>Mode</b> 0 1 2 3	<b>Leading Edge</b> Rising, Sample Rising, Setup Falling, Sample Falling, Setup	<b>Trailing Edge</b> Falling, Setup Falling, Sample Rising, Setup Rising, Sample	
SPEED	you specify 1, i	Is a numeric constant for an optional delay. This delay is in us. When you specify 1, it will result in 2 us delay : 1 use before and 1 us after the clock. By default there is no delay. Slower chip would require a delay.		
SETUP	Setup is the delay in uS before sampling the MISO pin. A numeric constant must be used.			

The default setting for hardware SPI when set from the Compiler, Options, SPI menu is MSB first, POLARITY = HIGH, MASTER = YES, PHASE = 0, CLOCKRATE = 4

When you use CONFIG SPI = HARD alone without the other parameters, the SPI will only be enabled. It will work in slave mode then with CPOL = 0 and CPH=0.

In hardware mode the SPIINIT statement will set the SPI pins to : sbi DDRB,7 ; SCK output cbi DDRB,6 ; MISO input sbi DDRB,5 ; MOSI output

In softmode the SPIINIT statement will set the SPI pins for example to : sbi PORTB,5 ;set latch bit hi (inactive)SS sbi DDRB,5 ;make it an output SS cbi PORTB,4 ;set clk line lo sbi DDRB,4 ;make it an output cbi PORTB,6 ;set data-out lo MOSI sbi DDRB,6 ;make it an output MOSI cbi DDRB,7 ;MISO input Ret

When you want to address multiple slaves with the software SPI you need multiple pins to select/activate the slave chip. Specify NONE for SS in that case. This also means that before every SPI command you need to set the logic level to 0 to address the chip and after the SPI command you need to set it back to a logic high level.

The hardware SPI also has this option. The NOSS parameter with a value of 1, will

not set the SS line to logic 0 when the SPI operation begins. You need to set SS or any other pin of your choice to a logic 0 yourself. After the SPI command(s) are used you need to set it back to a logic 1 to deselect the slave chip.

In order to use the SPI in master mode, you need to set the SS pin to output. In input mode, this pin can be used to set the SPI bus into slave mode. You only need to set the pin to output when you use the NOSS=1 option.

All SPI routines are SPI-master routines. Example 2 below demonstrates how to create a soft SPI slave. In the samples directory you will also find a SPI hardware master and SPI hardware slave sample.

## See also

SPIIN (950), SPIOUT (952), SPIINIT (957), SPI (200), SPIMOVE (957)

## Example

Config SPI = SOFT, DIN = PINB.0 , DOUT = PORTB.1, SS = PORTB.2, CLOCK = PORTB.3 Dim var As Byte SPIINIT 'Init SPI state and pins. SPIOUT var , 1 'send 1 byte

## 6.160 CONFIG SPIx

#### Action

Configures the SPI mode of the Xmega.

#### **Syntax**

**CONFIG SPIx** = HARD, MASTER = YES|NO, MODE=0-3, CLOCKDIV=div, DATA\_ORDER = LSB|MSB

#### Remarks

SPIx	There are 4 SPI interfaces on the Xmega. You need to specify SPIC, SPID, SPIE or SPIF for SPIx. The value must be HARD.		
MASTER	Selects if the SPI is running in master or slave mode. Possible values : YES, NO, 1 or 0.		
MODE	The mode of the SPI interface. There are 4 modes in the range from 0-3. The mode decides weather the first edge in a clock cycles is rising or falling, and if data setup and sample is on leading or trailing edge.		
	<b>Mode</b> 0 1 2 3	<b>Leading Edge</b> Rising, Sample Rising, Setup Falling, Sample Falling, Setup	<b>Trailing Edge</b> Falling, Setup Falling, Sample Rising, Setup Rising, Sample
CLOCKDIV	The SPI is clocked by the system clock which is divided by a the SPI divider. If you select a division factor of 4, and the system clock is 4 MHz, then the SPI clock will be 1 MHz. The possible values are :		

	CLK2, CLK4, CLK8, CLK16, CLK32, CLK64 and CLK128. Some modes use the internal CLK2X bit. In SLAVE mode, the maximum clock rate is CLK4.
DATA ORDER	Selects if MSB or LSB is transferred first. The SPI can send the Least Significant bit (LSB) or the Most Significant Bit(MSB) first.
SS	Slave select option. The possible values are : - NONE, the SS will not be set or used - AUTO, the dedicated pin is used, this is portC.4 for SPIC, portD.4 for SPID, portE.4 for SPIE and portF.4 for SPIF.

The SPI settings for the Xmega differ from the SPI settings for normal AVR chips. In order to be able to use the four different SPI interfaces the Xmega uses a channel which you need to OPEN.

After you have opened the device, you can send/receive data using PRINT and INPUT.

The SS pin, MOSI and CLOCK pins are set to output mode automatic in master mode. The SS pin is also made high. The SS pin is only configured when you have selected SS=AUTO.

If you need to use a different pin for SS or when you need to switch the logic level yourself for SS, and thus you use the SS=NONE option, you must setup the SS pin, even if you do not use it, yourself. You must prevent that the SS pin will be made low in input mode since that will set the SPI into SLAVE mode, even while it was in MASTER mode.

When SS is in auto mode, the SS pin will be made low before each SPI transfer and be made high when the SPI transfer is finished. SS can be used when multiple slaves are used, or to synchronize data packets.

The pins are configured before the SPI control register is set. If you do not use the AUTO mode, you must set the pin direction and state yourself before using the CONFIG SPI. The following table shows which pins you have to set when NOT using the AUTO mode.

Pin	Master Mode	Slave Mode
MOSI	User set	Input
MISO	Input	User set
SCK	User set	Input
SS	User set	Input

It is very important that you set the pin direction and level BEFORE you use the CONFIG SPI statement. This because the CONFIG SPI will enable the SPI interface and once enabled you can not change data direction/level.

If you want to change pin levels , you must disable the SPI interface first by clearing bit  ${\bf 6}$  :

Spid\_ctrl.6 = 0 Config Portd.4 = Output Set Portd.0.4 Spid\_ctrl.6 = 1 ' disable ' set direction ' set level ' enable

#### See also

INPUT [794], PRINT [861], OPEN [845] SPIIN [950], SPIOUT [952], SPIINIT [951], SPI [200], SPIMOVE [951]

#### Example

```
Dim Bspivar As Byte , Ar(4) As Byte , W As Word
Bspivar = 1
Config Spic = Hard , Master = Yes , Mode = 0 , Clockdiv = Clk2 ,
Data order = Msb
Config Spid = Hard , Master = Yes , Mode = 1 , Clockdiv = Clk8 ,
Data order = Lsb
Config Spie = Hard , Master = Yes , Mode = 2 , Clockdiv = Clk4 ,
Data_order = Msb
Config Spif = Hard , Master = Yes , Mode = 3 , Clockdiv = Clk32 ,
Data order = Msb
Open "SPIC" For Binary As #10
Open "SPID" For Binary As #11
Open "SPIE" For Binary As #12
Open "SPIF" For Binary As #13
Open "SPI" For Binary As #bspivar
                                                             ' use a
dynamic channel
'SPI channel only suppor PRINT and INPUT
Print #10 , "to spi" ; W
Input #10 , Ar(1) , W
Print #bspivar , W
Input #bspivar , W
```

## 6.161 CONFIG SERVOS

#### Action

Configures how much servo's will be controlled.

#### **Syntax**

```
CONFIG SERVOS = X , Servo1 = Portb.0 , Servo2 = Portb.1 , Reload = rl , INTERVAL=t
```

## Remarks

Servo's need a variable pulse in order to operate. The CONFIG SERVOS directive will set up a byte array with the servo pulse width values and will initialize an ISR that uses TIMER0.

х	The number of servo's you want to control. Each used servo will use one byte of SRAM.	
servox	The port pin the servo is attached too.	
reload	The reload value for the ISR in uS.	
Interval	The update interval. Using the interval option will result in using alternative servo code optimized for servos.	

When you use for example :

Config Servos = 2 , Servo1 = Portb.0 , Servo2 = Portb.1 , Reload = 10 The internal ISR will execute every 10 uS.

An arrays named SERVO() will be created and it can hold 2 bytes : servo(1) and servo(2).

By setting the value of the servo() array you control how long the positive pulse will last. After it has reached this value it will be reset to 0.

The reload value should be set to 10. After 20 mS, a new pulse will be generated. You can use other reload values but it will also mean that the repeat value will change.

The PORT pins specified must be set to work as an output pin by the user. CONFIG PINB.0 = OUTPUT Will set a pin to output mode.

The CONFIG SERVOS only works with servo's that rotate 180 degrees. These are the servo's found in RC models.

There are also continuous rotation servos which work different. The servo code will NOT work on these servos.

## **Alternative Servocode**

When using the INTERVAL option, you can use alternative code which is optimized for servo's.

You should use a RELOAD value of 100 in that case and an interval of 100 should be used for best results.

Using a reload of 100 uS will give more time to the main application. This does give lower resolution but this is not a problem for most model servos. With an interval of 100, the refresh will be done in 100x100 us which results in 10 mS. The following test code was used:

```
Config Servos = 2 , Servo1 = Portd.7 , Servo2 = Portb.1 , Reload = 100 , Interval =
100
Servo(1) = 10
Servo(2) = 5
Enable Interrupts
Do
For J = 8 To 16
Servo(1) = J
Waitms 5000 ' some time to check if the servo is stable
Next
Waitms 5000
Loop
```

#### **Resources used**

TIMER0 is used to create the ISR.

## ASM

NONE

#### Example

'name : servos.bas
'copyright : (c) 1995-2005, MCS Electronics

BASCOM Language Reference

597

: demonstrates the SERVO option 'purpose 'micro : 90S2313 'suited for demo : yes 'commercial addon needed : no \_\_\_\_\_ \$regfile = "2313def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'Servo's need a pulse in order to operate 'with the config statement CONFIG SERVOS we can specify how many servo's we 'will use and which port pins are used 'A maximum of 14 servos might be used 'The SERVO statements use one byte for an interrupt counter and the TIMER0 'This means that you can not use TIMER0 anymore 'The reload value specifies the interval of the timer in uS 'Config Servos = 2 , Servol = Portb.0 , Servo2 = Portb.1 , Reload = 10 Config Servos = 1 , Servol = Portb.0 , Reload = 10 'as an option you can use TIMER1 'Config Servos = 2 , Servol = Portb.0 , Servo2 = Portb.1 , Reload = 10 , Timer = Timer1 'we use 2 servos with 10 uS resolution(steps) 'we must configure the port pins used to act as output Config Portb = Output 'finally we must turn on the global interrupt Enable Interrupts 'the servo() array is created automatic. You can used it to set the 'time the servo must be on Servo(1) = 10'10 times 10 = 100 uS on '20 times |Servo(2)| = 2010 = 200 uS onDo Loop Dim I As Byte Do **For** I = 0 **To** 100 Servo(1) = IWaitms 1000 Next For I = 100 To 0 Step -1Servo(1) = IWaitms 1000 Next

Loop End

598

#### 6.162 CONFIG SUBMODE

#### Action

This option sets how the compiler deals with Subs, Functions and Declarations.

#### Syntax

**CONFIG SUBMODE = NEW|OLD** 

#### Remarks

When the SUBMODE option is not configured, the default 'OLD' will be used. This is the old mode used in versions up to 2070.

This old mode demands that you DECLARE a function or sub, before you call it. It also binds in the sub/function at the same location as in your code.

When working with \$include files, this requires that you put the \$include file at the end of your code, and that you put an \$include file at the start of your code. Or that you use a GOTO to jump over the Sub/Function code.

When you use CONFIG SUBMODE=NEW, most behaviour is changed :

- there is no need to DECLARE a sub/function before you call it. But, the actual sub/ function code must be placed before the actual call!

- only the used sub/functions are included

- the sub/function code is placed after the main program. this is something you do not need to worry about.

- you can \$include the modules without a GOTO to jump over the code.

- sub/functions behave like macro's : only when used they are included

## See also

<u>DECLARE SUB</u> लिली, <u>SUB</u> लिली, <u>DECLARE FUNCTION</u> लिखी, <u>CALL</u> 46नी

## Example

```
$regfile = "m88def.dat"
$crystal = 8000000
config submode=new
declare sub test1()
required
sub test2()
this sub is not used and will not be compiled
    print "test2"
end sub
function myfunc() as byte
called from test1
    myfunc = 1
```

```
end function
```

' not

```
sub test1()
    print "test1"
    print myfunc()
uses myfunc
end sub

print "test"
test1
call test1
```

'12

r.

# 6.163 CONFIG SYSCLOCK

#### Action

end

Selects the oscillator source for the system clock.

#### **Syntax**

CONFIG SYSCLOCK=sysclock , PRESCALEA=prescaleA, PRESCALEBC=prescaleBC

#### Remarks

SYSCLOCK	The oscillator used for generation of the system clock. This oscillator must be running. You MUST use CONFIG OSC before you use CONFIG SYSCLOCK. The CONFIG SYSCLOCK will wait till the oscillator is running stable. Possible values: - 2MHZ - 32MHZ - EXTERNAL - PLL
PRESCALEA	The Xmega has 3 prescalers. With PRESCALEA you configure the clock division of the first prescaler. Possible values: 1, 2, 4, 8, 16, 32, 64, 128,256,512
PRESCALEBC	The Xmega has 3 prescalers. With PRESCALEBC you configure the clock division of the second and the third prescaler. Possible values: - 1_1 (1 + 1 division) - 1_2 (1+2 division) - 4_1 (4 + 1 division) - 2_2 (2 + 2 division) This 1_2 will make the second prescaler divide by 1 and the third prescaler divide by 2.



CONFIG OSC 568

#### 600 BASCOM-AVR

#### Example

Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1\_1 ' use 32 MHz

#### 6.164 CONFIG TCXX

#### Action

Configures the Xmega TIMER.

#### **Syntax**

CONFIG TCxx = wg , PRESCALE=pre, COMPAREA=ca, COMPAREB=cb, COMPAREC=cc, COMPARED=cd, EVENT\_SOURCE= event, EVENT\_ACTION=act, EVENT\_DELAY=ed, RESOLUTION=res

## Remarks

Depending on the Xmega processor of your choice, there are one or more timers. The Xmega uses the name of the port as part of the name. The first port that has a timer is portC. The first timer is named TCC0. Most timer ports have 2 timers. The next timer is named TCC1. Xmega timers are 16 bit but can be cascaded to 32 bit timers or be set to 8 but mode.

The possible timer names are : TCC0, TCC1, TCD0, TCD1, TCE0, TCE1, TCF0 and TCF1.

WG	This options sets the Timer and/or Wave Generation mode. Possible values : - NORMAL, no wave generation - FREQ, frequency generation - PWM, pulse width modulation single slope - PWM_TOP, pwm dual slope - PWM_BOT, pwm dual slope - PWM_TOPBOT, pwm dual slope - A value between 0-7 will load the mode. See table 2.
PRESCALE	The presclaler can divide the system clock that is applied to the timer. The prescaler will only divide the system clock. Possible values : - 1 , 2, 4, 8, 64, 256, 1024 - OFF, timer is disabled - E0, E1, E2, E3, E4, E5, E6, E7 . Event channel 0-7 - value between 0-15. This will write the value to the CTRLA register.
COMPAREx	<ul> <li>Where x is A, B, C, or D. This is the COMPARE or CAPTURE register setup.</li> <li>You may use either COMPARE or CAPTURE since the same registers are used. Each COMPARE/CAPTURE pin must be enabled if the input/output pin is used. By default they are disabled. Each TCx0 timer has 4 compare registers/pins. The TCx1 timer has two capture registers/pins.</li> <li>Possible values :</li> <li>ENABLED : this will enable the capture/compare register DISABLED : this will disable the capture/compare register 0 : this will set the logic level of the compare output pin to 0.</li> </ul>

EVENT_SOURC E	<ul> <li>1 : this will set the logic level of the compare output pin to 1.</li> <li>In FREQ and PWM modes the compare pins will be set to output mode.</li> <li>In CAPTURE mode, the capture pin will be set to input mode.</li> <li>The event channel source. Possible values :     <ul> <li>OFF (default)</li> <li>E0-E7</li> <li>A value between 0-15</li> </ul> </li> </ul>
EVENT_ACTIO N	The event action the timer will perform. Possible values : - OFF - CAPTURE, input capture - UPDOWN, external controlled up/down count - QDEC, quadrature decode - RESTART, restart waveform period - FREQ, frequency capture - PWC, pulse width capture
EVENT_DELAY	Enabled, or disabled(default). When this bit is set, the selected event source is delayed by one peripheral clock cycle. This feature is intended for 32-bit input capture operation. Adding the event delay is necessary for compensating for the carry propagation delay that is inserted when cascading two counters via the Event System.
RESOLUTION	Timer resolution is 16 by default. A value of 8 will set the timer to 8 bit resolution. 32 is reserved for future use.(cascading timers)

Table 2.

Value	Mode	ТОР	UPDATE	EVENT
0	NORMAL	PER	ТОР	ТОР
1	FREQ	CCA	ТОР	ТОР
2	reserved			
3	PWM, single slope	PER	воттом	воттом
4	reserved			
5	PWM, dual slope	PER	воттом	ТОР
6	PWM, dual slope	PER	воттом	TOP and BOTTOM
7	PWM, dual slope	PER	воттом	воттом

A CONFIG TCxx statement will update the timer control registers immediately. A pre scale value other than OFF will also START the timer at once.

## Example

```
' (c) 1995-2010, MCS
' xm128-TIMER-S1.bas
' This sample demonstrates the TIMER sample 1 from AVR1501
' This sample uses TIMER TCD0 since TCC0 isused for the UART
'
$regfile = "xm128aldef.dat"
$crystal = 32000000
$hwstack = 64
$swstack = 64
```

#### 602 BASCOM-AVR

```
$framesize = 64
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'First Enable The Osc Of Your Choice , make sure to enable 32 KHz clock
or use an external 32 KHz clock
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
'connect portE bit 0 and 1 to some LED
Config Porte = Output
'config timer to normal mode
Config Tcd0 = Normal , Prescale = 64
Tcd0_per = \&H30
                                                              ' period
register
Do
  If Inkey() <> 0 Then
     Tcd0\_per = Tcd0\_per + 100
                                                             ' increase
period
     Print "period:" ; Tcd0_per
                                                             ' you will
see that a larger PERIOD value will cause the TIMER to overflow later
and this generating a bigger delay
  End If
 Bitwait Tcd0_intflags.0 , Set
                                                              ' wait for
overflow
 Tcd0 intflags.0 = 1
                                                              ' clear flag
by writing 1
  Toggle Porte
                                                              ' toggle led
Loop
```

#### 6.165 CONFIG TCPIP

#### Action

Configures the TCP/IP W3100A chip.

#### **Syntax**

**CONFIG TCPIP** = int , MAC = mac , IP = ip, SUBMASK = mask, GATEWAY = gateway, LOCALPORT= port, TX= tx, RX= rx , NOINIT= 0|1 , TWI=address , Clock = speed [, baseaddress = address] [,TimeOut=tmOut]

#### Remarks

Int	The interrupt to use such as INT0 or INT1.	
	For the Easy TCP/IP PCB, use INT0.	
MAC	The MAC address you want to assign to the W3100A.	
	The MAC address is a unique number that identifies your chip. You must use a different address for every W3100A chip in your network.	

603

	Example : 123.00.12.34.56.78	
	You need to specify 6 bytes that must be separated by dots. The bytes must be specified in decimal notation.	
IP	The IP address you want to assign to the W3100A.	
	The IP address must be unique for every W3100A in your network. When you have a LAN, 192.168.0.10 can be used. 192.168.0.x is used for LAN's since the address is not an assigned internet address.	
SUBMASK	The submask you want to assign to the W3100A.	
	The submask is in most cases 255.255.255.0	
GATEWAY	This is the gateway address of the W3100A.	
	The gateway address you can determine with the IPCONFIG command at the command prompt :	
	C:\>ipconfig	
	Windows 2000 IP Configuration	
	Ethernet adapter Local Area Connection 2:	
	Connection-specific DNS Suffix . : IP Address : 192.168.0.3 Subnet Mask : 255.255.255.0 Default Gateway : 192.168.0.1	
	Use 192.168.0.1 in this case.	
LOCALPORT	A word value that is assigned to the LOCAL_PORT internal variable. See also Getsocket.	
	As a default you can assign a value of 5000.	
ТХ	A byte which specifies the transmit buffer size of the W3100A. The W3100A has 4 sockets.	
	A value of 00 will assign 1024 bytes, a value of 01 will assign 2048 bytes. A value of 10 will assign 4096 bytes and a value of 11 will assign 8192 bytes.	
	This is binary notation. And the Msbits specify the size of socket 3.	
	For example, you want to assign 2048 bytes to each socket for transmission : TX = &B01010101	
	Since the transmission buffer size may be 8KB in total, you can split them up in 4 parts of 2048 bytes : 01.	
	When you want to use 1 socket with 8KB size, you would use : $TX = \&B11$ . You can use only 1 socket in that case : socket 0.	
RX	A byte which specifies the receive buffer size of the W3100A. The W3100A has 4 sockets.	
	A value of 00 will assign 1024 bytes, a value of 01 will assign 2048 bytes. A value of 10 will assign 4096 bytes and a value of 11 will assign 8192 bytes.	

4	BASCOM-AVR		
Γ		This is binary notation. And the Msbits specify the size of socket 3.	
		For example, you want to assign 2048 bytes to each socket for reception : RX = &B01010101	
up in 4 parts of 2048 bytes : 01. When you want to use 1 socket with 8KB size, you would use : &B11. You can use only 1 socket in that case : socket 0.		Since the receive buffer size may be 8KB in total, you can split them up in 4 parts of 2048 bytes : 01.	
		When you want to use 1 socket with 8KB size, you would use : RX = &B11. You can use only 1 socket in that case : socket 0.	
		Consult the W3100A pdf for more info.	
N	loinit	Make this 1 when you want to configure the TCP, MAC, Subnetmask and GateWay dynamic. Noinit will only make some important settings and you need to use SETTCP in order to finish the setup.	
T	WI	The slave address of the W3100A/NM7010. When you specify TWI, your micro must have a TWI interface such as Mega128, Mega88, Mega32.	
С	Clock	The clock frequency to use with the TWI interface	
В	aseaddress	An optional value for the chip select of the W3100A. This is default &H8000 when not specified. When you create your own board, you car override it.	
T	ïmeOut	You can specify an optional timeout when sending UDP data. The	

TimeOut You can specify an optional timeout when sending UDP data. The Wiznet API does wait for the CSEND status. But it means that it will block your application. In such cases, you can use the timeout value. The timeout constant is a counter which decreases every time the status is checked. When it reaches 0, it will get out of the loop. Thus a higher value will result in a longer delay. Notice that it has nothing to do with the chip timeout registers/values. Without the software timeout, the chip will also time out.

The CONFIG TCPIP statement may be used only once. Interrupts must be enabled before you use CONFIG TCPIP. Configuring the W3100A will init the chip. After the CONFIG TCPIP, you can already PING the chip!

The TWI mode works only when your micro support the TWI mode. You need to have 4k7 pull up resistors.

MCS Electronics has a small adapter PCB and KIT available that can be connected easily to your microprocessor.

The new TWI mode makes your PCB design much simpler. TWI is not as fast as bus mode. While you can use every supported TCP/IP function, it will run at a lower speed.

# See also

<u>GETSOCKET</u> [767], <u>SOCKETCONNECT</u> [937], <u>SOCKETSTAT</u> [947], <u>TCPWRITE</u> [976], <u>TCPWRITESTR</u> [976], <u>TCPREAD</u> [976], <u>CLOSESOCKET</u> [478], <u>SOCKETLISTEN</u> [940]

# Syntax Example

Config Tcpip = Int0 , Mac = 00.00.12.34.56.78 , Ip = 192.168.0.8 , Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx = \$55 , Rx = \$55

'Now use PING at the command line to send a ping:

PING 192.168.0.8

Or use the easytcp application to ping the chip.

#### 6.166 CONFIG TIMER0

#### Action

Configure TIMER0.

#### **Syntax**

```
CONFIG TIMER0 = COUNTER , EDGE=RISING/FALLING , CLEAR_TIMER = 1|0 [,
CONFIGURATION=NAME]
CONFIG TIMER0 = TIMER , PRESCALE= 1|8|64|256|1024 [,CONFIGURATION=NAME]
```

#### Remarks

TIMER0 is a 8 bit counter. See the hardware description of TIMER0.

When configured as a COUNTER:

EDGE	You can select whether the TIMER will count on the falling or rising
	edge.

When configured as a TIMER:

The TIMER is connected to the system clock in this case. You can select the division of the system clock with this parameter.
Valid values are 1 , 8, 64, 256 or 1024

Note that some new AVR chips have different pre scale values. You can use these.

CONFIGURATION is optional. When you add configuration=mysetting, you can use this setting when you start the timer : START TIMER0 , mysetting If you have multiple settings, you can start the timer with these different settings.

Notice that the Help was written with the AT90S2313 and AT90S8515 timers in mind.

When you use the CONFIG TIMER0 statement, the mode is stored by the compiler and the TCCRO register is set.

When you use the STOP TIMER0 statement, the TIMER is stopped.

When you use the START TIMER0 statement, the TIMER TCCR0 register is loaded with the last value that was configured with the CONFIG TIMER0 statement.

So before using the <u>START</u> and <u>STOP</u> and <u>STOP</u> statements, use the CONFIG statement first.

Example	
 'name	: timer0.bas

```
606 BASCOM-AVR
```

```
: (c) 1995-2005, MCS Electronics
'copyright
'purpose
                         : shows how to use TIMER0 related statements
                         : 90S2313
'micro
'suited for demo
                         : yes
'commercial addon needed : no
*_____
_____
$regfile = "2313def.dat"
                                                          ' specify
the used micro
Scrystal = 8000000
                                                          ' used
crystal frequency
$baud = 19200
                                                          ' use baud
rate
                                                          ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                           ' default
use 10 for the SW stack
$framesize = 40
                                                          ' default
use 40 for the frame space
'First you must configure the timer to operate as a counter or as a
timer
'Lets configure it as a COUNTER now
'You must also specify if it will count on a rising or falling edge
Config Timer0 = Counter , Edge = Rising
'Config Timer0 = Counter , Edge = falling
'unremark the line aboven to use timer0 to count on falling edge
'To get/set the value from the timer access the timer/counter register
'lets reset it to 0
Tcnt0 = 0
Do
 Print Tcnt0
Loop Until Tcnt0 >= 10
'when 10 pulses are count the loop is exited
'or use the special variable TIMER0
Timer0 = 0
'Now configire it as a TIMER
'The TIMER can have the systemclock as an input or the systemclock
divided
'by 8,64,256 or 1024
'The prescale parameter excepts 1,8,64,256 or 1024
Config Timer0 = Timer , Prescale = 1
'The TIMER is started now automaticly
'You can STOP the timer with the following statement :
Stop Timer0
'Now the timer is stopped
'To START it again in the last configured mode, use :
Start Timer0
'Again you can access the value with the tcnt0 register
Print Tcnt0
'or
Print Timer0
'when the timer overflows, a flag named TOV0 in register TIFR is set
'You can use this to execute an ISR
```

607

```
'To reset the flag manual in non ISR mode you must write a 1 to the bit
position
'in TIFR:
Set Tifr.1
'The following code shows how to use the TIMERO in interrupt mode
'The code is block remarked with '( en ')
'(
'Configute the timer to use the clock divided by 1024
Config Timer0 = Timer , Prescale = 1024
'Define the ISR handler
On Ovf0 Tim0 isr
'you may also use TIMER0 for OVF0, it is the same
Enable Timer0
                                                              ' enable the
timer interrupt
Enable Interrupts
                                                              'allow
interrupts to occur
Do
   'your program goes here
Loop
'the following code is executed when the timer rolls over
Tim0 isr:
 Print "*";
Return
')
End
```

#### 6.167 CONFIG TIMER1

#### Action

Configure TIMER1.

#### Syntax

```
CONFIG TIMER1 = COUNTER | TIMER | PWM ,
EDGE=RISING | FALLING , PRESCALE= 1|8|64|256|1024 ,
NOISE_CANCEL=0 |1, CAPTURE_EDGE = RISING | FALLING ,
CLEAR_TIMER = 1|0,
COMPARE_A = CLEAR | SET | TOGGLE | DISCONNECT ,
COMPARE_B = CLEAR | SET | TOGGLE | DISCONNECT ,
PWM = 8 | 9 10 ,
COMPARE_A_PWM = CLEAR_UP| CLEAR_DOWN | DISCONNECT
COMPARE_B_PWM = CLEAR_UP| CLEAR_DOWN | DISCONNECT
[,CONFIGURATION=NAME]
```

#### Remarks

The TIMER1 is a 16 bit counter. See the hardware description of TIMER1. It depends on the chip if COMPARE\_B is available or not. Some chips even have a COMARE\_C.

The syntax shown above must be on one line. Not all the options need to be selected.

Here is the effect of the various options.

EDGE	You can select whether the TIMER will count on the falling or rising edge. Only for COUNTER mode.
CAPTURE_ EDGE	You can choose to capture the TIMER registers to the INPUT CAPTURE registers
	With the CAPTURE_EDGE = FALLING/RISING, you can specify to capture on the falling or rising edge of pin ICP
NOISE_ CANCELING	To allow noise canceling you can provide a value of 1.
PRESCALE	The TIMER is connected to the system clock in this case. You can select the division of the system clock with this parameter.
	Valid values are 1 , 8, 64, 256 or 1024 PRESCALE can't be used in COUNTER mode.

The TIMER1 also has two compare registers A and B

When the timer value matches a compare register, an action can be performed

COMPARE_	The action can be:
A	
	SET will set the OC1X pin
	CLEAR will clear the OC1X pin
	TOGGLE will toggle the OC1X pin
	DISCONNECT will disconnect the TIMER from output pin OC1X

And the TIMER can be used in PWM mode. You have the choice between 8, 9 or 10 bit PWM mode

Also you can specify if the counter must count UP or down after a match to the compare registers Note that there are two compare registers A and B

PWM	Can be 8, 9 or 10.
COMPARE_A_PW	PWM compare mode. Can be CLEAR_UP or CLEAR_DOWN
1.1	

Using COMPARE\_A, COMPARE\_B, COMPARE\_A\_PWM or COMPARE\_B\_PWM will set the corresponding pin for output. When this is not desired you can use the alternative NO\_OUTPUT version that will not alter the output pin.

For example : COMPARE\_A\_NO\_OUTPUT , COMPARE\_A\_PWM NO\_OUTPUT

CONFIGURATION is optional. When you add configuration=mysetting, you can use this setting when you start the timer : START TIMER0 , mysetting If you have multiple settings, you can start the timer with these different settings.

## Example

------'name

: timer1.bas

609

```
'copyright
                         : (c) 1995-2005, MCS Electronics
'purpose
                         : show using Timer1
'micro
                         : 90S8515
'suited for demo
                         : yes
'commercial addon needed : no
*_____
_____
$regfile = "8515def.dat"
                                                          ' specify
the used micro
Scrystal = 4000000
                                                          ' used
crystal frequency
                                                          ' use baud
$baud = 19200
rate
                                                          ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                          ' default
use 10 for the SW stack
$framesize = 40
                                                          ' default
use 40 for the frame space
Dim W As Word
'The TIMER1 is a versatile 16 bit TIMER.
'This example shows how to configure the TIMER
'First like TIMER0 , it can be set to act as a TIMER or COUNTER
'Lets configure it as a TIMER that means that it will count and that
'the input is provided by the internal clock.
'The internal clock can be divided by 1,8,64,256 or 1024
Config Timer1 = Timer , Prescale = 1024
'You can read or write to the timer with the COUNTER1 or TIMER1 variable
W = Timer1
Timer1 = W
'To use it as a COUNTER, you can choose on which edge it is trigereed
Config Timer1 = Counter , Edge = Falling
'Config Timer1 = Counter , Edge = Rising
'Also you can choose to capture the TIMER registers to the INPUT CAPTURE
registers
'With the CAPTURE EDGE = , you can specify to capture on the falling or
rising edge of
'pin ICP
Config Timer1 = Counter, Edge = Falling, Capture_Edge = Falling
'Config Timer1 = Counter , Edge = Falling , Capture Edge = Rising
'To allow noise canceling you can also provide :
Config Timer1 = Counter , Edge = Falling , Capture_Edge = Falling ,
Noise_Cancel = 1
'to read the input capture register :
W = Capture1
'to write to the capture register :
Capture1 = W
```

#### 610 BASCOM-AVR

```
'The TIMER also has two compare registers A and B
'When the timer value matches a compare register, an action can be
performed
Config Timer1 = Counter , Edge = Falling , Compare_A = Set , Compare_B =
Toggle , Clear_Timer = 1
'SET , will set the OC1X pin
'CLEAR, will clear the OC1X pin
'TOGGLE, will toggle the OC1X pin
'DISCONNECT, will disconnect the TIMER from output pin OC1X
'CLEAR TIMER will clear the timer on a compare A match
'To read write the compare registers, you can use the COMPARE1A and
COMPARE1B variables
Comparela = W
W = Comparela
'And the TIMER can be used in PWM mode
'You have the choice between 8,9 or 10 bit PWM mode
'Also you can specify if the counter must count UP or down after a match
'to the compare registers
'Note that there are two compare registers A and B
Config Timer1 = Pwm , Pwm = 8 , Compare_A_Pwm = Clear_Up , Compare_B_Pwm
= Clear_Down , Prescale = 1
'to set the PWM registers, just assign a value to the compare A and B
registers
Comparela = 100
Compare1b = 200
'Or for better reading :
Pwmla = 100
Pwmlb = 200
End
```

#### 6.168 CONFIG TIMER2

#### Action

Configure TIMER2.

#### Syntax for the 8535

CONFIG TIMER2 = TIMER | PWM , ASYNC=ON |OFF, PRESCALE = 1 | 8 | 32 | 64 | 128 | 256 | 1024 , COMPARE = CLEAR | SET | TOGGLE | DISCONNECT , PWM = ON | OFF , COMPARE\_PWM = CLEAR\_UP| CLEAR\_DOWN | DISCONNECT , CLEAR\_TIMER = 1|0 [,CONFIGURATION=NAME]

#### Syntax for the M103

CONFIG TIMER2 = COUNTER| TIMER | PWM , EDGE= FALLING |RISING, PRESCALE = 1 | 8 | 64 | 256 | 1024 , COMPARE = CLEAR | SET | TOGGLE | DISCONNECT , PWM = ON | OFF , COMPARE\_PWM = CLEAR UP| CLEAR DOWN | DISCONNECT , CLEAR \_TIMER = 1|0 [,CONFIGURATION=NAME]

#### @ 0040 A

## Remarks

The TIMER2 is an 8 bit counter.

It depends on the chip if it can work as a counter or not.

The syntax shown above must be on one line. Not all the options need to be selected. Some chips support multiple COMPARE outputs. Use COMPARE\_A, COMPARE\_B, COMPARE\_C, etc.

Here is the effect of the various options.

EDGE	You can select whether the TIMER will count on the falling or rising
	edge. Only for COUNTER mode.

PRESCALE	The TIMER is connected to the system clock in this case. You can select the division of the system clock with this parameter.
	Valid values are 1 , 8, 64, 256 or 1024 or
	1 , 8, 32 , 64 , 256 or 1024 for the M103
	Prescale can not be used in COUNTER mode.

The TIMER2 also has a compare registers

When the timer value matches a compare register, an action can be performed

COMPARE	The action can be:
	SET will set the OC2 pin CLEAR will clear the OC2 pin TOGGLE will toggle the OC2 pin DISCONNECT will disconnect the TIMER from output pin OC2

And the TIMER can be used in 8 bit PWM mode

You can specify if the counter must count UP or down after a match to the compare registers

COMPARE PWM	PWM compare mode.
	Can be CLEAR_UP or CLEAR_DOWN

CONFIGURATION is optional. When you add configuration=mysetting, you can use this setting when you start the timer : START TIMER0 , mysetting If you have multiple settings, you can start the timer with these different settings.

## Example

Dim W As Byte Config Timer2 = Timer , ASYNC = 1 , Prescale = 128 On TIMER2 Myisr ENABLE INTERRUPTS ENABLE TIMER2 DO LOOP

MYISR: 'get here every second with a 32768 Hz xtal RETURN

'You can read or write to the timer with the COUNTER2 or TIMER2 variable W = Timer2Timer2 = W

## 6.169 CONFIG TWI

#### Action

Configure the TWI (two wire serial interface).

#### **Syntax**

CONFIG TWI = clockspeed CONFIG TWIC | TWID | TWIE | TWIF = clockspeed

## Remarks

clockspeed The desired clock frequency for SCL

CONFIG TWI will set TWSR pre scaler bits 0 and 1, and TWBR depending on the used <u>\$CRYSTAL</u>[338] frequency and the desired SCL clock speed.

Typical you need a speed of 400 KHz. Some devices will work on 100 KHz as well.

When TWI is used in SLAVE mode, you need to have a faster clock speed as the master.

## **XMEGA**

The XMEGA can contain up to 4 TWI units. When not specifying TWIC, TWID, TWIE or TWIF, the **TWIC** will be used as the default.

You MUST dimension a variable named TWI\_START as a byte. It is used by the xmega TWI library code. Without it, you will get an error.

It is important that you specify the proper crystal frequency. Otherwise it will result in a wrong TWI clock frequency.

See also \$CRYSTAL 3387, OPEN 8457

# Example

۱\_\_\_\_\_

' (c) 2004 MCS Electronics

- ' This demo shows an example of the TWI
- ' Not all AVR chips have TWI (hardware I2C)
- ·

'The chip will work in TWI/I2C master mode 'Connected is a PCF8574A 8-bits port extender

\$regfile="M8def.dat"' the used chip \$crystal= 4000000 ' frequency used \$baud= 19200 ' baud rate

\$lib"i2c\_twi.lbx"' we do not use software emulated I2C but the TWI

Config Scl =Portc.5 ' we need to provide the SCL pin name Config Sda =Portc.4 ' we need to provide the SDA pin name

'On the Mega8, On the PCF8574A 'scl=PC5 , pin 28 pin 14 'sda=PC4 , pin 27 pin 15

I2cinit' we need to set the pins in the proper state

Config Twi = 100000 ' wanted clock frequency 'will set TWBR and TWSR 'Twbr = 12 'bit rate register 'Twsr = 0 'pre scaler bits

Dim B AsByte, X AsByte Print"TWI master" Do Incr B ' increase value I2csend&B01110000, B ' send the value Print"Error : ";Err' show error status I2creceive&B01110000, X ' get a byte Print X ;" ";Err' show error Waitms 500 'wait a bit Loop End

#### 6.170 CONFIG TWISLAVE

#### Action

Configure the TWI Slave address and bit rate

#### Syntax

**CONFIG TWISLAVE** = address , BTR = value , BITRATE = value , SAVE=option [, GENCALL=value] [,USERACK=ack]

See also <u>I2C TWI Slave</u> 1040

(This function is part of the I2C-Slave library. This is an add-on library that is not included in Bascom-AVR by default. It is a commercial add on library. It is available from  $\underline{\mathsf{MCS}}$  Electronics )

#### Remarks

Address	The slave address that is assigned to the slave chip. This must be an Even number. Bit 0 of the address is used to activate the general call address. The GENCAL option will set this bit automatic.
	I2C uses a 7 bit address from bit 1 to bit 7. Bit 0 is used to specify a read/write operation. In BASCOM the byte transmission address is used for I2C.
	This means that an I2C 7-bit address of 1 becomes $\&B10 = 2$ . And we say the address is 2. This is done so you can copy the address from the data sheets which are in the same format in most cases. So if you work with 7 bit address, you need to multiply the address by 2.
BTR	Bytes to receive. With this constant you specify how many bytes will be expected when the master reads data from the slave. And thus how many bytes will be sent to the master.
Bit rate	This is the I2C/TWI clock frequency. Most chips support 400 KHz (400000) but all I2C chips support 100000.
SAVE	SAVE = NOSAVE : this can be used when you do not change a lot of registers in the interrupt. SAVE = SAVE : this is best to be used when you do not use ASM in the TWI interrupt. See the explanation below. When you do not specify SAVE, the default will be SAVE=SAVE.
GENCALL	General call address activated or not. When you specify 1 or YES, the General call address will be activated which mean that the slave will respond not only to it's own address, but also to the general call address 0. When you omit the option or specify 0 or NO, the general call address will not be honored.
USERACK	Default is OFF. When you use ON, an alternative library will be used. This library will create a variable named TWI_ACK. Each time your code is called this variable is filled with the value 255. If you do not alter the value, the slave will send an ACK as it is supposed to. If you reset the value to 0, the slave will send a NACK. You can use this to send data with variable length to the slave. In this case, BTR only serves as an index. You must make sure to reset TWI_ACK when you have send the last byte to the master.

The variables Twi , Twi\_btr and Twi\_btw are created by the compiler. These are all bytes

The TWI interrupt is enabled but you need to enabled the global interrupt

The TWI Slave code is running as an interrupt process. Each time there is a TWI interrupt some slave code is executed. Your BASIC code is called from the low level slave code under a number of events. You must include all these labels in your Slave application. You do not need to write code in all these sub routines.

Label	Event
Twi_stop_rstart_received	The Master sent a stop(i2CSTOP) or repeated start. Typical you do not need to do anything here.
_	The master has addressed the slave and will now continue to send data to the slave. You do not need to take action here.
Twi_addressed_gowrite	The master has addressed the slave and will now

	continue to receive data from the slave. You do not need to take action here.
Twi_gotdata	The master has sent data. The variable <b>TWI</b> holds the received value. The byte <b>TWI_BTW</b> is an index that holds the value of the number of received bytes. The first received byte will have an index value of 1.
Twi_master_needs_byte	The master reads from the slave and needs a value. The variable TWI_BTR can be inspected to see which index byte was needed. With the CONFIG <b>BTR</b> , you specify how many bytes the master will read.

In most cases your main application is just an empty DO LOOP. But when you write a slave that performs other tasks on the background these other tasks are interrupted by the TWI traffic.

Take in mind that the interrupt with the lowest address has the highest priority. So do NOT write blocking code inside an interrupt. While servicing another interrupt, the TWI interrupt can not be serviced.


The TWI Slave code will save all used registers.

But since it will call your BASIC application when the TWI interrupt occurs, your BASIC code could be in the middle of say a PRINT statement.

When you then execute another PRINT statement , you will destroy registers. So keep the code in the sub routines to a minimum, and use SAVE option to save all registers. This is the default.

While two printing commands will give odd results (print 12345 and 456 in the middle of the first print will give 1234545) at least no register is destroyed.

A typical configuration is shown below.



GND

To test the above hardware, use the samples : twi-master.bas and twi-slave.bas Optional you can use i2cscan.bas to test the general call address.

When you want to change the address of the slave at run time you need to write to the **TWAR** register.

The TWAR register contains the slave address. Bit 0 which is used to indicate a read or write transaction should be cleared. When you set it, the slave will also recognize the general call address. The GENCALL option just sets bit 0 of the slave.

#### See also

CONFIG TWI 612 , CONFIG SCL 582 , CONFIG SDA 581 , I2C TWI Slave 1040

ASM NONE

#### NONE

### Example1(master)

1	(c) 2004 MCS Electronics
1	This demo shows an example of the TWI
1	Not all AVR chips have TWI (hardware I2C)
1	

```
'The chip will work in TWI/I2C master mode
'Connected is a PCF8574A 8-bits port extender
$regfile = "M88def.dat"
                                                               ' the used chip
Scrystal = 8000000
                                                               ' frequency used
                                                               ' baud rate
$baud = 19200
\$hwstack = 32
                                                               ' default
use 32 for the hardware stack
$swstack = 10
                                                               ' default
use 10 for the SW stack
$framesize = 40
                                                               ' default
use 40 for the frame space
$lib "i2c_twi.lbx"
                                                               ' we do not use softwar
Config Scl = Portc.5
                                                               ' we need to provide the
Config Sda = Portc.4
                                                               ' we need to provide the
'On the Mega88,
                         On the PCF8574A
                          pin 14
pin 15
'scl=PC5 , pin 28
'sda=PC4 , pin 27
                                                               ' we need to set the pa
I2cinit
Config Twi = 100000
                                                               ' wanted clock frequence
'will set TWBR and TWSR
'Twbr = 12
                                                                'bit rate register
'Twsr = 0
                                                                'pre scaler bits
Dim B As Byte , X As Byte
Print "TWI master"
Do
  Incr B
                                                               ' increase value
  I2csend &H0 , B
                                                               ' send the value to gen
  I2csend &H70 , B
                                                               ' send the value
  Print "Error : " ; Err
                                                               ' show error status
                                                               ' get a byte
  I2creceive &H70 , X
  Print X ; " " ; Err
                                                               ' show error
 Waitms 500
                                                               'wait a bit
Loop
End
```

#### Example2(slave)

```
(c) 2004 MCS Electronics
               This demo shows an example of the TWI in SLAVE mode
                     Not all AVR chips have TWI (hardware I2C)
' IMPORTANT : this example ONLY works when you have the TWI slave library
           which is a commercial add on library, not part of BASCOM
'Use this sample in combination with i2cscan.bas and/or twi-master.bas
                     _____
$regfile = "M88def.dat"
                                                       ' the chip we use
$crystal = 8000000
                                                       ' crystal oscillator va
$baud = 19200
                                                       ' baud rate
\$hwstack = 32
                                                       ' default
use 32 for the hardware stack
\$swstack = 10
                                                       ' default
use 10 for the SW stack
```

\_\_\_\_\_

```
618
      BASCOM-AVR
    $framesize = 40
                                                                 ' default
    use 40 for the frame space
    Print "MCS Electronics TWI-slave demo"
    Config Twislave = \&H70 , Btr = 1 , Bitrate = 100000 , Gencall = 1
     'In i2c the address has 7 bits. The LS bit is used to indicate read or write
    'When the bit is 0, it means a write and a 1 means a read
    'When you address a slave with the master in bascom, the LS bit will be set/reset a
    'The TWAR register in the AVR is 8 bit with the slave address also in the most left
    'This means that when you setup the slave address as &H70, TWAR will be set to &H01
    'And in the master you address the slave with address &H70 too.
    'The AVR TWI can also recognize the general call address 0. You need to either set
    'by using &H71 as a slave address, or by using GENCALL=1
    'as you might need other interrupts as well, you need to enable them all manual
    Enable Interrupts
    'this is just an empty loop but you could perform other tasks there
    Do
      nop
    Loop
    End
    'A master can send or receive bytes.
    'A master protocol can also send some bytes, then receive some bytes
    'The master and slave must match.
    'the following labels are called from the library
    Twi_stop_rstart_received:
      Print "Master sent stop or repeated start"
    Return
    Twi_addressed_goread:
      Print "We were addressed and master will send data"
    Return
    Twi_addressed_gowrite:
      Print "We were addressed and master will read data"
    Return
    'this label is called when the master sends data and the slave has received the byt
    'the variable TWI holds the received value
    Twi gotdata:
       Print "received : " ; Twi
    Return
    'this label is called when the master receives data and needs a byte
    'the variable twi btr is a byte variable that holds the index of the needed byte
    'so when sending multiple bytes from an array, twi_btr can be used for the index
    Twi_master_needs_byte:
      Print "Master needs byte : " ; Twi_btr
      Twi = 65
                                                                  ' twi must be filled wa
    Return
    'when the mast has all bytes received this label will be called
    Twi_master_need_nomore_byte:
      Print "Master does not need anymore bytes"
```

```
Return
```

### 6.171 CONFIG USB

### Action

Create settings related to USB.

### Syntax

**CONFIG USB** = dev, Language= lang, Manufact= "man", Product="prod", Serial="serial"

### Remarks

	The possible options are Device and Host. Host is not supported yet.
Lang	A language identifier. &H0409 for US/English
Man	A string constant with the manufacture name.
Prod	A string constant with the product name.
Serial	A string constant with the serial number.

The above settings determine how your device is displayed by the operating system. Since these settings end up in flash code space, it is best to chose short names. There is no limit to the length other then the USB specifications impose, but keep it short as possible. Strings in USB are UNI coded. Which mean that a word is used for each character. with normal ASCII coding, only a byte is used for each character.

For a commercial USB device you need to give it a unique VID & PID combination. When you plan to use it at home, this is not needed.

You can buy a Vendor ID (VID) from the USB organization. This cost 2000 \$. As a service MCS offers a PID in the on line shop. This cost little and it gives you a unique Product ID(PID) but with the MCS Electronics VID.

Notice that using CONFIG USB will include a file named **USBINC.BAS**. This file is not part of the BASCOM setup/distribution. It is available as a commercial add on. The add on package includes 3 samples , the include file, and a special activeX for the HID demo.

None of the samples require a driver. A small UB162 module with normal pins is available from the on line shop too.

The first supported USB devices are USB1287, USB162.

# See also

NONE

#### Example

```
$regfile = "usb162.dat"
$crystal = 8000000
$baud = 19200
Const Mdbg = 1
```

Config Clockdiv = 1

```
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Const Vendor_id = &H16D0
                                                           ' MCS Vendor
ID
Const Product id = &H201D
                                                           ' MCS
product ID, you can buy a VID&PID in the MCS shop
Const Ep_control_length = 32
Const User_conf_size = 41
Const Size_of_report = 53
Const Device class = 0
Const Device sub class = 0
Const Device_protocol = 0
Const Release_number = &H1000
Const Length of report in = 8
Const Length of report out = 8
Const Interface_nb = 0
Const Alternate = 0
Const Nb_endpoint = 2
                                                           ' HID
Const Interface_class = 3
Const Interface_sub_class = 0
Const Interface_protocol = 0
Const Interface_index = 0
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Print "USB GENERIC test"
Declare Sub Usb_user_endpoint_init
Declare Sub Hid_test_hit()
Declare Sub Hid_task()
Declare Sub Hid_task_init()
Const Usb_config_attributes_reserved = &H80
Const Usb config buspowered = Usb config attributes reserved
Const Usb_config_remotewakeup = Usb_config_attributes_reserved Or &H20
Const Nb_interface = 1
Const Conf_nb = 1
Const Conf_index = 0
Const Conf_attributes = Usb_config_buspowered
Const Max_power = 50
                                                           ' 100 mA
Const Interface_nb_mouse = 0
Const Alternate_mouse = 0
Const Nb_endpoint_mouse = 1
                                                           ' HID Class
Const Interface_class_mouse = 3
Const Interface_sub_class_mouse = 1
                                                           ' Sub Class
is Mouse
Const Interface_protocol_mouse = 2
                                                           ' Mouse
Const Interface_index_mouse = 0
Const Nb_endpoints = 2
                                                           ' number of
endpoints in the application including control endpoint
                                                           ' Number of
Const Ep_kbd_in = 1
the mouse interrupt IN endpoint
Const Ep_hid_in = 1
Const Ep_hid_out = 2
```

```
Const Endpoint_nb_1 = Ep_hid_in Or &H80
Const Ep attributes 1 = 3
                                                               ' BULK =
0 \times 02, INTERUPT = 0 \times 03
Const Ep_in_length_1 = 8
Const Ep_size_1 = Ep_in_length_1
Const Ep_interval_1 = 20
                                                               ' Interrupt
polling interval from host
Const Endpoint_nb_2 = Ep_hid_out
Const Ep attributes 2 = 3
                                                               ' BULK =
0x02, INTERUPT = 0x03
Const Ep_out_length = 8
Const Ep_size_2 = Ep_out_length
Const Ep_interval_2 = 20
                                                               ' interrupt
polling from host
Config Usb = Device , Language = &H0409 , Manufact = "MCS" , Product =
"MCSHID162" , Serial = "MC0001"
'Dim some user vars
Dim Usb_kbd_state As Byte , Usb_key As Byte , Usb_data_to_send As Byte
Dim Dummy As Byte , Dummy1 As Byte , Dummy2 As Byte
Print "task init"
Usb task init
Hid_task_init
Do
  Usb_task
  Hid task
  'you can call your sub program here
Loop
'nothing needed to init
Sub Hid_task_init()
  'nothing
end sub
'HID task must be checked regular
Sub Hid_task()
    If Usb_connected = 1 Then
                                                              ' Check USB
HID is enumerated
      Usb_select_endpoint Ep_hid_out
                                                               ' Get Data
Repport From Host
       If Ueintx.rxouti = 1 Then
Is_usb_receive_out())
          Dummy1 = Uedatx : Print "Got : " ; Dummy1
          Dummy2 = Uedatx : Print "Got : " ; Dummy2
          Dummy = Uedatx : Print "Got : " ; Dummy
          Dummy = Uedatx : Print "Got : " ; Dummy
          Dummy = Uedatx : Print "Got : " ; Dummy
          Dummy = Uedatx : Print "Got : " ; Dummy
          Dummy = Uedatx : Print "Got : " ; Dummy
          Dummy = Uedatx : Print "Got : " ; Dummy
          Usb_ack_receive_out
      End If
                                                              ' Check if
      If Dummy1 = &H55 And Dummy2 = &HAA Then
we received DFU mode command from host
         Usb_detach
                                                              ' Detach
Actual Generic Hid Application
         Waitms 500
```

```
Goto &H1800
                                                             'goto
bootloader
         'here you could call the bootloader then
      End If
      Usb_select_endpoint Ep_hid_in
                                                              ' Ready to
send these information to the host application
      If Ueintx.txini = 1 Then
Is_usb_in_ready())
         Uedatx = 1
         Uedatx = 2
         Uedatx = 3
         Uedatx = 4
         Uedatx = 5
         Uedatx = 6
         Uedatx = 7
         Uedatx = 8
                                                              ' Send data
         Usb_ack_fifocon
over the USB
     End If
   End If
End Sub
Function Usb_user_read_request(type As Byte , Request As Byte) As Byte
  #if Mdbg
    Print "USB_USER_READ_REQ"
  #endif
  Usb_string_type = Uedatx
'Usb_read_byte();
  Usb_descriptor_type = Uedatx
'Usb_read_byte();
  Usb_user_read_request = 0
  Select Case Request
     Case Get descriptor:
        Select Case Usb_descriptor_type
           Case Report : Call Hid_get_report()
                         Usb_user_read_request = 1
           Case Hid : Call Hid_get_hid_descriptor()
                      Usb_user_read_request = 1
           Case Else
              Usb_user_read_request = 0
        End Select
    Case Set_configuration:
        Select Case Usb_descriptor_type
         Case Set_report : Call Hid_set_report()
                Usb_user_read_request = 1
         Case Else
               Usb_user_read_request = 0
        End Select
   Case Get_interface:
        '//
                usb_hid_set_idle();
      Call Usb_hid_get_interface()
      Usb_user_read_request = 1
   Case Else
     Usb_user_read_request = 0
 End Select
End Function
'usb_init_device.
'This function initializes the USB device controller and
'configures the Default Control Endpoint.
Sub Usb_init_device()
   #if Usbfunc
```

```
Usb select device
   #endif
   #if Usbfunc
   If Usbsta.id = 1 Then
                                                             'is it an
USB device?
   #endif
      Uenum = Ep_control
                                                             ' select USB
endpoint
      If Ueconx.epen = 0 Then
                                                             ' usb
endpoint not enabled yet
         Call Usb_configure_endpoint(ep_control , Type_control ,
Direction_out , Size_32 , One_bank , Nyet_disabled)
      End If
 #if Usbfunc
     End If
 #endif
End Sub
Sub Usb_user_endpoint_init(byval Nm As Byte)
 Call Usb_configure_endpoint(ep_hid_in , Type_interrupt , Direction_in
, Size_8 , One_bank , Nyet_enabled)
  Call Usb_configure_endpoint(ep_hid_out , Type_interrupt ,
Direction_out , Size_8 , One_bank , Nyet_enabled)
End Sub
Usb_dev_desc:
Data 18 , Device_descriptor
                                                             'size and
device_descriptor
Data 0 , 2
'Usb_write_word_enum_struc(USB_SPECIFICATION)
Data Device_class , Device_sub_class
DEVICE_CLASS and DEVICE_SUB_CLASS
                                                             ' device
Data Device_protocol , Ep_control_length
protol and ep_control_length
Data Vendor_id%
Usb write word enum struc(VENDOR ID)
Data Product_id%
Usb_write_word_enum_struc(PRODUCT_ID)
Data Release_number%
Usb_write_word_enum_struc(RELEASE_NUMBER)
Data Man_index , Prod_index
                                                             ' MAN INDEX
and PROD_INDEX
Data Sn_index , Nb_configuration
                                                             ' SN_INDEX
and NB_CONFIGURATION
Usb_conf_desc:
Data 9 , Configuration_descriptor
                                                             ' length ,
CONFIGURATION descriptor
Data User_conf_size%
                                                             ' total
length of data returned
                                                             ' number of
Data Nb_interface , Conf_nb
interfaces for this conf. , value for SetConfiguration resquest
Data Conf_index , Conf_attributes
                                                             ' index of
string descriptor , Configuration characteristics
Data Max_power
                                                             ' maximum
power consumption
```

```
Data 9, Interface_descriptor
INTERFACE descriptor type
```

'length ,

Data Interface\_nb , Alternate 'Number of interface , value to select alternate setting Data Nb\_endpoint , Interface\_class 'Number of EP except EP 0 ,Class code assigned by the USB Data Interface\_sub\_class , Interface\_protocol 'Sub-class code assigned by the USB  $\,$  , Protocol code assigned by the USB  $\,$ **Data** Interface\_index 'Index Of String Descriptor Data 9 , Hid\_descriptor 'length , HID descriptor type Data Hid bdc% , 8 ' Binay Coded Decimal Spec. release , Hid country code **Data** Hid\_class\_desc\_nb , Hid\_descriptor\_type 'Number of HID class descriptors to follow , Report descriptor type Data Size\_of\_report% 'HTD KEYBOARD LENGTH Data 7 , Endpoint descriptor ' Size Of This Descriptor In Bytes , ENDPOINT descriptor type Data Endpoint\_nb\_1 , Ep\_attributes\_1 ' Address of the endpoint , Endpoint's attributes Data Ep\_size\_18 ' Maximum packet size for this EP , Interval for polling EP in ms **Data** Ep\_interval\_1 **Data** 7 , Endpoint\_descriptor ' Size Of This Descriptor In Bytes , ENDPOINT descriptor type ' Address of Data Endpoint\_nb\_2 , Ep\_attributes\_2 the endpoint , Endpoint's attributes Data Ep\_size\_2% ' Maximum packet size for this EP Data Ep\_interval\_2 ' Interval for polling EP in ms Usb\_hid\_report: Data &H06 , &HFF , &HFF 04 2 Usage Page (vendordefined?) **Data** &H09 , &H01 ' 08 1 Usage (vendordefined Data &HA1 , &H01
Collection (Application) ' A0 1 , // IN report ' 08 1 Data &H09 , &H02 (vendordefined) Usage ' 08 1 Data &H09 , &H03 Usage (vendordefined) **Data** &H15 , &H00 ' 14 1 Logical Minimum(0 for signed byte?) Data &H26 , &HFF , &H00 24 1 Logical Maximum(255 for signed byte?) **Data** &H75 , &H08 ' 74|1 Report Size(8) = field size in bits = 1 byte Data &H95 , Length\_of\_report\_in 94 1:ReportCount(size) = repeat count of previous item ' 80|1: IN Data &H81 , &H02 report (Data, Variable, Absolute) // OUT report Data &H09 , &H04 ' 08 1 Usage (vendordefined) **Data** &H09 , &H05 ' 08 1 , Usage (vendordefined)

624

**BASCOM Language Reference** 625 Data &H15 , &H00 ' 14|1 , Logical Minimum(0 for signed byte?) 24 1 Data &H26 , &HFF , &H00 Logical Maximum(255 for signed byte?) ' 74 | 1 **Data** &H75 , &H08 Report Size(8) = field size in bits = 1 byte Data &H95 , Length\_of\_report\_out 94 1: ReportCount(size) = repeat count of previous item ' 90|1: OUT Data &H91 , &H02 report (Data,Variable, Absolute) // Feature report **Data** & H09 , & H06 08 1 (vendordefined) Usage **Data** & H09 , & H07 ' 08 1 (vendordefined) Usage **Data &**H15 , **&**H00 ' 14 | 1 LogicalMinimum(0 for signed byte) Data &H26 , &HFF , &H00 24 1 Logical Maximum(255 for signed byte) **Data** &H75 , &H08 ' 74 1 Report Size(8) = field size in bits = 1 byte **Data** & H95 , & H04 94 1: ReportCount ' B0|1: Data &HB1 , &H02 Feature report ' C0 0 Data &HC0 End Collection

# 6.172 CONFIG VPORT

### Action

Maps an XMEGA port to a virtual port.

#### **Syntax**

**CONFIG VPORT0** = port [, VPORT1=port, VPORT2=port, VPORT3=port]

### Remarks

VPORT	There are 4 virtual port registers. When setting up these registers, you need to use VPORTx, where X is 0,1,2 or 3, indicating the virtual port. The virtual port itself is accesed via it's registers PORTy, PINy and DDRy where Y is a 0,1,2 or 3. The normal ports have named like PORTA, PORTB, etc. A virtual port will access the same port but using a different register.
port	The last letter of the real port name. For example A for PORTA, B for PORTB, C for PORTC etc.

All ports in the Xmega are located in the extended address area. This space can only be accessed with instructions like LDS,STS, LD and ST. Special bit instructions only work on the lower IO-registers.

Xmega example :again:Lds r24, PINA ; read port input valuesbrs r24,7 ; skip next instruction if bit 7 is set (1)rjmp again ; try again

*Now the same code for a normal AVR again: sbis PINA,7 ; skip if pina.7 is set rjmp again* 

Not only less code is required, but the LDS takes 3 cycles

With the virtual mapping, you can access any PORT register (PORT,PIN and DDR) via it's virtual name PORT0, PIN0 or DDR0. Since there are 4 virtual mapping registers, you can define PORT0, PORT1, PORT2 and PORT3. When you write to PORT**n**, the compiler can use the smaller/quicker code.

Devices like graphical LCD can benefit from this.

#### See Also

CONFIG PORT 569

### Example

```
_____
                  (c) 1995-2010, MCS
           Mapping Real Ports to Virtual Ports.bas
  This sample demonstrates mapping ports to virtual ports
  based on MAK3's sample
$regfile = "xm128a1def.dat"
$crystal = 3200000
$hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1, Databits = 8
Print "Map VPorts"
'map portD to virtual port0, map portE to virtual port1, map portC to
virtual port2
'map portR to virtual port 3
Config VPort0 = D , VPort1 = E , VPort2 = C , VPort3 = R
'Each virtual port is available as PORT0, PORT1, PORT2 and PORT3
1
      data direct is available as DDR0 , DDR1, DDR2 and DDR3
        PIN input is available as PIN0 , PIN1, PIN2 and PIN3
'The advantage of virtual port registers is that shorter asm instruction
```

```
can be used which also use only 1 cycle
Dim Var As Byte
'Real Port Direction
Ddr1 = &B0000 0000
                                                              ' Port E =
INPUT
                                                              ' Port D =
Ddr0 = &B1111_111
OUTPUT
'Continously copy the value from PORTE to PORTD using the virtual ports.
 Do
    Var = Pinl
                                                              'Read
Virtual Port 0
   Port0 = Var
                                                              'Write
Virtual Port 1
 Loop
End
                                                              'end program
```

### 6.173 CONFIG WAITSUART

#### Action

Compiler directive that specifies that software UART waits after sending the last byte.

### Syntax

**CONFIG WAITSUART** = value

#### Remarks

value A numeric value in the range of 1-255. A higher value means a longer delay in mS.

When the software UART routine are used in combination with serial LCD displays it can be convenient to specify a delay so the display can process the data.

### See also

<u>OPEN</u> 845

#### **Example**

See <u>OPEN</u> [845] example for more details.

### 6.174 CONFIG WATCHDOG

#### Action

Configures the watchdog timer.

#### **Syntax**

**CONFIG WATCHDOG** = time

#### Remarks

Time	The interval constant in mS the watchdog timer will count to before it will reset your program.
	Possible settings : 16 , 32, 64 , 128 , 256 , 512 , 1024 and 2048. Some newer chips : 4096, 8192.
	The XMEGA has a 1 KHz clocked watchdog. For Xmega the following value in millisecond need to be used : 8 ,16,32,64,125,250,500,1000,2000,4000,8000 So 2000 will sets a timeout of 2 seconds.

Note that some new AVR's might have additional reset values such as 4096 and 8192.

When the WD is started, a reset will occur after the specified number of mS. With 2048, a reset will occur after 2 seconds, so you need to reset the WD in your programs periodically with the RESET WATCHDOG statement.

Some AVR's might have the WD timer enabled by default. You can change this with the Fuse Bits.

After the CONFIG WATCHDOG statement, the watchdog timer is disabled. You can also use CONFIG WATCHDOG to change the time out value. This will stop the watchdog timer and load the new value.

After a CONFIG WATCHDOG, you always need to start the Watchdog with the START WATCHDOG statement.

Most new AVR chips have an MCUSR register that contains some flags. One of the flags is the WDRF bit. This bit is set when the chip was reset by a Watchdog overflow. The CONFIG WATCHDOG will clear this bit, providing that the register and bit is available in the micro.

When it is important to examine at startup if the micro was reset by a Watchdog overflow, you need to examine this MCUSR.WDRF flag before you use CONFIG WATCHDOG, since that will clear the flag.

For chips that have an enhanced WD timer, the WD timer is cleared as part of the chip initialize procedure. This because otherwise the WD timer will only work once. If it is important that you know the cause of the reset, you can read the register R0 before you run other code.

The sample below demonstrates how to store the WDRF bit if you need it, and print it later.

### See also

<u>START WATCHDOG</u> जिडी, <u>STOP WATCHDOG</u> जिनी, <u>RESET WATCHDOG</u> जिनी

#### Example

BASCOM Language Reference

629

```
: Mega88
'micro
'suited for demo
                          : yes
'commercial addon needed : no
$regfile = "m88def.dat"
                                                              ' specify the used mich
$crystal = 8000000
                                                              ' used crystal frequence
                                                              ' use baud rate
$baud = 19200
                                                              ' default use 32 for th
$hwstack = 32
$swstack = 32
                                                              ' default use 32 for th
                                                              ' default use 40 for th
$framesize = 40
Dim B As Byte
Dim Wdbit As Bit
Dim bWD As Byte
                                                              ' read the wd flag
bWD=peek(0)
Print "Watchdog test"
                                                              ' there was a WD overf
If bwd.wdrf = 1 Then
   Wdbit = 1
                                                              'store the flag
End If
Config Watchdog = 2048
                                                              'reset after 2048 mSec
If Wdbit = 1 Then
                                                              'just print it now sind
    Print "Micro was reset by Watchdog overflow"
End If
Start Watchdog
                                                              'start the watchdog tir
Dim I As Word
For I = 1 To 1000
  Waitms 100
  Print I
                                                              'print value
  B = Inkey()
                                                              ' get a key from the se
  If B = 65 Then
                                                              'letter A pressed
     Stop Watchdog
                                                              ' test if the WD will s
  Elseif B = 66 Then
                                                              'letter B pressed
     Config Watchdog = 4096
                                                              'reconfig to 4 sec
                                                              'CONFIG WATCHDOG will o
     Start Watchdog
  Elseif B = 67 Then
                                                              'C pressed
     Config Watchdog = 8192
                                                              ' some have 8 sec times
     'observe that the WD timer is OFF
  Elseif B = 68 Then
                                                              'D pressed
     Start Watchdog
                                                              ' start it
  End If
  'Reset Watchdog
  'you will notice that the for next doesnt finish because of the reset
  'when you unmark the RESET WATCHDOG statement it will finish because the
  'wd-timer is reset before it reaches 2048 msec
  'When you press 'A' you will see that the WD will stop
  'When you press 'B' you will see that the WD will time out after 4 Sec
  'When you press 'C' you will see the WD will stop
  'When you press 'D' you will see the WD will start again timing out after 8 secs
Next
End
And this shows how to read the register r0:
```

Dim Breset As Byte Breset = Peek(0)

When you show this value on an LCD display you will see a value of 7 the first time, and later a va

#### Xmega Sample

\_\_\_\_\_

(c) 1995-2010, MCS

```
630 BASCOM-AVR
```

```
1
                      xm128-WD.bas
1.1
 This sample demonstrates the Xmega128A1 Watchdog
·_____
                                                         _____
$regfile = "xm128a1def.dat"
$crystal = 32000000
\$hwstack = 64
\$swstack = 64
$framesize = 64
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'First Enable The Osc Of Your Choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1, Databits = 8
Config Input1 = Cr , Echo = Crlf
                                                           ' CR is used
for input, we echo back CR and LF
Open "COM1:" For Binary As #1
       ^^^^ change from COM1-COM8
Print #1 , "Xmega revision:" ; Mcu_revid
                                                           ' make sure
it is 7 or higher !!! lower revs have many flaws
                                                           'after 4
Config Watchdog = 4000
seconds a reset will occur if the watchdog is enabled
'possible value : 8 ,16,32,64,125,250,500,1000,2000,4000,8000
'these values are clock cycles, based on a 1 KHz clock !!!
Dim W As Word , B As Byte
Do
 W = W + 1
 Print W
 Waitms 500
 B = Inkey()
 If B = "a" Then
    Start Watchdog
    Print "start'
 Elseif B = "b" Then
    Stop Watchdog
    Print "stop"
 Elseif B = "c" Then
    Config Watchdog = 8000
    Print "8 sec"
 Elseif B = "d" Then
   Reset Watchdog
   Print "reset"
 End If
Loop
```

© 2012 MCS Electronics

#### 6.175 CONFIG X10

### Action

Configures the pins used for X10.

#### Syntax

**CONFIG X10** = pinZC , TX = portpin

#### **Remarks**

PinZC	The pin that is connected to the zero cross output of the TW-523. This is a pin that will be used as INPUT.
Portpin	The pin that is connected to the TX pin of the TW-523.
	TX is used to send X10 data to the TW-523. This pin will be used in output mode.

The TW-523 RJ-11 connector has the following pinout:

Pin	Description	Connect to micro
1	Zero Cross	Input pin. Add 5.1K pull up.
2	GND	GND
3	RX	Not used.
4	ТХ	Output pin. Add 1K pull up.

#### See also

X10DETECT 1007 , X10SEND 1009

### Example

'name	: x10.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: example needs a TW-523 X10 interface
'micro	: Mega48
'suited for demo	: yes
'commercial addon needed	: no

\_\_\_\_\_

```
$regfile = "m48def.dat"
                                                                 ' specify
the used micro
$crystal = 8000000
                                                                 ' used
crystal frequency
$baud = 19200
                                                                 ' use baud
rate
$hwstack = 32
                                                                 ' default
use 32 for the hardware stack
$swstack = 10
                                                                 ' default
use 10 for the SW stack
                                                                 ' default
$framesize = 40
use 40 for the frame space
```

632

```
'define the house code
Const House = "M"
                                                              ' use code
A-P
Waitms 500
                                                              ' optional
delay not really needed
'dim the used variables
Dim X As Byte
'configure the zero cross pin and TX pin
Config X10 = Pind.4 , Tx = Portb.0
              ^--zero cross
τ.
                             ^--- transmission pin
'detect the TW-523
X = X10detect()
Print X
                                                              ' 0 means
error, 1 means 50 Hz, 2 means 60 Hz
Do
   Input "Send (1-32) " , X
   'enter a key code from 1-31
   '1-16 to address a unit
   '17 all units off
   '18 all lights on
   '19 ON
   '20 OFF
   '21 DIM
   '22 BRIGHT
   '23 All lights off
   '24 extended code
   '25 hail request
   '26 hail acknowledge
   '27 preset dim
   '28 preset dim
   '29 extended data analog
   '30 status on
   '31 status off
   '32 status request
  X10send House , X
                                                              ' send the
code
Loop
Dim Ar(4) As Byte
X10send House , X , Ar(1) , 4
                                                              ' send 4
additional bytes
End
```

#### 6.176 CONFIG XPIN

#### Action

Configures an Xmega port or port pin.

#### Syntax

**CONFIG XPIN=**PORT|PIN, INVERTIO=invio, SLEWRATE=slew, OUTPULL=pull, SENSE=sense

### Remarks

Normal AVR port pins can be configure as an input or output. When configured as an input (CONFIG PIN=INPUT) they can also be set to tri-state (write a 0 to the PORT register) or to activate the pull up resistor(write a 1 to the PORT register). The xmega has many more options. The Xmega manual explains all the options. The CONFIG XPIN statement will set the proper registers.

r		
PORT PIN	The pin to be configured. For example PORTC.0 When configuring the whole port (all the pins must have the same functionality), use PORT. For example : PORTD	
INVERTIO	This option will invert the data for both input and output modes. Possible values : ENABLED (will invert data), DISABLED(normal mode)	
SLEWRATE	Will enable or disable the slewrate. Enabling the slew rate will increase the rise/fall time by 50%-150%. Possible values : ENABLED, DISABLED	
OUTPULL	<ul> <li>Sets the output or pull mode. The following options are available:</li> <li>TOTEM : output totem pole</li> <li>BUSKEEPER : output totem pole, input bus keeper</li> <li>PULLDOWN : output totem pole, input pull down</li> <li>PULLUP : output totem pole, input pull up</li> <li>WIREDOR : output wired OR</li> <li>WIREDORPULL : output wired OR, input pull down</li> <li>WIREDANDPULL : output wired AND, input pull up</li> </ul>	
SENSE	In input mode, the trigger sense can be configured. Possible values : - BOTH : sense both edges - RISING : sense rising edge -FALLING : sense falling edge -LOW_LEVEL :sense low level - INP_DISABLED : digital input buffer disabled (only PORTA-PORTF)	

Normal AVR code that use : PORTX.Y=1 to activate the pul up, should be written as : CONFIG XPIN=PORTX.Y,OUTPULL=PULLUP

#### See also

<u>CONFIG PIN</u> 569), <u>CONFIG INT</u> 55ने

### Example

\$regfile = "xm256a3budef.dat"
\$Crystal = 32000000

\$Crystal = 32000000	'32MHz
ConfigXpin = Portc. 0Slewrate = EnalConfigXpin = Portc. 1Slewrate = Enal	
'setup the whole port at once Config Xpin = Portd , Slewrate = Enable	d , Outpull = Buskeeper , Sense = Low_level

### 6.177 CONFIG XRAM

### Action

Instruct the compiler to set options for external memory access.

# **Syntax**

**CONFIG XRAM** = mode [, WaitstateLS=wls, WaitStateHS=whs]

### Syntax Xmega

**CONFIG XRAM** = mode, sdbus=sdbus,lpc=lpc,sdcol=sdcol,sdcas=sdcas, sdrow=sdrow,refresh=refresh,initdelay=initdelay,modedelay=modedelay, rowcycledelay=rowcycledelay,rowprechargedelay=rowprechargedelay, wrdelay=wrdelay,ersdelay=esrdelay, rowcoldelay=rowcoldelay,modesel0=sel, adrsize0=adr,baseadr0=base,modesel1=sel,adrsize1=adr,baseadr1=base, modesel2=sel,adrsize2=adr,baseadr2=base,modesel3=sel,adrsize3=adr, baseadr3=base

Mode	The memory mode. This is either enabled or disabled. By default, external memory access is disabled.	
WIs	<ul> <li>When external memory access is enabled, some chips allow you to set a wait state. The number of modes depend on the chip. A modern chip such as the Mega8515 has 4 modes :</li> <li>0 - no wait states</li> <li>1 - 1 cycle wait state during read/write</li> <li>2 - 2 cycle wait state during read/write</li> <li>3 - 2 cycle wait state during read/write and 1 before new address output</li> </ul>	
	WLS works on the lower sector. Provided that the chip supports this.	
Whs	<ul> <li>When external memory access is enabled, some chips allow you to set a wait state. The number of modes depend on the chip. A modern chip such as the Mega8515 has 4 modes :</li> <li>0 - no wait states</li> <li>1 - 1 cycle wait state during read/write</li> <li>2 - 2 cycle wait state during read/write</li> <li>3 - 2 cycle wait state during read/write and 1 before new address output</li> </ul>	
	WHS works on the high sector. Provided that the chip supports this.	

#### **Remarks AVR**

Wait states are needed in case you connect equipment to the bus, that is relatively slow. Especial older electronics/chips.

Some AVR chips also allow you to divide the memory map into sections. By default the total XRAM memory address is selected when you set a wait state.

The XA directive should not be used anymore. It is the same as CONFIG XRAM=Enabled.

When using IDLE or another power down mode, it might be needed to use CONFIG XRAM again, after the chip wakes from the power down mode.

# **XMEGA**

Mode The memory mode. There are 4 options: - DISABLED, this will turn off the EBI and is the default - 3PORT. For using EBI in 3 PORT mode. - 4PORT. For using EBI in 4 PORT mode.
---

	- 2PORT. For using EBI in 2 PORT mode. The EBI uses specific ports for each of the modes.		
sdbus	When using SDRAM, you need to configure 4 bit or 8 bit data width. For the 3 PORT mode you need to use 4 bit SDRAM. Options are : 4 and 8.		
sdcol	When using SDRAM, you need to configure the number of columns of the chip. This depends on the chip. You can find this info in the datasheet of the SDRAM chip. For example a chip with column address A0-A9 would use 10 bits. Options : 8,9, 10 or 11.		
sdrow	When using SDRAM, you need to configure the number of rows of the chip. This depends on the chip. You can find this info in the datasheet of the SDRAM chip. Options : 11 or 12.		
sdcas	When using SDRAM you can configure the CAS latency as a number of Peripheral 2x Clock cycles. By default this is two Peripheral 2x Clock cycles. Options are : -2 : CAS latency is two Peripheral 2x Clock cycles -3 : CAS latency is three Peripheral 2x Clock cycles		
refresh	When using SDRAM this value sets the refresh period as a number of peripheral clock cycles. Use a value between 0-1023. The value depends on the chip.		
initdelay	When using SDRAM this value sets the delay of the initialization sequence that is sent after the voltages have been stabilized and the SDRAM clock is stable. The value is in the range of 0-16384		
modedelay	When using SDRAM this value select the delay between Mode Register command and an Activate command in number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-3		
rowcycledelay	When using SDRAM this value select the delay between a refresh an and Activate command in number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-7		
rowprecharge delay	When using SDRAM this value select the delay between a pre-charge command and another command in number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-7		
wrdelay	When using SDRAM this value selects the write recovery time in number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-3		
esrdelay	When using SDRAM this value selects the delay between CKE set high and activate command in number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-7		
rowcoldelay	When using SDRAM this value selects the delay between an activate command and a read/write command as a number of Peripheral 2x clock (CLKPER2) cycles. The range is between 0-7		
	The options ending with $\mathbf{x}$ , are available multiple times.(0-3) So there is an option named selfrefresh0, selfrefresh1, selfrefresh2 and selfrefresh3.		
selfrefresh <b>X</b>	When using SDRAM this options can turn on/off self refresh of the SDRAM. Not all SDRAM have this capability. Valid options are : - ENABLED - DISABLED. This is the default.		
sdmode <b>X</b>	When using SDRAM this option sets the SDRAM mode. This is either NORMAL (default) or LOAD.		

modesel <b>X</b>	This option selects the MODE of the CS line. There are 4 CS lines and modes. When using SDRAM you can on select modesel3 to configure the SDRAM. The following options are possible:
	- DISABLE
	- SRAM
	- LPC (this is SRAM in low pin count mode) - SDRAM
adrsize <b>X</b>	This options sets the address size for the chip select. This is the s of the block above the base address and determines which addre lines are compared to generate the CS. Options are: 256b , 256 bytes, address 8:23 512b, 512 bytes, address 9:23 1K , 1 KB , address 10:23 2K , 2 KB , address 11:23 4K , 4 KB , address 12:23 8K, 8 KB , address 13:23 16K , 16 KB , address 14:23 32K , 32 KB , address 15:23 64K , 64 KB , address 15:23 128K , 128 KB, address 16:23 128K , 128 KB, address 17:23 256K , 256 KB , address 19:23 1M , 1 MB, address 20:23 2M , 2 MB , address 21:23 4M , 4 MB , address 22:23
	8M, 8 MB, address 23
ha a a a d r <b>V</b>	16M, 16 MB
baseadr <b>X</b>	This option sets the chip base address which is the lowest address the address space enabled by the chip select. The value is a word and sets address bits 12:23. Bits 9:11 are unused and need to be 0. For an 8 MB SDRAM the valid values are 0 and &H800000. Since lower byte is not used you need to divide the address by 256(shi right 8 times). This gives a value of &H8000. When using 0, the memory overlaps the SRAM which is not a big problem with 8MB ram!
lpc	In SRAM mode there are some other options you must set This sets the ALE mode in LPC SRAM mode. Options are : ALE1 : data multiplexed with address byte 0 ALE12 : data multiplexed with address byte 0 and 1
ale	This sets the ALE mode in normal SRAM mode. Options are : ALE1 : address byte 0 and 1 multiplexed ALE2 : address byte 0 and 2 multiplexed ALE12 : address byte 0, 1 and 2 multiplexed NOALE : No address multiplexing
waitstate <b>X</b>	The wait state selects the wait states for SRAM and SRAM LPC ac as a number of peripheral 2x clock cycles. This is a value in the range from 0-7

BASCOM-AVR

While the EBI (External Bus Interface) can be configured to use a big 8 MB or 16

MB SDRAM, the compiler was changed in order to support more then 64KB of RAM (you need BASCOM-AVR Verison 2.0.7.4 or higher).

For 3PORT, 4-bit SDRAM mode the ports are set to the right direction and level. For all other modes you need to do this.

An example on how to determine the columns and rows is shown below:

	16 Meg x 4	8 Meg x 8	4 Meg x 16
Configuration	4 Meg x 4 x 4 banks	2 Meg x 8 x 4 banks	1 Meg x 16 x 4 banks
Refresh count	4K	4K	4K
Row addressing	4K (A0–A11)	4K (A0–A11)	4K (A0–A11)
Bank addressing	4 (BA0, BA1)	4 (BA0, BA1)	4 (BA0, BA1)
Column addressing	1K (A0–A9)	512 (A0-A8)	256 (A0-A7)

Table 1: Address Table

In 4 bit data mode, you use 16 Meg x 4, the row addressing is A0-A11 thus 12 bit and the column addressing is A0-A9 thus 10 bit.

#### See also

\$XA 408 , \$WAITSTATE 408, Memory Usage 171

### ASM

NONE

#### Example

CONFIG XRAM = Enabled, WaitstateLS=1 , WaitstateHS=2

### Xmega Example

```
_____
                  (c) 1995-2010, MCS
                      xm128-XRAM-SDRAM-XPLAIN.bas
  This sample demonstrates the Xmega128A1 XRAM SDRAM
  _____
                              _ _ _ _ _ _ _ _ _
$regfile = "xm128a1def.dat"
Scrystal = 3200000
\$hwstack = 64
\$swstack = 64
$framesize = 64
$xramsize = & H800000
'First Enable The Osc Of Your Choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
'for xplain we need 9600 baud
Config Com1 = 9600 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
```

```
Dim B As Byte , B1 As Byte , B2 As Byte
Config Porte = Output
For B = 1 To 5
  Toggle Porte
  Waitms 1000
Next
Print "Xplain SDRAM test"
'the XPLAIN has a 64 MBit SDRAM which is 8 MByte, it is connected in 3
port, 4 bit databus mode
'in the PDF of the SDRAM you can see it is connected as 16 Meg x 4.
Refreshcount is 4K and the row address is AO-All, column addressing is
A0-A9
Config Xram = 3port , Sdbus = 4 , Sdcol = 10 , Sdcas = 3 , Sdrow = 12 ,
Refresh = 500 , Initdelay = 3200 , Modedelay = 2 , Rowcycledelay = 7 ,
Rowprechargedelay = 7, Wrdelay = 1, Esrdelay = 7, Rowcoldelay = 7,
Modesel3 = Sdram , Adrsize3 = 8m , Baseadr3 = &H0000
'the config above will set the port registers correct. it will also wait
for Ebi_cs3_ctrlb.7
'for all other modes you need to do this yourself !
Dim X(65000) As Xram Byte
Rampd = 0
                                                              ' first xram
page
ldi r24,65
                                                              ' load a
value
sts {x(60000)},r24
                                                              ' write
lds r16, \{x(60000)\}
                                                              ' read
Rampd = 1
                                                              'set rampd
to second xram page
                                                              ' load value
ldi r24,66
                                                              ' write
sts {x(60000)},r24
Rampd = 0
                                                              'back to
first page
lds r17, \{x(60000)\}
                                                              'read
                                                              'back to
Rampd = 1
second page
lds r18, \{x(60000)\}
                                                              ' read
Rampd = 0
                                                              'make sure
to switch back
sts {b1},r16
                                                              ' load into
var
sts {b2},r17
sts {b},r18
Print "result : " ; B1 ; " " ; B2 ; " " ; B
Print "SRAM"
X(10000) = 100
                                                              ' this will
use normal SRAM
```

```
Print "result : " ; B
```

B = X(10000)

#### End

# **Another ATXMEGA Example:**

'Example to copy a SRAM Array to a XRAM Array over Direct Memory Access (DMA)

\$regfile = "xm128a1def.dat"
\$crystal = 32000000 \$hwstack = 64 swstack = 40\$framesize = 40 first enable the osc of your choice Config Osc = Enabled , 32mhzosc = Enabled 'configure the systemclock Config Sysclock = 32mhz , systemclock Prescalea = 1,  $Prescalebc = 1_1$ ' for xplain you need 9600 baud ' Config Com1 = 9600 , Mode = Asynchroneous , Parity = None , Stopbits = 1 , Databits = 8 Config Com5 = 57600 , Mode = Asynchroneous , Parity = None , Open "COM5:" For Binary As #1 Stopbits = 1, Databits = 8 'SRAM Variables Dim Ar(100) As Byte , J As Word , W As Word Dim B As Byte ' Demoboards like XPLAIN has a 64 MBit SDRAM (MT48LC16M4A2TG) which is 8 MByte, it is connected in 3 port, 4 bit databus mode http://www.micron.com/products/ProductDetails.html?product=products/dram/sdram/MT48LC16M4A 2TG-75 in the PDF of the SDRAM you can see it is connected as 16 Meg x 4. Refreshcount is 4K and the row address is A0-A11, column addressing is A0-A9 SDRAM=SYNCHRONOUS DRAM Config Xram = 3port, Sdbus = 4, Sdcol = 10, Sdcas = 3, Sdrow = 12, Refresh = 500, Initdelay = 3200, Modedelay = 2, Rowcycledelay = 7, Rowprechargedelay = 7, Wrdelay = 1, Esrdelay = 7, Rowcoldelay = 7, Modesel3 = Sdram, Adrsize3 = 8m, Baseadr3 = &H0000 ' the config above will set the port registers correct. it will also wait for Ebi\_cs3\_ctrlb.7 ' for all other modes you need to do this yourself ! **\$xramsize = 8000000** ' 8 MByte 'XRAM Variables Dim Dummy(100000) As Xram Byte Bytes to ensure we are working above 64KByte Dim Dest(100) As Xram Byte 'Xram Variable with 100000 'Next Xram Var with 100 Byte For J = 1 To 100 ' create an array and assign a Ar(j) = Jvalue Next Print #1, "Start DMA DEMO --> copy SRAM Array to XRAM Array" Config Dma = Enabled, Doublebuf = Disabled, Cpm = Rr ' enable DMA 'you can configure 4 DMA channels **Config** Dmach0 = Enabled, Burstlen = 8, Chanrpt = Enabled, Tci = Off, Eil = Off, Sar = None, Sam = Inc, Dar = None, Dam = Inc, Trigger = 0, Btc = 100, Repeat = 1, Sadr = **Varptr**(ar(1)), Dadr = **Varptr**(dest(1)) ' this will do a Start Dmach0 manual/software DMA transfer, when trigger<>0 you can use a hardware event as a trigger source ....... -----For J = 1 To 50 For J = 1 to 35 B = Dest(j) with XRAM above 64KByte Print #1, J; "-"; Ar(j); "-"; B 'This step is needed to work ' print the values

End

'end program

' ( Terminal	Output	of	exar	nple:					
Start DMA 1 - 1 - 1 2 - 2 - 2 3 - 3 - 3 4 - 4 - 4 5 - 5 - 5 6 - 6 - 6 7 - 7 8 - 8 - 8 9 - 9 - 9 10 - 10 - 10 11 - 11 - 11 12 - 12 - 12 13 - 13 - 13 14 - 14 - 14 15 - 15 - 15 16 - 16 - 16 17 - 17 - 17 18 - 18 - 18 19 - 19 - 19 20 - 20 - 20 21 - 21 - 21 23 - 23 - 23 24 - 24 - 24 25 - 25 - 25 26 - 26 - 26 27 - 27 - 27 28 - 28 - 28 29 - 29 - 29 30 - 30 - 30 31 - 31 - 31 32 - 32 - 32 33 - 33 - 33 34 - 34 - 34 35 - 35 - 35 36 - 36 - 36 37 - 37 - 37 38 - 38 - 38 39 - 39 - 39 40 - 40 - 40 41 - 41 - 41 42 - 42 - 42 43 - 43 - 43 44 - 44 - 44 45 - 45 - 45 46 - 46 - 46 47 - 47 - 47 48 - 48 - 48 49 - 49 - 49	DEMO	>	сору	SRAM	Array	to	XRAM	Array	

49-49-49 50-50-50 ')

# 6.178 CONST

### Action

Declares a symbolic constant.

# **Syntax**

**CONST** symbol = numconst **CONST** symbol = stringconst **CONST** symbol = expression

# Remarks

Symbol	The name of the symbol.	
Numconst	The numeric value to assign to the symbol.	
Stringconst	The string to assign to the symbol	
Expression	An expression that returns a value to assign the constant	

Assigned constants consume no program memory because they only serve as a reference to the compiler.

The compiler will replace all occurrences of the symbol with the assigned value.

You can use a constant to give a value a more meaningful name. For example : variable = 1

const optHeaterOn = 1 variable = optHeaterOn

The source code is better to read when you assign a constant. Even better when the values change later, for example when HeaterOn becomes 2, you only need to replace 1 line of code.

### See also

ALIAS 437

### Example

```
!_____
                _____
_____
'name
                     : const.bas
                      : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                      : demo for constants
                     : Mega48
'micro
'suited for demo
                      : yes
'commercial addon needed : no
_____
_____
$regfile = "m48def.dat"
                                                    ' specify
the used micro
Scrystal = 4000000
                                                    ' used
crystal frequency
$baud = 19200
                                                    ' use baud
rate
$hwstack = 32
                                                    ' default
use 32 for the hardware stack
\$swstack = 10
                                                    ' default
use 10 for the SW stack
                                                    ' default
$framesize = 40
use 40 for the frame space
'dimension some variables
Dim Z As String * 10
Dim B As Byte
'assign some constants
'constants dont use program memory
Const S = "test"
                                                    'declare a
Const A = 5
as a constant
Const B1 = &B1001
'or use an expression to assign a constant
Const X = (b1 * 3) + 2
Const Ssingle = Sin(1)
Print X
```

```
Print Ssingle
B = A
'the same as b = 5
Z = S
'the same as Z = "test"
Print A
Print B1
Print S
'you can use constants with conditional compilation
#if A = 5
                                                              ' note there
is no then
 Print "constant a is 5"
  #if S = "test"
   Print "nested example"
                                                              ' else is
  #else
optional
  #endif
#else
#endif
End
```

# 6.179 COS

#### Action

Returns the cosine of a single

#### **Syntax**

var = COS( single )

#### Remarks

Var	A numeric variable that is assigned with cosine of variable single.
Single	The single variable to get the cosine of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

### See Also

RAD2DEG 873, DEG2RAD 695, ATN 442, SIN 936, TAN 971

#### Example

<pre>\$regfile = "m48def.dat"</pre>	1	specify
the used micro		
<b>\$crystal =</b> 8000000	1	used
crystal frequency		
<b>\$baud</b> = 19200	1	use baud
rate		
<pre>\$hwstack = 32</pre>	1	default
use 32 for the hardware stack		

```
\$swstack = 10
                                                              ' default
use 10 for the SW stack
                                                              ' default
$framesize = 40
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As Single , X As Single
S = 0.5 : X = Tan(s) : Print X
                                                              ' prints
0.546302195
S = 0.5 : X = Sin(s) : Print X
                                                              ' prints
0.479419108
S = 0.5 : X = Cos(s) : Print X
                                                              ' prints
0.877588389
End
```

#### 6.180 COSH

#### Action

Returns the cosine hyperbole of a single

#### **Syntax**

var = COSH( single )

#### Remarks

	A numeric variable that is assigned with cosine hyperbole of variable single.
Single	The single or double variable to get the cosine hyperbole of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

#### See Also

RAD2DEG [873], DEG2RAD [695], ATN [442], COS [642], SIN [936], TANH [980], SINH [937]

#### Example

Show sample 1037

### 6.181 COUNTER0 and COUNTER1

#### Action

Set or retrieve the internal 16 bit hardware register.

#### **Syntax**

COUNTER0 = var var = COUNTER0	TIMER0 can also be used
COUNTER1 = var var = COUNTER1	TIMER1 can also be used
CAPTURE1 = var	TIMER1 capture register

var = CAPTURE1	
COMPARE1A = var var = COMPARE1A	TIMER1 COMPARE A register
COMARE1B = var var = COMPARE1B	TIMER1 COMPARE B register
PWM1A = var var = PWM1A	TIMER1 COMPAREA register. (Is used for PWM)
PWM1B = var var = PRM1B	TIMER1 COMPARE B register. (Is used for PWM)

### **Remarks**

Var	A byte, Integer/Word variable or constant that is assigned to the
	register or is read from the register.

Because the above 16 bit register pairs must be accessed somewhat differently than you may expect, they are implemented as variables.

The exception is TIMER0/COUNTER0, this is a normal 8 bit register and is supplied for compatibility with the syntax.

When the CPU reads the low byte of the register, the data of the low byte is sent to the CPU and the data of the high byte is placed in a temp register. When the CPU reads the data in the high byte, the CPU receives the data in the temp register.

When the CPU writes to the high byte of the register pair, the written data is placed in a temp register. Next when the CPU writes the low byte, this byte of data is combined with the byte data in the temp register and all 16 bits are written to the register pairs. So the MSB must be accessed first.

All of the above is handled automatically by BASCOM when accessing the above registers.

Note that the available registers may vary from chip to chip.

The BASCOM documentation used the 90S8515 to describe the different hardware registers.

### 6.182 CPEEK

#### Action

Returns a byte stored in code memory.

#### Syntax

var = CPEEK( address )

### Remarks

	Numeric variable that is assigned with the content of the program memory at address
Address	Numeric variable or constant with the address location

There is no CPOKE statement because you can not write into program memory. Cpeek(0) will return the first byte of the file. Cpeek(1) will return the second byte of the binary file.

#### See also

PEEK [854], POKE [855], INP [791], OUT [853], SETREG [909], GETREG [766]

#### Example

\_\_\_\_\_ \_\_\_\_\_ : peek.bas 'name 'copyright : (c) 1995-2005, MCS Electronics 'purpose : demonstrates PEEk, POKE, CPEEK, INP and OUT 'micro : Mega48 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim I As Integer , B1 As Byte 'dump internal memory **For** I = 0 **To** 31 'only 32 registers in AVR B1 = **Peek**(i) 'get byte from internal memory Print Hex(b1) ; " "; 'Poke I , 1 'write a value into memory Next Print 'new line 'be careful when writing into internal memory !! 'now dump a part of the code-memory(program) **For** I = 0 **To** 255 B1 = Cpeek(i) 'get byte from internal memory Print Hex(b1) ; " "; Next 'note that you can not write into codememory !! **Out** &H8000 , 1 'write 1 into XRAM at address 8000 B1 = Inp(&H8000)'return value from XRAM Print B1 End

#### 6.183 CPEEKH

646

### Action

Returns a byte stored in upper page of code memory of micro with more then 64KB such as M103, M128.

### **Syntax**

var = CPEEKH( address [,page] )

#### Remarks

	Numeric variable that is assigned with the content of the program memory at address
address	Numeric variable or constant with the address location
page	A numeric variable or constant with the page address. Each page is 64 KB.

CpeekH(0) will return the first byte of the upper 64KB.

Since the M103 has 64K words of code space the LPM instruction can not access the 64 upper Kbytes.

The CpeekH() function peeks in the upper 64 KB.

This function should be used with the M103 or M128 only.

CpeekH(address,0) will work on the first page (first 64 KB)

CpeekH(addres,1) will work on the second page (second 64 KB)

# See also

PEEK 854, POKE 855, INP 791, OUT 853

# Example

```
$regfile = "m48def.dat"
                                                               ' specify
the used micro
$crystal = 4000000
                                                               ' used
crystal frequency
$baud = 19200
                                                               ' use baud
rate
$hwstack = 32
                                                               ' default
use 32 for the hardware stack
\$swstack = 10
                                                               ' default
use 10 for the SW stack
$framesize = 40
                                                               ' default
use 40 for the frame space
```

Dim I As Integer , B1 As Byte

```
'dump internal memory
For I = 0 To 31
                                                              'only 32
registers in AVR
  B1 = Peek(i)
                                                              'get byte
from internal memory
  Print Hex(b1) ; " ";
  'Poke I , 1
                                           'write a value into memory
Next
Print
                                                              'new line
'be careful when writing into internal memory !!
'now dump a part of the code-memory(program)
For I = 0 To 255
  B1 = Cpeek(i)
                                                              'get byte
from internal memory
  Print Hex(b1) ; " ";
Next
'note that you can not write into codememory !!
Out &H8000 , 1
                                                              'write 1
into XRAM at address 8000
B1 = Inp(\&H8000)
                                                               'return
value from XRAM
Print B1
End
```

### 6.184 CRC8

### Action

Returns the CRC8 value of a variable or array.

#### **Syntax**

Var = CRC8( source , L)

#### Remarks

Var	The variable that is assigned with the CRC8 of variable source.
Source	The source variable or first element of the array to get the CRC8 of.
L	The number of bytes to check.

CRC8 is used in communication protocols to check if there are no transmission errors. The 1wire for example returns a CRC byte as the last byte from it's ID.

The code below shows a VB function of CRC8

```
Function Docrc8(s As String) As Byte

Dim j As Byte

Dim k As Byte

Dim crc8 As Byte

crc8 = 0

For m = 1 To Len(s)

x = Asc(Mid(s, m, 1))

For k = 0 To 7

j = 1 And (x Xor crc8)

crc8 = Fix(crc8 / 2) And &HFF

x = Fix(x / 2) And &HFF

If j <> 0 Then
```

```
crc8 = crc8 Xor &H8C
End If
Next k
Next
Docrc8 = crc8
End Function
```

#### See also

CHECKSUM 466 , CRC16 649, CRC16UNI 667 , CRC32 653 , TCPCHECKSUM 971

#### ASM

The following routine is called from mcs.lib : \_CRC8 The routine must be called with Z pointing to the data and R24 must contain the number of bytes to check. On return, R16 contains the CRC8 value. The used registers are : R16-R19, R25.

;##### X = Crc8(ar(1), 7) Ldi R24,\$07 ; number of bytes Ldi R30,\$64 ; address of ar(1) Ldi R31,\$00 ; load constant in register Rcall \_Crc8 ; call routine Ldi R26,\$60 ; address of X St X,R16 ; store crc8

#### Example

\$regfile = "m48def.dat" ' specify the used micro **\$crystal** = 8000000 ' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack ' default \$swstack = 10 use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space

**Config** Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 , Clockpol = 0

Dim Ar(10) As Byte Dim J As Byte

Ar(1) = 1Ar(2) = 2Ar(3) = 3

J = Crc8(ar(1) , 3)
value which is 216
Print J
End

'calculate

# 6.185 CRC16

### Action

Returns the CRC16 value of a variable or array.

#### **Syntax**

Var = CRC16( source , L)

#### **Remarks**

	The variable that is assigned with the CRC16 of variable source. Should be a word or integer variable.
Source	The source variable or first element of the array to get the CRC16 value from.
	The number of bytes to check. This can be a numeric constant , byte or word variable. The maximum size to check is 65535.

CRC16 is used in communication protocols to check if there are no transmission errors.

The 1wire for example returns a CRC byte as the last byte from it's ID. Use CRC8 for the 1wire routines.

There are a lot of different CRC16 routines. There is no real standard since the polynomial will vary from manufacture to manufacture.

The equivalent code in VB is shown below. There are multiple ways to implement it in VB. This is one of them.

# **VB CRC16 Sample**

Private Sub Command1\_Click()

Dim ar(10) As Byte Dim b As Byte Dim J As Integer

ar(1) = 1ar(2) = 2ar(3) = 3

b = Docrc8(ar(), 3) ' call funciton
Print b
'calculate value which is 216

J = CRC16(ar(), 3) ' call function Print J

End Sub

Function Docrc8(ar() As Byte, bts As Byte) As Byte Dim J As Byte Dim k As Byte Dim crc8 As Byte crc8 = 0

```
For m = 1 To bts
 x = ar(m)
 For k = 0 To 7
 J = 1 And (x Xor crc8)
 crc8 = Fix(crc8 / 2) And &HFF
 x = Fix(x / 2) And &HFF
 If J <> 0 Then
   crc8 = crc8 Xor & H8C
 End If
 Next k
Next
Docrc8 = crc8
End Function
Public Function CRC16(buf() As Byte, lbuf As Integer) As Integer
Dim CRC1 As Long
Dim b As Boolean
CRC1 = 0 ' init CRC
For i = 1 To Ibuf ' for each byte
 CRC_MSB = CRC1 \setminus 256
 crc LSB = CRC1 And 255
 CRC MSB = CRC MSB Xor buf(i)
 CRC1 = (CRC\_MSB * 256) + crc\_LSB
 For J = 0 To 7 Step 1 ' for each bit
  CRC1 = shl(CRC1, b)
  If b Then CRC1 = CRC1 Xor &H1021
Next J
Next i
CRC16 = CRC1
End Function
'Shift Left function
Function shl(n As Long, ByRef b As Boolean) As Long
 Dim L As Long
 L = n
 L = L * 2
 If (L > \&HFFFF\&) Then
  b = True
 Flse
  b = False
 End If
 shl = L And \& HFFFF \&
End Function
```

# See also

CHECKSUM 4661, CRC8 647, CRC16UNI 6671, CRC32 6631, TCPCHECKSUM 9771

# ASM

The following routine is called from mcs.lib : \_CRC16 The routine must be called with X pointing to the data. The soft stack –Y must contain the number of bytes to scan. On return, R16 and R17 contain the CRC16 value. The used registers are : R16-R19, R25.

;##### X = Crc16(ar(1), 7)

Ldi R24,\$07	; number of bytes
St -y, R24	
Ldi R26,\$64	; address of ar(1)
Ldi R27,\$00	; load constant in register
Rcall _Crc16	; call routine
Ldi R26,\$60	; address of X
St X+,R16	; store crc16 LSB
St X , R17	; store CRC16 MSB

#### Example

\$regfile = "m48def.dat" ' specify the used micro **\$crystal** = 8000000 ' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack ' default **\$framesize** = 40 use 40 for the frame space

Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0

```
Dim Ar(10) As Byte
Dim J As Byte
Dim W As Word
Dim L As Long
Ar(1) = 1
Ar(2) = 2
Ar(3) = 3
J = Crc8(ar(1) , 3)
value which is 216
W = Crc16(ar(1) , 3)
L = Crc32(ar(1) , 3)
```

'calculate '24881 '494976085

#### 6.186 CRC16UNI

End

#### Action

Returns the CRC16 value of a variable or array.

#### Syntax

Var = CRC16UNI( source , length , initial, polynomial, refin, refout)

#### Remarks

var	The variable that is assigned with the CRC16 of variable source. Should be a word or integer variable.
source	The source variable or first element of the array to get the CRC16 value from.
length	The number of bytes to check.
initial	The initial value of the CRC. This is usual 0 or &HFFFF.
polynomia l	The polynomial value to use.
refin	Reflect the data input bits. Use 0 to disable this option. Use a non-zero value to enable this option.
refout	Reflect the data output. Use 0 to disable this option. Use a non-zero value to enable this option.

CRC16 is used in communication protocols to check if there are no transmission errors.

The 1wire for example returns a CRC byte as the last byte from it's ID. Use CRC8 for the 1wire routines.

There are a lot of different CRC16 routines. There is no real standard since the polynomial will vary from manufacture to manufacture.

At <u>http://www.ross.net/crc/download/crc\_v3.txt</u> you can find a great document about CRC calculation from Ross N. Williams. At the end you will find an example that is good for dealing with most CRC variations. The BASCOM CRC16UNI function is a conversion of this example.

There is a difference however : The CRC16UNI function does not XOR the output bytes. This because most CRC functions XOR with 0.

The example will show some of the most used combinations.

# See also

CHECKSUM 4667, CRC8 647, CRC16 649, CRC32 6537, TCPCHECKSUM 977

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed '	-	
<pre>\$regfile = "m48def.dat" \$crystal = 8000000 \$baud = 19200 \$hwstack = 32 \$swstack = 10 \$framesize = 40</pre>		' specify the used mich ' used crystal frequend ' use baud rate ' default use 32 for th ' default use 10 for th ' default use 40 for th
Dim Ar(10) As Byte Dim J As Byte		

```
Dim W As Word
Dim L As Long
Dim S As String * 16
S = "123456789"
Ar(1) = 1
Ar(2) = 2
Ar(3) = 3
J = Crc8(ar(1), 3)
                                                                     'calculate value which
W = Crc16(ar(1), 3)
                                                                     24881
                                                                     494976085
L = Crc32(ar(1), 3)
                      data , length, intial value , Poly, reflect input, reflect output
Print Hex(crc16uni(s , 9 , 0 , &H1021 , 0 , 0))
                                                                     'CRC-CCITT (0x0000)

        Print Hex(crc16uni(s, 9, &HFFFF, &H1021, 0, 0))

        Print Hex(crc16uni(s, 9, &H100F, &H1021, 0, 0))

                                                                     'CRC-CCITT (0xFFFF)
                                                                    'CRC-CCITT (0x1D0F)
                                                                                              H
Print Hex(crc16uni(s , 9 , 0 , &H8005 , 1 , 1))
                                                                    'crc16
                                                                                              H
Print Hex(crcl6uni(s , 9 , &HFFFF , &H8005 , 1 , 1))
                                                                    'crc16-modbus
```

```
End
```

### 6.187 CRC32

#### Action

Returns the CRC32 value of a variable.

#### **Syntax**

Var = CRC32( source , L)

# Remarks

Var	The LONG variable that is assigned with the CRC32 of variable source.
	The source variable or first element of the array to get the CRC 32 value from.
L	The number of bytes to check. This can be a word variable.

CRC32 is used in communication protocols to check if there are no transmission errors.

#### See also

CHECKSUM 4661, CRC8 647, CRC16 649, CRC16UNI 651, TCPCHECKSUM 971

#### **Example**

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
```

' specify

' used

' use baud

```
654 BASCOM-AVR
```

```
rate
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
                                                              ' default
\$swstack = 10
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim Ar(10) As Byte
Dim J As Byte
Dim W As Word
Dim L As Long
Ar(1) = 1
Ar(2) = 2
Ar(3) = 3
J = Crc8(ar(1), 3)
                                                              'calculate
value which is 216
W = Crc16(ar(1), 3)
                                                              24881
L = Crc32(ar(1), 3)
                                                              494976085
End
```

#### 6.188 CRYSTAL

#### Action

Special byte variable that can be used with software UART routine to change the baud rate during runtime.

#### **Syntax**

CRYSTAL = var (old option do not use !!)

\_\_\_CRYSTAL1 = var BAUD #1, 2400

# Remarks

With the software UART you can generate good baud rates. But chips such as the ATtiny22 have an internal 1 MHz clock. The clock frequency can change during runtime by influence of temperature or voltage.

The crystal variable can be changed during runtime to change the baud rate.

The above has been changed in version 1.11 Now you still can change the baud rate with the crystal variable. But you don't need to dimension it. And the name has been changed:

\_\_\_\_CRYSTALx where x is the channel number.

When you opened the channel with #1, the variable will be named \_\_\_\_CRYSTAL1

But a better way is provided now to change the baud rate of the software uart at run time. You can use the BAUD option now:

Baud #1, 2400 'change baud rate to 2400 for channel 1

When you use the baud # option, you must specify the baud rate before you print or use input on the channel. This will dimension the \_\_\_\_CRYSTALx variable and load it with the right value.

When you don't use the BAUD # option the value will be loaded from code and it will not use 2 bytes of your SRAM.

The \_\_\_\_CRYSTALx variable is hidden in the report file because it is a system variable. But you may assign a value to it after BAUD #x, zzzz has dimensioned it.

The old CRYSTAL variable does not exist anymore.

Some values for 1 MHz internal clock : 66 for 2400 baud 31 for 4800 baud 14 for 9600 baud

# See also

OPEN 8457, CLOSE 8457

### Example

Dim B as byte Open "comd.1:9600,8,n,1,inverted" For Output As #1 Print #1 , B Print #1 ,"serial output" baud #1, 4800 'use 4800 baud now Print #1,"serial output" \_\_\_\_CRYSTAL1 = 255 Close#1 End

#### 6.189 CURSOR

#### Action

Set the LCD Cursor State.

#### Syntax

CURSOR ON / OFF BLINK / NOBLINK

#### Remarks

You can use both the ON or OFF and BLINK or NOBLINK parameters. At power up the cursor state is ON and NOBLINK.

#### See also

DISPLAY [71], LCD [803], SHIFTLCD [933], SHIFTCURSOR [928]

#### Example

\_\_\_\_\_ : lcd.bas 'name : (c) 1995-2005, MCS Electronics 'copyright 'purpose : demo: LCD, CLS, LOWERLINE, SHIFTLCD, SHIFTCURSOR, HOME CURSOR, DISPLAY 'micro : Mega8515 'suited for demo : yes 'commercial addon needed : no ·-----\_\_\_\_\_

\_\_\_\_\_

```
_____
```

\$regfile = "m8515.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate **Shwstack = 32** ' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space

#### \$sim

'REMOVE the above command for the real program !! '\$sim is used for faster simulation

'note : tested in PIN mode with 4-bit

'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 , Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6 Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 , Db7 = Porta.7 , E = Portc.7 , Rs = Portc.6 'These settings are for the STK200 in PIN mode 'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-D7 'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of the LCD connector 'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector

Rem with the config lcdpin statement you can override the compiler settings

'clear the

'select the

'display

'display

'shift the

'shift the

'set cursor

'display

'wait a

'shift the

'display

'wait a

'wait a

'wait a

'wait a

'wait a

'turn

'turn

'select line

'replace the

'hide cursor

'show cursor

'wait a

'wait a

Cls LCD display Lcd "Hello world." this at the top line Wait 1 Lowerline lower line Wait 1 Lcd "Shift this." this at the lower line Wait 1 **For** A = 1 **To** 10 Shiftlcd Right text to the right Wait 1 moment Next **For** A = 1 **To** 10 Shiftlcd Left text to the left Wait 1 moment Next Locate 2 , 1 position Lcd "\*" this Wait 1 moment Shiftcursor Right cursor Lcd "@" this Wait 1 moment Home Upper 1 and return home Lcd "Replaced." text Wait 1 moment Cursor Off Noblink Wait 1 moment Cursor On Blink Wait 1 moment Display Off display off Wait 1 moment Display On display on '-----NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4"

```
Home Third
                                                            'goto home
on line three
Home Fourth
                                                            'first
Home F
letteer also works
Locate 4 , 1 : Lcd "Line 4"
Wait 1
'Now lets build a special character
'the first number is the characternumber (0-7)
'The other numbers are the rowvalues
'Use the LCD tool to insert this line
Deflcdchar 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228
replace ? with number (0-7)
Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240
replace ? with number (0-7)
Cls
                                                            'select data
RAM
Rem it is important that a CLS is following the deflcdchar statements
because it will set the controller back in datamode
Lcd Chr(0); Chr(1)
                                                            'print the
special character
'----- Now use an internal routine ------
temp1 = 1
                                                            'value into
ACC
!rCall _write_lcd
                                                            'put it on
LCD
End
```

#### 6.190 DATA

#### Action

Specifies constant values to be read by subsequent READ statements.

#### Syntax

DATA var [, varn]

#### Remarks

Var	Numeric or string constant.
-----	-----------------------------

The DATA related statements use the internal registers pair R8 and R9 to store the data pointer.

To store a " sign on the data line, you can use : DATA \$34

The \$-sign tells the compiler that the ASCII value will follow. You can use this also to store special characters that can't be written by the editor such as chr(7)

Another way to include special ASCII characters in your string constant is to use  $\{XXX\}$ . You need to include exactly 3 digits representing the ASCII character. For example 65 is the ASCII number for the character A.

DATA "TEST{065}"

Will be read as TESTA.

While : DATA "TEST{65}" will be read as :

TEST{65}. This because only 2 digits were included instead of 3.

 $\{xxx\}$  works only for string constants. It will also work in a normal string assignment :

 $s = "{065}"$ . This will assign A to the string s.

Because the DATA statements allow you to generate an EEP file to store in EEPROM, the  $\frac{DATA}{33}$  and  $\frac{EEPROM}{34}$  directives have been added. Read the description of these directives to learn more about the DATA statement.

The DATA statements must not be accessed by the flow of your program because the DATA statements are converted to the byte representation of the DATA.

When your program flow enters the DATA lines, unpredictable results will occur. So as in QB, the DATA statement is best be placed at the end of your program or in a place that program flow will no enter.

For example this is fine:

Print "Hello" Goto jump DATA "test"

Jump: 'because we jump over the data lines there is no problem.

The following example will case some problems: Dim S As String \* 10 Print "Hello" Restore lbl Read S

DATA "test"

Print S

When the END statement is used it must be placed BEFORE the DATA lines.

#### **Difference with QB**

Integer and Word constants must end with the %-sign. Long constants must end with the &-sign. Single constants must end with the !-sign. Double constants must end with the #-sign.

#### See also

READ बिग्भे , RESTORE बिभ्री , \$DATA उउके , \$EEPROM उपर्य , LOOKUP बिट्री, LOOKUPSTR बिट्री ,

LOOKDOWN 823

# Example

```
_____
'name
                       : readdata.bas
                      : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : demo : READ, RESTORE
'micro
                       : Mega48
'suited for demo
                       : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                      ' specify
the used micro
                                                      ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                      ' use baud
rate
$hwstack = 32
                                                      ' default
use 32 for the hardware stack
\$swstack = 10
                                                      ' default
use 10 for the SW stack
$framesize = 40
                                                      ' default
use 40 for the frame space
Dim A As Integer , B1 As Byte , Count As Byte
Dim S As String * 15
Dim L As Long
Restore Dtal
                                                      'point to
stored data
For Count = 1 To 3
                                                      'for number
of data items
  Read B1 : Print Count ; " " ; B1
Next
Restore Dta2
                                                      'point to
stored data
For Count = 1 To 2
                                                      'for number
of data items
  Read A : Print Count ; " " ; A
Next
Restore Dta3
Read S : Print S
Read S : Print S
Restore Dta4
Read L : Print L
                                                      'long type
'demonstration of readlabel
Dim W As Iram Word At 8 Overlay
                                                      ' location
is used by restore pointer
'note that W does not use any RAM it is an overlayed pointer to the data
pointer
                                                      ' loadlabel
W = Loadlabel(dta1)
expects the labelname
Read B1
Print B1
```

End

```
Dtal:
Data &B10 , &HFF , 10
Dta2:
Data 1000% , -1%
Dta3:
Data "Hello" , "World"
'Note that integer values (>255 or <0) must end with the %-sign
'also note that the data type must match the variable type that is
'used for the READ statement
Dta4:
Data 123456789&
'Note that LONG values must end with the &-sign
'Also note that the data type must match the variable type that is used
'for the READ statement
```

### 6.191 DAYOFWEEK

#### Action

Returns the Day of the Week of a Date.

#### **Syntax**

Target = **DayOfWeek**() Target = **DayOfWeek**(bDayMonthYear) Target = **DayOfWeek**(strDate) Target = **DayOfWeek**(wSysDay) Target = **DayOfWeek**(ISysSec)

#### Remarks

Target	A Byte – variable, that is assigned with the day of the week
BDayMonthYea r	A Byte – variable, which holds the Day-value followed by Month (Byte) and Year (Byte)
	A String, which holds a Date-String in the format specified in the CONFIG DATE statement
WSysDay	A Word – variable, which holds the System Day (SysDay)
LSysSec	A Long – variable, which holds the System Second (SysSec)

The Function can be used with five different kind of Input:

- 1. Without any parameter. The internal Date-values of SOFTCLOCK (\_day, \_month, \_year) are used.
- 2. With a user defined date array. It must be arranged in same way (Day, Month, Year) as the internal SOFTCLOCK date. The first Byte (Day) is the input by this kind of usage. So the Day of the Week can be calculated of every date.
- 3. With a Date-String. The date-string must be in the Format specified in the Config Date Statement
- 4. With a System Day Number.
- 5. With a System Second Number

The Return-Value is in the range of 0 to 6, Monday starts with 0.

The Function is valid in the 21th century (from 2000-01-01 to 2099-12-31).

#### See Also

Date and Time routines 1044, CONFIG DATE 512, CONFIG CLOCK 500, SYSDAY 968, SYSSEC 966

\_\_\_\_\_

# Example

```
_____
'name
                       : datetime test1,bas
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                        : show how to use the Date-Time routines from
the DateTime.Lib
'micro
                        : Mega103
'suited for demo
                        : no
'commercial addon needed : no
·_____
                                     _____
_____
$regfile = "m103def.dat"
                                                         ' specify
the used micro
$crystal = 4000000
                                                        ' used
crystal frequency
$baud = 19200
                                                         ' use baud
rate
\$hwstack = 32
                                                         ' default
use 32 for the hardware stack
\$swstack = 10
                                                        ' default
use 10 for the SW stack
$framesize = 40
                                                        ' default
use 40 for the frame space
Const Clockmode = 1
'use i2c for the clock
#if Clockmode = 1
 Config Clock = Soft
                                                         ' we use
build in clock
 Disable Interrupts
#else
 Config Clock = User
                                                         ' we use I2C
for the clock
  'configure the scl and sda pins
 Config Sda = Portd.6
 Config Scl = Portd.5
  'address of ds1307
 Const Ds1307w = &HD0
                                                         ' Addresses
of Ds1307 clock
 Const Ds1307r = &HD1
#endif
'configure the date format
Config Date = Ymd , Separator = -
                                                        ' ANSI-
Format
'This sample does not have the clock started so interrupts are not
enabled
```

```
' Enable Interrupts
'dim the used variables
Dim Lvar1 As Long
Dim Mday As Byte
Dim Bweekday As Byte , Strweekday As String * 10
Dim Strdate As String * 8
Dim Strtime As String * 8
Dim Bsec As Byte , Bmin As Byte , Bhour As Byte
Dim Bday As Byte , Bmonth As Byte , Byear As Byte
Dim Lsecofday As Long
Dim Wsysday As Word
Dim Lsyssec As Long
Dim Wdayofyear As Word
' ====== DayOfWeek
-----
' Example 1 with internal RTC-Clock
_day = 4 : _month = 11 : _year = 2
                                                           ' Load RTC-
Clock for example - testing
Bweekday = Dayofweek()
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of " ; Date$ ; " is " ; Bweekday ; " = " ;
Strweekday
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 26 : Bmonth = 11 : Byear = 2
Bweekday = Dayofweek(bday)
Strweekday = Lookupstr(bweekday, Weekdays)
Strdate = Date(bday)
Print "Weekday-Number of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
Byear ; " is " ; Bweekday ; " (" ; Date(bday) ; ") = " ; Strweekday
' Example 3 with System Day
Wsysday = 2000
                                                           ' that is
2005-06-23
Bweekday = Dayofweek(wsysday)
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of System Day " ; Wsysday ; " (" ; Date(wsysday) ;
") is "; Bweekday; " = "; Strweekday
' Example 4 with System Second
Lsyssec = 123456789
                                                           ' that is
2003-11-29 at 21:33:09
Bweekday = Dayofweek(lsyssec)
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of System Second " ; Lsyssec ; " (" ; Date(lsyssec
) ; ") is " ; Bweekday ; " = " ; Strweekday
' Example 5 with Date-String
Strdate = "04-11-02"
                                                           ' we have
configured Date in ANSI
Bweekday = Dayofweek(strdate)
```

```
664 BASCOM-AVR
```

```
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of " ; Strdate ; " is " ; Bweekday ; " = " ;
Strweekday
' ======== Second of Day
_____
' Example 1 with internal RTC-Clock
_sec = 12 : _min = 30 : _hour = 18
                                                         ' Load RTC-
Clock for example - testing
Lsecofday = Secofday()
Print "Second of Day of " ; Time$ ; " is " ; Lsecofday
' Example 2 with defined Clock - Bytes (Second / Minute / Hour)
Bsec = 20 : Bmin = 1 : Bhour = 7
Lsecofday = Secofday(bsec)
Print "Second of Day of Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour
; " (" ; Time(bsec) ; ") is " ; Lsecofday
' Example 3 with System Second
Lsyssec = 1234456789
Lsecofday = Secofday(lsyssec)
Print "Second of Day of System Second " ; Lsyssec ; "(" ; Time(lsyssec)
; ") is "; Lsecofday
' Example 4 with Time - String
Strtime = "04:58:37"
Lsecofday = Secofday(strtime)
Print "Second of Day of "; Strtime; " is "; Lsecofday
' ========== System Second
' Example 1 with internal RTC-Clock
                        ' Load RTC-Clock for example - testing
_sec = 17 : _min = 35 : _hour = 8 : _day = 16 : _month = 4 : _year = 3
Lsyssec = Syssec()
Print "System Second of "; Time$; " at "; Date$; " is "; Lsyssec
' Example 2 with with defined Clock - Bytes (Second, Minute, Hour, Day /
Month / Year)
Bsec = 20 : Bmin = 1 : Bhour = 7 : Bday = 22 : Bmonth = 12 : Byear = 1
Lsyssec = Syssec(bsec)
Strtime = Time(bsec)
Strdate = Date(bday)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
Lsyssec
' Example 3 with System Day
Wsysday = 2000
Lsyssec = Syssec(wsysday)
Print "System Second of System Day " ; Wsysday ; " (" ; Date(wsysday) ;
```

```
" 00:00:00) is " ; Lsyssec
' Example 4 with Time and Date String
Strtime = "10:23:50"
Strdate = "02-11-29"
                                                         ' ANSI-Date
Lsyssec = Syssec(strtime , Strdate)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
         91880630
Lsyssec
' ====== Day Of Year
_____
' Example 1 with internal RTC-Clock
                                                         ' Load RTC-
_day = 20 : _month = 11 : _year = 2
Clock for example - testing
Wdayofyear = Dayofyear()
Print "Day Of Year of " ; Date$ ; " is " ; Wdayofyear
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 24 : Bmonth = 5 : Byear = 8
Wdayofyear = Dayofyear(bday)
Print "Day Of Year of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
Byear ; " (" ; Date(bday) ; ") is " ; Wdayofyear
' Example 3 with Date - String
Strdate = "04-10-29"
                                                         ' we have
configured ANSI Format
Wdayofyear = Dayofyear(strdate)
Print "Day Of Year of " ; Strdate ; " is " ; Wdayofyear
' Example 4 with System Second
Lsyssec = 123456789
Wdayofyear = Dayofyear(lsyssec)
Print "Day Of Year of System Second " ; Lsyssec ; " (" ; Date(lsyssec) ;
 ") is " ; Wdayofyear
' Example 5 with System Day
Wsysday = 3000
Wdayofyear = Dayofyear(wsysday)
Print "Day Of Year of System Day " ; Wsysday ; " (" ; Date(wsysday) ; ")
is " ; Wdayofyear
' Example 1 with internal RTC-Clock
_day = 20 : _month = 11 : _year = 2
                                                         ' Load RTC-
Clock for example - testing
Wsysday = Sysday()
Print "System Day of " ; Date$ ; " is " ; Wsysday
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 24: Bmonth = 5: Byear = 8
Wsysday = Sysday(bday)
Print "System Day of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
```

#### 666 BASCOM-AVR

Byear ; " (" ; Date(bday) ; ") is " ; Wsysday

```
' Example 3 with Date - String
Strdate = "04-10-29"
Wsysday = Sysday(strdate)
Print "System Day of " ; Strdate ; " is " ; Wsysday
' Example 4 with System Second
Lsyssec = 123456789
Wsysday = Sysday(lsyssec)
Print "System Day of System Second " ; Lsyssec ; " (" ; Date(lsyssec) ;
") is " ; Wsysday
' ====== Time
------
' Example 1: Converting defined Clock - Bytes (Second / Minute / Hour)
to Time - String
Bsec = 20 : Bmin = 1 : Bhour = 7
Strtime = Time(bsec)
Print "Time values: Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour ; "
converted to string " ; Strtime
' Example 2: Converting System Second to Time - String
Lsyssec = 123456789
Strtime = Time(lsyssec)
Print "Time of Systemsecond " ; Lsyssec ; " is " ; Strtime
' Example 3: Converting Second of Day to Time - String
Lsecofday = 12345
Strtime = Time(lsecofday)
Print "Time of Second of Day " ; Lsecofday ; " is " ; Strtime
' Example 4: Converting System Second to defined Clock - Bytes (Second /
Minute / Hour)
Lsyssec = 123456789
Bsec = Time(lsyssec)
Print "System Second " ; Lsyssec ; " converted to Sec=" ; Bsec ; " Min="
; Bmin ; " Hour=" ; Bhour ; " (" ; Time(lsyssec) ; ")"
' Example 5: Converting Second of Day to defined Clock - Bytes (Second /
Minute / Hour)
Lsecofday = 12345
Bsec = Time(lsecofday)
Print "Second of Day " ; Lsecofday ; " converted to Sec=" ; Bsec ; "
Min=" ; Bmin ; " Hour=" ; Bhour ; " (" ; Time(lsecofday) ; ")"
' Example 6: Converting Time-string to defined Clock - Bytes (Second /
Minute / Hour)
Strtime = "07:33:12"
Bsec = Time(strtime)
Print "Time "; Strtime; " converted to Sec="; Bsec; " Min="; Bmin;
 " Hour=" ; Bhour
```

```
© 2012 MCS Electronics
```

667

```
' ====== Date
------
' Example 1: Converting defined Clock - Bytes (Day / Month / Year) to
Date - String
Bday = 29 : Bmonth = 4 : Byear = 12
Strdate = Date(bday)
Print "Dat values: Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ; Byear
; " converted to string " ; Strdate
' Example 2: Converting from System Day to Date - String
Wsysday = 1234
Strdate = Date(wsysday)
Print "System Day " ; Wsysday ; " is " ; Strdate
' Example 3: Converting from System Second to Date String
Lsyssec = 123456789
Strdate = Date(lsyssec)
Print "System Second " ; Lsyssec ; " is " ; Strdate
' Example 4: Converting SystemDay to defined Clock - Bytes (Day /
Month / Year)
Wsysday = 2000
Bday = Date(wsysday)
Print "System Day " ; Wsysday ; " converted to Day=" ; Bday ; " Month="
; Bmonth ; " Year=" ; Byear ; " (" ; Date(wsysday) ; ")"
' Example 5: Converting Date - String to defined Clock - Bytes (Day /
Month / Year)
Strdate = "04-08-31"
Bday = Date(strdate)
Print "Date " ; Strdate ; " converted to Day=" ; Bday ; " Month=" ;
Bmonth ; " Year=" ; Byear
' Example 6: Converting System Second to defined Clock - Bytes (Day /
Month / Year)
Lsyssec = 123456789
Bday = Date(lsyssec)
Print "System Second " ; Lsyssec ; " converted to Day=" ; Bday ; "
Month=" ; Bmonth ; " Year=" ; Byear ; " (" ; Date(lsyssec) ; ")"
' ========== Second of Day elapsed
Lsecofday = Secofday()
hour = hour + 1
Lvar1 = Secelapsed(lsecofday)
Print Lvar1
Lsyssec = Syssec()
_day = _day + 1
Lvar1 = Syssecelapsed(lsyssec)
Print Lvar1
Looptest:
```

```
' Initialising for testing
_day = 1
_month = 1
_year = 1
_sec = 12
Do
   If _year > 50 Then
     Exit Do
   End If
  \_sec = \_sec + 7
  If _sec > 59 Then
    Incr _min
     \_sec = \_sec - 60
  End If
  _min = _min + 2
  If _min > 59 Then
     Incr _hour
     \min = \min - 60
  End If
  hour = hour + 1
  If _hour > 23 Then
     Incr _day
     hour = hour - 24
  End If
  _day = _day + 1
  If _day > 28 Then
     Select Case _month
        Case 1
           Mday = 31
        Case 2
           Mday = _year And &H03
If Mday = 0 Then
             Mday = 29
           Else
              Mday = 28
           End If
        Case 3
           Mday = 31
        Case 4
          Mday = 30
        Case 5
          Mday = 31
        Case 6
          Mday = 30
        Case 7
          Mday = 31
        Case 8
          Mday = 31
        Case 9
          Mday = 30
        Case 10
          Mday = 31
        Case 11
```

```
Mday = 30
        Case 12
           Mday = 31
     End Select
     If _day > Mday Then
        _day = _day - Mday
        Incr _month
        If _month > 12 Then
           _month = 1
           Incr _year
        End If
     End If
 End If
  If _year > 99 Then
     Exit Do
  End If
Lsecofday = Secofday()
Lsyssec = Syssec()
Bweekday = Dayofweek()
Wdayofyear = Dayofyear()
Wsysday = Sysday()
Print Time$ ; " " ; Date$ ; " " ; Lsecofday ; " " ; Lsyssec ; " " ;
Bweekday ; " " ; Wdayofyear ; " " ; Wsysday
Loop
End
'only when we use I2C for the clock we need to set the clock date time
#if Clockmode = 0
'called from datetime.lib
Dim Weekday As Byte
Getdatetime:
 I2cstart
                                                               ' Generate
start code
 I2cwbyte Ds1307w
                                                               ' send
address
 I2cwbyte 0
                                                               ' start
address in 1307
 I2cstart
                                                               ' Generate
start code
  I2cwbyte Ds1307r
                                                               ' send
address
 I2crbyte _sec , Ack
 I2crbyte _min , Ack
I2crbyte _hour , Ack
                                                               ' MINUTES
                                                               ' Hours
                                                               ' Day of
 I2crbyte Weekday , Ack
Week
                                                               ' Day of
 I2crbyte _day , Ack
Month
 I2crbyte _month , Ack
                                                               ' Month of
Year
                                                               ' Year
 I2crbyte _year , Nack
 I2cstop
 _sec = Makedec(_sec) : _min = Makedec(_min) : _hour = Makedec(_hour)
 _day = Makedec(_day) : _month = Makedec(_month) : _year = Makedec(
_year)
Return
```

```
Setdate:
 _day = Makebcd(_day) : _month = Makebcd(_month) : _year = Makebcd(
_year)
                                                              ' Generate
 I2cstart
start code
  I2cwbyte Ds1307w
                                                              ' send
address
  I2cwbyte 4
                                                              ' starting
address in 1307
 I2cwbyte _day
                                                              ' Send Data
to SECONDS
                                                              ' MINUTES
 I2cwbyte _month
                                                              ' Hours
  I2cwbyte _year
 I2cstop
Return
Settime:
  _sec = Makebcd(_sec) : _min = Makebcd(_min) : _hour = Makebcd(_hour)
  I2cstart
                                                              ' Generate
start code
                                                               ' send
 I2cwbyte Ds1307w
address
 I2cwbyte 0
                                                              ' starting
address in 1307
 I2cwbyte _sec
                                                              ' Send Data
to SECONDS
 I2cwbyte _min
                                                              ' MINUTES
 I2cwbyte _hour
                                                              ' Hours
 I2cstop
Return
```

```
#endif
```

```
Weekdays:
Data "Monday" , "Tuesday" , "Wednesday" , "Thursday" , "Friday" ,
"Saturday" , "Sunday"
```

# 6.192 DAYOFYEAR

#### Action

Returns the Day of the Year of a Date

#### **Syntax**

```
Target = DayOfYear()
Target = DayOfYear(bDayMonthYear)
Target = DayOfYear(strDate)
Target = DayOfYear(wSysDay)
```

Target = **DayOfYear**(ISysSec)

# **Remarks**

Target	A Integer, that is assigned with the Day of the Year	
BDayMonthYea	A Byte, which holds the Day-value followed by Month(Byte) and Year	
r	(Byte)	
	A String, which holds a Date-String in the format specified in the CONFIG DATE statement	

WSysDay	A Variable (Word) which holds a System Day (SysDay)
LsysSec	A Variable (Long) which holds a System Second (SysSec)

The Function can be used with five different kind of Input:

- 1. Without any parameter. The internal Date-values of SOFTCLOCK (\_day, \_month, \_year) are used.
- 2. With a user defined date array. It must be arranged in same way (Day, Month, Year) as the internal SOFTCLOCK date. The first Byte (Day) is the input by this kind of usage. So the Day of the Year can be calculated of every date.
- 3. With a Date-String. The date-string must be in the Format specified in the Config Date Statement.
- 4. With a System Day Number (WORD)
- 5. With a System Second Number (LONG)

The Return-Value is in the Range of 0 to 364 (365 in a leap year). January the first starts with 0.

The function is valid in the 21th century (from 2000-01-01 to 2099-12-31).

### See also

Date and Time Routines 1044, SysSec 966, SysDay 968

Example

See DayOfWeek 661

#### 6.193 DATE\$

#### Action

Internal variable that holds the date.

#### **Syntax**

**DATE\$** = "mm/dd/yy" var = **DATE\$** 

#### Remarks

The DATE\$ variable is used in combination with the CONFIG CLOCK directive.

The CONFIG CLOCK statement will use the TIMER0 or TIMER2 in asynchrone mode to create an interrupt that occurs every second. In this interrupt routine the *\_Sec*, *\_Min* and *\_Hour* variables are updated. The *\_dat*, *\_month* and *\_year* variables are also updated. The date format is in the same format as in VB.

When you assign DATE\$ to a string variable these variables are assigned to the DATE\$ variable.

When you assign the DATE\$ variable with a constant or other variable, the \_day, \_month and \_year variables will be changed to the new date. The only difference with VB is that all data must be provided when assigning the

The only difference with VB is that all data must be provided when assigning the date. This is done for minimal code. You can change this behavior of course.

The async timer is only available in the M103, 90S8535, M163 and M32(3), Mega128, Mega64, Mega8. For other chips it will not work.

As new chips are launched by Atmel, and support is added by MCS, the list above might not be complete. It is intended to serve as an example for chips with a timer that can be used in asynchrone mode. So when your micro has a timer that can be used in asynchrone mode, it should work.

L Do not confuse DATE\$ with the DATE function.

#### ASM

The following ASM routines are called. When assigning DATE\$ : \_set\_date (calls \_str2byte) When reading DATE\$ : \_make\_dt (calls \_byte2str)

#### See also

TIME\$ 981, CONFIG CLOCK 5001, DATE 673

# Example

\_\_\_\_\_ -----'name : megaclock.bas : (c) 1995-2005, MCS Electronics 'copyright : shows the new TIME\$ and DATE\$ reserved 'purpose variables 'micro : Mega103 'suited for demo : yes 'commercial addon needed : no \_\_\_\_\_ -----\$regfile = "m103def.dat" ' specify the used micro ' used \$crystal = 4000000crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'With the 8535 and timer2 or the Mega103 and TIMER0 you can 'easily implement a clock by attaching a 32768 Hz xtal to the timer 'And of course some BASCOM code 'This example is written for the STK300 with M103 Enable Interrupts '[configure LCD] **\$lcd** = &HC000 'address for E and RS **\$lcdrs** = &H8000 'address for

```
only E
Config Lcd = 20 \times 4
                                                           'nice
display from bg micro
Config Lcdbus = 4
                                                           'we run it
in bus mode and I hooked up only db4-db7
Config Lcdmode = Bus
                                                           'tell about
the bus mode
'[now init the clock]
Config Date = Mdy , Separator = /
                                                           ' ANSI-
Format
Config Clock = Soft
                                                           'this is how
simple it is
'The above statement will bind in an ISR so you can not use the TIMER
anymore!
'For the M103 in this case it means that TIMER0 can not be used by the
user anymore
'assign the date to the reserved date$
'The format is MM/DD/YY
Date$ = "11/11/00"
'assign the time, format in hh:mm:ss military format(24 hours)
'You may not use 1:2:3 !! adding support for this would mean overhead
'But of course you can alter the library routines used
Time$ = "02:20:00"
!_____
'clear the LCD display
Cls
Do
                                                           'cursor home
 Home
 Lcd Date$ ; " " ; Time$
                                                           'show the
date and time
LOOD
'The clock routine does use the following internal variables:
'_day , _month, _year , _sec, _hour, _min
'These are all bytes. You can assign or use them directly
_day = 1
'For the _year variable only the year is stored, not the century
End
```

#### 6.194 DATE

#### Action

Returns a date-value (String or 3 Bytes for Day, Month and Year) depending of the Type of the Target

#### Syntax

```
bDayMonthYear = Date(ISysSec)
bDayMonthYear = Date(ISysDay)
bDayMonthYear = Date(strDate)
```

```
strDate = Date(ISysSec)
strDate = Date(ISysDay)
```

strDate = Date(bDayMonthYear)

	A Date-String in the format specified in the CONFIG DATE statement
	A LONG – variable which holds the System Second (SysSec = TimeStamp)
LsysDay	A WORD – variable, which holds then System Day (SysDay)
BDayMonthYea r	A BYTE – variable, which holds Days, followed by Month (Byte) and Year (Byte)

Converting to String:

The target string must have a length of at least 8 Bytes, otherwise SRAM after the target-string will be overwritten.

Converting to Soft clock date format (3 Bytes for Day, Month and Year):

Three Bytes for Day, Month and Year must follow each other in SRAM. The variablename of the first Byte, the one for Day must be passed to the function.

#### See also

Date and Time Routines 1044, DAYOFYEAR 670, SYSDAY 968

# Example

```
_____
'name
                    : datetime_test1,bas
'copyright
                    : (c) 1995-2005, MCS Electronics
                    : show how to use the Date-Time routines from
'purpose
the DateTime.Lib
'micro
                    : Megal03
'suited for demo
                     : no
'commercial addon needed : no
· _____
                            _____
_____
$regfile = "m103def.dat"
                                                 ' specify
the used micro
Scrystal = 4000000
                                                 ' used
crystal frequency
$baud = 19200
                                                 ' use baud
rate
\$hwstack = 32
                                                 ' default
use 32 for the hardware stack
                                                 ' default
\$swstack = 10
use 10 for the SW stack
$framesize = 40
                                                 ' default
use 40 for the frame space
Const Clockmode = 1
'use i2c for the clock
#if Clockmode = 1
```

**Config** Clock = Soft ' we use build in clock Disable Interrupts #else **Config** Clock = User ' we use I2C for the clock 'configure the scl and sda pins **Config** Sda = Portd.6 **Config** Scl = Portd.5 'address of ds1307 Const Ds1307w = &HD0 ' Addresses of Ds1307 clock Const Ds1307r = &HD1 #endif 'configure the date format **Config Date =** Ymd , Separator = -' ANSI-Format 'This sample does not have the clock started so interrupts are not enabled Enable Interrupts 'dim the used variables Dim Lvar1 As Long Dim Mday As Byte Dim Bweekday As Byte , Strweekday As String \* 10 Dim Strdate As String \* 8 Dim Strtime As String \* 8 Dim Bsec As Byte , Bmin As Byte , Bhour As Byte Dim Bday As Byte , Bmonth As Byte , Byear As Byte Dim Lsecofday As Long Dim Wsysday As Word Dim Lsyssec As Long Dim Wdayofyear As Word ' ====== DayOfWeek ' Example 1 with internal RTC-Clock \_day = 4 : \_month = 11 : \_year = 2 ' Load RTC-Clock for example - testing Bweekday = Dayofweek() Strweekday = Lookupstr(bweekday, Weekdays) Print "Weekday-Number of " ; Date\$ ; " is " ; Bweekday ; " = " ; Strweekday ' Example 2 with defined Clock - Bytes (Day / Month / Year) Bday = 26 : Bmonth = 11 : Byear = 2Bweekday = Dayofweek(bday) Strweekday = Lookupstr(bweekday, Weekdays) Strdate = Date(bday) Print "Weekday-Number of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ; Byear ; " is " ; Bweekday ; " (" ; Date(bday) ; ") = " ; Strweekday ' Example 3 with System Day Wsysday = 2000' that is 2005-06-23

```
Bweekday = Dayofweek(wsysday)
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of System Day " ; Wsysday ; " (" ; Date(wsysday) ;
 ") is "; Bweekday; " = "; Strweekday
' Example 4 with System Second
Lsyssec = 123456789
                                                         ' that is
2003-11-29 at 21:33:09
Bweekday = Dayofweek(lsyssec)
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of System Second " ; Lsyssec ; " (" ; Date(lsyssec
) ; ") is " ; Bweekday ; " = " ; Strweekday
' Example 5 with Date-String
Strdate = "04-11-02"
                                                         ' we have
configured Date in ANSI
Bweekday = Dayofweek(strdate)
Strweekday = Lookupstr(bweekday, Weekdays)
Print "Weekday-Number of " ; Strdate ; " is " ; Bweekday ; " = " ;
Strweekday
' ========= Second of Day
_____
' Example 1 with internal RTC-Clock
_sec = 12 : _min = 30 : _hour = 18
                                                         ' Load RTC-
Clock for example - testing
Lsecofday = Secofday()
Print "Second of Day of " ; Time$ ; " is " ; Lsecofday
' Example 2 with defined Clock - Bytes (Second / Minute / Hour)
Bsec = 20 : Bmin = 1 : Bhour = 7
Lsecofday = Secofday(bsec)
Print "Second of Day of Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour
; " (" ; Time(bsec) ; ") is " ; Lsecofday
' Example 3 with System Second
Lsyssec = 1234456789
Lsecofday = Secofday(lsyssec)
Print "Second of Day of System Second " ; Lsyssec ; "(" ; Time(lsyssec)
; ") is "; Lsecofday
' Example 4 with Time - String
Strtime = "04:58:37"
Lsecofday = Secofday(strtime)
Print "Second of Day of "; Strtime; " is "; Lsecofday
' ======== System Second
-----
' Example 1 with internal RTC-Clock
```

BASCOM Language Reference

```
677
```

```
' Load RTC-Clock for example - testing
_sec = 17 : _min = 35 : _hour = 8 : _day = 16 : _month = 4 : _year = 3
Lsyssec = Syssec()
Print "System Second of "; Time$; " at "; Date$; " is "; Lsyssec
' Example 2 with with defined Clock - Bytes (Second, Minute, Hour, Day /
Month / Year)
Bsec = 20 : Bmin = 1 : Bhour = 7 : Bday = 22 : Bmonth = 12 : Byear = 1
Lsyssec = Syssec(bsec)
Strtime = Time(bsec)
Strdate = Date(bday)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
Lsyssec
' Example 3 with System Day
Wsysday = 2000
Lsyssec = Syssec(wsysday)
Print "System Second of System Day " ; Wsysday ; " (" ; Date(wsysday) ;
" 00:00:00) is " ; Lsyssec
' Example 4 with Time and Date String
Strtime = "10:23:50"
Strdate = "02-11-29"
                                                           ' ANSI-Date
Lsyssec = Syssec(strtime , Strdate)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
             ' 91880630
Lsyssec
' ====== Day Of Year
-----
' Example 1 with internal RTC-Clock
_day = 20 : _month = 11 : _year = 2
                                                           ' Load RTC-
Clock for example - testing
Wdayofyear = Dayofyear()
Print "Day Of Year of " ; Date$ ; " is " ; Wdayofyear
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 24 : Bmonth = 5 : Byear = 8
Wdayofyear = Dayofyear(bday)
Print "Day Of Year of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
Byear ; " (" ; Date(bday) ; ") is " ; Wdayofyear
' Example 3 with Date - String
Strdate = "04-10-29"
                                                           ' we have
configured ANSI Format
Wdayofyear = Dayofyear(strdate)
Print "Day Of Year of " ; Strdate ; " is " ; Wdayofyear
' Example 4 with System Second
Lsyssec = 123456789
Wdayofyear = Dayofyear(lsyssec)
Print "Day Of Year of System Second " ; Lsyssec ; " (" ; Date(lsyssec) ;
```

#### 678 BASCOM-AVR

```
") is " ; Wdayofyear
' Example 5 with System Day
Wsysday = 3000
Wdayofyear = Dayofyear(wsysday)
Print "Day Of Year of System Day " ; Wsysday ; " (" ; Date(wsysday) ; ")
is " ; Wdayofyear
' Example 1 with internal RTC-Clock
day = 20 : _month = 11 : _year = 2
                                                        ' Load RTC-
Clock for example - testing
Wsysday = Sysday()
Print "System Day of " ; Date$ ; " is " ; Wsysday
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 24 : Bmonth = 5 : Byear = 8
Wsysday = Sysday(bday)
Print "System Day of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
Byear ; " (" ; Date(bday) ; ") is " ; Wsysday
' Example 3 with Date - String
Strdate = "04-10-29"
Wsysday = Sysday(strdate)
Print "System Day of " ; Strdate ; " is " ; Wsysday
' Example 4 with System Second
Lsyssec = 123456789
Wsysday = Sysday(lsyssec)
Print "System Day of System Second " ; Lsyssec ; " (" ; Date(lsyssec) ;
") is " ; Wsysday
' ====== Time
_____
' Example 1: Converting defined Clock - Bytes (Second / Minute / Hour)
to Time - String
Bsec = 20 : Bmin = 1 : Bhour = 7
Strtime = Time(bsec)
Print "Time values: Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour ; "
converted to string " ; Strtime
' Example 2: Converting System Second to Time - String
Lsyssec = 123456789
Strtime = Time(lsyssec)
Print "Time of Systemsecond " ; Lsyssec ; " is " ; Strtime
' Example 3: Converting Second of Day to Time - String
Lsecofday = 12345
Strtime = Time(lsecofday)
Print "Time of Second of Day " ; Lsecofday ; " is " ; Strtime
' Example 4: Converting System Second to defined Clock - Bytes (Second /
Minute / Hour)
```

```
Lsyssec = 123456789
Bsec = Time(lsyssec)
Print "System Second " ; Lsyssec ; " converted to Sec=" ; Bsec ; " Min="
; Bmin ; " Hour=" ; Bhour ; " (" ; Time(lsyssec) ; ")"
' Example 5: Converting Second of Day to defined Clock - Bytes (Second /
Minute / Hour)
Lsecofday = 12345
Bsec = Time(lsecofday)
Print "Second of Day " ; Lsecofday ; " converted to Sec=" ; Bsec ; "
Min=" ; Bmin ; " Hour=" ; Bhour ; " (" ; Time(lsecofday) ; ")"
' Example 6: Converting Time-string to defined Clock - Bytes (Second /
Minute / Hour)
Strtime = "07:33:12"
Bsec = Time(strtime)
Print "Time "; Strtime; " converted to Sec="; Bsec; " Min="; Bmin;
 " Hour=" ; Bhour
' ======= Date
' Example 1: Converting defined Clock - Bytes (Day / Month / Year) to
Date - String
Bday = 29: Bmonth = 4: Byear = 12
Strdate = Date(bday)
Print "Dat values: Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ; Byear
; " converted to string " ; Strdate
' Example 2: Converting from System Day to Date - String
Wsysday = 1234
Strdate = Date(wsysday)
Print "System Day " ; Wsysday ; " is " ; Strdate
' Example 3: Converting from System Second to Date String
Lsyssec = 123456789
Strdate = Date(lsyssec)
Print "System Second " ; Lsyssec ; " is " ; Strdate
' Example 4: Converting SystemDay to defined Clock - Bytes (Day /
Month / Year)
Wsysday = 2000
Bday = Date(wsysday)
Print "System Day " ; Wsysday ; " converted to Day=" ; Bday ; " Month="
; Bmonth ; " Year=" ; Byear ; " (" ; Date(wsysday) ; ")"
' Example 5: Converting Date - String to defined Clock - Bytes (Day /
Month / Year)
Strdate = "04-08-31"
Bday = Date(strdate)
Print "Date " ; Strdate ; " converted to Day=" ; Bday ; " Month=" ;
Bmonth ; " Year=" ; Byear
```

' Example 6: Converting System Second to defined Clock - Bytes (Day /

```
680 BASCOM-AVR
```

```
Month / Year)
Lsyssec = 123456789
Bday = Date(lsyssec)
Print "System Second " ; Lsyssec ; " converted to Day=" ; Bday ; "
Month=" ; Bmonth ; " Year=" ; Byear ; " (" ; Date(lsyssec) ; ")"
' ========== Second of Day elapsed
Lsecofday = Secofday()
_hour = _hour + 1
Lvar1 = Secelapsed(lsecofday)
Print Lvar1
Lsyssec = Syssec()
_day = _day + 1
Lvar1 = Syssecelapsed(lsyssec)
Print Lvar1
Looptest:
' Initialising for testing
_day = 1
_month = 1
_year = 1
_sec = 12
_min = 13
hour = 14
Do
   If _year > 50 Then
     Exit Do
   End If
  \_sec = \_sec + 7
  If _sec > 59 Then
     Incr _min
_sec = _sec - 60
  End If
  \min = \min + 2
  If _min > 59 Then
    Incr _hour
     _min = _min - 60
  End If
  hour = hour + 1
  If _hour > 23 Then
    Incr _day
     hour = hour - 24
  End If
  _day = _day + 1
  If _day > 28 Then
     Select Case _month
        Case 1
          Mday = 31
        Case 2
```

```
Mday = _year And &H03
           If Mday = 0 Then
             Mday = 29
           Else
             Mday = 28
           End If
        Case 3
           Mday = 31
        Case 4
           Mday = 30
        Case 5
          Mday = 31
        Case 6
          Mday = 30
        Case 7
          Mday = 31
        Case 8
          Mday = 31
        Case 9
          Mday = 30
        Case 10
          Mday = 31
        Case 11
          Mday = 30
        Case 12
          Mday = 31
     End Select
     If _day > Mday Then
        _day = _day - Mday
        Incr month
        If _month > 12 Then
          _month = 1
          Incr _year
        End If
     End If
  End If
  If _year > 99 Then
     Exit Do
  End If
Lsecofday = Secofday()
Lsyssec = Syssec()
Bweekday = Dayofweek()
Wdayofyear = Dayofyear()
Wsysday = Sysday()
Print Time$ ; " " ; Date$ ; " " ; Lsecofday ; " " ; Lsyssec ; " " ;
Bweekday ; " " ; Wdayofyear ; " " ; Wsysday
Loop
End
'only when we use I2C for the clock we need to set the clock date time
#if Clockmode = 0
'called from datetime.lib
Dim Weekday As Byte
Getdatetime:
  I2cstart
                                                              ' Generate
start code
  I2cwbyte Ds1307w
                                                              ' send
```

```
address
  I2cwbyte 0
                                                               ' start
address in 1307
  I2cstart
                                                               ' Generate
start code
  I2cwbyte Ds1307r
                                                               ' send
address
  I2crbyte _sec , Ack
  I2crbyte _min , Ack
I2crbyte _hour , Ack
                                                               ' MINUTES
                                                               ' Hours
                                                               ' Day of
  I2crbyte Weekday , Ack
Week
  I2crbyte _day , Ack
                                                               ' Day of
Month
                                                               ' Month of
  I2crbyte _month , Ack
Year
                                                               ' Year
  I2crbyte _year , Nack
  I2cstop
 _sec = Makedec(_sec) : _min = Makedec(_min) : _hour = Makedec(_hour)
  _day = Makedec(_day) : _month = Makedec(_month) : _year = Makedec(
_year)
Return
Setdate:
 __day = Makebcd(__day) : __month = Makebcd(__month) : _year = Makebcd(
_year)
 I2cstart
                                                               ' Generate
start code
 I2cwbyte Ds1307w
                                                               ' send
address
 I2cwbyte 4
                                                               ' starting
address in 1307
 I2cwbyte _day
                                                               ' Send Data
to SECONDS
                                                               ' MINUTES
 I2cwbyte _month
  I2cwbyte _year
                                                               ' Hours
  I2cstop
Return
Settime:
  _sec = Makebcd(_sec) : _min = Makebcd(_min) : _hour = Makebcd(_hour)
  I2cstart
                                                               ' Generate
start code
                                                               ' send
  I2cwbyte Ds1307w
address
  I2cwbyte 0
                                                               ' starting
address in 1307
 I2cwbyte _sec
                                                               ' Send Data
to SECONDS
 I2cwbyte _min
                                                               ' MINUTES
  I2cwbyte _hour
                                                               ' Hours
  I2cstop
Return
#endif
Weekdays:
Data "Monday", "Tuesday", "Wednesday", "Thursday", "Friday",
"Saturday" , "Sunday"
```

#### 6.195 DBG

#### Action

Prints debug info to the hardware UART

# Syntax

DBG

#### Remarks

See <u>\$DBG</u> 340 for more information

### 6.196 DCF77TIMEZONE

#### Action

This function will return the offset to Greenwich Time.

#### **Syntax**

res = DCF77TimeZone()

# Remarks

The target variable that is assigned with the result. The result will be:
- 0: when there is no valid DCF77 data yet
- 1: when in "Middle Europe Normal Time"
- 2: when in "Middle Europe daylight saving Time"

In Middle Europe, daylight saving is used to make better use of the day light in the summer.

The last Sunday in March at 02:00 AM the Daylight Saving will start. All clocks are set from 2:00 to 3:00.

Your weekend, is one hour shorter then.

But the last Sunday of October is better : at 03:00 AM, the Daylight Saving will end and all clocks are set from 03:00 to 02:00.

When you have a lot of clocks in your house, you can understand why DCF77 synchronized clocks are so popular.

# See also

CONFIG DCF77 515

# Example

Print = DCF77TimeZone()

### 6.197 DEBUG

684

### Action

Instruct compiler to start or stop debugging, or print variable to serial port

#### **Syntax**

DEBUG ON | OFF | var

#### Remarks

ON	Enable debugging
OFF	Disable debugging
var	A variable which values must be printed to the serial port

During development of your program a common issue is that you need to know the value of a variable.

You can use PRINT to print the value but then it will be in the application as well. You can use conditional compilation such as :

CONST TEST=1 #IF TEST print var #ENDIF

But that will result in a lot of typing work. The DEBUG option is a combination of conditional compilation and PRINT. Whenever you activate DEBUG with the ON parameter, all 'DEBUG var' statements will be compiled. When you turn DEBUG OFF, all 'DEBUG var' statements will not be compiled.

You can not nest the ON and OFF. The last statements wins. Typical you will have only one DEBUG ON statement. And you set it to OFF when your program is working.

An example showing nesting is NOT supported: DEBUG ON DEBUG ON ' it is still ON DEBUG OFF' it is OFF now

An example showing multiple DEBUG: DEBUG ON DEBUG var ' this is printed DEBUG var2 ' this is also printed

DEBUG OFF DEBUG var3 'this is NOT printed DEBUG var4 ' this is not printed

DEBUG ON 'turn DEBUG ON If A = 2 Then DEBUG A 'this is printed End If

# See also

DBG

# ASM

NONE

# Example

DEBUG ON Dim A As Byte DEBUG A End

# 6.198 DEBOUNCE

# Action

Debounce a port pin connected to a switch.

# Syntax

DEBOUNCE Px.y , state , label [ , SUB]

# Remarks

Px.y	A port pin like PINB.0 , to examine.	
State	0 for jumping when PINx.y is low , 1 for jumping when PINx.y is high	
Label	The label to GOTO when the specified state is detected	
SUB	The label to GOSUB when the specified state is detected	

When you specify the optional parameter SUB, a GOSUB to label is performed instead of a GOTO.

The DEBOUNCE statement tests the condition of the specified pin and if true there will be a delay for 25 mS and the condition will be checked again. (eliminating bounce of a switch)

When the condition is still true and there was no branch before, it branches to specified the label.

When the condition is not true, or the logic level on the pin is not of the specified level, the code on the next line will be executed.

When DEBOUNCE is executed again, the state of the switch must have gone back in the original position before it can perform another branch. So if you are waiting for a pin to go low, and the pin goes low, the pin must change to high, before a new low level will result in another branch.

Each DEBOUNCE statement, which uses a different port, uses 1 BIT of the internal memory to hold its state. And as the bits are stored in SRAM, it means that even while you use only 1 pin/bit, a byte is used for storage of the bit.

DEBOUNCE will not wait for the input value to met the specified condition. You need to use BITWAIT if you want to wait until a bit will have a certain value.

So DEBOUNCE will not halt your program while a BITWAIT can halt your program if the bit will never have the specified value. You can combine BITWAIT and DEBOUNCE statements by preceding a DEBOUNCE with a BITWAIT statement.

#### See also

CONFIG DEBOUNCE 521, BITWAIT 453

```
Example
                 _____
_____
                       : deboun.bas
'name
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : demonstrates DEBOUNCE
                       : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                      ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
$hwstack = 32
                                                       ' default
use 32 for the hardware stack
\$swstack = 10
                                                       ' default
use 10 for the SW stack
                                                      ' default
$framesize = 40
use 40 for the frame space
Config Debounce = 30
                                                      'when the
config statement is not used a default of 25mS will be used but we
override to use 30 mS
 'Debounce Pind.0 , 1 , Pr 'try this for branching when high(1) Debounce Pind.0 , 0 , Pr , Sub
 Debounce Pind.0 , 0 , Pr , Sub

' ^----- label to branch to
               ^----- Branch when P1.0 goes low(0)
           ^----- Examine P1.0
 'When Pind.0 goes low jump to subroutine Pr
 'Pind.0 must go high again before it jumps again
 'to the label Pr when Pind.0 is low
 Debounce Pind.0 , 1 , Pr
                                                      'no branch
 Debounce Pind.0 , 1 , Pr
                                                      'will result
in a return without gosub
End
Pr:
 Print "PIND.0 was/is low"
Return
```

#### 6.199 DECR

#### Action

Decrements a variable by one.

# Syntax DECR var

# Remarks

There are often situations where you want a number to be decreased by 1. It is simpler to write : DECR var compared to : var = var - 1

# See also

INCR 787

# Example

· · · · · · · · · · · · · · · · · · ·		
'copyright 'purpose 'micro 'suited for demo 'commercial addon needed		
<pre>\$regfile = "m48def.dat"</pre>		' specify
the used micro <b>\$crystal =</b> 4000000		' used
crystal frequency <b>\$baud =</b> 19200		' use baud
<pre>rate \$hwstack = 32 </pre>		' default
<pre>use 32 for the hardware st \$swstack = 10</pre>	ack	' default
use 10 for the SW stack <b>\$framesize =</b> 40 use 40 for the frame space		' default
Dim A As Byte , I As Integ	er	
A = 5		'assign
value to a <b>Decr</b> A		'decrease
(by one) Print A		'print it
I = 1000 Decr I Print I		

End

# 6.200 DECLARE FUNCTION

#### Action

688

Declares a user function.

### **Syntax**

**DECLARE FUNCTION** TEST[( [BYREF/BYVAL] var as type)] As type

# Remarks

test	Name of the function.
Var	Name of the variable(s).
	Type of the variable(s) and of the result. Byte,Word, Dword, Integer, Long, Single, Double or String. Bits are not supported.

When BYREF or BYVAL is not provided, the parameter will be passed by reference. Use BYREF to pass a variable by reference with its address. Use BYVAL to pass a copy of the variable. Use BYLABEL to pass the address of a label.

See the <u>CALL</u> 46 h and <u>DECLARE SUB</u> 690 statements for more details. See also <u>Memory usage</u> 17h

You must declare each function before writing the function or calling the function. And the declaration must match the function. Bits are global and can not be passed to functions or subs.

When you want to pass a string, you pass it with it's name : string. So the size is not important. For example : *Declare function Test(s as string, byval z as string) as byte* 

When you set the function result, you need to take care that no other code is executed after this.

So a good way to set the result would be this :

Function Myfunc(b as byte) as Byte local bDummy as byte 'some code here Myfunc=3 ' assign result ' no other code is executed End Function

Also good would be:

Function Myfunc(b as byte) as Byte local bDummy as byte 'some code here Myfunc=1 ' assign default result Print "this is a test " ; b Myfunc=4 ' now again the result is the last code ' no other code is executed End Function If you execute other code after you assigned the function result, registers will be trashed. This is no problem if you assigned the function result to a variable. But when you use a function without assigning it to a variable, some temporarily registers are used which might be trashed.

Thus this special attention is only needed when you use the function like : If Myfunc()=3 then 'myfunc is not assigned to a variable but the result is needed for the test

When you use : myvar=Myfunc() Then you will not trash the registers. So in such a case there is no problem to run code after the function assignment.

To keep it safe, assign the result just before you exit the function.

# See also

CALL 461, SUB 9651, CONFIG SUBMODE 5981

# Example

\_\_\_\_\_ \_\_\_\_\_ 'name : function.bas 'copyright : (c) 1995-2005, MCS Electronics 'purpose : demonstration of user function 'suited for demo : vec 'micro 'commercial addon needed : no \*\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'A user function must be declare before it can be used. 'A function must return a type Declare Function Myfunction (byval I As Integer , S As String) As Integer 'The byval paramter will pass the parameter by value so the original value 'will not be changed by the function Dim K As Integer Dim Z As String \* 10 Dim T As Integer 'assign the values K = 5 Z = "123"

T = Myfunction(k, Z)

```
Print T
End
Function Myfunction (byval I As Integer , S As String) As Integer
  'you can use local variables in subs and functions
  Local P As Integer
  P = I
  'because I is passed by value, altering will not change the original
  'variable named k
  T = 10
  P = Val(s) + I
  'finally assign result
  'Note that the same data type must be used !
  'So when declared as an Integer function, the result can only be
  'assigned with an Integer in this case.
 Myfunction = P
End Function
```

# 6.201 DECLARE SUB

### Action

Declares a subroutine.

#### **Syntax**

DECLARE SUB TEST[( [BYREF/BYVAL/BYLABEL] var as type)]

#### Remarks

test	Name of the procedure.
Var	Name of the variable(s).
	Type of the variable(s). Byte, Word, Dword, Integer, Long, Single, Double or String.

When BYREF or BYVAL is not provided, the parameter will be passed by reference. Use BYREF to pass a variable by reference with its address. When using the referenced address, you work on the original variable. So a change of the variable inside the sub routine, will change the variable outside the routine as well.

Use BYVAL to pass a copy of the variable. Passing a copy of the variable allows to alter the copy in the sub routine while leaving the original variable unaltered. BYVAL will not change the original passed variable but it requires more code since a copy of the parameter must be created.

Use BYLABEL to pass the address of a label. BYLABEL will pass the word address. It will not work for processors with multiple 64 KB pages.

Using BYLABEL on the EEPROM is possible but the EEPROM image must proceed the call with the label name.

See also <u>READEEPROM</u> [88], <u>LOADLABE</u> [815] and <u>Memory usage</u> [17]

If you pass a string you may specify the length of the string. This length will be the maximum length the string may grow. This is important when you pass a string

BYVAL.

When you for example pass a string like "ABC" to a subroutine or function BYVAL, the compiler will create a copy with a length of 3. This is sufficient to pass it to the sub routine.

But if the sub routine adds data to the string, it will not fit since the string is too short. In such a case you can specify the length. **s as string \* 10**, will create a string with a size of 10.

See the <u>CALL</u><sup>46</sup> statement for more details.

You must declare each function before writing the function or calling the function. And the declaration must match the function. Bits are global and can not be passed with functions or subs.

#### See also

CALL 46h, SUB 965h, FUNCTION 688h, CONFIG SUBMODE 598h

# Example

\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ 'name : declare.bas : (c) 1995-2005, MCS Electronics 'copyright 'purpose : demonstrate using declare : Mega48 'micro 'suited for demo : yes 'commercial addon needed : no ' Note that the usage of SUBS works different in BASCOM-8051 ..... \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate **Shwstack = 32** ' default use 32 for the hardware stack \$swstack = 10 ' default use 10 for the SW stack \$framesize = 40 ' default use 40 for the frame space ' First the SUB programs must be declared 'Try a SUB without parameters Declare Sub Test2 'SUB with variable that can not be changed(A) and 'a variable that can be changed(B1), by the sub program 'When BYVAL is specified, the value is passed to the subprogram 'When BYREF is specified or nothing is specified, the address is passed to 'the subprogram Declare Sub Test (byval A As Byte , B1 As Byte)

#### 692 BASCOM-AVR

```
Declare Sub Testarray(byval A As Byte , B1 As Byte)
'All variable types that can be passed
'Notice that BIT variables can not be passed.
'BIT variables are GLOBAL to the application
Declare Sub \texttt{Testvar}(\texttt{b} \ \texttt{As} \ \texttt{Byte} , <code>I</code> <code>As</code> <code>Integer</code> , <code>W</code> <code>As</code> <code>Word</code> , <code>L</code> <code>As</code> <code>Long</code> , <code>S</code>
As String)
'passing string arrays needs a different syntax because the length of
the strings must be passed by the compiler
'the empty () indicated that an array will be passed
Declare Sub Teststr(b As Byte , Dl() As String)
Dim Bb As Byte , I As Integer , W As Word , L As Long , S As String * 10
       'dim used variables
Dim Ar(10) As Byte
Dim Sar(10) As String * 8
                                                                    'strng array
For Bb = 1 To 10
                                                                    'fill the
  Sar(bb) = Str(bb)
arrav
Next
Bb = 1
'now call the sub and notice that we always must pass the first address
with index 1
Call Teststr(bb , Sar(1))
Call Test2
                                                                    'call sub
Test2
                                                                    'or use
without CALL
'Note that when calling a sub without the statement CALL, the enclosing
parentheses must be left out
Bb = 1
Call Test(1 , Bb)
                                                                    'call sub
with parameters
Print Bb
                                                                    'print value
that is changed
'now test all the variable types
Call Testvar(bb , I , W , L , S )
Print Bb ; I ; W ; L ; S
'now pass an array
'note that it must be passed by reference
Testarray 2 , Ar(1)
Print "ar(1) = " ; Ar(1)
Print "ar(3) = "; Ar(3)
$notypecheck
                                                                    ' turn off
type checking
Testvar Bb , I , I , I , S
'you can turn off type checking when you want to pass a block of memory
                                                                   'turn it
$typecheck
back on
End
'End your code with the subprograms
'Note that the same variables and names must be used as the declared
ones
Sub Test(byval A As Byte , B1 As Byte)
                                                                    'start sub
    Print A ; " " ; B1
                                                                    'print
passed variables
    B1 = 3
                                                                    'change
```

```
BASCOM Language Reference
                                                                      693
    'You can change A, but since a copy is passed to the SUB,
    'the change will not reflect to the calling variable
End Sub
                                                              'sub without
Sub Test2
parameters
    Print "No parameters"
End Sub
Sub Testvar(b As Byte , I As Integer , W As Word , L As Long , S As
String)
   Local X As Byte
   X = 5
                                                              'assign
local
    B = X
    I = -1
    W = 40000
   L = 20000
    S = "test"
End Sub
                                                              'start sub
Sub Testarray(byval A As Byte , B1 As Byte)
   Print A ; " " ; B1
                                                              'print
passed variables
   B1 = 3
                                                              'change
value of element with index 1
   B1(1) = 3
                                                              'specify the
index which does the same as the line above
    B1(3) = 3
                                                              'modify
other element of array
    'You can change A, but since a copy is passed to the SUB,
    'the change will not reflect to the calling variable
End Sub
'notice the empty() to indicate that a string array is passed
Sub Teststr(b As Byte , Dl() As String)
 Dl(b) = Dl(b) + "add"
End Sub
```

#### Example BYLABEL \$regfile = "m88def.dat"

value

```
$hwstack = 40
\$swstack = 80
$framesize = 80
Dim B As Byte , W As Word
Declare Sub Somesub(bylabel Mylabel As Word)
Somesub Alabel
End
Sub Somesub(bylabel Mylabel As Word)
  W = Mylabel
                                 ' this points to the BYTE address of the
data
  lds _dptrl,{W }
                                 ' point to
  LDS _dptrh, {W+1}
  Read B : Print B
```

#### 694 BASCOM-AVR

End Sub

Alabel: Data 1 , 2 , 3

# 6.202 DEFxxx

### Action

Declares all variables that are not dimensioned of the DefXXX type.

Syntax	
DEFBIT b	Define BIT
DEFBYTE c	Define BYTE
DEFINT I	Define INTEGER
DEFWORD X	Define WORD
DEFLNG	Define LONG
DEFSNG s	Define SINGLE
DEFDBL z	Define DOUBLE

### Remarks

While you can DIM each individual variable you use, you can also let the compiler handle it for you.

All variables that start with a certain letter will then be dimmed as the specified type.

#### Example

Defbit b : DefInt c 'default type for bit and integers

Set b1 'set bit to 1

c = 10 'let c = 10

# 6.203 DEFLCDCHAR

#### Action

Define a custom LCD character.

#### **Syntax**

**DEFLCDCHAR** char,r1,r2,r3,r4,r5,r6,r7,r8

#### Remarks

char	Constant representing the character (0-7).
r1-r8	The row values for the character.

You can use the <u>LCD designer</u> [85] to build the characters.

It is important that a CLS follows the DEFLCDCHAR statement(s). So make sure you use the DEFLCDCHAR before your CLS statement.

Special characters can be printed with the  $\underline{Chr}_{467}$  () function.

LCD Text displays have a 64 byte memory that can be used to show your own custom characters. Each character uses 8 bytes as the character is an array from 8x8 pixels. You can create a maximum of 8 characters this way. Or better said : you can show a maximum of 8 custom characters at the same time. You can redefine characters in your program but with the previous mentioned restriction.

A custom character can be used to show characters that are not available in the LCD font table. For example a  $\hat{U}_{\cdot}$ 

You can also use custom characters to create a bar graph or a music note.

#### See also

Tools LCD designer

#### **Partial Example**

```
Deflcdchar 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228 '
replace ? with number (0-7)
Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240 '
replace ? with number (0-7)
Cls 'select data
RAM
Rem it is important that a CLS is following the deflcdchar statements
because it will set the controller back in datamode
Lcd Chr(0) ; Chr(1) 'print the
special character
```

#### 6.204 DEG2RAD

#### Action

Converts an angle in to radians.

#### Syntax

var = **DEG2RAD**(Source)

#### **Remarks**

	A numeric variable that is assigned with the degrees of variable Source.
Source	The single or double variable to get the degrees of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG 873

# Example

```
'copyright: (c) 1995-2005, MCS Electronics'micro: Mega48'suited for demo: yes'commercial addon needed: no
```

```
696 BASCOM-AVR
```

\_\_\_\_\_

'purpose : demonstrates DEG2RAD function

\_\_\_\_\_

```
Dim S As Single
S = 90
S = Deg2Rad(s)
Print S
S = Rad2deg(s)
Print S
End
```

# 6.205 DELAY

# Action

1 \_ \_ \_ \_ \_ \_ \_ \_

Delay program execution for a short time.

# Syntax DELAY

# Remarks

Use DELAY to wait for a short time. The delay time is ca. 1000 microseconds.

Interrupts that occur frequently and/or take a long time to process, will let the delay last longer. When you need a very accurate delay, you need to use a timer.

### See also

WAIT 999 , WAITMS 1001

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed '		
<pre>\$regfile = "m48def.dat" the wood misses</pre>		' specify
the used micro \$crystal = 4000000		' used
crystal frequency <b>\$baud =</b> 19200		' use baud
rate <b>\$hwstack =</b> 32		' default
<pre>use 32 for the hardware s \$swstack = 10 use 10 for the SW stack</pre>	tack	' default

\_\_\_\_\_

' default

'port B as

'lets wait

'wait 10

**\$framesize** = 40 use 40 for the frame space Ddrb = &HFF output Portb = 255**Print** "Starting" Delay for a very short time Print "Now wait for 3 seconds" Portb = 0Wait 3 Print "Ready" Waitms 10 milliseconds Portb = 255End

#### 6.206 DELCHAR

### Action

Delete one character from a string.

#### Syntax

**DELCHAR** string, pos

# Remarks

string	The string where the character is removed from.
	The position where the character must be removed from. A value of 1 would remove the first character.

Do not confuse with the DELCHAR**S** statement which removes all characters based on a character value.

The DELCHAR removes one character from a string based on an index.

# See also

DELCHARS [698], INSERTCHAR [797], INSTR [798], MID [837], CHARPOS [463], REPLACECHARS [897]

# Example

```
' (c) 1995-2011, MCS
del_insert_chars.bas
' This sample demonstrates the delchar, delchars and insertchar
statements
'
$regfile="m88def.dat"
$crystal = 8000000
$hwstack = 40
$swstack = 40
$framesize = 40
```

```
dim s as string * 30
s = "This is a test string" ' create a string
delchar s, 1 ' remove the first char
print s ' print it
insertchar s,1, "t" ' put a small t back
print s
delchars s,"s" ' remove all s
print s
end
```

#### 6.207 DELCHARS

#### Action

Delete all character from a string matching the provided character value.

#### Syntax

**DELCHARS** string, value

#### Remarks

string	The string where the characters are removed from.
	The value of the character which must be removed from the string. You can use "A" to remove all capital A characters. Or you can pass a byte with the value of 65 to remove all characters with ASCII value 65 (A)

Do not confuse with the DELCHAR statement which removes one character based on an index value.

DELCHARS removes ALL characters from a string matching value.

### See also

DELCHAR बिभी, INSERTCHAR निभी, INSTR निभी, MID बिभी, CHARPOS बिभी, REPLACECHARS बिभी

# Example

```
dim s as string * 30
s = "This is a test string" ' create a string
delchar s, 1 ' remove the first char
print s ' print it
insertchar s,1, "t" ' put a small t back
print s
delchars s,"s" ' remove all s
print s
end
```

#### 6.208 DIM

# Action

Dimension a variable.

#### Syntax

**DIM** var AS [XRAM/SRAM/ERAM]type [AT location/variable] [OVERLAY]

Remarks	5
Var	Any valid variable name such as b1, i or longname. var can also be an array : ar(10) for example.
Туре	Bit, Byte, Word, Integer, Long, Dword, Single, Double or String
XRAM	Specify XRAM to store variable into external memory
SRAM	Specify SRAM to store variable into internal memory (default)
ERAM	Specify ERAM to store the variable into EEPROM
OVERLAY	Specify that the variable is overlaid in memory.
location	The address of name of the variable when OVERLAY is used.

# A string variable needs an additional length parameter:

Dim s As XRAM String \* 10

In this case, the string can have a maximum length of 10 characters. Internally one additional byte is needed to store the end of string marker. Thus in the example above, 11 bytes will be used to store the string.

Note that BITS can only be stored in internal memory.

You may also specify IRAM. IRAM is the place in memory where the registers are located : absolute address 0 - 31. BASCOM uses most of these addresses, depending on the instructions/options you use. For a  $\frac{TINY}{400}$  chip it makes sense to use IRAM since there is NO SRAM in most tiny AVR chips (TINY15 for example). You may also use to IRAM to overlay registers in memory.

See also Memory usage 171

#### SCOPE

The scope for DIM is global. So no matter where you use the DIM statements, the variable will end up as a global visible variable that is visible in all modules,

#### 700 BASCOM-AVR

procedures and functions.

When you need a LOCAL variable that is local to the procedure or function, you can use  $\underline{LOCAL}$  [819].

Since LOCAL variables are stored on the frame, it takes more code to dynamic generate and clean up these variables.

# AT

The optional **AT** parameter lets you specify where in memory the variable must be stored. When the memory location already is occupied, the first free memory location will be used. You need to look in the report file to see where the variable is located in memory.

# **OVERLAY**

The **OVERLAY** option will not use any variable space. It will create a sort of phantom variable.

Dim x as Long at \$60 'long uses 60,61,62 and 63 hex of SRAM

Dim B1 As Byte At \$60 Overlay Dim B2 As Byte At \$61 Overlay

'\$60 is the same as &H60

B1 and B2 are no real variables! They refer to a place in memory. In this case to &H60 and &H61. By assigning the phantom variable B1, you will write to memory location &H60 that is used by variable X.

So to define it better, OVERLAY does create a normal usable variable, but it will be stored at the specified memory location which could be already be occupied by another OVERLAY variable, or by a normal variable.

Take care with the OVERLAY option. Use it only when you understand it.

You can also read the content of B1: Print B1

This will print the content of memory location &H60.

By using a phantom variable you can manipulate the individual bytes of real variables.

# **Overlay example 2**


Dim L as Long at &H60 Dim W as Word at &H62 OVERLAY

W will now point to the upper two bytes of the long.

# **Overlay example 3**

Following you find the Bascom-AVR Simulator Memory status when you run the following example in Bascom-AVR Simulator. This example is intended to be used with the simulator. You need to uncomment the **\$sim** when you want to test it on an real AVR.

Strings need an additional byte (Null termination). So you need an overlay of 8 bytes when you overlay a string with 7 bytes.



#### 702 BASCOM-AVR

```
Teststring = "Hello"
---> 5 ASCII but 6 Bytes because of 0 Termination of String
This is how it will be stored in SRAM
Ar(1) Ar(2) Ar(3) Ar(4) Ar(5) Ar(6)
                                        +--
| H | e |
                                           1
                                                          1
                                                                 0
                                                                                 Т
                                                                                        00
For K = 1 To 5
Print Chr(ar(k));
Next
Print
K = 1
Print "-----"

        Dim
        My_word
        As
        Word

        Dim
        Low_byte
        As
        Byte
        At
        My_word
        Overlay

        Dim
        High_byte
        As
        Byte
        At
        My_word
        +
        1
        Overlay

Low_byte = &B0000_1111
High_byte = &B1111_0000
'This is how it will be stored in SRAM
              <----->my_word----->
   Low_byte |High_byte
                   +----
                           ----+---
                                          -+
'But when you print it with print bin(Variable) you will see it as
                <----->
         11110000
                            00001111
                   +--
.
   | High_byte |Low_byte
                                       ____I
                   +----
Print "My_word = "; Bin(my_word)
Print "------"
DimMy_long_1As LongDimByte_1AsByte AtMy_long_1OverlayDimByte_2AsByte AtMy_long_1 + 1OverlayDimByte_3AsByte AtMy_long_1 + 2OverlayDimByte_4AsByte AtMy_long_1 + 3Overlay
Byte_1 = 1
Byte_2 = 2
Byte_3 = 3
Byte_4 = 4
Print Bin( my_long_1)
'This is how it will be stored in SRAM
                 <-------my_long_1------>
+-----+-----+
                Byte_1|Byte_2|Byte_3|Byte_4|
        Т
                      'But when you print it with print bin(Variable) you will see it as
                   <----->my_long_1----->
                      +-----
                                          ____
                Byte_4|Byte_3|Byte_2|Byte_1|
        +----+----+-----+-----
Print "-----"
Dim My_dword As Dword At $140
                                                                                      'This places the my_long_2 variable at

      Dim Ny_oword As Dword At $140
      'This

      fixed SRAM address starting at HEX 140
      'NOT

      Dim Byte_1 As Byte At $140 Overlay
      'NOT

      the specified memory location
      'NOT

      Dim Byte_2 As Byte At $141 Overlay
      'w

      another OVERLAY variable, or by a normal variable the

                                                                                                                                                         а
                                                                                      'NOTICE: because this will be stored at
                                                                                     ' which could be already be occupied by
```

BASCOM Language Reference

703

Dim Byte\_3 As Byte At \$142 Overlay already occupied" in this case. Dim Byte\_4 As Byte At \$143 Overlay ' compiler generate an ERROR "Address Byte\_\_1 = 1 Byte\_\_2 = 2 Byte\_\_3 = 3 Byte\_\_4 = 4 Byte\_ 'This is how it will be stored in SRAM <-----my\_dword-----> +-----+ Byte\_1|Byte\_2|Byte\_3|Byte\_4| +------+ But when you print it with print bin(Variable) you will see it as <-----my\_dword-----> Byte\_4|Byte\_3|Byte\_2|Byte\_1| +----·--+---Print "my\_dword = "; Bin(my\_dword) Print "-----" Dim My\_dword\_2 As Dword Dim My\_word\_2 As Word At My\_dword\_2 Overlay Dim My\_byte3 As Byte At My\_dword\_2 + 2 Overlay Dim My\_byte4 As Byte At My\_dword\_2 + 3 Overlay My\_word\_2 = &B11111111\_00000000 My\_byte3 = &B00000011 My\_byte4 = &B1000000 'This is how it will be stored in SRAM <----->my\_dword\_2-----> +-----+-----+-----+------+------11 my\_word\_2 [my\_byte3[my\_byte4] 'But when you print it with print bin(Variable) you will see it as +----+---------+ | my\_byte4|my\_byte3| my\_word\_2 +--Print Bin( my\_dword\_2) Print "-----" ' Now we examine the Null terminator in Strings DimMy\_date(11)As Byte'8 stringsDimDay As String \* 2 At My\_date(1)OverlayDimNull\_terminator As Byte At My\_date(1) + 2 OverlayDimMonth As String \* 2 At My\_date(1) + 3 OverlayDimNull\_terminator\_2 As Byte At My\_date(1) + 5 OverlayDimYear As String \* 4 At My\_date(1) + 6 OverlayDimNull\_terminator\_3 As Byte At My\_date(1) + 10 Overlay '8 strings + 3 Null terminator = 11 Byte 'Null terminator 'Null terminator 'Null terminator Day = "16" Month = "11" Year = "2011" Print "Day="; Day Print "Month="; Month Print "Year="; Year 'For example the print function use the Null Terminator to check the end of the string 'When we set now the Null\_terminator to "/" (forward slash) instead of 0 then the print function print until a Null terminator is recognised Null\_terminator = 47 '47 = "/" (forward slash) "16/11" because Print Day 'This will now print

the first Null terminator will be found after the "11"

End

'end program

# Using variable name instead of address

As variables can be moved though the program during development it is not always convenient to specify an address. You can also use the name of the variable :

DIM W as WORD Dim B as BYTE AT W OVERLAY

Now B is located at the same address as variable W.

For XRAM variables, you need <u>additional hardware</u> 1691: an external RAM and address decoder chip.

# ERAM

For ERAM variables, it is important to understand that these are not normal variables. ERAM variables serve as a way to simple read and write the EEPROM memory. You can use READEEPROM and WRITEEEPROM for that purpose too.

To write to an ERAM variable you have to use an SRAM variable as the source : eramVAR= sramVAR

To read from an ERAM variable you have to use an SRAM variable as the targer : sramVAR=eramVAR

Both variables need to be of the same data type. So when writing to an ERAM double, the source variable need to be of the double type too.

ERAM can be assigned with a numeric value too : eramVAR= 123

You can not use an ERAM variable as you would use a normal variable.

Also keep in mind that when you write to ERAM, you write to EEPROM, and that after 100.000 times, the EEPROM will not erase properly.

Dim b as byte, bx as ERAM byte B= 1 Bx=b ' write to EEPROM B=bx ' read from EEPROM

# Xmega

The XMEGA need an additional configuration command : <u>CONFIG EEPROM</u> [530] = MAPPED, in order to use ERAM.

# Size

The maximum size of an array depends on the available memory and the data type. The XMEGA supports up to 8 MB of external memory. BASCOM supports this but the implementation is still considered BETA. It should not be used for production. The only thing you need to do to activate the big memory is to specify the size with \$XRAMSIZE.

For example : \$XRAMSIZE=8000000 will tell the compiler that you use 8 MB of external memory.

Additional registers must be set to pass the 24 bit address. This will create more

code.

There is only one restriction : you can/may not pass variables located in the external memory to a sub or function.

The compiler will always pass a word address and does not support to pass the additional byte.

#### See Also

CONST बिस्की , LOCAL बिग्रि, Memory usage गिरी

#### Example

\_\_\_\_\_ \_\_\_\_\_ 'name : dim.bas 'copyright : (c) 1995-2005, MCS Electronics 'purpose : demo: DIM : Mega48 'micro 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro ' used \$crystal = 4000000crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim B1 As Bit 'bit can be 0 or 1 Dim A As Byte 'byte range from 0-255 Dim C As Integer 'integer range from -32767 - +32768 Dim L As Long Dim W As Word Dim S As String \* 11 'length can be up to 11 characters 'new feature : you can specify the address of the variable Dim K As Integer At &H120 'the next dimensioned variable will be placed after variable s Dim Kk As Integer 'Assign bits B1 = 1 'or Set B1 'use set 'Assign bytes A = 12A = A + 1

```
'Assign integer
C = -12
C = C + 100
Print C
W = 50000
Print W
'Assign long
L = 12345678
Print L
'Assign string
S = "Hello world"
Print S
End
```

# 6.209 DIR

#### Action

Returns the filename that matches the specified file mask.

#### **Syntax**

sFile = **DIR**(mask) sFile = **DIR**()

# Remarks

SFile	A string variable that is assigned with the filename.
Mask	A file mask with a valid DOS file mask like *.TXT
	Use *.* to select all files.

The first function call needs a file mask. All other calls do not need the file mask. In fact when you want to get the next filename from the directory, you must not provide a mask after the first call.

Dir() returns an empty string when there are no more files or when no file name is found that matches the mask.

#### See also

INITFILESYSTEM 787, OPEN 1845, CLOSE 476, FLUSH 739, PRINT 1867, LINE INPUT 1813, LOC 1817, LOF 1818, EOF 737, FREEFILE 745, FILEATTR 7347, SEEK 1907, BSAVE 459, BLOAD 455, KILL 1807, DISKFREE 709, DISKSIZE 710, GET 747, PUT 1870, FILELEN 737, FILEDATE 735, FILETIME 738, FILEDATETIME 736, WRITE 1004, INPUT 794

#### ASM

Calls	_Dir ; with file mask	_Dir0 ; without file mask
	X : points to the string with the mask	Z : points to the target variable
Output		

# **Partial Example**

'Lets have a look at the file we created Print "Dir function demo" S = Dir("\*.\*")'The first call to the DIR() function must contain a file mask ' The \* means everything. ' While Len(s)> 0 ' if there was a file found Print S ;" ";Filedate();" ";Filetime();" ";Filelen() ' print file , the date the fime was created/changed , the time and the size of the file S = Dir()' get next Wend

# 6.210 DISABLE

# Action

Disable specified interrupt.

# **Syntax**

**DISABLE** interrupt [device]

# Remarks

Interrupt	Description	
INTO	External Interrupt 0	
INT1	External Interrupt 1	
OVF0,TIMER0, COUNTER0	TIMER0 overflow interrupt	
OVF1,TIMER1,	TIMER1 overflow interrupt	
COUNTER1		
CAPTURE1, ICP1	INPUT CAPTURE TIMER1 interrupt	
COMPARE1A,OC1A	TIMER1 OUTPUT COMPARE A interrupt	
COMPARE1B,OC1B	TIMER1 OUTPUT COMPARE B interrupt	
SPI	SPI interrupt	
URXC	Serial RX complete interrupt	
UDRE	Serial data register empty interrupt	
UTXC	Serial TX complete interrupt	
SERIAL	Disables URXC, UDRE and UTXC	
ACI	Analog comparator interrupt	
ADC	A/D converter interrupt	

By default all interrupts are disabled.

To disable all interrupts specify INTERRUPTS.

To enable the enabling and disabling of individual interrupts use ENABLE INTERRUPTS.

The ENABLE INTERRUPTS serves as a master switch. It must be enabled/set in order for the individual interrupts to work.

The interrupts that are available will depend on the used microprocessor. The

available interrupts are shown automatically in the editor.

To disable the JTAG you can use DISABLED JTAG. The JTAG is not an interrupt but a device.

#### See also

ENABLE 726

# Example

\_\_\_\_\_ \_\_\_\_\_ 'name : serint.bas 'copyright : (c) 1995-2005, MCS Electronics : serial interrupt example for AVR 'purpose 'micro : 90S8535 'suited for demo : yes 'commercial addon needed : no ·-----\_\_\_\_\_ ------\$regfile = "8535def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space **Const** Cmaxchar = 20 'number of characters Dim B As Bit 'a flag for signalling a received character Dim Bc As Byte 'byte counter Dim Buf As String \* Cmaxchar 'serial buffer Dim D As Byte 'Buf = Space(20)'unremark line above for the MID() function in the ISR 'we need to fill the buffer with spaces otherwise it will contain garbage Print "Start" **On** Urxc Rec\_isr 'define serial receive ISR Enable Urxc 'enable receive isr

**BASCOM Language Reference** 709 Enable Interrupts 'enable interrupts to occur Do If B = 1 Then 'we received something Disable Serial Print Buf 'print buffer Print Bc 'print character counter 'now check for buffer full If Bc = Cmaxchar Then 'buffer full Buf = "" 'clear Bc = 0'rest character counter End If Reset B 'reset receive flag Enable Serial End If Loop Rec\_isr: Print "\*" If Bc < Cmaxchar Then 'does it fit into the buffer? 'increase Incr Bc buffer counter If Udr = 13 Then 'return? Buf = Buf + Chr(0)Bc = Cmaxchar Else Buf = Buf + Chr(udr) 'add to buffer End If ' Mid(buf , Bc , 1) = Udr 'unremark line above and remark the line with Chr() to place 'the character into a certain position 'B = 1 'set flag End If 'set flag B = 1 Return

# 6.211 DISKFREE

# Action

Returns the free size of the Disk in KB.

# **Syntax**

IFreeSize = DISKFREE()

#### Remarks

lFreeSize	A Long Variable, which is assigned with the available Bytes on the Disk
	in Kilo Bytes.

This functions returns the free size of the disk in KB. With the support of FAT32, the return value was changed from byte into KB.

#### See also

INITFILESYSTEM 787 , OPEN 845 , CLOSE 476 , FLUSH 739 , PRINT 867 , LINE INPUT 813 , LOC 817 , LOF 818 , EOF 737 , FREEFILE 745 , FILEATTR 734 , SEEK 907 , BSAVE 459 , BLOAD 455 , KILL 807 , DISKSIZE 710 , GET 747 , PUT 870 , FILEDATE 735 , FILETIME 738 , FILEDATETIME 736 , DIR 708 , FILELEN 737 , WRITE 1004 , INPUT 794

# ASM

Calls	_GetDiskFreeSize
Input	none
Output	r16-r19: Long-Value of free Bytes

# **Partial Example**

```
Dim Gbtemp1 As Byte 'scratch byte
Gbtemp1 =Initfilesystem(1) 'we must init the filesystem once
If Gbtemp1 > 0 Then
    Print#1 ,"Error "; Gbtemp1
Else
    Print#1 ," OK"
Print "Disksize : ";Disksize() ' show disk size in bytes
Print "Disk free: ";Diskfree() ' show free space too
End If
```

# 6.212 DISKSIZE

#### Action

Returns the size of the Disk in KB.

#### **Syntax**

ISize = DISKSIZE()

#### Remarks

lSize	A Long Variable, which is assigned with the capacity of the disk in Kilo
	Bytes

This functions returns the capacity of the disk in KB. With the support of FAT32, the return value was changed from byte into KB.

#### See also

INITFILESYSTEM 7877, OPEN 8457, CLOSE 4767, FLUSH 7397, PRINT 8677, LINE INPUT 8137, LOC 81877, LOF 81877, EOF 73777, FREEFILE 7457, FILEATTR 7347, SEEK 9077, BSAVE 45997, BLOAD 4557,

KILL Both, DISKFREE 708, GET 747, PUT Broh, FILEDATE 738, FILETIME 738, FILEDATETIME 738, OR FILELEN 737, WRITE 1004, INPUT 794

#### ASM

Calls	_GetDiskSize
Input	none
Output	16-r19: Long-Value of capacity in Bytes

#### **Partial Example**

Dim Gbtemp1 As Byte' scratch byte
Gbtemp1 = Initfilesystem(1)' we must init the filesystem once
If Gbtemp1 > 0 Then
 Print#1 ,"Error "; Gbtemp1
Else
 Print#1 ," OK"
Print "Disksize : "; Disksize()' show disk size in bytes
Print "Disk free: "; Diskfree()' show free space too
End If

#### 6.213 DISPLAY

#### Action

Turn LCD display ON or OFF.

#### Syntax

DISPLAY ON | OFF DISPLAY ON | OFF , CURSOR | NOCURSOR , BLINK | NOBLINK

#### Remarks

The display is turned on at power up.

When you use DISPLAY with a single parameter, the compiler will maintain a variable to hold the status of the display. In some cases this can lead to an unexpected result. This depends on the order of how the commands are called.

If you experience this problem, you can use the alternative syntax which demands that all 3 parameters are specified.

This does not use any state variable and will update the LCD command register. The second syntax is advised to be used.

# See also

LCD 803

# Example

```
'name : lcd.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demo: LCD, CLS, LOWERLINE, SHIFTLCD,
SHIFTCURSOR, HOME
```

```
712 BASCOM-AVR
```

1.1 CURSOR, DISPLAY 'micro : Mega8515 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_. \_\_\_\_\_ \$regfile = "m8515.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space \$sim 'REMOVE the above command for the real program !! '\$sim is used for faster simulation 'note : tested in PIN mode with 4-bit 'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 , Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6 Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 , Db7 = Porta.7, E = Portc.7, Rs = Portc.6'These settings are for the STK200 in PIN mode 'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-D7 'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of the LCD connector 'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector Rem with the config lcdpin statement you can override the compiler settings Dim A As Byte Config Lcd =  $16 \times 2$ 'configure lcd screen 'other options are 16 \* 4 and 20 \* 4, 20 \* 2 , 16 \* 1a 'When you dont include this option 16 \* 2 is assumed '16 \* 1a is intended for 16 character displays with split addresses over 2 lines '\$LCD = address will turn LCD into 8-bit databus mode use this with uP with external RAM and/or ROM because it aint need the port pins ! Cls 'clear the LCD display Lcd "Hello world." 'display this at the top line Wait 1 Lowerline 'select the lower line

© 2012 MCS Electronics

Wait 1 Lcd "Shift this." 'display this at the lower line Wait 1 **For** A = 1 **To** 10 Shiftlcd Right 'shift the text to the right Wait 1 'wait a moment Next **For** A = 1 **To** 10 'shift the Shiftlcd Left text to the left Wait 1 'wait a moment Next Locate 2 , 1 'set cursor position Lcd "\*" 'display this Wait 1 'wait a moment Shiftcursor Right 'shift the cursor Lcd "@" 'display this Wait 1 'wait a moment Home Upper 'select line 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor Wait 1 'wait a moment Cursor On Blink 'show cursor Wait 1 'wait a moment Display Off 'turn display off Wait 1 'wait a moment Display On 'turn display on '----- NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth 'first Home F letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1

#### 714 BASCOM-AVR

```
'Now lets build a special character
'the first number is the characternumber (0-7)
'The other numbers are the rowvalues
'Use the LCD tool to insert this line
Deflcdchar 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228
replace ? with number (0-7)
Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240
replace ? with number (0-7)
Cls
                                                            'select data
RAM
Rem it is important that a CLS is following the deflcdchar statements
because it will set the controller back in datamode
Lcd Chr(0); Chr(1)
                                                            'print the
special character
         ----- Now use an internal routine ------
_{temp1} = 1
                                                             'value into
ACC
                                                            'put it on
!rCall _write_lcd
LCD
End
```

#### 6.214 DO-LOOP

#### Action

Repeat a block of statements until condition is true.

# Syntax

statements LOOP [ UNTIL expression]

# Remarks

You can exit a DO..LOOP with the EXIT DO statement. The DO-LOOP is always performed at least once.

The main part of your code can best be executed within a DO.. LOOP. You could use a GOTO also but it is not as clear as the DO LOOP. Main: ' code GOTO Main

Do 'Code Loop

Of course in the example above, it is simple to see what happens, but when the code consist of a lot of lines of code, it is not so clear anymore what the GOTO Main does.

# See also

EXIT 7327, WHILE-WEND 1003, FOR-NEXT 7427

# Example

715

```
_____
_____
'name
                        : do_loop.bas
                        : (c) 1995-2005, MCS Electronics
'copyright
                        : demo: DO, LOOP
'purpose
'micro
                        : Mega48
                : yes
'suited for demo
'commercial addon needed : no
_____
$regfile = "m48def.dat"
                                                          ' specify
the used micro
$crystal = 4000000
                                                          ' used
crystal frequency
$baud = 19200
                                                          ' use baud
rate
\$hwstack = 32
                                                          ' default
use 32 for the hardware stack
\$swstack = 10
                                                          ' default
use 10 for the SW stack
                                                          ' default
$framesize = 40
use 40 for the frame space
Dim A As Byte
A = 1
                                                          'assign a
var
                                                          'begin a
Do
do..loop
 Print A
                                                          'print var
 Incr A
                                                          'increase by
one
Loop Until A = 10
                                                          'do until
a=10
End
'You can write a never-ending loop with the following code
Do
 'Your code goes here
Loop
```

# 6.215 DriveCheck

#### Action

Checks the Drive, if it is ready for use

#### **Syntax**

bErrorCode = **DRIVECHECK()** 

#### Remarks

bErrorCode	A Byte Variable, which is assigned with the return value of the
	function

This function checks the drive, if it is ready for use (for example, whether a compact flash card is inserted). The functions returns 0 if the drive can be used, otherwise an error code is returned. For Error code see section Error codes.

#### See also

DriveReset 718, DriveInit 717, DriveGetIdentity 718, DriveWriteSector 719, DriveReadSector 718

# ASM

Calls	_DriveCheck	
Input	none	
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

Dim bError as Byte bError = DriveCheck()

# 6.216 DriveGetIdentity

### Action

Returns the Parameter information from the Card/Drive

#### **Syntax**

bErrorCode = **DRIVEGETIDENTIFY**(wSRAMPointer)

#### Remarks

BErrorCode	A Byte Variable, which is assigned with the error code of the function	
	A Word Variable, which contains the SRAM address (pointer) , to which	
er	the information of the Drive should be written	

The Identify Drive Function returns the parameter information (512 Bytes) from the Compact Flash Memory Card/Drive and writes it to SRAM starting at the address, to which the content of the variable wSRAMPointer is pointing. This information are for example number of sectors of the card, serial number and so on. Refer to the Card/Drive manual for further information. The functions returns 0 if no error occurred. For Error code see section Error codes.

Note: For meaning of wSRAMPointer see Note in DriveReadSector

# See also

DriveCheck (715), DriveReset (718), DriveInit (717), DriveWriteSector (719), DriveReadSector (718)

#### ASM

Calls	_DriveGetIdentity	
Input		Z: SRAM-Address of buffer *)
Output	r25: Errorcode	C-Flag: Set on Error

\*) Please note: This is not the address of wSRAMPointer, it is its content, which is the starting-address of the buffer.

# **Partial Example**

Dim bError as Byte Dim aBuffer(512) as Byte' Hold Sector to and from CF-Card Dim wSRAMPointer as Word' Address-Pointer for write

' give Address of first Byte of the 512 Byte Buffer to Word-Variable wSRAMPointer =VarPtr(aBuffer(1))

' Now read the parameter Information from CF-Card bError = DriveGetIdentity( wSRAMPointer)

# 6.217 Drivelnit

#### Action

Sets the AVR-Hardware (PORTs, PINs) attached to the Drive and resets the Drive.

#### Syntax

bErrorCode = **DRIVEINIT**()

# Remarks

ſ	A Byte Variable, which is assigned with the error code of the function
	function

Set the Ports and Pins attaching the Drive for Input/Output and give initial values to the output-pins. After that the Drive is reset. Which action is done in this function depends of the drive and its kind of connection to the AVR. The functions returns 0 if no error occurred. For Error code see section Error codes.

#### See also

<u>DriveCheck</u> [715], <u>DriveReset</u> [718], <u>DriveGetIdentity</u> [716], <u>DriveWriteSector</u> [719], <u>DriveReadSector</u> [718]

#### ASM

Calls	_DriveInit	
Input	none	
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

Dim bError as Byte bError = DriveInit()

### 6.218 DriveReset

718

#### Action

Resets the Drive.

### **Syntax**

bErrorCode = **DRIVERESET**()

# Remarks

BErrorCode A Byte Variable, which is assigned with the error code of the function

This function resets the drive and brings it to an initial state. The functions returns 0 if no error occurred. For Error code see section Error codes.

# See also

DriveCheck [715], DriveInit [717], DriveGetIdentity [716], DriveWriteSector [719], DriveReadSector [718]

# ASM

Calls	_DriveReset	
Input	none	
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

Dim bError as Byte bError = DriveReset()

### 6.219 DriveReadSector

#### Action

Read a Sector (512 Bytes) from the (Compact Flashcard) Drive

# **Syntax**

bErrorCode = **DRIVEREADSECTOR**(wSRAMPointer, ISectorNumber)

# Remarks

bErrorCode	A Byte Variable, which is assigned with the error code of the function
wSRAMPointer	A Word Variable, which contains the SRAM address (pointer) , to which the Sector from the Drive should be written
ISectorNumber	A Long Variable, which give the sector number on the drive be transfer.

Reads a Sector (512 Bytes) from the Drive and write it to SRAM starting at the address, to which the content of the variable wSRAMPointer is pointing. The functions

returns 0 if no error occurred. For Error code see section Error codes.

Note: wSRAMPointer is not the variable, to which the content of the desired drivesector should be written, it is the Word-Variable/Value which contains the SRAM address of the range, to which 512 Bytes should be written from the Drive. This gives you the flexibility to read and write every SRAM-Range to and from the drive, even it is not declared as variable. If you know the SRAM-Address (from the compiler report) of a buffer you can pass this value directly, otherwise you can get the address with the BASCOM-function VARPTR (see example).

# See also

DriveCheck (715), DriveReset (718), DriveInit (717), DriveGetIdentity (716), DriveWriteSector

# ASM

Calls	_DriveReadSector	
Input		X: Address of Long-variable with sectornumber
Output	r25: Errorcode	C-Flag: Set on Error

This is not the address of wSRAMPointer, it is its content, which is the startingaddress of the buffer.

# **Partial Example**

Dim bError as Byte Dim aBuffer(512)as Byte' Hold Sector to and from CF-Card Dim wSRAMPointer as Word' Address-Pointer for write Dim ISectorNumber as Long' Sector Number

' give Address of first Byte of the 512 Byte Buffer to Word-Variable wSRAMPointer =VarPtr(aBuffer(1))

' Set Sectornumber, sector 32 normally holds the Boot record sector of first partition ISectorNumber = 32

' Now read in sector 32 from CF-Card bError = DriveReadSector( wSRAMPointer , ISectorNumber) ' Now Sector number 32 is in Byte-Array bBuffer

#### 6.220 DriveWriteSector

#### Action

Write a Sector (512 Bytes) to the (Compact Flashcard) Drive

#### **Syntax**

bErrorCode = **DRIVEWRITESECTOR**(wSRAMPointer, lSectorNumber)

#### **Remarks**

bErrorCode	A Byte Variable, which is assigned with the error code of the function	
	A Word Variable, which contains the SRAM address (pointer), from which the Sector to the Drive should be written	
	A Long Variable, which give the sector number on the drive to transfer.	

Writes a Sector (512 Bytes) from SRAM starting at the address, to which the content of the variable wSRAMPointer is pointing to the Drive to sector number ISectornumber. The functions returns 0 if no error occurred. For Error code see section Error codes.

For the meaning of wSRAMPointer see Note in DriveReadSector

# See also

DriveCheck [715], DriveReset [718], DriveInit [717], DriveGetIdentity [716], DriveReadSector

# ASM

Calls	_DriveWriteSector	
Input	Z: SRAM-Address of buffer *)	X: Address of Long-variable with sectornumber
Output	r25: Errorcode	C-Flag: Set on Error

This is not the address of wSRAMPointer, it is its content, which is the startingaddress of the buffer.

# **Partial Example**

Dim bError as Byte Dim aBuffer(512) as Byte' Hold Sector to and from CF-Card Dim wSRAMPointer as Word' Address-Pointer for read Dim ISectorNumber as Long' Sector Number

' give Address of first Byte of the 512 Byte Buffer to Word-Variable wSRAMPointer =VarPtr(aBuffer(1))

' Set Sectornumber

ISectorNumber = 3

' Now Write in sector 3 from CF-Card bError = DriveWriteSector( wSRAMPointer , ISectorNumber)

# 6.221 DTMFOUT

#### Action

Sends a DTMF tone to the compare1 output pin of timer 1.

#### Syntax DTMFOUT number, duration

**DTMFOUT** string , duration

# Remarks

	A variable or numeric constant that is equivalent with the number of your phone keypad.
Duration	Time in mS the tone will be generated.
string	A string variable that holds the digits to be dialed.

The DTMFOUT statement is based on an Atmel application note (314).

It uses TIMER1 to generate the dual tones. As a consequence, timer1 can not be used in interrupt mode by your application. You may use it for other tasks.

Since the TIMER1 is used in interrupt mode you must enable global interrupts with the statement ENABLE INTERRUPTS [726]. The compiler could do this automatic but when you use other interrupts as well it makes more sense that you enable them at the point where you want them to be enabled.

The working range is from 4 MHz to 10 MHz system clock(xtal).

The DTMF output is available on the TIMER1 OCA1 pin. For a 2313 this is PORTB.3.

Take precautions when connecting the output to your telephone line.

Ring voltage can be dangerous!

#### System Resources used

TIMER1 in interrupt mode

#### See also

NONE

#### ASM

The following routine is called from mcs.lib : \_DTMFOUT R16 holds the number of the tone to generate, R24-R25 hold the duration time in mS. Uses R9,R10,R16-R23

The DTMF table is remarked in the source and shown for completeness, it is generated by the compiler however with taking the used crystal in consideration.

#### Example

'name 'copyright 'purpose	: dtmfout.bas : (c) 1995-2005, MCS Electronics : demonstrates DTMFOUT statement based on AN

```
722 BASCOM-AVR
```

```
314 from Atmel
'micro
                         : Mega48
'suited for demo
                          : yes
'commercial addon needed : no
·_____.
_____
$regfile = "m48def.dat"
                                                             ' specify
the used micro
$crystal = 8000000
                                                             ' used
crystal frequency
$baud = 19200
                                                             ' use baud
rate
$hwstack = 32
                                                             ' default
use 32 for the hardware stack
$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
'since the DTMFOUT statement uses the TIMER1 interrupt you must enable
'global interrupts
'This is not done by the compiler in case you have more ISRs
Enable Interrupts
'the first sample does dtmfout in a loop
Dim Btmp As Byte , Sdtmf As String * 10
Sdtmf = "12345678"
                                                             ' number to
dial
Do
Dtmfout Sdtmf , 50
                                                            ' lets dial a
number
                ^ duration is 50 mS for each digit
Waitms 1000
                                                            ' wait for
one second
' As an alternative you can send single digits
' there are 16 dtmf tones
 For Btmp = 0 To 15
  Dtmfout Btmp , 50
                                                             ' dtmf out
on PORTB.3 for the 2313 for 500 \ensuremath{\,\mathrm{mS}}
    'output is on the OC1A output pin
   Waitms 500
                                                             ' wait 500
msec
Next
Loop
End
'the keypad of most phones looks like this :
'1 2 3 optional are A
'4 5 6
'7 8 9
'* 0 #
                         В
                         C
                         D
'the DTMFOUT translates a numeric value from 0-15 into :
' numeric value phone key
.
  0
                     0
.
    1
                     1
i.
    2
                     2
```

1	3	3
1	etc.	
1	9	9
1	10	*
1	11	#
1	12	A
1	13	В
1	14	C
1	15	D

#### 6.222 ECHO

## Action

Turns the ECHO on or off while asking for serial INPUT.

## **Syntax**

ECHO value

#### Remarks

Value	ON to enable ECHO and OFF to disable ECHO.
-------	--

When you use INPUT to retrieve values for variables, all info you type can be echoed back. In this case you will see each character you enter. When ECHO is OFF, you will not see the characters you enter.

In versions 1.11.6.2 and earlier the ECHO options were controlled by an additional parameter on the INPUT statement line like : INPUT "Hello " , var NOECHO

This would suppress the ECHO of the typed data. The new syntax works by setting ECHO ON and OFF. For backwards compatibility, using NOECHO on the INPUT statement line will also work. In effect it will turn echo off and on automatic.

By default, ECHO is always ON.

#### See also

INPUT 794

## ASM

The called routines from mcs.lib are \_ECHO\_ON and \_ECHO\_OFF

The following ASM is generated when you turn ECHO OFF. Rcall Echo\_Off This will set bit 3 in R6 that holds the ECHO state.

When you turn the echo ON the following code will be generated Rcall Echo\_On

# Example

-----

```
724 BASCOM-AVR
```

```
: input.bas
'name
                         : (c) 1995-2005, MCS Electronics
'copyright
                         : demo: INPUT, INPUTHEX
'purpose
'micro
                         : Mega48
'suited for demo
                         : yes
'commercial addon needed : no
·_____.
                                              _____
_____
$regfile = "m48def.dat"
                                                           ' specify
the used micro
$crystal = 4000000
                                                           ' used
crystal frequency
                                                           ' use baud
$baud = 19200
rate
\$hwstack = 32
                                                           ' default
use 32 for the hardware stack
\$swstack = 10
                                                           ' default
use 10 for the SW stack
                                                           ' default
$framesize = 40
use 40 for the frame space
Dim V As Byte , B1 As Byte
Dim C As Integer , D As Byte
Dim S As String * 15
Input "Use this to ask a question " , V
Input B1
                                                          'leave out
for no question
Input "Enter integer " , C
Print C
Inputhex "Enter hex number (4 bytes) " , C
Print C
Inputhex "Enter hex byte (2 bytes) " , D
Print D
Input "More variables " , C , D
Print C ; " " ; D
Input C Noecho
                                                           'supress
echo
Input "Enter your name " , S
Print "Hello " ; S
Input S Noecho
                                                           'without
echo
Print S
End
```

## 6.223 ELSE

## Action

Executed if the IF-THEN expression is false.

Syntax ELSE

# Remarks

You don't have to use the ELSE statement in an IF THEN  $\dots$  END IF structure. You can use the ELSEIF statement to test for another condition.

IF a = 1 THEN ... ELSEIF a = 2 THEN ... ELSEIF b1 > a THEN ... ELSE ... END IF

# See also

IF 7857, END IF 7857, SELECT-CASE 9037

# Example

·		
'purpose 'micro 'suited for demo 'commercial addon needed		
<pre>\$regfile = "m48def.dat" the used micro \$crystal = 4000000 crystal frequency \$baud = 19200 rate \$hwstack = 32 use 32 for the hardware st \$swstack = 10 use 10 for the SW stack</pre>	tack	<pre>' specify ' used ' use baud ' default ' default</pre>
<b>\$framesize = 40</b> use 40 for the frame space		' default
Dim A As Byte , B1 As Byte	2	
<pre>Input "Number " , A number If A = 1 Then     Print "You got it!" End If</pre>		'ask for 'test number
<pre>If A = 0 Then     Print "Wrong" Else if a is not 0     Print "Almost?" End If</pre>		'test again 'thats wrong 'print this

#### 726 BASCOM-AVR

```
Rem You Can Nest If Then Statements Like This
B1 = 0
If A = 1 Then
  If B1 = 0 Then
    Print "B1=0"
  End If
Else
  Print "A is not 0"
End If
Input "Number " , A
                                                             .
If A = 1 Then
  Print "Ok"
Elseif A = 2 Then
                                                             'use elseif
for more tests
 Print "2" : A = 3
Elseif A = 3 Then
 Print "3"
End If
If A.1 = 1 Then Print "Bit 1 set"
                                                             'test for a
bit
End
```

### 6.224 ENABLE

Action

Enable specified interrupt.

#### **Syntax**

**ENABLE** interrupt [, prio]

#### Remarks

Interrupt	Description
INTO	External Interrupt 0
INT1	External Interrupt 1
OVF0,TIMER0, COUNTER0	TIMER0 overflow interrupt
OVF1,TIMER1,	TIMER1 overflow interrupt
COUNTER1	
CAPTURE1, ICP1	INPUT CAPTURE TIMER1 interrupt
COMPARE1A,OC1A or	TIMER1 OUTPUT COMPARE A interrupt
COMPARE1, OC1	In case of only one compare interrupt
COMPARE1B,OC1B	TIMER1 OUTPUT COMPARE B interrupt
SPI	SPI interrupt
URXC	Serial RX complete interrupt
UDRE	Serial data register empty interrupt
UTXC	Serial TX complete interrupt
SERIAL	Disables URXC, UDRE and UTXC
ACI	Analog comparator interrupt
ADC	A/D converter interrupt

XMEGA ONLY	
prio	The priority you want to assign to the interrupt. Specify Lo, Hi or Med. In the Xmega you must provide the priority of the interrupts. Lo=Low priority. Hi=High priority and Med=Medium priority. If you do not specify a priority, MED will be used.

By default all interrupts are disabled.

The global interrupts master switch is also disabled by default.

If you enable an interrupt, it will only fire if the master interrupt switch is enabled. You enable this master switch with ENABLE INTERRUPTS. You can disable it with DISABLE INTERRUPTS.

If an interrupt is executed, the global master switch will be disabled automatically by the hardware.

This is to prevent other interrupts to occur.

When the interrupt routine returns, the processor hardware will automatically enable the master switch so new interrupts may occur.

It depends on the processor how many and which interrupts it has. If you type ENABLE in the editor, you will get a pop up with a list of interrupts you can chose from.

# **XMEGA**

In normal AVR chips the priority is determined by the interrupts address. The lower the address, the higher the priority.

In the DAT file you can find a list with interrupts and their address. For example , taken from the m1280def.dat file "  $\,$ 

[INTLIST] count=56 INTname1=INT0,\$002,EIMSK.INT0,EIFR.INTF0 INTname2=INT1,\$004,EIMSK.INT1,EIFR.INTF1 INTname3=INT2,\$006,EIMSK.INT2,EIFR.INTF2 INTname4=INT3,\$008,EIMSK.INT3,EIFR.INTF3 INTname5=INT4,\$00a,EIMSK.INT4,EIFR.INTF4 INTname6=INT5,\$00c,EIMSK.INT5,EIFR.INTF5

INTO has the highest priority since it has the lowest address (address 2)

The XMEGA has a priority system. You can specify if an interrupt as a low, medium or high priority.

But you MUST enable these priorities with <u>CONFIG PRIORITY</u> 575 If you use LO and MED priority, they have to be enabled.

# See also

DISABLE 707, ON 840, CONFIG PRIORITY 575

## **Partial Example**

Enable Interrupts'allow interrupts to be setEnable Timer1'enables the TIMER1 interrupt

## 6.225 ENCODER

728

## Action

Reads pulses from a rotary encoder.

## **Syntax**

Var = **ENCODER**( pin1, pin2, LeftLabel, RightLabel , wait)

## Remarks

Var	The target variable that is assigned with the result		
Pin1 and pin2	2 These are the names of the PIN registers to which the output of the encoder is connected. Both pins must be on the same PIN register So Pinb.0 and Pinb.7 is valid while PinB.0 and PinA.0 is not.		
LeftLabel	The name of the label that will be called/executed when a transition to the left is encoded.		
RightLabel	The name of the label that will be called/executed when a transitio to the right is encountered.		
wait	A value of 0 will only check for a rotation/pulse. While a value of 1 will wait until a user actual turns the encoder. A value of 1 will thus halt your program.		


There are some conditions you need to fulfill :

- The label that is called by the encoder must be terminated by a RETURN statement.
- The pin must work in the input mode. By default all pins work in input mode.
- The pull up resistors must be activated by writing a logic 1 to the port registers as the example shows.

Rotary encoders come in many flavors. Some encoders also have a build in switch.

A sample of an encoder





Since the microprocessor has internal pull up resistors, you do not need external pull up resistors for most encoders.

An encoder has 2 output pins which change state when you turn the knob. For one 'click' you can get one or more pulses. This depends on the model of the encoder. Both output pins are sampled and compared with their previous value.

RIGHT	STATE	01		11		10		00	
OLD		0000_0000		0001_0000		0011_0000		0010_0000	
NEW		0000_0001		0000_0011		0000_0010		0000_0000	
VALUE			1		19		50		32
LEFT	STATE	10		11		01		00	
OLD		0000_0000		0010_0000		0011_0000		0001_0000	
NEW		0000 0010		0000 0011		0000 0001		0000 0000	
VALUE		_	2	-	35	-	49	-	16

The table above show the states when rotating left and right. For example, when you turn left, the encoder will change state from 00 to 10 to 11 to 01 to 00 etc. The software loads the pin values and compares the value with the previous value. Only if you turn the knob there will be a different value.

Next the old state nibbles are swapper so that for example state 0000\_0011 becomes 0011\_0000 and the new state is added to this value. For a left rotation you get the values 2,35,49 and 16. In all other cases, the rotation was right.

When you call the encoder routine often enough, you will not miss any pulses. Most new processors support the pin change interrupt. This means that an interrupt occurs when the logic level of a pin changes. you can use this interrupt to call the encoder function. This way you can be sure you will not miss a pulse.

## Example

\_\_\_\_\_ 'name : encoder.bas 'copyright : (c) 1995-2005, MCS Electronics 'purpose : demonstration of encoder function 'micro : Mega128 'suited for demo : yes 'commercial addon needed : no 'An encoder has 2 outputs and a ground 'We connect the outputs to pinb.0 and pinb.1 'You may choose different pins as long as they are at the same PORT 'The pins must be configured to work as input pins

#### BASCOM-AVR

730

```
'This function works for all PIN registers
_____
_____
$regfile = "m128def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
$hwstack = 32
                                                       ' default
use 32 for the hardware stack
\$swstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
Print "Encoder test"
Dim B As Byte
'we have dimmed a byte because we need to maintain the state of the
encoder
                                                       ' activate
Portb = &B11
pull up registers
Do
  B = Encoder(pinb.0 , Pinb.1 , Links , Rechts , 1)
                                              ^--- 1 means wait for
change which blocks programflow
                                ^----- labels which are
called
                ^----- port PINs
  1
  Print B
 Waitms 10
Loop
End
'so while you can choose PINB0 and PINB7, they must be both member of
PINB
'this works on all PIN registers
Links:
 Print "left rotation"
Return
Rechts:
 Print "right rotation"
Return
End
```

#### 6.226 END

#### Action

Terminate program execution.

Syntax END

#### Remarks

```
© 2012 MCS Electronics
```

STOP can also be used to terminate a program.

When an END statement is encountered, all interrupts are disabled and a neverending loop is generated.

When a STOP is encountered the interrupts will not be disabled. Only a never ending loop will be created.

In an embedded application you probably do not want to end the application. But there are cases where you do want to end the application. For example when you control some motors, and you determine a failure, you do not want to use a Watchdog reset because then the failure will occur again. In that case you want to display an error, and wait for service personal to fix the failure.

It is important to notice that without the END statement, your program can behave strange in certain cases. For example : Print "Hello"

Note that there is no END statement. So what will happen? The program will print "Hello". But as the compiler places the library code behind the program code, the micro will execute the library code ! But without being called. As most library code are assembler sub routines that end with a RET, your program will most likely crash, or reset and repeat for ever.

#### See also

STOP 961

## Example

Print "Hello" 'print this End 'end program execution and disable all interrupts

#### 6.227 EOF

#### Action

Returns the End of File Status.

#### **Syntax**

bFileEOFStatus = **EOF**(#bFileNumber)

#### Remarks

bFileEOFStatus	(Byte) A Byte Variable, which assigned with the EOF Status
bFileNumber	(Byte) Number of the opened file

This functions returns information about the End of File Status

Return value	Status
0	NOT EOF
255	EOF

In case of an error (invalid file number) 255 (EOF) is returned too.

## See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], FREEFILE [748], FILEATTR [734], SEEK [307], BSAVE [459], BLOAD [455], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], PUT [876], FILEDATE [738], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

## ASM

Calls	_FileEOF	
Input	r24: Filenumber	
Output	r24: EOF Status	r25: Error code
	C-Flag: Set on Error	

# **Partial Example**

Ff =Freefile()' get file handle
Open "test.txt" For Input As #ff ' we can use a constant for the file too
Print Lof(#ff); " length of file"
Print Fileattr(#ff); " file mode"' should be 1 for input
Do
LineInput #ff , S ' read a line
' line input is used to read a line of text from a file
Print S ' print on terminal emulator
Loop Until Eof(#ff)<> 0
'The EOF() function returns a non-zero number when the end of the file is reached
'This way we know that there is no more data we can read
Close #ff

## 6.228 EXIT

#### Action

Exit a FOR..NEXT, DO..LOOP , WHILE ..WEND, SUB..END SUB or FUNCTION..END FUNCTION.

#### **Syntax**

EXIT FOR EXIT DO EXIT WHILE EXIT SUB EXIT FUNCTION

## Remarks

With the EXIT statement you can exit a structure at any time.

# Example

#### -----

#### 'name

: exit.bas

733

```
'copyright
                        : (c) 1995-2005, MCS Electronics
'purpose
                        : demo: EXIT
'micro
                        : Mega48
'suited for demo
                        : yes
'commercial addon needed : no
·-----
                                _____
_____
$regfile = "m48def.dat"
                                                        ' specify
the used micro
Scrystal = 4000000
                                                        ' used
crystal frequency
                                                        ' use baud
$baud = 19200
rate
\$hwstack = 32
                                                        ' default
use 32 for the hardware stack
\$swstack = 10
                                                        ' default
use 10 for the SW stack
                                                        ' default
$framesize = 40
use 40 for the frame space
Dim B1 As Byte , A As Byte
B1 = 50
                                                        'assign var
For A = 1 To 100
                                                        'for next
loop
  If A = B1 Then
                                                        'decision
     Exit For
                                                        'exit loop
  End If
Next
Print "Exit the FOR..NEXT when A was " ; A
A = 1
Do
 Incr A
 If A = 10 Then
    Exit Do
 End If
Loop
Print "Loop terminated"
End
```

## 6.229 EXP

#### Action

Returns e( the base of the natural logarithm) to the power of a single or double variable.

#### **Syntax**

Target = **EXP**(source)

#### Remarks

Target	The single or double that is assigned with the Exp() of the target.
Source	The source to get the Exp of.

# See also

LOG 822 , LOG10 823

# Example

```
_____
_____
'copyright
                    : (c) 1995-2005, MCS Electronics
'micro
                    : Mega88
'suited for demo
                    : no, but without the DOUBLE, it works for
DEMO too in M48
'commercial addon needed : no
'purpose
                     : demonstrates EXP function
_____
$regfile = "m88def.dat"
                                                 ' specify
the used micro
                                                 ' used
$crystal = 8000000
crystal frequency
$baud = 19200
                                                 ' use baud
rate
$hwstack = 32
                                                 ' default
use 32 for the hardware stack
\$swstack = 40
                                                 ' default
use 10 for the SW stack
$framesize = 40
                                                 ' default
use 40 for the frame space
Dim X As Single
```

```
X = Exp(1.1)
Print X
'prints 3.004166124
X = 1.1
X = Exp(x)
Print X
'prints 3.004164931
```

Dim D As Double

```
D = Exp(1.1)
Print D
'prints 3.00416602394643
D = 1.1
D = Exp(d)
Print D
'prints 3.00416602394638
End
```

## 6.230 FILEATTR

#### Action

Returns the file open mode.

#### **Syntax**

bFileAttribut = **FILEATTR**(bFileNumber)

## Remarks

bFileAttribut	(Byte) File open mode, See table
bFileNumber	(Byte) Number of the opened file

This functions returns information about the File open mode

<b>Return value</b>	Open mode
1	INPUT
2	OUTPUT
8	APPEND
32	BINARY

## See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [748], SEEK [907], BSAVE [459], BLOAD [456], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], PUT [870], FILEDATE [738], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

# <u>ASM</u>

Calls	_FileAttr	
Input	r24: Filenumber	
Output	24: File open mode	r25: Errorcode
	C-Flag: Set on Error	

## **Partial Example**

'open the file in BINARY mode Open "test.biN" For Binary As #2 Print Fileattr(#2); " file mode"' should be 32 for binary Put #2 , Sn ' write a single Put #2 , Stxt ' write a string Close #2

## 6.231 FILEDATE

#### Action

Returns the date of a file

#### Syntax

sDate = **FILEDATE** () sDate = **FILEDATE** (file)

#### Remarks

Sdate	A string variable that is assigned with the date.
File	The name of the file to get the date of.

This function works on any file when you specify the filename. When you do not

specify the filename, it works on the current selected file of the DIR() function.

## See also

INITFILESYSTEM 787 , OPEN 845 , CLOSE 476, FLUSH 739 , PRINT 867, LINE INPUT 813, LOC 817, LOF 818 , EOF 737 , FREEFILE 745 , FILEATTR 734 , SEEK 907 , BSAVE 459 , BLOAD 455 , KILL 807 , DISKFREE 709 , DISKSIZE 710 , GET 747 , PUT 870 , FILELEN 737 , FILETIME 738 , FILEDATETIME 736 , DIR 706 , WRITE 1004 , INPUT 794

## ASM

Calls	_FileDateS ; with filename	_FileDateS0;for current file from DIR ()
Input	X : points to the string with the mask	Z : points to the target variable
Output		

# **Partial Example**

Print "File demo" Print Filelen("josef.img");" length" ' length of file Print Filetime("josef.img");" time" ' time file was changed Print Filedate("josef.img");" date" ' file date

## 6.232 FILEDATETIME

#### Action

Returns the file date and time of a file

#### **Syntax**

Var = **FILEDATETIME** () Var = **FILEDATETIME** (file)

#### Remarks

	A string variable or byte array that is assigned with the file date and time of the specified file
File	The name of the file to get the date time of.

When the target variable is a string, it must be dimensioned with a length of at least 17 bytes.

When the target variable is a byte array, the array size must be at least 6 bytes.

When you use a numeric variable, the internal file date and time format will be used.

# See also

INITFILESYSTEM 787, OPEN 1845, CLOSE 476, FLUSH 739, PRINT 1867, LINE INPUT 1813, LOC 1817, LOF 1818, EOF 737, FREEFILE 745, FILEATTR 734, SEEK 1907, BSAVE 459, BLOAD 455, KILL 1807, DISKFREE 709, GET 747, PUT 1870, FILELEN 737, FILEDATE 735, FILETIME 738, DIR 7067, WRITE 1004, INPUT 794

#### ASM

Calls	_FileDateTimeS	_FileDateTimeS0
Input		
Output		

Calls	_FileDateTimeB	_FileDateTimeB0
Input		
Output		

## Example

See fs\_subfunc\_decl\_lib.bas in the samples dir.

## 6.233 FILELEN

## Action

Returns the size of a file

## Syntax

ISize = FILELEN ()
ISize = FILELEN (file)

# Remarks

lSize	A Long Variable, which is assigned with the file size in bytes of the file.
File	A string or string constant to get the file length of.

This function works on any file when you specify the filename. When you do not specify the filename, it works on the current selected file of the DIR() function.

# See also

INITFILESYSTEM [787], OPEN [845], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [745], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [455], KILL [807], DISKFREE [709], GET [747], PUT [870], FILEDATE [735], FILETIME [738], FILEDATETIME [736], DIR [706], WRITE [1004], INPUT [794]

#### ASM

Calls	_FileLen	
Input		
Output		

# **Partial Example**

Print "File demo" Print Filelen("josef.img");" length" ' length of file Print Filetime("josef.img");" time" ' time file was changed Print Filedate("josef.img");" date" ' file date

#### 6.234 FILETIME

738

#### Action

Returns the time of a file

#### Syntax

sTime = **FILETIME** () sTime = **FILETIME** (file)

## Remarks

Stime	A string variable that is assigned with the file time.
File	The name of the file to get the time of.

This function works on any file when you specify the filename. When you do not specify the filename, it works on the current selected file of the DIR() function.

## See also

INITFILESYSTEM 787, OPEN 845, CLOSE 476, FLUSH 739, PRINT 867, LINE INPUT 813, LOC 817, LOF 818, EOF 737, FREEFILE 745, FILEATTR 734, SEEK 907, BSAVE 459, BLOAD 455, KILL 807, DISKFREE 709, GET 747, PUT 870, FILELEN 737, FILEDATE 735, FILEDATETIME 736, DIR 706, WRITE 1004, INPUT 794

## ASM

Calls	_FileTimeS ; with file param	_FileTimeS0 ; current file
	X : points to the string with the mask	Z : points to the target variable
Output		

## Example

Print "File demo" Print Filelen("josef.img");" length" ' length of file Print Filetime("josef.img");" time" ' time file was changed Print Filedate("josef.img");" date" ' file date

#### 6.235 FIX

## Action

Returns for values greater then zero the next lower value, for values less then zero the next upper value.

#### **Syntax**

var = FIX(x)

#### Remarks

Var	A single variable that is assigned with the FIX of variable x.
Х	The single to get the FIX of.

#### See Also

INT 7997, ROUND 8987, SGN 9257

#### Example

```
'name : round_fix_int.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demo : ROUND,FIX
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
```

```
$regfile = "m48def.dat"
$crystal = 4000000
$baud = 19200
$hwstack = 32
$swstack = 10
```

\$framesize = 40

```
' specify the used mich
' used crystal frequend
' use baud rate
' default use 32 for th
' default use 10 for th
```

```
' default use 40 for th
```

```
Dim S As Single , Z As Single
For S = -10 To 10 Step 0.5
Print S ; Spc(3) ; Round(s) ; Spc(3) ; Fix(s) ; Spc(3) ; Int(s)
Next
End
```

#### 6.236 FLUSH

#### Action

Write current buffer of File to Card and updates Directory

#### **Syntax**

FLUSH #bFileNumber FLUSH

#### Remarks

BFileNumber	Filenumber, which identifies an opened file such as #1 or #ff
-------------	---

This function writes all information of an open file, which is not saved yet to the Disk. Normally the Card is updated, if a file will be closed or changed to another sector.

When no file number is specified, all open files will be flushed.

#### See also

INITFILESYSTEM [787], OPEN [845], CLOSE [476], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], <u>EOF</u>[737], <u>FREEFILE</u>[745], <u>FILEATTR</u>[734], <u>SEEK</u>[907], <u>BSAVE</u>[459], <u>BLOAD</u>[455], <u>KILL</u>[807], <u>DISKFREE</u>[709], <u>DISKSIZE</u>[710], <u>GET</u>[747], <u>PUT</u>[870], <u>FILEDATE</u>[735], <u>FILETIME</u>[738], <u>FILEDATETIME</u>[736], <u>DIR</u>[706], <u>FILELEN</u>[737], <u>WRITE</u>[1004], <u>INPUT</u>[794]

# ASM

Calls	_FileFlush	_FilesAllFlush
Input	r24: filenumber	
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

\$include "startup.inc"

'open the file in BINARY mode Open "test.biN" For Binary As #2 Put #2 , B ' write a byte Put #2 , W ' write a word Put #2 , L ' write a long Ltemp = Loc(#2) + 1 ' get the position of the next byte Print Ltemp ;" LOC"' store the location of the file pointer Print Lof(#2);" length of file" Print Fileattr(#2);" file mode"' should be 32 for binary Put #2 , Sn ' write a single Put #2 , Stxt ' write a string

Flush #2 ' flush to disk Close #2

# 6.237 FORMAT

## Action

Formats a numeric string.

## **Syntax**

target = FORMAT(source, "mask")

## Remarks

target	The string that is assigned with the formatted string.		
source	The source string that holds the number.		
mask	The mask for formatting the string.		
	When spaces are in the mask, leading spaces will be added when the length of the mask is longer than the source string. " " '8 spaces when source is "123" it will be " 123". When a + is in the mask (after the spaces) a leading + will be assigned when the number does not start with the - sign. "+" with number "123" will be "+123". When zero's are provided in the mask, the string will be filled with leading zero;s. " +00000" with 123 will be " +00123" An optional decimal point can be inserted too: "000.00" will format the number 123 to "001.23" Combinations can be made but the order must be : spaces, + , 0 an optional point and zero's.		

When you do not want to use the overhead of the single or double, you can use the LONG. You can scale the value by a factor 100. Then use FORMAT to show the value.

For example : Dim L as Long, X as Long , Res as Long L = 1 X = 2 Res = L / X Now this would result in 0 because an integer or Long does not support floating point. But when you scale L with a factor 100, you get : L= 100 X = 2 Res = L / X

Now Res will be 50. To show it the proper way we can use FORMAT. Format works with strings so the variables need to be converted to string first.

```
Dim S1 as string * 16 : s1 = Str(Res)
Print Format(s1,"000.00")
```

#### See also

FUSING 746

## Example

```
_____
_____
'name
                      : format.bas
                      : (c) 1995-2005, MCS Electronics
'copyright
                     : demo : FORMAT
'purpose
                     : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
1_____
                                        _____
_____
$regfile = "m48def.dat"
                                                    ' specify
the used micro
$crystal = 4000000
                                                    ' used
crystal frequency
$baud = 19200
                                                    ' use baud
rate
Shwstack = 32
                                                    ' default
use 32 for the hardware stack
$swstack = 10
                                                    ' default
use 10 for the SW stack
$framesize = 40
                                                    ' default
use 40 for the frame space
Dim S As String * 10
Dim I As Integer
S = "12345"
S = Format(s , "+")
Print S
S = "123"
S = Format(s, "00000")
Print S
S = "12345"
S = Format(s, "000.00")
Print S
```

#### 742 **BASCOM-AVR**

```
S = "12345"
S = Format(s, "+000.00")
Print S
End
```

#### 6.238 FOR-NEXT

#### Action

Execute a block of statements a number of times.

#### **Syntax**

FOR var = start TO end [STEP value]

#### Remarks

var	The variable counter to use
start	The starting value of the variable var
end	The ending value of the variable var
	The value var is increased/decreased with each time NEXT is encountered.

• For incremental loops, you must use TO.

• For decremental loops, you must use a negative step size.

• You must end a FOR structure with the NEXT statement.

• The use of STEP is optional. By default, a value of 1 is used.

When you know in advance how many times a block of code must be executed, the FOR...NEXT loop is convenient to use.

You can exit a FOR .. NEXT loop with the EXIT FOR statement.

It is important that the if you use variables for START and END, that these are of the same data type. So for example:

Dim x, as byte, st as byte, ed as byte FOR x = st TO ED ' this is ok since all variables are of the same data type

Dim x as Byte, st as Word, Ed as Long FOR x = st TO ED ' this is NOT ok since all variables are of different data type.

The reason is that when the condition is evaluated, it will create a compare on 2 bytes, while you actually want to have a word since the end variable is a word.

A for next loop with an integer has an upper limit of 32766 and not 32767, the maximum value that fits into an integer.

This is done in order to save code space. Checking an overflow from 32767 to -32768 would cost extra code.

There are also other alternatives. You can use a Do.. Loop for example :

Dim Var As Byte Do 'code Incr Var

Loop Until Var = 10

There are various way to get the result you need.

#### See also

EXIT FOR 732

#### Example

```
-----
_____
'name
                      : for_next.bas
'copyright
                      : (c) 1995-2005, MCS Electronics
'purpose
                      : demo: FOR, NEXT
'micro
                      : Mega48
'suited for demo
                      : yes
'commercial addon needed : no
·_____
                              _____
_____
$regfile = "m48def.dat"
                                                    ' specify
the used micro
$crystal = 4000000
                                                    ' used
crystal frequency
$baud = 19200
                                                    ' use baud
rate
$hwstack = 32
                                                    ' default
use 32 for the hardware stack
\$swstack = 10
                                                    ' default
use 10 for the SW stack
$framesize = 40
                                                    ' default
use 40 for the frame space
Dim A As Byte , B1 As Byte , C As Integer
For A = 1 To 10 Step 2
  Print "This is A " ; A
Next A
Print "Now lets count down"
For C = 10 To -5 Step -1
 Print "This is C " ; C
Next
Print "You can also nest FOR..NEXT statements."
For A = 1 To 10
 Print "This is A " ; A
 For B1 = 1 To 10
   Print "This is B1 " ; B1
                                                    ' note that
 Next
you do not have to specify the parameter
Next A
End
```

#### 6.239 FOURTHLINE

#### Action

Set LCD cursor to the start of the fourth line.

# Syntax

FOURTHLINE

#### Remarks

Only valid for LCD displays with 4 lines.

# See also

HOME 775, UPPERLINE 996, LOWERLINE 827, THIRDLINE 981, LOCATE 822

## Example

```
Thirdline
Lcd "Line 3"
Fourthline
Lcd "Line 4"
Home Third
on line three
Home Fourth
Home F
```

'goto home

'first letter also works

# 6.240 FRAC

#### Action

Returns the fraction of a single.

#### **Syntax**

var = FRAC( single )

#### Remarks

	A numeric single variable that is assigned with the fraction of variable single.
single	The single variable to get the fraction of.

The fraction is the right side after the decimal point of a single.

# See Also

**INT** 799

# Example

-----'copyright 'micro

: (c) 1995-2005, MCS Electronics

\_\_\_\_\_

: Mega48

```
'suited for demo
                         : yes
'commercial addon needed : no
'purpose
            : demonstrates FRAC function
$regfile = "m48def.dat"
                                                            ' specify
the used micro
$crystal = 8000000
                                                            ' used
crystal frequency
                                                            ' use baud
Sbaud = 19200
rate
$hwstack = 32
                                                           ' default
use 32 for the hardware stack
                                                           ' default
\$swstack = 40
use 10 for the SW stack
$framesize = 40
                                                            ' default
use 40 for the frame space
```

#### Dim X As Single

```
X = 1.123456
Print X
Print Frac(x)
End
```

#### 6.241 FREEFILE

#### Action

Returns a free Filenumber.

#### **Syntax**

bFileNumber = **FREEFILE()** 

#### Remarks

bFileNumber A byte variable , which can be used for opening next file

This function gives you a free file number, which can be used for file – opening statements. In contrast to VB this file numbers start with 128 and goes up to 255. Use range 1 to 127 for user defined file numbers to avoid file number conflicts with the system numbers from FreeFile()

This function is implemented for compatility with VB.

#### See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [455], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], PUT [870], FILEDATE [735], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

#### ASM

Calls	_GetFreeFileNumber	
-------	--------------------	--

Input	none	
Output	r24: Filenumber	r25: Errorcode
	C-Flag: Set on Error	

## **Partial Example**

Ff =Freefile() ' get file handle
Open"test.txt" For Input As #ff ' we can use a constant for the file too
Print Lof(#ff);" length of file"
Print Fileattr(#ff);" file mode" ' should be 1 for input
Do
LineInput #ff , S ' read a line
' line input is used to read a line of text from a file
Print S ' print on terminal emulator
Loop UntilEof(ff)<> 0
'The EOF() function returns a non-zero number when the end of the file is reached
'This way we know that there is no more data we can read
Close #ff

## 6.242 FUSING

## Action

FUSING returns a formatted string of a single value.

# **Syntax**

target = FUSING(source, "mask")

#### Remarks

target	The string that is assigned with the formatted string.	
source	The source variable of the type SINGLE that will be converted	
mask	The mask for formatting the string.	
	The mask is a string constant that always must start with #. After the decimal point you can provide the number of digits you want the string to have: #.### will give a result like 123.456. Rounding is used when you use the # sign. So 123.4567 will be converted into 123.457	
	When no rounding must be performed, you can use the & sign instead of the # sign. But only after the DP. #.&&& will result in 123.456 when the single has the value 123.4567	

When the single is zero, 0.0 will be returned, no matter how the mask is set up.

## See also

FORMAT 740 , STR 962

# Example

```
_____
'name
                        : fusing.bas
                        : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                        : demo : FUSING
'micro
                        : Mega48
'suited for demo
                        : yes
'commercial addon needed : no
·-----
                                     _____
_____
$regfile = "m48def.dat"
                                                         ' specify
the used micro
                                                         ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                         ' use baud
rate
\$hwstack = 32
                                                         ' default
use 32 for the hardware stack
\$swstack = 10
                                                         ' default
use 10 for the SW stack
$framesize = 40
                                                         ' default
use 40 for the frame space
Dim S As Single , Z As String * 10
'now assign a value to the single
S = 123.45678
'when using str() you can convert a numeric value into a string
Z = Str(s)
Print Z
                                                         'prints
123.456779477
Z = Fusing(s, "#.##")
'now use some formatting with 2 digits behind the decimal point with
rounding
Print Fusing(s , "#.##")
                                                         'prints
123.46
'now use some formatting with 2 digits behind the decimal point without
rounding
Print Fusing(s , "#.&&")
                                                         'prints
123.45
'The mask must start with #.
'It must have at least one # or & after the point.
'You may not mix & and # after the point.
End
```

### 6.243 GET

#### Action

Reads a byte from the hardware or software UART. Reads data from a file opened in BINARY mode.

#### Syntax

**GET** #channel, var **GET** #channel, var , [pos] [, length]

### Remarks

GET in combination with the software/hardware UART reads one byte from the UART. GET in combination with the AVR-DOS file system is very flexible and versatile. It works on files opened in BINARY mode and you can reads all data types.

	A channel number, which identifies an opened file. This can be a hard coded constant or a variable.
	The variable or variable array that will be assigned with the data from the file
Pos	This is an optional parameter that may be used to specify the position where the reading must start from. This must be a long variable.
	This is an optional parameter that may be used to specify how many bytes must be read from the file.

By default you only need to provide the variable name. When the variable is a byte, 1 byte will be read. When the variable is a word or integer, 2 bytes will be read. When the variable is a long or single, 4 bytes will be read. When the variable is a string, the number of bytes that will be read is equal to the dimensioned size of the string. DIM S as string \* 10, would read 10 bytes.

Note that when you specify the length for a string, the maximum length is 254. The maximum length for a non-string array is 65535.

# Partial Example :

GET #1, var ,,2 ' read 2 bytes, start at current position GET #1, var , PS ' start at position stored in long PS GET #1, var , PS, 2 ' start at position stored in long PS and read 2 bytes

# See also

INITFILESYSTEM [787], OPEN [845], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [745], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [455], KILL [807], DISKFREE [709], DISKSIZE [710], PUT [870], FILEDATE [738], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

# ASM

current position	goto new position first	
Byte:		
_FileGetRange_1	_FileGetRange_1	
Input:	Input:	
r24: File number	r24: File number	
X: Pointer to variable	X: Pointer to variable	
T-Flag cleared	r16-19 (A): New position (1-based)	
	T-Flag Set	
Word/Integer:		
_FileGetRange_2	_FileGetRange_2	

Input:	Input:
r24: File number	r24: File number
X: Pointer to variable	X: Pointer to variable
T-Flag cleared	r16-19 (A): New position (1-based)
	T-Flag Set
Long/Single:	
_FileGetRange_4	_FileGetRange_4
Input:	Input:
r24: File number	r24: File number
X: Pointer to variable	X: Pointer to variable
T-Flag cleared	r16-19 (A): New position (1-based)
	T-Flag Set
String (<= 255 Bytes) with fixed length	
_FileGetRange_Bytes	_FileGetRange_Bytes
Input:	Input:
r24: File number	r24: File number
r20: Count of Bytes	r20: Count of bytes
X: Pointer to variable	X: Pointer to variable
T-Flag cleared	r16-19 (A): New position (1-based)
	T-Flag Set
Array (> 255 Bytes) with fixed length	
_FileGetRange	_FileGetRange
Input:	Input:
r24: File number	r24: File number
r20/21: Count of Bytes	r20/21: Count of bytes
X: Pointer to variable	X: Pointer to variable
T-Flag cleared	r16-19 (A): New position (1-based)
	T-Flag Set

Output from all kind of usage: r25: Error Code C-Flag on Error X: requested info

# **Partial Example**

#### 750 BASCOM-AVR

```
'for the binary file demo we need some variables of different types
Dim B As Byte , W As Word , L As Long , Sn As Single , Ltemp As Long
Dim Stxt As String * 10
B = 1 : W = 50000 : L = 12345678 : Sn = 123.45 : Stxt = "test"
'open the file in BINARY mode
Open "test.biN"for Binary As #2
Put#2 , B ' write a byte
Put#2 , W ' write a word
Put#2 , L ' write a long
Ltemp = Loc(#2) + 1
                                                               ' get the
position of the next byte
Print Ltemp ; " LOC"
                                                               ' store the
location of the file pointer
Print Seek(#2) ; " = LOC+1"
Print Lof(#2) ; " length of file"
Print Fileattr(#2) ; " file mode"
                                                               ' should be
32 for binary
Put #2 , Sn
                                                               ' write a
single
Put #2 , Stxt
                                                               ' write a
string
Flush #2
                                                               ' flush to
disk
Close #2
'now open the file again and write only the single
Open "test.bin" For Binary As #2
L = 1 'specify the file position
B = Seek(#2 , L)
                                                               ' reset is
the same as using SEEK #2,L
Get#2 , B ' get the byte
\ensuremath{\texttt{Get}\#2} , W ' get the word
Get#2 , L ' get the long
Get#2 , Sn ' get the single
Get#2 , Stxt ' get the string
Close #2
```

## 6.244 GETADC

#### Action

Retrieves the analog value from the specified channel.

#### **Syntax**

var = GETADC(channel [,offset])

#### Syntax Xmega

var = GETADC( ADC , channel [,MUX])

#### **Remarks AVR**

	The variable that is assigned with the A/D value. This should be a Word or other 16 bit variable.
Channel	The channel to measure. Might be higher then 7 on some chips. The Mega2560 has 16 channels. So the range is 0-15 on a Mega2560.
Offset	An optional numeric variable of constant that specifies gain or mode.

This option has effect on newer AVR micro's only. The offset will be
added by the channel value and inserted into the ADMUX register. This
way you can control gain.

#### **Remarks XMEGA**

var	The variable that is assigned with the A/D value. This should be a Word or other 16 bit variable.						
ADC	The ADC to use. This is either ADCA or ADCB.						
Channel	The channel to use. There are 4 channels in the range from 0-3.						
MUX	An optional numeric variable or constant that specifies the MUX value thus which input pin is used for the measurement. The MUX number is coded with negative and positive input pin info. The positive pins are have an offset of 8. So PINO in single ended mode would need a value of 8. When you do not supply the mux value, the value used by the CONFIG						
	ADC command will be used. If you supply it, it will change the MUX register of the corresponding channel.						

The GETADC() function only will work on microprocessors that have an A/D converter. The pins of the A/D converter input can be used for digital I/O too. But it is important that no I/O switching is done while using the A/D converter.

Make sure you turn on the AD converter with the START statement or by setting the proper bit in the ADC configuration register.

Some micro's have more then 7 channels. This is supported as well. The ADCSRB register contains a bit named MUX5 that must be set when a channel higher then 7 is used. The compiler (lib routine) will handle this automatic. This is true for new chips like Mega1280, Mega2560 and probably other new chips with 100 pins.

An example on how to read singled ended input on a Mega1280:

W = Getadc(0, 64) ' from data sheet : 100000 ADC8 W = Getadc(1, 64) ' from data sheet : 100001 ADC9

This will read channel 0 and 1. The offset is 64 in order to use singled ended input. ADC8 is portK.0

GetADC() returns a word variable since the A/D converter data registers consist of 2 registers. The resolution depends on the chip.

The variable ADCD can be used to access the data register directly. The compiler will handle access to the byte registers automatically.

#### See also

CONFIG ADC 490

## Example

```
'name
                          : adc.bas
                          : (c) 1995-2005, MCS Electronics
'copyright
                         : demonstration of GETADC() function for 8535
'purpose
or M163 micro
'micro
                          : Megal63
```

\_\_\_\_\_

#### 752 BASCOM-AVR

```
'suited for demo
                          : yes
'commercial addon needed : no
'use in simulator : possible
' Getadc() will also work for other AVR chips that have an ADC converter
_____
$regfile = "m163def.dat"
                                                              ' we use the
M163
Scrystal = 4000000
Shwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              'default use
10 for the SW stack
$framesize = 40
                                                              'default use
40 for the frame space
'configure single mode and auto prescaler setting
'The single mode must be used with the GETADC() function
'The prescaler divides the internal clock by 2,4,8,16,32,64 or 128
'Because the ADC needs a clock from 50-200 KHz
'The AUTO feature, will select the highest clockrate possible
Config Adc = Single , Prescaler = Auto
'Now give power to the chip
Start Adc
'With STOP ADC, you can remove the power from the chip
'Stop Adc
Dim W As Word , Channel As Byte
Channel = 0
'now read A/D value from channel 0
Do
 W = Getadc(channel)
 Print "Channel " ; Channel ; " value " ; W
 Incr Channel
 If Channel > 7 Then Channel = 0
Loop
End
'The new M163 has options for the reference voltage
'For this chip you can use the additional param :
'Config Adc = Single , Prescaler = Auto, Reference = Internal
'The reference param may be :
      : AREF, internal reference turned off
: AVCC, with external capacitor at AREF pin
'OFF
'AVCC
'INTERNAL : Internal 2.56 voltage reference with external capacitor ar
AREF pin
'Using the additional param on chip that do not have the internal
reference will have no effect.
```

## Example Xmega

```
(c) 1995-2010, MCS
xm128-ADC.bas
This sample demonstrates the Xmega128A1 ADC
```

```
$regfile = "xm128a1def.dat"
```

```
scrystal = 3200000
\$hwstack = 64
\$swstack = 64
$framesize = 64
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'First Enable The Osc Of Your Choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1, Databits = 8
Print "ADC test"
'setup the ADC-A converter
Config Adca = Single , Convmode = Unsigned , Resolution = 12bit , Dma =
Off, Reference = Intlv, Event_mode = None, Prescaler = 32, Ch0_gain
= 1 , Ch0_inp = Single_ended , Mux0 = &B000_00
Chl_gain = 1 , Chl_inp = Single_ended , Mux1 = &B1_000 , Ch2_gain = 1 ,
Ch2_inp = Single_ended , Mux2 = &B10_000 , Ch3_gain = 1 , Ch3_inp =
Single_ended , Mux3 = \&B11_000
Dim W As Word , I As Byte , Mux As Byte
Do
  Mux = I * 8
                          ' or you can use shift left,3 to get the
proper offset
  W = Getadc(adca, 0, Mux)
  W = Getadc(adca , 0) 'when not using the MUX parameter the last
value of the MUX will be used!
   ' use ADCA , use channel 0, and use the pinA.0-pinA.3
  Print "RES:" ; I ; "-" ; W
  Incr I
  If I > 3 Then I = 0
 Waitms 500
Loop Until Inkey(#1) = 27
```

#### 6.245 GETATKBD

#### Action

Reads a key from a PC AT keyboard.

#### Syntax

var = GETATKBD()

#### Remarks

The variable that is assigned with the key read from the keyboard.
It may be a byte or a string variable. When no key is pressed a 0 will be returned.

The GETAKBD() function needs 2 input pins and a translation table for the keys. You can read more about this at the <u>CONFIG KEYBOARD</u> [554] compiler directive.

The Getatkbd function will wait for a pressed key. When you want to escape from the waiting loop you can set the ERR bit from an interrupt routine for example.

Getatkbd is using 2 bits from register R6 : bit 4 and 5 are used to hold the shift and control key status.

# AT KEYBOARD SCANCODES

Table reprinted with permission of Adam Chapweske

KEY	MAKE	BREAK	P P	KEY	MAKE	BREAK	KEY	MAKE	BREAK
А	1C	F0,1C	•	9	46	F0,46	[	54	FO,54
В	32	F0,32		x	0E	F0,0E	INSERT	E0,70	E0, F0,70
С	21	F0,21		-	4E	F0,4E	HOME	E0,6C	E0, F0,6C
D	23	F0,23	Π	=	55	FO,55	PG UP	E0,7D	E0, F0,7D
E	24	F0,24	Π	١	5D	F0,5D	DELETE	E0,71	E0, F0,71
F	2B	F0,2B		BKSP	66	F0,66	END	E0,69	E0, F0,69
G	34	F0,34		SPACE	29	F0,29	PG DN	E0,7A	E0, F0,7A
Н	33	F0,33		ТАВ	0D	F0,0D	U ARROW	E0,75	E0, F0,75
Ι	43	F0,43		CAPS	58	F0,58	L ARROW	E0,6B	E0, F0,6B
J	3B	F0,3B		L SHFT	12	FO,12	D ARROW	E0,72	E0, F0,72
К	42	F0,42		L CTRL	14	FO,14	R ARROW	E0,74	E0, F0,74
L	4B	F0,4B		L GUI	E0,1F	E0,F0,1F	NUM	77	F0,77
М	3A	F0,3A		L ALT	11	F0,11	KP /	E0,4A	E0, F0,4A
Ν	31	F0,31		R SHFT	59	F0,59	KP *	7C	F0,7C
0	44	F0,44		R CTRL	E0,14	E0,F0,14	KP -	7B	F0,7B
Р	4D	F0,4D		R GUI	E0,27	E0,F0,27	KP +	79	F0,79
Q	15	F0,15		R ALT	E0,11	E0,F0,11	KP EN	E0,5A	E0, F0,5A
R	2D	F0,2D		APPS	E0,2F	E0,F0,2F	KP.	71	F0,71
S T	1B	F0,1B		ENTER	5A	F0,5A	KP 0	70	F0,70
Т	2C	F0,2C		ESC	76	F0,76	KP 1	69	F0,69
U	3C	F0,3C		F1	05	F0,05	KP 2	72	F0,72
V	2A	F0,2A		F2	06	F0,06	KP 3	7A	F0,7A
W	1D	F0,1D		F3	04	F0,04	KP 4	6B	F0,6B
Х	22	F0,22		F4	0C	F0,0C	KP 5	73	F0,73

http://panda.cs.ndsu.nodak.edu/~achapwes

BASCOM Language Reference

755

2	_					_		-	
Y	35	F0,35	F5	03	F0,03		KP 6	74	F0,74
Z	1A	F0,1A	F6	0B	F0,0B		KP 7	6C	F0,6C
0	45	F0,45	F7	83	F0,83		KP 8	75	F0,75
1	16	F0,16	F8	0A	F0,0A		KP 9	7D	F0,7D
2	1E	F0,1E	F9	01	F0,01		]	5B	F0,5B
3	26	F0,26	F10	09	F0,09			4C	F0,4C
4	25	F0,25	F11	78	F0,78		1	52	F0,52
5	2E	F0,2E	F12	07	F0,07		1	41	F0,41
6	36	F0,36	PRNT	E0,12	E0,F0,	Π	•	49	F0,49
			SCRN	, E0,7C	7C,E0, F0,12				
7	3D	F0,3D	SCROLL	7E	F0,7E	Π	/	4A	F0,4A
8	3E	F0,3E	PAUSE	E1,14 ,77, E1, F0,14 , F0,77	-NONE-				

These are the usable scan codes from the keyboard. If you want to implement F1 , you look at the generated scan code : 05 hex. So in the table, at position 5+1=6, you write the value for F1.

In the sample program below, you can find the value 200. When you now press F1, the value form the table will be used so 200 will be returned.

# See also

CONFIG KEYBOARD 554 , GETATKBDRAW 757

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	: getatkbd.bas : (c) 1995-2005, MCS Electronics : PC AT-KEYBOARD Sample : Mega48 : yes : no	
<pre>\$regfile = "8535def.dat"</pre>		' specify
the used micro \$crystal = 4000000		' used
crystal frequency <b>\$baud =</b> 19200		' use baud
<pre>rate \$hwstack = 32 use 32 for the hardware s</pre>	tack	' default
\$swstack = 10	Lack	' default
use 10 for the SW stack <b>\$framesize = 40</b> use 40 for the frame spac	e	' default

```
'For this example :
'connect PC AT keyboard clock to PIND.2 on the 8535
'connect PC AT keyboard data to PIND.4 on the 8535
'The GetATKBD() function does not use an interrupt.
'But it waits until a key was pressed!
'configure the pins to use for the clock and data
'can be any pin that can serve as an input
'Keydata is the label of the key translation table
Config Keyboard = Pind.2 , Data = Pind.4 , Keydata = Keydata
'Dim some used variables
Dim S As String * 12
Dim B As Byte
'In this example we use SERIAL(COM) INPUT redirection
$serialinput = Kbdinput
'Show the program is running
Print "hello"
Do
  'The following code is remarked but show how to use the GetATKBD()
function
                       'get a byte and store it into byte variable
  ' B = Getatkbd()
  'When no real key is pressed the result is 0
  'So test if the result was > 0
  ' If B > 0 Then
       Print B ; Chr(b)
  ' End If
  'The purpose of this sample was how to use a PC AT keyboard
  'The input that normally comes from the serial port is redirected to
the
  'external keyboard so you use it to type
  Input "Name " , S
  'and show the result
  Print S
  'now wait for the F1 key , we defined the number 200 for F1 in the
table
  Do
   B = Getatkbd()
  Loop Until B <> 0
 Print B
LOOD
End
'Since we do a redirection we call the routine from the redirection
routine
Kbdinput:
'we come here when input is required from the COM port
'So we pass the key into R24 with the GetATkbd function
' We need some ASM code to save the registers used by the function
$asm
push r16
                  ; save used register
push r25
push r26
push r27
Kbdinput1:
rCall _getatkbd ; call the function
```

tst r24 ; check for zero breq Kbdinput1 ; yes so try again pop r27 ; we got a valid key so restore registers pop r26 pop r25 pop r16 \$end Asm 'just return Return 'The tricky part is that you MUST include a normal call to the routine 'otherwise you get an error 'This is no clean solution and will be changed B = Getatkbd() 'This is the key translation table Keydata: 'normal keys lower case Data 0 , 0 , 0 , 0 , 0 , 113 , 49 , 0 , 0 , 0 , 122 , 115 , 97 , 119 , 50,0 Data 0 , 99 , 120 , 100 , 101 , 52 , 51 , 0 , 0 , 32 , 118 , 102 , 116 , 114 , 53 , 0 Data 0 , 110 , 98 , 104 , 103 , 121 , 54 , 7 , 8 , 44 , 109 , 106 , 117 , 55 , 56 , 0 Data 0 , 44 , 107 , 105 , 111 , 48 , 57 , 0 , 0 , 46 , 45 , 108 , 48 , 112 , 43 , 0 Data 0 , 0 , 0 , 0 , 0 , 92 , 0 , 0 , 0 , 0 , 13 , 0 , 0 , 92 , 0 , 0 Data 0 , 60 , 0 , 0 , 0 , 0 , 8 , 0 , 0 , 49 , 0 , 52 , 55 , 0 , 0 , 0 Data 48, 44, 50, 53, 54, 56, 0, 0, 0, 43, 51, 45, 42, 57, 0,0 'shifted keys UPPER case Data 0 , 0 , 0 , 0 , 0 , 81 , 33 , 0 , 0 , 0 , 90 , 83 , 65 , 87 , 34 , 0 Data 0 , 67 , 88 , 68 , 69 , 0 , 35 , 0 , 0 , 32 , 86 , 70 , 84 , 82 , 37 , 0 Data 0 , 78 , 66 , 72 , 71 , 89 , 38 , 0 , 0 , 76 , 77 , 74 , 85 , 47 , 40,0 Data 0 , 59 , 75 , 73 , 79 , 61 , 41 , 0 , 0 , 58 , 95 , 76 , 48 , 80 , 63,0 Data 0 , 0 , 0 , 0 , 0 , 96 , 0 , 0 , 0 , 0 , 13 , 94 , 0 , 42 , 0 , 0 Data 0 , 62 , 0 , 0 , 0 , 8 , 0 , 0 , 49 , 0 , 52 , 55 , 0 , 0 , 0 , 0 Data 48 , 44 , 50 , 53 , 54 , 56 , 0 , 0 , 0 , 43 , 51 , 45 , 42 , 57 , 0,0

#### 6.246 GETATKBDRAW

#### Action

Reads a key from a PC AT keyboard.

#### Syntax

var = GETATKBDRAW()

#### **Remarks**

var	The variable that is assigned with the key read from the
	keyboard.

It may be a byte or a string variable. When no key is pressed a 0 will be returned.

The GETATKBDRAW() function needs 2 input pins and a translation table for the keys. You can read more about this at the <u>CONFIG KEYBOARD</u> state compiler directive.

The GetatkbdRAW function will return RAW data from a PS/2 keyboard or Mouse.

While GetatKBD is intended to wait for pressed keys, GetATkbdRAW just returns raw PS/2 data so you can use your own code to process the data.

#### See Also

GETATKBD 7537, CONFIG KEYBOARD 5547

#### Example

See GETATKBD.BAS

#### 6.247 GETDSTIP

#### Action

Returns the IP address of the peer.

#### **Syntax**

Result = **GETDSTIP**( socket)

#### Remarks

	A LONG variable that will be assigned with the IP address of the peer or destination IP address.
Socket	The socket number (0-3)

When you are in server mode, it might be desirable to detect the IP address of the connecting client.

You can use this for logging, security, etc.

The IP number MSB, is stored in the LS byte of the variable.

#### See also

```
<u>CONFIG TCPIP</u> هکا، <u>GETSOCKET</u> المكان ، <u>SOCKETCONNECT</u> هکا، <u>SOCKETSTAT</u> هما ، <u>TCPWRITE</u> هکا، <u>TCPWRITESTR</u> هکا، <u>CLOSESOCKET</u> هکا، <u>SOCKETLISTEN</u> هکا، <u>GETDSTPORT</u> (محکم)
```

# **Partial Example**

Dim L as Long L = GetdstIP(i) ' store current IP number of socket i

## 6.248 GETDSTPORT

## Action

Returns the port number of the peer.

#### **Syntax**

Result = **GETDSTPort**( socket)

#### **Remarks**

	A WORD variable that is assigned with the port number of the peer or destination port number.
Socket	The socket number.

When you are in server mode, it might be desirable to detect the port number of the connecting client.

You can use this for logging, security, etc.

#### See also

<u>CONFIG TCPIP</u> همكا، <u>GETSOCKET</u> محاكم , <u>SOCKETCONNECT</u> همكا، <u>SOCKETSTAT</u> همكا، <u>TCPWRITE</u> همكا، <u>TCPWRITE</u> همكا، <u>CLOSESOCKET</u> همكا، <u>SOCKETLISTEN</u> همكا، <u>GETDSTIP</u> محاكمة

## **Partial Example**

Dim P as Word P = GetdstPORT(i)' store current port number of socket i

# 6.249 GETKBD

#### Action

Scans a 4x4 matrix keyboard and return the value of the key pressed.

#### **Syntax**


var = **GETKBD**()

#### Remarks

Var
-----

The numeric variable that is assigned with the value read from the keyboard

The GETKBD() function can be attached to a port of the uP. You can define the port with the CONFIG KBD statement. A schematic for PORTB is shown below



Note that the port pins can be used for other tasks as well. But you might need to set the port direction of those pins after you have used getkbd(). For example the LCD pins are set to output at the start of your program. A call to getkbd() would set the pins to input.

By setting DDR.x register you can set the pins to the proper state again. As an alternative you can use CONFIG PIN or CONFIG PORT.

When no key is pressed 16 will be returned.

When using the 2 additional rows, 24 will be returned when no key is pressed.

On the STK200 this might not work since other hardware is connected too that interferes.

You can use the <u>Lookup()</u> [a25] function to convert the byte into another value. This because the GetKBD() function does not return the same value as the key pressed. It will depend on which keyboard you use.

Sometimes it can happen that it looks like a key is pressed while you do not press a key. This is caused by the scanning of the pins which happens at a very high frequency.

It will depend on the used keyboard. You can add series resistors with a value of 470-1K  $\,$ 

The routine will wait for 100 mS by default after the code is retrieved. With CONFIG KBD you can set this delay.

#### See also

CONFIG KBD 553

#### Example

'name : getkbd.bas
'copyright : (c) 1995-2005, MCS Electronics

761

```
: demo : GETKBD
'purpose
'micro
                          : Mega48
'suited for demo
                          : yes
'commercial addon needed : no
           _____
! _ _ _ _ _ _ _ _ _ _ _ _ .
_____
$regfile = "m48def.dat"
                                                             ' specify
the used micro
$crystal = 4000000
                                                             ' used
crystal frequency
$baud = 19200
                                                             ' use baud
rate
                                                             ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
'specify which port must be used
'all 8 pins of the port are used
Config Kbd = Portb
'dimension a variable that receives the value of the pressed key
Dim B As Byte
'loop for ever
Do
  B = Getkbd()
  'look in the help file on how to connect the matrix keyboard
  'when you simulate the getkbd() it is important that you press/click
the keyboard button
  ' before running the getkbd() line !!!
 Print B
  'when no key is pressed 16 will be returned
  'use the Lookup() function to translate the value to another one
' this because the returned value does not match the number on the
keyboad
Loop
End
```

#### 6.250 GETRC

#### Action

Retrieves the value of a resistor or a capacitor.

#### Syntax

var = GETRC( pin , number )


#### Remarks

Var	The word variable that is assigned with the value.
Pin	The PIN name for the R/C is connection.
Number	The port pin for the R/C is connection.

The name of the input port (PIND for example) must be passed even when all the other pins are configured for output. The pin number must also be passed. This may

be a constant or a variable.

A circuit is shown below:



The capacitor is charged and the time it takes to discharge it is measured and stored in the variable. Now when you vary either the resistor or the capacitor, different values will be returned. This function is intended to return a relative position of a resistor wiper, not to return the value of the resistor. But with some calculations it can be retrieved.

The GETRC function passes the address of the PIN register to the \_GETRC library code.

This will not work for PINF of the ATMEGA128. The PORTF, PINF, DDRF map is not continuous grouped together.

To solve this, you can use the \$lib "getRc\_m128\_PINF.lib"

This lib is only for the M128/M64 PORTF, and when the compatibility fuse is not set to M103.

\_\_\_\_\_

#### See also

NONE

```
_____
'name
                      : getrc.bas
                      : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                      : demonstrates how to get the value of a
resistor
'micro
                      : AT90S8535
'suited for demo
                      : yes
'commercial addon needed : no
' The library also shows how to pass a variable for use with individual
port
' pins. This is only possible in the AVR architecture and not in the
8051
*_____
_____
$regfile = "8535def.dat"
                                                     ' specify
the used micro
$crystal = 4000000
                                                     ' used
crystal frequency
$baud = 19200
                                                     ' use baud
rate
\$hwstack = 32
                                                     ' default
use 32 for the hardware stack
\$swstack = 10
                                                     ' default
```

```
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
'The function works by charging a capacitor and uncharge it little by
little
'A word counter counts until the capacitor is uncharged.
'So the result is an indication of the position of a pot meter not the
actual
'resistor value
'This example used the 8535 and a 10K ohm variable resistor connected to
PIND.4
'The other side of the resistor is connected to a capacitor of 100nF.
'The other side of the capacitor is connected to ground.
'This is different than BASCOM-8051 GETRC! This because the architecture
is different.
'The result of getrc() is a word so DIM one
Dim W As Word
Do
  'the first parameter is the PIN register.
  'the second parameter is the pin number the resistor/capacitor is
connected to
  'it could also be a variable!
 W = Getrc(pind, 4)
 Print W
 Wait 1
Loop
```

#### 6.251 GETRC5

#### Action

Retrieves the RC5 remote code from a IR transmitter.

#### **Syntax**

GETRC5( address, command )

#### Uses

**TIMER0** 

#### Remarks

address	The RC5 address
command	The RC5 command.


This statement is based on the AVR 410 application note. Since a timer is needed for accurate delays and background processing TIMER0 is used by this statement.

The interrupt of TIMER0 is also used by this statement. TIMER0 can be used by your application since the values are preserved by the statement but a delay can occur. The interrupt can not be reused.


You may use any pin that can work as an input pin. Use the CONFIG RC5 statement to specify which pin is connected to the IR receiver.

GETRC5 supports extended RC5 code reception.

The SFH506-36 is used from Siemens. Other types can be used as well. The TSOP1736 has been tested with success.



For a good operation use the following values for the filter.



Most audio and video systems are equipped with an infra-red remote control.

The RC5 code is a 14-bit word bi-phase coded signal.

The two first bits are start bits, always having the value 1.

The next bit is a control bit or toggle bit, which is inverted every time a button is pressed on the remote control transmitter.

Five system bits hold the system address so that only the right system responds to the code.

Usually, TV sets have the system address 0, VCRs the address 5 and so on. The command sequence is six bits long, allowing up to 64 different commands per address.

The bits are transmitted in bi-phase code (also known as Manchester code).

For extended RC5 code, the extended bit is bit 6 of the command.

The toggle bit is stored in bit 7 of the command.

#### Xmega

The Xmega will use timer TCC0 instead of TIMER0.

You MUST enable the low priority interrupts since TCC0 is used in this mode. You can do this with this command :

Config Priority = Static , Vector = Application , Lo = Enabled

## See also

CONFIG RC5 [581], RC5SEND [873], RC6SEND [877]

```
_____
_____
                      : rc5.bas
'name
'copyright
                      : (c) 1995-2005, MCS Electronics
'purpose
                       : based on Atmel AVR410 application note
                      : 90S2313
'micro
'suited for demo
                       : yes
'commercial addon needed : no
·_____
                                 _____
_____
$regfile = "2313def.dat"
                                                      ' specify
the used micro
$crystal = 4000000
                                                      ' used
crystal frequency
$baud = 19200
                                                      ' use baud
rate
                                                      ' default
\$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                      ' default
use 10 for the SW stack
                                                      ' default
$framesize = 40
use 40 for the frame space
'use byte library for smaller code
$lib "mcsbyte.lbx"
'This example shows how to decode RC5 remote control signals
'with a SFH506-35 IR receiver.
'Connect to input to PIND.2 for this example
'The GETRC5 function uses TIMER0 and the TIMER0 interrupt.
'The TIMER0 settings are restored however so only the interrupt can not
'be used anymore for other tasks
'tell the compiler which pin we want to use for the receiver input
Config Rc5 = Pind.2
'the interrupt routine is inserted automatic but we need to make it
occur
```

```
766 BASCOM-AVR
```

```
'so enable the interrupts
Enable Interrupts
'reserve space for variables
Dim Address As Byte , Command As Byte
Print "Waiting for RC5..."
Do
  'now check if a key on the remote is pressed
  'Note that at startup all pins are set for INPUT
  'so we dont set the direction here
  'If the pins is used for other input just unremark the next line
  'Config Pind.2 = Input
  Getrc5(address , Command)
  'we check for the TV address and that is 0
  If Address = 0 Then
     'clear the toggle bit
     'the toggle bit toggles on each new received command
     'toggle bit is bit 7. Extended RC5 bit is in bit 6
     Command = Command And &B01111111
    Print Address ; "
                       " ; Command
 End If
Loop
End
```

## 6.252 GETREG

#### Action

Reads a byte from an internal register.

Syntax

var = GETREG( Reg )

#### Remarks

Most AVR chips have 32 registers named R0-R31. The GetReg function will return the value of the specified register.

Reg	The register name : R0-R31 or a register definition.
Var	The name of a variable that will be assigned with the content of the
	register.

PEEK and POKE work with an address. And will return a HW register on the Xmega since Xmega has a different address map.

GetReg and SetReg will read/write registers on all AVR processors.

See also SETREG छि. PEEK छिमे, POKE छिडी

## 6.253 GETTCPREGS

## Action

Read a register value from the W3100A

## **Syntax**

var = GETTCPREGS(address, bytes)

## Remarks

Address	The address of the W3100A register.
bytes	The number of bytes to read.

Most W3100A options are implemented with BASCOM statements or functions. When there is a need to read from the W3100A register you can use the GETTCPREGS function. It can read multiple bytes. It is important that you specify the highest address. This because the registers must be read starting with the highest address.

## See also

SETTCPREGS 911

## ASM

NONE

## Example

See SETTCPREGS 911

## 6.254 GETSOCKET

#### Action

Creates a socket for TCP/IP communication.

# Syntax

Result = **GETSOCKET**(socket, mode, port, param)

#### Remarks

Result	A byte that is assigned with the socket number you requested. When the operation fails, it will return 255.
Mode	The socket mode. Use sock_stream(1), sock_dgrm(2), sock_ipl_raw (3), sock) or macl_raw(4). The modes are defined with constants.
	For TCP/IP communication you need to specify sock_stream or the equivalent value 1.
	For UDP communication you need to specify sock_dgrm or the equivalent value 2.
Port	This is the local port that will be used for the communication. You may specify any value you like but each socket must have it's own local port

	number.
	When you use 0, the value of LOCAL_PORT will be used.
	LOCAL_PORT is assigned with CONFIG TCPIP.
	After the assignment, LOCAL_PORT will be increased by 1. So the simplest way is to setup a local port with CONFIG TCPIP, and then use 0 for port.
Param	Optional parameter. Use 0 for default.
	128 : send/receive broadcast message in UDP 64 : use register value with designated timeout value 32 : when not using no delayed ack 16: when not using silly window syndrome
	Consult the W3100A documentation for more information.

After the socket has been initialized you can use SocketConnect to connect to a client, or SocketListen to act as a server.

## See also

CONFIG TCPIP 602, SOCKETCONNECT 937, SOCKETSTAT 941, TCPWRITE 978, TCPWRITESTR 978, TCPREAD 978, CLOSESOCKET 478, SOCKETLISTEN 940

# **Partial Example**

I = Getsocket(0 , Sock\_stream , 5000 , 0)' get a new socket

#### 6.255 GLCDCMD

#### Action

Sends a command byte to the SED graphical LCD display.

#### **Syntax**

GLCDCMD byte

#### Remarks

byte

A variable or numeric constant to send to the display.

With GLCDCMD you can write command bytes to the display. This is convenient to control the display when there is no specific statement available.

You need to include the glibSED library with : \$LIB "glibsed.lbx"

See also CONFIG GRAPHLCD [557] , LCDAT [806], GLCDDATA [769]

## Example

NONE

#### 6.256 GLCDDATA

#### Action

Sends a data byte to the SED graphical LCD display.

#### Syntax

GLCDDATA byte

## Remarks

byte A variable or numeric constant to send to the display.

With GLCDDATA you can write data bytes to the display. This is convenient to control the display when there is no specific statement available. You need to include the glibSED library with :

\$LIB "glibsed.lbx"

# See also

CONFIG GRAPHLCD [557], LCDAT [806], GLCDCMD [768]

# Example

NONE

## 6.257 GOSUB

#### Action

Branch to and execute subroutine.

#### **Syntax**

**GOSUB** label

## Remarks

Label The name of the label where to branch to.

With GOSUB, your program jumps to the specified label, and continues execution at that label.

When it encounters a RETURN statement, program execution will continue after the GOSUB statement.

#### See also

GOTO 7707, CALL 4617, RETURN 8947

# Example

```
'name : gosub.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demo: GOTO, GOSUB and RETURN
'micro : Mega48
'suited for demo : yes
'commercial addon needed : no
```

\_\_\_\_\_

<pre>\$regfile = "m48def.dat" the used micro</pre>	' specify
<pre>\$crystal = 4000000 crystal frequency</pre>	' used
<b>\$baud</b> = 19200	' use baud
rate	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack	
\$swstack = 10	' default
use 10 for the SW stack	
<b>\$framesize =</b> 40	' default
use 40 for the frame space	
Goto Continue	

Print "This code will not be executed"

```
Continue: 'end a label
with a colon
Print "We will start execution here"
Gosub Routine
Print "Back from Routine"
End
```

```
Routine: 'start a
subroutine
Print "This will be executed"
Return 'return from
subroutine
```

# 6.258 GOTO

#### Action

Jump to the specified label.

## **Syntax**

**GOTO** label

## Remarks

Labels can be up to 32 characters long. When you use duplicate labels, the compiler will give you a warning.

# See also

GOSUB 769

# Example

Dim A As Byte Start: 'a label must end with a colon A = A + 1 'increment a If A < 10 Then 'is it less than 10? Goto Start 'do it again End If 'close IF Print "Ready" 'that is it

#### 6.259 GRAY2BIN

#### Action

Returns the numeric value of a Gray code.

#### **Syntax**

var1 = GRAY2BIN(var2)

#### Remarks

var1	Variable that will be assigned with the binary value of the Grey code.
var2	A variable in Grey format that will be converted.

Gray code is used for rotary encoders. Gray2bin() works for byte, integer, word and long variables.

#### See also

BIN2GRAY 452

## ASM

Depending on the data type of the target variable the following routine will be called from mcs.lbx:

\_Bin2grey for bytes , \_Bin2Grey2 for integer/word and \_Bin2grey4 for longs.

\_\_\_\_\_

# Example

```
_____
                    : graycode.bas
'name
'copyright
                    : (c) 1995-2005, MCS Electronics
'purpose
                    : show the Bin2Gray and Gray2Bin functions
                    : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
......
                               _____
$regfile = "m48def.dat"
                                                ' specify
the used micro
$crystal = 4000000
                                                 ' used
crystal frequency
```

\_\_\_\_\_

#### 772 BASCOM-AVR

```
$baud = 19200
                                                              ' use baud
rate
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
'Bin2Gray() converts a byte, integer, word or long into grey code.
'Gray2Bin() converts a gray code into a binary value
Dim B As Byte
                                                              ' could be
word, integer or long too
Print "BIN" ; Spc(8) ; "GREY"
For B = 0 To 15
 Print B ; Spc(10) ; Bin2gray(b)
Next
Print "GREY" ; Spc(8) ; "BIN"
For B = 0 To 15
 Print B ; Spc(10) ; Gray2bin(b)
Next
End
```

## 6.260 HEX

## Action

Returns a string representation of a hexadecimal number.

#### Syntax

var = HEX(x)

#### Remarks

var	A string variable.
	A numeric variable of data type Byte, Integer, Word, Long, Single or Double.

## See also

HEXVAL 773, VAL 996, STR 962, BIN 450, BINVAL 451

<pre>\$regfile = "m48def.dat"</pre>	1	specify
the used micro		
<b>\$crystal =</b> 8000000		used
crystal frequency		
<b>\$baud</b> = 19200	1	use baud
rate		
<pre>\$hwstack = 32</pre>	1	default
use 32 for the hardware stack		
<pre>\$swstack = 10</pre>	1	default
use 10 for the SW stack		
<b>\$framesize =</b> 40	1	default

```
use 40 for the frame space
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim B As Byte , J As Integer , W As Word , L As Long
B = 1 : J = &HF001
W = &HF001
L = W
Print B ; Spc(3) ; Hex(b)
Print J ; Spc(3) ; Hex(j)
Print J ; Spc(3) ; Hex(j)
Print W ; Spc(3) ; Hex(w)
Print L ; Spc(3) ; Hex(l)
End
```

#### 6.261 HEXVAL

#### Action

Convert string representing a hexadecimal number into a numeric variable.

#### **Syntax**

var = HEXVAL( x )

#### Remarks

Var	The numeric variable that must be assigned.
Х	The hexadecimal string that must be converted.

In VB you can use the VAL() function to convert hexadecimal strings. But since that would require an extra test for the leading &H signs that are required in VB, a separate function was designed.

The data may only contain hex decimal characters : 0,1,2,3,4,5,6,7,8,9,A,B,C,D,E,F, a,b,c,d,e,f. Other data will lead to conversion errors. If you need spaces to be filtered you can use the alternative library named hexval.lbx

Include it to your code with \$LIB "hexval.lbx" and the conversion routine from this library will be used instead of the one from mcs.lbx. The alternative library will also set the ERR flag if an illegal character is found.

#### See also

HEX [772], VAL [996], STR [962], BIN [450], BINVAL [451]

#### Example

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
```

' specify ' used

- ' use baud
- ' default
- ' default

```
774 BASCOM-AVR
```

```
$framesize = 40 ' default
use 40 for the frame space
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim L As Long
Dim S As String * 8
Do
Input "Hex value " , S
L = Hexval(s)
Print L ; Spc(3) ; Hex(1)
Loop
```

# 6.262 HIGH

## Action

Retrieves the most significant byte of a variable.

## **Syntax**

var = HIGH(s)

## Remarks

Var	The variable that is assigned with the MSB of var S.
S	The source variable to get the MSB from.

## See also

LOW 8267, HIGHW 7747

# Example

```
Dim I As Integer , Z As Byte
I = &H1001
Z = High(i)
or 16 dec
End
```

' is 10 hex

# 6.263 HIGHW

#### Action

Retrieves the most significant word of a long variable.

#### Syntax

var = **HIGHW**(s)

#### Remarks

Var	The variable that is assigned with the MS word of var S.
S	The source variable to get the MSB from.

There is no LowW() function. This because when you assign a Long to a word or integer, only the lower part is assigned. For this reason you do not need a Loww() function. W=L will do the same.

## See also

LOW 826 , HIGH 774

## Example

Dim X As Word , L As Long
L = &H12345678
X = Highw(1)
Print Hex(x)

## 6.264 HOME

## Action

Place the cursor at the specified line at location 1.

## **Syntax**

HOME UPPER | LOWER | THIRD | FOURTH

# Remarks

If only HOME is used than the cursor will be set to the upper line. You may also specify the first letter of the line like: HOME U

## See also

CLS 472 , LOCATE 822

For a complete example see LCD 803

## **Partial Example**

Locate 2 , 1 position Lcd "\*" Home Upper 1 and return home 'set cursor

'display this 'select line

# 6.265 I2CINIT

Action Initializes the SCL and SDA pins.

Syntax I2CINIT I2CINIT #const

## Remarks

By default the SCL and SDA pins are in the right state when you reset the chip. Both the PORT and the DDR bits are set to 0 in that case.

When you need to change the DDR and/or PORT bits you can use I2CINIT to bring the pins in the proper state again.

For the XMEGA which has multiple TWI interfaces you can use a channel to specify the TWI interface otherwise the default TWIC will be used.

# ASM

The I2C routines are located in i2c.lib. \_i2c\_init is called.

## See also

I2CSEND [778], I2CSTART [779], I2CSTOP [779], I2CRBYTE [779], I2CWBYTE [779], I2C TWI Library for using TWI [1020]

#### Example

Config Sda = Portb.5
Config Scl = Portb.7
I2cinit

Dim X As Byte , Slave As Byte
X = 0
variable
Slave = &H40
address of a PCF 8574 I/O IC
I2creceive Slave , X
value
Print X

'reset 'slave 'get the

'print it

# Example XMEGA

<b>Open</b> "twic" <b>For Binary As #</b> 4	' or use
TWID, TWIE OR TWIF	
Config TwiC = 100000	'CONFIG TWI
will ENABLE the TWI master interface	
I2cinit #4	

## 6.266 I2CRECEIVE

#### Action

Receives data from an I2C serial slave device.

#### **Syntax**

**I2CRECEIVE** slave, var **I2CRECEIVE** slave, var , b2W, b2R

#### Syntax Xmega

I2CRECEIVE slave, var , #const I2CRECEIVE slave, var , b2W, b2R , #const

Remar	ks	
Slave	A byte, Word/Integer variable or constant with the slave address from the I2C-device.	
	I2C uses a 7 bit address from bit 1 to bit 7. Bit 0 is used to specify a read/write operation. In BASCOM the byte transmission address is used for I2C. This means that an I2C 7-bit address of 1 becomes &B10 = 2. And we say the address is 2. This is done so you can copy the address from the data sheets which are in the same format in most cases. So if you work with 7 bit address, you need to multiply the address by 2.	
Var	A byte or integer/word variable that will receive the information from the I2C-device.	
b2W	The number of bytes to write. Be cautious not to specify too many bytes!	
b2R	The number of bytes to receive. Be cautious not to specify too many bytes!	
#const	For the Xmega, a channel constant that was specified with OPEN.	

You must specify the base address of the slave chip because the read/write bit is set/ reset by the software.

When an error occurs, the internal ERR variable will return 1. Otherwise it will be set to 0.

The I2CRECEIVE statement combines the i2cstart,i2cwbyte, i2crbyte and i2cstop statements.

For the xmega you can optional specify the channel. Without it, SPIC will be used.

# ASM

The I2C routines are located in the i2c.lib/i2c.lbx files.

#### See also

<u>I2CSEND</u> गिकी, <u>I2CSTART</u> गिकी , <u>I2CSTOP</u> गिकी, <u>I2CRBYTE</u> गिकी , <u>I2CWBYTE</u> गिकी

#### Example

e
'reset
'slave
'get the
'print it

```
Dim Buf(10)as Byte
Buf(1) = 1 : Buf(2) = 2
I2creceive Slave , Buf(1) , 2 , 1
bytes and receive one byte
```

'send two

#### BASCOM-AVR

Print Buf(1)
received byte
End

#### 6.267 I2CSEND

778

#### Action

Send data to an I2C-device.

#### Syntax

I2CSEND slave, var I2CSEND slave, var , bytes

#### Syntax Xmega

I2CSEND slave, var , #const I2CSEND slave, var , bytes , #const

# Remarks

Slave	The slave address off the I2C-device.		
	I2C uses a 7 bit address from bit 1 to bit 7. Bit 0 is used to specify a read/write operation. In BASCOM the byte transmission address is used for I2C.		
	This means that an I2C 7-bit address of 1 becomes &B10 = 2. And we say the address is 2. This is done so you can copy the address from the data sheets which are in the same format in most cases. So if you work with 7 bit address, you need to multiply the address by 2.		
Var	A byte, integer/word or numbers that holds the value, which will be, send to the I2C-device.		
Bytes	The number of bytes to send.		
#const	For the Xmega, a channel constant that was specified with OPEN.		

When an error occurs, the internal ERR variable will return 1. Otherwise it will be set to 0.

The I2CSEND statement combines the i2cstart,i2cwbyte and i2cstop statements. For the xmega you can optional specify the channel. Without it, SPIC will be used.

#### ASM

The I2C routines are located in the i2c.lib/i2c.lbx files.

#### See also

I2CRECEIVE 778 , I2CSTART 779 , I2CSTOP 779 , I2CRBYTE 779 , I2CWBYTE 779

#### Example

Config Sda = Portb.5
Config Scl = Portb.7
Dim X As Byte , A As Byte , Bytes As Byte

#### 'print the

779

X = 5 variable to 5	'assign
Dim Ax(10)as Byte Const Slave = &H40 address of a PCF 8574 I/O IC	'slave
<b>I2csend</b> Slave , X value or	'send the
For $A = 1$ To 10 Ax(a) = A	'Fill
dataspace Next Bytes = 10 I2csend Slave , Ax(1) , Bytes	
End	

# 6.268 I2START, I2CSTOP, I2CRBYTE, I2CWBYTE, I2CREPSTART

#### Action

I2CSTART generates an I2C start condition. I2CREPSTART generates an I2C repeated start condition. I2CSTOP generates an I2C stop condition. I2CRBYTE receives one byte from an I2C-device. I2CWBYTE sends one byte to an I2C-device.

#### **Syntax**

I2CSTART I2CREPSTART I2CSTOP I2CRBYTE var, ack/nack I2CWBYTE val

#### Syntax Xmega

I2CSTART #const I2CREPSTART #const I2CSTOP #const I2CRBYTE var, ack/nack , #const I2CWBYTE val , #const

## Remarks

Var	A variable that receives the value from the I2C-device.	
ack/nack	Specify ACK if there are more bytes to read.	
	Specify NACK if it is the last byte to read.	
Val	A variable or constant to write to the I2C-device.	
#const	For the Xmega, a channel constant that was specified with OPEN.	

These statements are provided as an addition to the I2CSEND and I2CRECEIVE statements.

While I2CSEND and I2CRECEIVE are well suited for most tasks, a slave chip might need a special sequence that is not possible with the I2C routines.

#### 780 BASCOM-AVR

When an error occurs, the internal ERR variable will return 1. Otherwise it will be set to 0.

The Xmega has multiple TWI interfaces. You can use a channel to specify the TWI interface.

When using a repeated start, you must use I2CREPSTART on the XMega. Normal AVR processors may use either I2CSTART or I2CREPSTART.

#### ASM

The I2C routines are located in the i2c.lib/i2c.lbx files. For the XMega, the routines are located in the xmega.lib file.

#### See also

I2CSENDI2CRECEIVEI2CSTARTI2CSTOPI2CRBYTEI2CWBYTEITIGII2CWBYTEII<t

'copyright 'purpose	: no	.cs ;
<pre>\$regfile = "m48def.dat" the used micro \$crystal = 4000000 crystal frequency \$baud = 19200 rate \$hwstack = 32 use 32 for the hardware s: \$swstack = 10 use 10 for the SW stack \$framesize = 40</pre>		' specify ' used ' use baud ' default ' default ' default
use 40 for the frame space Config Scl = Portb.4 Config Sda = Portb.5	2	
<b>_</b>	<b>byval</b> Adres <b>As Byte , Byval</b> Val <b>yval</b> Adres <b>As Byte ,</b> Value <b>As E</b>	
<b>Const</b> Addressw = 174		'slave write
address <b>Const</b> Addressr = 175 address		'slave read
Dim B1 As Byte , Adres As	Byte , Value As Byte	'dim byte
<b>Call</b> Write_eeprom(1 , 3) of three to address 1 of 1	EEPROM	'write value

```
BASCOM Language Reference 781
```

```
Call Read_eeprom(1 , Value) : Print Value
                                                              'read it
back
Call Read_eeprom(5 , Value) : Print Value
                                                              'again for
address 5
'----- now write to a PCF8474 I/O expander ------
12csend &H40 , 255
                                                              'all outputs
high
I2creceive &H40 , B1
                                                              'retrieve
input
Print "Received data " ; B1
                                                              'print it
End
Rem Note That The Slaveaddress Is Adjusted Automaticly With I2csend &
I2creceive
Rem This Means You Can Specify The Baseaddress Of The Chip.
'sample of writing a byte to EEPROM AT2404
Sub Write_eeprom(byval Adres As Byte , Byval Value As Byte)
    I2cstart
                                                              'start
condition
                                                              'slave
    12cwbyte Addressw
address
    12cwbyte Adres
                                                              'asdress of
EEPROM
    12cwbyte Value
                                                              'value to
write
    I2cstop
                                                              'stop
condition
   Waitms 10
                                                              'wait for 10
milliseconds
End Sub
'sample of reading a byte from EEPROM AT2404
Sub Read_eeprom(byval Adres As Byte , Value As Byte)
                                                              'generate
   I2cstart
start
   12cwbyte Addressw
                                                              'slave
adsress
                                                              'address of
   12cwbyte Adres
EEPROM
   I2cstart
                                                              'repeated
start
   I2cwbyte Addressr
                                                              'slave
address (read)
  I2crbyte Value , Nack
                                                              'read byte
   I2cstop
                                                              'generate
stop
End Sub
' when you want to control a chip with a larger memory like the 24c64 it
requires an additional byte
' to be sent (consult the datasheet):
' Wires from the I2C address that are not connected will default to 0 in
most cases!
    I2cstart
                                                              'start
condition
```

BASCOM-AVR

782

```
' I2cwbyte &B1010_0000
address
' I2cwbyte H
address
' I2cwbyte L
' I2cwbyte Value
write
' I2cstop
condition
' Waitms 10
```

'slave

'high

'low address 'value to

'stop

\_\_\_\_\_

#### Xmega Example

```
(c) 1995-2010, MCS
                      xm128-TWI.bas
' This sample demonstrates the Xmega128A1 TWI
_____
$regfile = "xm128a1def.dat"
$crystal = 32000000
\$hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external xmegafix rol r1014
Dim S As String * 20
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Dim N As String * 16 , B As Byte
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
Config Input1 = Cr , Echo = Crlf
                                                           ' CR is used
for input, we echo back CR and LF
Open "COM1:" For Binary As #1
       ^^^^ change from COM1-COM8
Print #1 , "Xmega revision:" ; Mcu_revid
                                                          ' make sure
it is 7 or higher !!! lower revs have many flaws
Const Usechannel = 1
Dim B1 As Byte , B2 As Byte
Dim W As Word At B1 Overlay
Open "twic" For Binary As #4
                                                           ' or use
TWID, TWIE OR TWIF
Config Twi = 100000
                                                           'CONFIG TWI
will ENABLE the TWI master interface
```

© 2012 MCS Electronics

```
'you can also use TWIC, TWID, TWIE of TWIF
#if Usechannel = 1
   I2cinit #4
#else
 I2cinit
#endif
Do
  I2cstart
 Waitms 20
                                                              ' slave
 I2cwbyte &H70
address write
 Waitms 20
 12cwbyte & B10101010
                                                              ' write
command
 Waitms 20
 I2cwbyte 2
 Waitms 20
 I2cstop
 Print "Error : " ; Err
                                                              ' show error
status
 'waitms 50
 Print "start"
  I2cstart
 Print "Error : " ; Err
                                                              ' show error
  I2cwbyte &H71
 Print "Error : " ; Err
                                                              ' show error
 I2crbyte B1 , Ack
 Print "Error : " ; Err
                                                              ' show error
 I2crbyte B2 , Nack
 Print "Error : " ; Err
                                                              ' show error
 I2cstop
 Print "received A/D : " ; W ; "-" ; B1 ; "-" ; B2
 Waitms 500
                                                              'wait a bit
Loop
Dim J As Byte , C As Byte , K As Byte
Dim Twi_start As Byte
                                                              ' you MUST
dim this variable since it is used by the lib
'determine if we have an i2c slave on the bus
For J = 0 To 200 Step 2
 Print J
  #if Usechannel = 1
    I2cstart #4
  #else
    I2cstart
  #endif
   I2cwbyte J
   If Err = 0 Then
                                                              ' no errors
      Print "FOUND : " ; Hex(j)
      'write some value to the pcf8574A
      #if Usechannel = 1
         I2cwbyte &B1100_0101 , #4
      #else
         I2cwbyte &B1100_0101
      #endif
```

784

```
Print Err
     Exit For
   End If
   #if Usechannel = 1
       I2cstop #4
   #else
       I2cstop
   #endif
Next
#if Usechannel = 1
    I2cstop #4
#else
    I2cstop
#endif
#if Usechannel = 1
 I2cstart #4
  I2cwbyte &H71 , #4
address
 I2crbyte J , Ack , #4
 Print Bin(j) ; " err:" ; Err
 I2crbyte J , Ack , #4
 Print Bin(j) ; " err:" ; Err
 I2crbyte J , Nack , #4
 Print Bin(j) ; " err:" ; Err
 I2cstop #4
#else
 I2cstart
 I2cwbyte &H71
address
 I2crbyte J , Ack
 Print Bin(j) ; " err:" ; Err
 I2crbyte J , Ack
 Print Bin(j) ; " err:" ; Err
 {\tt I2crbyte}\ {\tt J} , Nack
 Print Bin(j) ; " err:" ; Err
 I2cstop
#endif
'try a transaction
#if Usechannel = 1
 12csend & H70 , 255 , #4
 Waitms 1000
 12csend &H70 , 0 , #4
#else
 12csend &H70 , 255
 Waitms 1000
 12csend & H70 , 0
#endif
Print Err
'read transaction
Dim Var As Byte
Var = &B11111111
#if Usechannel = 1
 12creceive &H70 , Var , 1 , 1 , #4
receive
 Print Bin(var) ; "-" ; Err
 I2creceive &H70 , Var , 0 , 1 , #4
receive
 Print Bin(var) ; "-" ; Err
#else
```

© 2012 MCS Electronics

' send and

' just

'read

'read

' all 1

'all O

```
I2creceive &H70 , Var , 1 , 1' send andreceivePrint Bin(var) ; "-" ; ErrI2creceive &H70 , Var , 0 , 1' justreceivePrint Bin(var) ; "-" ; Err#endif#endif
```

End

# 6.269 IDLE

# Action

Put the processor into the idle mode.

# Syntax IDLE

## Remarks

In the idle mode, the system clock is removed from the CPU but not from the interrupt logic, the serial port or the timers/counters.

The idle mode is terminated either when an interrupt is received(from the watchdog, timers, external level triggered or ADC) or upon system reset through the RESET pin.

Most new chips have many options for Power down/Idle. It is advised to consult the data sheet to see if a better mode is available.

You should use the new <u>CONFIG POWERMODE</u> or statement.

# See also

POWERDOWN (and , POWERSAVE (and , POWER mode (ass)

# Example

IDLE

# 6.270 IF-THEN-ELSE-END IF

#### Action

Allows conditional execution or branching, based on the evaluation of a Boolean expression.

## **Syntax**

**IF** expression **THEN** 

[ **ELSEIF** expression **THEN** ]

[ **ELSE** ]

**END IF** 

#### **Remarks**

Expression Any expression that evaluates to true or false.

The one line version of IF can be used : IF expression THEN statement [ ELSE statement ] The use of [ELSE] is optional.

Tests like IF THEN can also be used with bits and bit indexes. IF var.bit = 1 THEN ^--- bit is a variable or numeric constant in the range from 0-255

You can use OR or AND to test on multiple conditions. The conditions are evaluated from left to right. IF A=1 OR A=2 OR A=3 OR B>10 THEN IF A=1 AND A>3 THEN

```
Dim Var As Byte, Idx As Byte
Var = 255
Idx = 1
If Var.idx = 1 Then
Print "Bit 1 is 1"
EndIf
```

#### See also

ELSE 724

```
Dim A As Integer
A = 10
If A = 10 Then
                                                              'test
expression
 Print "This part is executed."
                                                              'this will
be printed
Else
  Print "This will never be executed."
                                                             'this not
End If
If A = 10 Then Print "New in BASCOM"
If A = 10 Then Goto Label1 Else print "A<>10"
Label1:
Rem The following example shows enhanced use of IF THEN
                                                             'test for
If A.15 = 1 Then
bit
  Print "BIT 15 IS SET"
EndIf
Rem the following example shows the 1 line use of IF THEN [ELSE]
If A.15 = 0 Then Print "BIT 15 is cleared" Else Print "BIT 15 is set"
```

' specify

' use baud

' default

' default

' default

' used

#### 6.271 INCR

## Action

Increments a variable by one.

# **Syntax**

**INCR** var

## **Remarks**

Var Any numeric variable.

# See also

DECR 686

# Example

\_\_\_\_\_

```
$regfile = "m48def.dat"
the used micro
$crystal = 4000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
```

#### Dim A As Byte

A = 5 value to a	'assign
Incr A	'inc (by
one)	
Print A	'print it
End	

#### 6.272 INITFILESYSTEM

#### Action

Initialize the file system

#### **Syntax**

bErrorCode = **INITFILESYSTEM** (bPartitionNumber)

# Remarks

bErrorCode	(Byte) Error Result from Routine, Returns 0 if no Error
bPartitionNumber	(Byte) Partition number on the Flashcard Drive (normally 1)

Reads the Master boot record and the partition boot record (Sector) from the flash card and initializes the file system.

This function must be called before any other file-system function is used.

## See also

OPEN [845], CLOSE [476], FLUSH [739], PRINT [861], LINE INPUT [813], LOC [817], LOF [818], EOF [731], FREEFILE [745], FILEATTR [734], SEEK [901], BSAVE [459], BLOAD [455], KILL [801], DISKFREE [709], DISKSIZE [710], GET [747], PUT [870], FILEDATE [735], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

## ASM

Calls	_GetFileSystem	
Input	r24: partitionnumber (1-based)	
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

Dim bErrorCode as Byte bErrorCode = InitFileSystem(1) If bErrorCode > 0 then Print "Error: "; bErrorCode Else Print "Filesystem successfully initialized" End If

# 6.273 INITLCD

## Action

Initializes the LCD display.

# Syntax

INITLCD

## Remarks

The LCD display is initialized automatic at start up when LCD statements are used by your code.

This is done by a call to \_LCD\_INIT.

If you include the INITLCD statement in your code, the automatic call is disabled and the \_LCD\_INIT is called at the place in your code where you put the INITLCD statement. (initlcd is translated into a call to \_init\_lcd).

Why is this useful?

• In an environments with static electricity, the display can give strange output. You can initialize the display then once in a while. When the display is initialized, the display content is cleared also.

- The LCD routines depend on the fact that the WR pin of the LCD is connected to ground. But when you connect it to a port pin, you must first set the logic level to 0 and after that you can initialize the display by using INITLCD
- Xmega chips need a stable oscillator. This is done with some CONFIG statements. The INITLCD should be placed after these commands.
- So in short you have more control when the LCD is initialized.

The <u>CONFIG LCDPIN</u> has an option to use the WR pin, and use the busy flag of the display. If you have enough pins, this is the best mode.

## ASM

The generated ASM code : Rcall \_Init\_LCD

# See also

LCD 3637, CONFIG LCDPIN 564

## Example

NONE

#### 6.274 INKEY

#### Action

Returns the ASCII value of the first character in the serial input buffer.

#### **Syntax**

var = INKEY()
var = INKEY(#channel)

#### Remarks

Var	Byte, Integer, Word, Long or String variable.
	A constant number that identifies the opened channel if software UART mode

If there is no character waiting, a zero will be returned. Use the IsCharWaiting() function to check if there is a byte waiting.

The INKEY routine can be used when you have a RS-232 interface on your uP. The RS-232 interface can be connected to a comport of your computer.

As zero(0) will be returned when no character is waiting, the usage is limited when the value of 0 is used in the serial transmission. You can not make a difference between a byte with the value 0 and the case where no data is available. In that case you can use IsCharwaiting to deterimine if there is a byte waiting.

#### See also

WAITKEY 1000, ISCHARWAITING 1800

```
Example
                  _____
_____
'name
                       : inkey.bas
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : demo: INKEY , WAITKEY
                       : Mega48
'micro
'suited for demo
                       : yes
'commercial addon needed : no
·_____
                                  _____
_____
$regfile = "m48def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
$hwstack = 32
                                                       ' default
use 32 for the hardware stack
$swstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
Dim A As Byte , S As String * 2
Do
  A = Inkey()
                                                       'get ascii
value from serial port
  's = Inkey()
  If A > 0 Then
                                                       'we got
something
     Print "ASCII code " ; A ; " from serial"
  End If
Loop Until A = 27
                                                       'until ESC
is pressed
                                                       'wait for a
A = Waitkey()
kev
's = waitkey()
Print Chr(a)
'wait until ESC is pressed
Do
Loop Until Inkey() = 27
'When you need to receive binary data and the bibary value \ensuremath{\mathsf{0}} ,
'you can use the IScharwaiting() function.
'This will return 1 when there is a char waiting and 0 if there is no
char waiting.
'You can get the char with inkey or waitkey then.
End
```

## 6.275 INP

## Action

Returns a byte read from a hardware port or any internal or external memory location.

## **Syntax**

var = **INP**(address)

#### Remarks

var	Numeric variable that receives the value.
	The address where to read the value from. (0- &HFFFF) For Xmega which supports huge memory, the address is in range from 0-&HFFFFFF.

The PEEK() function will read only the lowest 32 memory locations (registers). The INP() function can read from any memory location since the AVR has a linear memory model.

When you want to read from XRAM memory you must enable external memory access in the <u>Compiler Chip Options</u> [96].

## See also

OUT 8531, PEEK 8541, POKE 8551, SETREG 9091, GETREG 7661

· ·		
'micro 'suited for demo 'commercial addon needed	-	
<pre>\$regfile = "ml62def.dat"</pre>		' specify
the used micro <b>\$crystal =</b> 4000000		' used
crystal frequency		
<b>\$baud =</b> 19200 rate		' use baud
<pre>\$hwstack = 32</pre>		' default
use 32 for the hardware st	tack	
<pre>\$swstack = 10 use 10 for the SW stack</pre>		' default
\$framesize = 40		' default
use 40 for the frame space	2	
Dim I As Integer , B1 As H	Byte	
'dump internal memory		
For I = 0 To 31 registers in AVR		'only 32
B1 = Peek(i)		'get byte

#### 792 BASCOM-AVR

```
from internal memory
  Print Hex(b1) ; " ";
                                          'write a value into memory
  'Poke I , 1
Next
Print
                                                              'new line
'be careful when writing into internal memory !!
'now dump a part of the code-memory(program)
For I = 0 To 255
  B1 = Cpeek(i)
                                                              'get byte
from internal memory
 Print Hex(b1) ; " ";
Next
'note that you can not write into codememory !!
Out & H8000 , 1
                                                              'write 1
into XRAM at address 8000
B1 = Inp(\&H8000)
                                                              'return
value from XRAM
Print B1
End
```

#### 6.276 INPUTBIN

#### Action

Read binary data from the serial port.

#### **Syntax**

**INPUTBIN** var1 [,var2] **INPUTBIN** #channel , var1 [,var2]

#### Remarks

	The variable that is assigned with the characters from the serial port.
var2	An optional second (or more) variable that is assigned with the data from the serial input stream.

The channel is for use with the software UART routine and must be used with  $\underline{OPEN}_{B45}$  and  $\underline{CLOSE}$ .

The number of bytes to read depends on the variable you use. When you use a byte variable, 1 character is read from the serial port. An integer will wait for 2 characters and an array will wait until the whole array is filled.

Note that the INPUTBIN statement doesn't wait for a <RETURN> but just for the number of bytes.

You may also specify an additional numeric parameter that specifies how many bytes will be read. This is convenient when you are filling an array.

Inputbin ar(1), 4 ' will fill 4 bytes starting at index 1.

See also

```
Example
```

```
Dim A As Byte , C As Integer
Inputbin A , C 'wait for 3 characters
End
```

#### 6.277 INPUTHEX

#### Action

Allows hexadecimal input from the keyboard during program execution.

#### **Syntax**

**INPUTHEX** [" prompt" ] , var[ , varn ]

#### Remarks

prompt	An optional string constant printed before the prompt character.
Var,varn	A numeric variable to accept the input value.

The INPUTHEX routine can be used when you have a RS-232 interface on your uP. The RS-232 interface can be connected to a serial communication port of your computer.

This way you can use a terminal emulator and the keyboard as input device. You can also use the build in terminal emulator. The input entered may be in lower or upper case (0-9 and A-F)

If var is a byte then the input can be maximum 2 characters long. If var is an integer/word then the input can be maximum 4 characters long. If var is a long then the input can be maximum 8 characters long.

In VB you can specify **&H** with INPUT so VB will recognize that a hexadecimal string is being used.

BASCOM implements a new statement: INPUTHEX. This is only to save code as otherwise also code would be needed for decimal conversion.

#### See also

INPUT [794], ECHO [723], INPUTBIN [792]

#### 794 BASCOM-AVR

```
$crystal = 4000000
                                                                ' used
crystal frequency
$baud = 19200
                                                                ' use baud
rate
\$hwstack = 32
                                                                ' default
use 32 for the hardware stack
\$swstack = 10
                                                                ' default
use 10 for the SW stack
$framesize = 40
                                                                ' default
use 40 for the frame space
Dim V As Byte , B1 As Byte
Dim C As Integer , D As Byte
Dim S As String * 15
Input "Use this to ask a question " , V
Input B1
                                                                'leave out
for no question
Input "Enter integer " , C
Print C
Inputhex "Enter hex number (4 bytes) " , C
Print C
Inputhex "Enter hex byte (2 bytes) " , D
Print D
Input "More variables " , C , D
Print C ; " " ; D
Input C Noecho
                                                                'supress
echo
Input "Enter your name " , S
Print "Hello " ; S
Input S Noecho
                                                                'without
echo
Print S
End
```

#### 6.278 INPUT

### Action

Allows input from the keyboard, file or SPI during program execution.

#### **Syntax**

INPUT [" prompt" ] , var[ , varn ]
INPUT #ch, var[ , varn ]

### **Remarks**

Prompt	An optional string constant printed before the prompt character.	
Var,varn	A variable to accept the input value or a string.	
	A channel number, which identifies an opened file. This can be a hard coded constant or a variable.	

The INPUT routine can be used when you have an RS-232 interface on your uP. The RS-232 interface can be connected to a serial communication port of your computer.

This way you can use a terminal emulator and the keyboard as an input device. You can also use the built-in terminal emulator.

For usage with the AVR-DOS file system, you can read variables from an opened file. Since these variables are stored in ASCII format, the data is converted to the proper format automatically.

When you use INPUT with a file, the prompt is not supported.

#### **Difference with VB**

In VB you can specify **&H** with INPUT so VB will recognize that a hexadecimal string is being used.

BASCOM implements a new statement : INPUTHEX.

### Xmega-SPI

When receiving data from the SPI interface, you need to activate the SS pin. Some chips might need an active low, others might need an active high. This will depends on the slave chip.

When you use the SS=AUTO option, the level of SS will be changed automatic. Thus SS is made low, then the data bytes are received, and finally , SS is made high again.

Receiving data works by sending a data byte and returning the data that is shifted out. The data that will be sent is a 0. You can alter this in the library, \_inputspivar routine.

You can not sent constants using the INPUT with SPI. So INPUT #10, "SPI", var is not supported.

INPUT used with SPI will not wait for a return either. It will wait for the number of bytes that fits into the variable. See <u>CONFIG SPIx</u> [533] for an example.

### **Number of Bytes**

The compiler will receive 1 byte for a variable which was dimensioned as a BYTE. It will receive 2 bytes for a WORD/INTEGER, 4 bytes for a LONG/SINGLE and 8 bytes for a DOUBLE.

As with all routines in BASCOM, the least significant Byte will be received first.

If you specify an array, it will receive one element.

With an optional parameter you can provide how many bytes must be received. You must use a semicolon (;) to specify this parameter. This because the comma (,) is used to receive multiple variables.

### Sample

Dim Tmparray(5) As Byte , Spi\_send\_byte As Byte , W as Word Input #12 , Spi\_receive\_byte ; 1 'READ 1 byte Input #12 , Tmparray(1) ; 1 , Tmparray(2) ; B 'read 1 byte and 'b' bytes starting at element 2

### See also

#### 796 BASCOM-AVR

INPUTHEX [793], PRINT 861, ECHO [723], WRITE [1004], INPUTBIN [792]

```
_____
_____
                       : input.bas
'name
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                       : demo: INPUT, INPUTHEX
'micro
                       : Mega48
'suited for demo
                       : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                      ' specify
the used micro
                                                      ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                      ' use baud
rate
                                                      ' default
\$hwstack = 32
use 32 for the hardware stack
$swstack = 10
                                                      ' default
use 10 for the SW stack
$framesize = 40
                                                      ' default
use 40 for the frame space
Dim V As Byte , B1 As Byte
Dim C As Integer , D As Byte
Dim S As String * 15
Input "Use this to ask a question " , V
Input B1
                                                      'leave out
for no question
Input "Enter integer " , C
Print C
Inputhex "Enter hex number (4 bytes) ", C
Print C
Inputhex "Enter hex byte (2 bytes) ", D
Print D
Input "More variables " , C , D
Print C ; " " ; D
Input C Noecho
                                                      'supress
echo
Input "Enter your name " , S
Print "Hello " ; S
Input S Noecho
                                                      'without
echo
Print S
End
```

#### 6.279 INSERTCHAR

### Action

Inserts one character into a string.

#### Syntax

**INSERTCHAR** string, pos, char

#### Remarks

string	The string where the character is inserted to.
	The position where the character is inserted to. A value of 1 would make the character the first character of the string.
	A byte or string or string constant with the character that need to be inserted. For example you can use "A" to insert an "A", or use a byte with the value 65 to insert an "A". Or use a string. In case of a string, only the first character will be used.

#### See also

DELCHAR 的外, DELCHARS 的外, INSTR 798, MID 的外, CHARPOS 463, REPLACECHARS 的

```
-----
               (c) 1995-2011, MCS
                del_insert_chars.bas
' This sample demonstrates the delchar, delchars and insertchar
statements
           _____
$regfile="m88def.dat"
$crystal = 8000000
\$hwstack = 40
\$swstack = 40
$framesize = 40
dim s as string * 30
s = "This is a test string" ' create a string
                       ' remove the first char
delchar s, 1
print s
                       ' print it
insertchar s,1, "t"
                      ' put a small t back
print s
                      ' remove all s
delchars s,"s"
print s
end
```

#### 6.280 INSTR

798

### Action

Returns the position of a sub string in a string.

### **Syntax**

var = INSTR( start , string , substr )
var = INSTR( string , substr )

### Remarks

Var	Numeric variable that will be assigned with the position of the sub string in the string. Returns 0 when the sub string is not found.	
Start	An optional numeric parameter that can be assigned with the first position where must be searched in the string. By default (when not used) the whole string is searched starting from position 1.	
String	The string to search.	
Substr	The search string.	

No constant can be used for *string* it must be a string variable. Only *substr* can be either a string or a constant.

#### See also

SPLIT 953 , CHARPOS 463

# Example

```
$regfile = "m48def.dat"
the used micro
$crystal = 4000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
'dimension variables
Dim Pos As Byte
Dim S As String * 8 , Z As String * 8
```

'assign string to search

' specify

' use baud

' default

' default

' default

' used

' Z = "ab"

```
'assign search string
Z = "ab"
'return first position in pos
Pos = Instr(s , Z)
'must return 1
'now start searching in the string at location 2
Pos = Instr(2 , S , Z)
'must return 6
Pos = Instr(s , "xx")
'xx is not in the string so return 0
End
```

### 6.281 INT

### Action

S = "abcdeab"

Returns the integer part of a single or double.

#### Syntax

var = INT( source )

#### Remarks

Var	A numeric variable that is assigned with the integer of variable
	source.
Source	The source variable to get the integer of.

The fraction is the right side after the decimal point of a single. The integer is the left side before the decimal point.

1234.567 1234 is the integer part, .567 is the fraction

#### See Also

FRAC 7447, FIX 7387, ROUND 8987

```
! _____
             _____
_____
'name
                 : round_fix_int.bas
                 : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                 : demo : ROUND, FIX
                 : Mega48
'micro
'suited for demo
                 : yes
'commercial addon needed : no
*_____
_____
$regfile = "m48def.dat"
                                         ' specify
the used micro
scrystal = 4000000
                                         ' used
crystal frequency
```

```
$baud = 19200
                                                             ' use baud
rate
                                                             ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
Dim S As Single , Z As Single
For S = -10 To 10 Step 0.5
  Print S; Spc(3); Round(s); Spc(3); Fix(s); Spc(3); Int(s)
Next
End
```

### 6.282 IP2STR

### Action

Convert an IP number into it's string representation.

### **Syntax**

Var = **IP2STR**(num)

### Remarks

An IP number is represented with dots like 192.168.0.1. The IP2STR function converts an IP number into a string. This function is intended to be used in combination with the BASCOM TCP/IP routines.

Var	The string variable that is assigned with the IP number
Num	A variable that contains the ip number is numeric format.

#### See also

CONFIG TCPIP 602

### 6.283 ISCHARWAITING

#### Action

Returns one(1) when a character is waiting in the hardware UART buffer.

### Syntax

```
var = ISCHARWAITING()
var = ISCHARWAITING(#channel)
```

#### Remarks

	Byte, Integer, Word or Long variable.
Channel	A constant number that identifies the opened channel.

If there is no character waiting, a zero will be returned.

If there is a character waiting, a one (1) will be returned. The character is not retrieved or altered by the function.

While the Inkey() will get the character from the HW UART when there is a character in the buffer, it will return a zero when the character is zero. This makes it unusable to work with binary data that might contain the value 0.

With IsCharWaiting() you can first check for the presence of a character and when the function returns 1, you can retrieve the character with Inkey or Waitkey.

### See also

WAITKEY 1000 , INKEY 789

#### Example

<pre>\$regfile = "m48def.dat"</pre>	' specify
the used micro \$crystal = 4000000	' used
crystal frequency	
<b>\$baud</b> = 19200	' use baud
rate	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack	
\$swstack = 10	' default
use 10 for the SW stack	
<b>\$framesize</b> = 40	' default
use 40 for the frame space	
Dim A As Byte , S As String * 2 Do	
A = Ischarwaiting()	
If $A = 1$ Then	'we got
something	
A = Waitkey()	'get it
<pre>Print "ASCII code " ; A ; " from serial"</pre>	
End If	
Loop Until A = 27	'until ESC
is pressed	

### 6.284 KILL

#### Action

Delete a file from the Disk

### **Syntax**

**KILL** sFileName

### Remarks

sFileName A String variable or string expression, which denotes the file to delete

This function deletes a file from the disk. A file in use can't be deleted. WildCards in Filename are not supported. Check the DOS-Error in variable gDOSError.

### See also

#### 802 BASCOM-AVR

INITFILESYSTEM 787, OPEN 1845, CLOSE 1476, FLUSH 739, PRINT 1867, LINE INPUT 1813, LOC 1817, LOF 1818, EOF 1737, FREEFILE 1745, FILEATTR 1734, SEEK 1907, BSAVE 1459, BLOAD 1455, DISKFREE 1709, DISKSIZE 1710, GET 1747, PUT 1870, FILEDATE 1735, FILETIME 1738, FILEDATETIME 1736, DIR 1706, FILELEN 1737, WRITE 11004, INPUT 1794

#### ASM

Calls	_DeleteFile	
Input	X: Pointer to string with filename	
Output	r25: Errorcode	C-Flag: Set on Error

### **Partial Example**

'We can use the KILL statement to delete a file. 'A file mask is not supported Print "Kill (delete) file demo" Kill "test.txt"

### 6.285 LCASE

### Action

Converts a string in to all lower case characters.

### **Syntax**

Target = **LCASE**(source)

### Remarks

Target	The string that is assigned with the lower case string of string target.
Source	The source string.

### See also

UCASE 987

### ASM

The following ASM routines are called from MCS.LIB : \_LCASE The generated ASM code : (can be different depending on the micro used ) ;##### Z = Lcase(s) Ldi R30,\$60 Ldi R31,\$00 ; load constant in register Ldi R26,\$6D Rcall Lcase

### Example

\$regfile = "m48def.dat"
the used micro
\$crystal = 4000000
crystal frequency

' specify

' used

' use baud

' default

' default

' default

```
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
Dim S As String * 12 , Z As String * 12
S = "Hello World"
Z = Lcase(s)
Print Z
Z = Ucase(s)
Print Z
End
```

#### 6.286 LCD

#### Action

Send constant or variable to LCD display.

#### Syntax

LCD x

#### Remarks

X Variable or constant to display.

More variables can be displayed separated by the ; -sign

LCD a ; b1 ; "constant"

The LCD statement behaves just like the <u>PRINT</u> and statement. So <u>SPC</u> () can be used too.

The only difference with PRINT is that no CR+LF is added when you send data to the LCD.

### See also

<u>\$LCD</u>[363], <u>\$LCDRS</u>[368], <u>CONFIG LCD</u>[557], <u>SPC</u>[949], <u>CLS</u>[472], <u>INITLCD</u>[788], <u>SHIFTLCD</u>[933], <u>SHIFTCURSOR</u>[928], <u>CURSOR</u>[655]

```
_ _ _ _ _ _ _ _ _ _ _
                   : lcd.bas
'name
'copyright
                   : (c) 1995-2005, MCS Electronics
                   : demo: LCD, CLS, LOWERLINE, SHIFTLCD,
'purpose
SHIFTCURSOR, HOME
                     CURSOR, DISPLAY
'micro
                    : Mega8515
'suited for demo
                    : yes
'commercial addon needed : no
*_____
_____
```

```
$regfile = "m8515.dat"
                                                             ' specify
the used micro
$crystal = 4000000
                                                             ' used
crystal frequency
$baud = 19200
                                                             ' use baud
rate
$hwstack = 32
                                                             ' default
use 32 for the hardware stack
\$swstack = 10
                                                             ' default
use 10 for the SW stack
$framesize = 40
                                                             ' default
use 40 for the frame space
$sim
'REMOVE the above command for the real program !!
'$sim is used for faster simulation
'note : tested in PIN mode with 4-bit
'Config Lcdpin = Pin , Db4 = Portb.1 , Db5 = Portb.2 , Db6 = Portb.3 ,
Db7 = Portb.4 , E = Portb.5 , Rs = Portb.6
Config Lcdpin = Pin , Db4 = Porta.4 , Db5 = Porta.5 , Db6 = Porta.6 ,
Db7 = Porta.7 , E = Portc.7 , Rs = Portc.6
'These settings are for the STK200 in PIN mode
'Connect only DB4 to DB7 of the LCD to the LCD connector of the STK D4-
D7
'Connect the E-line of the LCD to A15 (PORTC.7) and NOT to the E line of
the LCD connector
'Connect the RS, V0, GND and =5V of the LCD to the STK LCD connector
Rem with the config lcdpin statement you can override the compiler
settings
Dim A As Byte
Config Lcd = 16 * 2
                                                             'configure
lcd screen
'other options are 16 * 4 and 20 * 4, 20 * 2 , 16 * 1a
'When you dont include this option 16 * 2 is assumed
'16 * 1a is intended for 16 character displays with split addresses over
2 lines
'$LCD = address will turn LCD into 8-bit databus mode
      use this with uP with external RAM and/or ROM
       because it aint need the port pins !
Cls
                                                             'clear the
LCD display
Lcd "Hello world."
                                                             'display
this at the top line
Wait 1
Lowerline
                                                             'select the
lower line
Wait 1
Lcd "Shift this."
                                                             'display
this at the lower line
Wait 1
For A = 1 To 10
  Shiftlcd Right
                                                             'shift the
```

text to the right Wait 1 'wait a moment Next **For** A = 1 **To** 10 Shiftlcd Left 'shift the text to the left Wait 1 'wait a moment Next Locate 2 , 1 'set cursor position Lcd "\*" 'display this Wait 1 'wait a moment 'shift the Shiftcursor Right cursor Lcd "@" 'display this Wait 1 'wait a moment 'select line Home Upper 1 and return home Lcd "Replaced." 'replace the text Wait 1 'wait a moment Cursor Off Noblink 'hide cursor 'wait a Wait 1 moment Cursor On Blink 'show cursor 'wait a Wait 1 moment Display Off 'turn display off Wait 1 'wait a moment 'turn Display On display on '-----NEW support for 4-line LCD-----Thirdline Lcd "Line 3" Fourthline Lcd "Line 4" Home Third 'goto home on line three Home Fourth Home F 'first letteer also works Locate 4 , 1 : Lcd "Line 4" Wait 1 'Now lets build a special character 'the first number is the characternumber (0-7)'The other numbers are the rowvalues 'Use the LCD tool to insert this line Deflcdchar 1 , 225 , 227 , 226 , 226 , 226 , 242 , 234 , 228

```
replace ? with number (0-7)
Deflcdchar 0 , 240 , 224 , 224 , 255 , 254 , 252 , 248 , 240
                                                                 . .
replace ? with number (0-7)
Cls
                                                           'select data
RAM
Rem it is important that a CLS is following the deflcdchar statements
because it will set the controller back in datamode
Lcd Chr(0); Chr(1)
                                                           'print the
special character
'----- Now use an internal routine ------
_{temp1} = 1
                                                           'value into
ACC
!rCall _write_lcd
                                                           'put it on
LCD
End
```

### 6.287 LCDAT

#### Action

Send constant or variable to a SED or other graphical display.

#### **Syntax**

LCDAT y , x , var [ , inv] LCDAT y , x , var [ , FG, BG]

### Remarks

Х	X location. In the range from 0-63. The SED displays columns are 1 pixel width. Other displays might have a bigger range such as 132 or 255.	
Y	Y location. The row in pixels. The maximum value depends on the display.	
Var	The constant or variable to display	
inv	Optional number. Value 0 will show the data normal. Any other value will invert the data.	
	For COLOR DISPLAYS	
FG	Foreground color	
BG	Background color	

You need to include the glibSED library with : \$LIB "glibsed.lbx"

Other libraries must be included with a different directive.

#### See also

<u>CONFIG GRAPHLCD</u> जिन्ने , <u>SETFONT</u> जिले, <u>GLCDCMD</u> तिले, <u>GLCDDATA</u> तिले

```
'name : sed1520.bas
'copyright : (c) 1995-2005, MCS Electronics
'purpose : demonstrates the SED1520 based graphical
display support
```

: Mega48 'micro 'suited for demo : yes 'commercial addon needed : no \$regfile = "m48def.dat" ' specify the used micro \$crystal = 7372800' used crystal frequency **\$baud** = 115200 ' use baud rate **Shwstack = 32** ' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'I used a Staver to test 'some routines to control the display are in the glcdSED.lib file 'IMPORTANT : since the SED1520 uses 2 chips, the columns are split into 2 of 60. 'This means that data after column 60 will not print correct. You need to locate the data on the second halve 'For example when you want to display a line of text that is more then 8 chars long, (8x8=64) , byte 8 will not draw correctly 'Frankly i find the KS0108 displays a much better choice. \$lib "glcdSED1520.lbx" 'First we define that we use a graphic LCD Config Graphlcd = 120 \* 64sed , Dataport = Porta , Controlport = Portd , Ce = 5, Ce2 = 7, Cd = 3, Rd = 4'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE =CS Chip Enable/ Chip select 'CE2= Chip select / chip enable of chip 2 'CD=A0 Data direction 'RD=Read 'Dim variables (y not used) Dim X As Byte , Y As Byte 'clear the screen Cls. Wait 2 'specify the font we want to use Setfont Font8x8 'You can use locate but the columns have a range from 1-132 'When you want to show somthing on the LCD, use the LDAT command 'LCDAT Y , COL, value Lcdat 1 , 1 , "1231231" Lcdat 3 , 80 , "11" 'lcdat accepts an additional param for inversing the text 'lcdat 1,1,"123" , 1 ' will inverse the text

#### 808 BASCOM-AVR

```
Wait 2
Line(0 , 0) -(30 , 30) , 1
Wait 2
Showpic 0 , 0 , Plaatje
comnpressed picture
End
'we need to include the font files
$include "font8x8.font"
'$include "font16x16.font"
```

Plaatje:
'include the picture data
\$bgf "smile.bgf"

### 6.288 LCDAUTODIM

#### Action

Dims the 20x4vfd LCD.

#### Syntax LCDAUTODIM X

#### Remarks

A variable or constant in the range from 0-54 0 will turn auto dim off. A value between 1-54 dims the brightness after the given number of seconds.
The value is stored permanent.

This statement works only with the 20x4vfd display from "Electronic Design Bitzer" Available in the MCS Shop.

### See also

NONE

### Example

NONE

# 6.289 LCDCONTRAST

#### Action

Set the contrast of a TEXT LCD.

Syntax LCDCONTRAST × 'show a

'end program

#### Remarks

Х

A variable or constant in the range from 0-3.

Some LCD text displays support changing the contrast. Noritake displays have this option for example.

#### See also

NONE

### Example

NONE

### 6.290 LEFT

### Action

Return the specified number of leftmost characters in a string.

#### Syntax

var = LEFT(var1 , n)

### Remarks

Var	The string that is assigned.	
Var1	The source string.	
n	The number of characters to get from the source string.	

#### See also

RIGHT 8951, MID 837

### **Partial Example**

```
Dim S As String * 15 , Z As String * 15
S = "ABCDEFG"
Z = Left(s , 5)
Print Z
Z = Right(s , 3) : Print Z
Z = Mid(s , 2 , 3) : Print Z
End
```

'ABCDE

### 6.291 LEN

### Action

Returns the length of a string.

#### Syntax

var = LEN( string )

#### Remarks

var	A numeric variable that is assigned with the length of string.	
string	The string to calculate the length of.	

Strings can be maximum 254 bytes long.

### See Also

<u>VAL</u> 996

### **Partial Example**

```
Dim S As String * 15 , Z As String * 15
S = "ABCDEFG"
Print Len(s)
```

### 6.292 LINE

### Action

Draws a line on a graphic display.

#### **Syntax**

LINE(x0,y0) - (x1,y1), color

#### Remarks

	Starting horizontal location of the line.	
	Starting vertical location of the line.	
X1	Horizontal end location of the line	
Y1	Vertical end location of the line.	
color	The color to use. Use 0 or a non zero value.	

### See Also

LINE 810, CONFIG GRAPHLCD 533, BOX 456, BOXFILL 458

# Example

the used micro \$crystal = 8000000

' used

crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space .\_\_\_\_\_ \_\_\_\_\_ (c) 2001-2003 MCS Electronics T6963C graphic display support demo 240 \* 128 ·\_\_\_\_\_ 'The connections of the LCD used in this demo 'LCD pin connected to ' 1 GND GND ' 2 GND GND '3 +5V +5V ' 4 -9V -9V potmeter ' 5 PORTC.0 /WR '6 /RD PORTC.1 '7 /CE PORTC.2 ' 8 C/D PORTC.3 not conneted 19 NC '10 RESET PORTC.4 '11-18 D0-D7 PA FS '19 PORTC.5 not connected '20 NC 'First we define that we use a graphic LCD ' Only 240\*64 supported yet Config Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2 , Cd = 3 , Wr = 0 , Rd = 1 , Reset = 4 , Fs = 5 , Mode = 8 'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE, CD etc. are the pin number of the CONTROLPORT. ' For example CE =2 because it is connected to PORTC.2 'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns 'Dim variables (y not used) Dim X As Byte , Y As Byte 'Clear the screen will both clear text and graph display Cls 'Other options are : ' CLS TEXT to clear only the text display ' CLS GRAPH to clear only the graphical part Cursor Off Wait 1 'locate works like the normal LCD locate statement ' LOCATE LINE, COLUMN LINE can be 1-8 and column 0-30  $\,$ Locate 1 , 1 'Show some text Lcd "MCS Electronics" 'And some othe text on line 2

```
812 BASCOM-AVR
```

```
Locate 2 , 1 : Lcd "T6963c support"
Locate 3 , 1 : Lcd "1234567890123456789012345678901234567890"
Locate 16 , 1 : Lcd "write this to the lower line"
Wait 2
Cls Text
'use the new LINE statement to create a box
'LINE(X0,Y0) - (X1,Y1), on/off
Line(0 , 0) -(239 , 127) , 255
                                                               ' diagonal
line
Line(0 , 127) - (239 , 0) , 255
                                                               ' diagonal
line
Line(0 , 0) -(240 , 0) , 255
                                                               ' horizontal
upper line
Line(0, 127) - (239, 127), 255
                                                               'horizontal
lower line
Line(0 , 0) -(0 , 127) , 255
                                                               ' vertical
left line
Line(239 , 0) -(239 , 127) , 255
                                                               ' vertical
right line
Wait 2
' draw a line using PSET X,Y, ON/OFF
' PSET on.off param is 0 to clear a pixel and any other value to turn it
on
For X = 0 To 140
  Pset X , 20 , 255
                                                               ' set the
pixel
Next
For X = 0 To 140
  Pset X , 127 , 255
                                                               ' set the
pixel
Next
Wait 2
'circle time
'circle(X,Y), radius, color
'X,y is the middle of the circle,color must be 255 to show a pixel and 0
to clear a pixel
For X = 1 To 10
  Circle(20 , 20) , X , 255
                                                               ' show
circle
  Wait 1
  Circle(20, 20), X, 0
                                                               'remove
circle
  Wait 1
Next
Wait 2
For X = 1 To 10
 Circle(20 , 20) , X , 255
                                                               ' show
circle
 Waitms 200
Next
Wait 2
'Now it is time to show a picture
'SHOWPIC X,Y, label
```

'The label points to a label that holds the image data Test: Showpic 0 , 0 , Plaatje Showpic 0 , 64 , Plaatje ' show 2 since we have a big display Wait 2 Cls Text ' clear the text End 'This label holds the mage data Plaatie: '\$BGF will put the bitmap into the program at this location **\$bgf** "mcs.bqf" 'You could insert other picture data here

### 6.293 LINEINPUT

### Action

Read a Line from an opened File.

### **Syntax**

**LINEINPUT** #bFileNumber, sLineText **LINE\_INPUT** #bFileNumber, sLineText

# Remarks

BfileNumber	(Byte) File number, which identifies an opened file		
SlineText	(String) A string, which is assigned with the next line from the file.		

Only valid for files opened in mode INPUT. Line INPUT works only with strings. It is great for working on text files.

### See also

INITFILESYSTEM [787], OPEN [845], CLOSE [476], FLUSH [739], PRINT [867], LOC [817], LOF [818], <u>EOF</u>[737], <u>FREEFILE</u> [745], <u>FILEATTR</u> [734], <u>SEEK</u> [907], <u>BSAVE</u> [459], <u>BLOAD</u> [455], <u>KILL</u> [807], <u>DISKFREE</u> [709], <u>DISKSIZE</u> [716], <u>GET</u> [747], <u>PUT</u> [870], <u>FILEDATE</u> [735], <u>FILETIME</u> [738], <u>FILEDATETIME</u> [736], <u>DIR</u> [706], <u>FILELEN</u> [737], <u>WRITE</u> [1004], <u>INPUT</u> [794]

#### ASM

Calls	_FileLineInput	
Input	r24: filenumber	X: Pointer to String to be written from file
	r25: Stringlength	
Output	r25: Errorcode	C-Flag: Set on Error

### Example

'Ok we want to check if the file contains the written lines Ff = Freefile()' get file handle Open "test.txt" For Input As #ff ' we can use a constant for the file too Print Lof(#ff); " length of file" Print Fileattr(#ff); " file mode"' should be 1 for input

#### Do

LineInput #ff , S ' read a line ' line input is used to read a line of text from a file Print S ' print on terminal emulator Loop Until Eof(ff) <> 0 'The EOF() function returns a non-zero number when the end of the file is reached 'This way we know that there is no more data we can read Close #ff

### 6.294 LTRIM

### Action

Returns a copy of a string with leading blanks removed

#### **Syntax**

var = LTRIM( org )

### Remarks

Var	String that receives the result.	
Org	The string to remove the leading spaces from	

### See also

RTRIM 8997, TRIM 9867

#### ASM

NONE

# **Partial Example**

```
Dim S As String * 6
S =" AB "
Print Ltrim(s)
Print Rtrim(s)
Print Trim(s)
End
```

### 6.295 LOAD

#### Action

Load specified TIMER with a reload value.

#### **Syntax**

LOAD TIMER , value

### Remarks

TIMER	TIMER0 , TIMER1 or TIMER2(or valid timer name)	
Value	The variable or value to load.	

The TIMER0 does not have a reload mode. But when you want the timer to generate an interrupt after 10 ticks for example, you can use the LOAD statement.

It will do the calculation : (256-value)

So LOAD TIMER0, 10 will load the TIMER0 with a value of 246 so that it will overflow after 10 ticks.

TIMER1 is a 16 bit counter so it will be loaded with the value of 65536-value.

# See Also

NONE

### Example

NONE

#### 6.296 LOADADR

#### Action

Loads the address of a variable into a register pair.

#### Syntax

LOADADR var , reg

#### Remarks

var A variable which address must be loaded into the register pair X, Y or Z.reg The register X, Y or Z.

The LOADADR statement serves as an assembly helper routine.

### Example

Dim S As String \* 12 Dim A As Byte

#### \$ASM

loadadr S , X ; load address into R26 and R27 ld \_temp1, X ; load value of location R26/R27 into R24(\_temp1)  $\$  END ASM

### 6.297 LOADLABEL

#### Action

Assigns a word variable with the address of a label.

#### Syntax

Var = LOADLABEL(label)

### Remarks

© 2012 MCS Electronics

var	The variable that is assigned with the address of the label.	
lbl	The name of the label	

In some cases you might need to know the address of a point in your program. To perform a Cpeek() for example.

You can place a label at that point and use LoadLabel to assign the address of the label to a variable.

Loadlabel will only work for processors with <= 64KB memory.

If you use Loadlabel on an EEPROM label (a label used in the \$EEPROM data area) , these labels must precede the Loadlabel function.

This would be ok :

\$eeprom 'eeprom image label1: data 1,2,3,4,5 label2: data 6,7,8,9,10 \$data ' back to normal mode

dim w as word w=loadlabel(label2)

This code will work since the loadlabel is used after the EEPROM data labels.

### 6.298 LOADWORDADR

#### Action

Loads the Z-register and sets RAMPZ if available.

#### Syntax

LOADWORDADR label

#### Remarks

label The name of the label which address will be loaded into R30-R31 which form the Z-register.

The code that will be generated : LDI R30,Low(label \* 2) LDI R31,High(label \* 2) LDI R24,1 or CLR R24 STS RAMPZ, R24

As the AVR uses a word address, to find a byte address we multiply the address with 2. RAMPZ forms together with pointer **Z** an address register. As the LS bit of Z is used to identify the lower or the upper BYTE of the address, it is extended with the RAMPZ to address more then 15 bits. For example the Mega128 has 128KB of space and needs the RAMPZ register set to the right value in order to address the upper or lower 64KB of space.

#### See also

LOADLABEL 815), LOADADR 815)

### Example

LOADWORDADR label

### 6.299 LOC

### Action

Returns the position of last read or written Byte of the file

### **Syntax**

ILastReadWritten = LOC (#bFileNumber)

### Remarks

bFileNumber	(Byte) File number, which identifies an opened file
	(Long) Variable, assigned with the Position of last read or written Byte (1-based)

This function returns the position of the last read or written Byte. If an error occurs, 0 is returned. Check DOS-Error in variable gbDOSError. If the file position pointer is changed with the command SEEK, this function can not be used till the next read/ write operation.

This function differs from VB. In VB the byte position is divided by 128.

# See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOF [818], EOF [737], FREEFILE [748], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [458], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], PUT [870], FILEDATE [738], FILETIME [738], FILEDATETIME [736], DIR [708], FILELEN [737], WRITE [1004], INPUT [794]

### ASM

Calls	_FileLoc	
Input	r24: filenumber	X: Pointer to Long-variable, which gets th result
Outpu t	r25: Errorcode	C-Flag: Set on Error

### Example

'open the file in BINARY mode Open "test.biN" For Binary As #2 Put #2 , B ' write a byte Put #2 , W ' write a word Put #2 , L ' write a long Ltemp = Loc(#2)+ 1 ' get the position of the next byte

#### 818 BASCOM-AVR

Print Ltemp ;" LOC"' store the location of the file pointer Print Lof(#2);" length of file" Print Fileattr(#2);" file mode"' should be 32 for binary Put #2 , Sn ' write a single Put #2 , Stxt ' write a string

Flush #2 ' flush to disk Close #2

#### 6.300 LOF

### Action

Returns the length of the File in Bytes

### **Syntax**

IFileLength = LOF (#bFileNumber)

### Remarks

bFileNumber (Byte) Filenumber, which identifies an opened file	
<b>J</b>	(Long) Variable, which assigned with the Length of the file (1- based)

This function returns the length of an opened file. If an error occurs, 0 is returned. Check DOS-Error in variable gbDOSError.

### See also

INITFILESYSTEM 787, OPEN 1845, CLOSE 476, FLUSH 739, PRINT 1867, LINE INPUT 1813, LOC 1817), EOF 737), FREEFILE 745, FILEATTR 7347, SEEK 907, BSAVE 459, BLOAD 455, KILL 1807, DISKFREE 709, DISKSIZE 7107, GET 747, PUT 1870, FILEDATE 735, FILETIME 738, FILEDATETIME 736, DIR 7067, FILELEN 737, WRITE 10047, INPUT 7947

### ASM

Calls	_FileLOF	
Input	r24: filenumber	X: Pointer to Long-variable, which gets th result
Output	r25: Errorcode	C-Flag: Set on Error

### Example

'open the file in BINARY mode Open "test.biN" For Binary As #2 Put #2 , B ' write a byte Put #2 , W ' write a word Put #2 , L ' write a long Ltemp = Loc(#2)+ 1 ' get the position of the next byte Print Ltemp ;" LOC"' store the location of the file pointer Print Lof(#2);" length of file" Print Fileattr(#2);" file mode"' should be 32 for binary Put #2 , Sn ' write a single Put #2 , Stxt ' write a string Flush #2 ' flush to disk Close #2

### 6.301 LOCAL

#### Action

Dimensions a variable LOCAL to the function or sub program.

#### Syntax

LOCAL var As Type

#### Remarks

Var	The name of the variable
Туре	The data type of the variable.

There can be only LOCAL variables of the type BYTE, INTEGER, WORD, DWORD, LONG, SINGLE, DOUBLE or STRING.

A LOCAL variable is a temporary variable that is stored on the frame. When the SUB or FUNCTION is terminated, the memory will be released back to the frame.

BIT variables are not possible because they are GLOBAL to the system.

The AT , ERAM, SRAM, XRAM directives can not be used with a local DIM statement. Also local arrays are not possible.

Notice that a LOCAL variable is not initialized. It will contain a value that will depend on the value of the FRAME data. So you can not assume the variable is 0. If you like it to be 0, you need to assign it.

A normal DIM-med variable is also not initialized to 0. The reason all variables are 0 (and strings are ""), is that the RAM memory is cleared. With the <u>\$NORAMCLEAR</u> and option you can turn this behaviour off.

So to conclude, a LOCAL variable will behave the same as a normal variable with the \$NORAMCLEAR option enabled.

While it would be simple to initialize the LOCAL variables to 0, in most/all cases, you will assign a value to it anyway, so it would be a waste of code space.

### See also

DIM 699



NONE

'name 'copyright 'purpose	: declare.bas : (c) 1995-2005, MCS Electronics : demonstrate using declare
'micro	: Mega48

#### 820 BASCOM-AVR

```
'suited for demo
                         : yes
'commercial add on needed : no
' Note that the usage of SUBS works different in BASCOM-8051
·_____
_____
$regfile = "m48def.dat"
                                                            ' specify
the used micro
$crystal = 4000000
                                                            ' used
crystal frequency
$baud = 19200
                                                            ' use baud
rate
$hwstack = 32
                                                            ' default
use 32 for the hardware stack
\$swstack = 10
                                                            ' default
use 10 for the SW stack
$framesize = 40
                                                            ' default
use 40 for the frame space
' First the SUB programs must be declared
'Try a SUB without parameters
Declare Sub Test2
'SUB with variable that can not be changed(A) and
'a variable that can be changed(B1), by the sub program
'When BYVAL is specified, the value is passed to the subprogram
'When BYREF is specified or nothing is specified, the address is passed
to
'the subprogram
Declare Sub Test(byval A As Byte , B1 As Byte)
Declare Sub Testarray(byval A As Byte , B1 As Byte)
'All variable types that can be passed
'Notice that BIT variables can not be passed.
'BIT variables are GLOBAL to the application
Declare Sub Testvar(b As Byte , I As Integer , W As Word , L As Long , S
As String)
'passing string arrays needs a different syntax because the length of
the strings must be passed by the compiler
'the empty () indicated that an array will be passed
Declare Sub Teststr(b As Byte , Dl() As String)
Dim Bb As Byte , I As Integer , W As Word , L As Long , S As String * 10
     'dim used variables
Dim Ar(10) As Byte
Dim Sar(10) As String * 8
                                                            'strng array
For Bb = 1 To 10
 Sar(bb) = Str(bb)
                                                            'fill the
array
Next
Bb = 1
'now call the sub and notice that we always must pass the first address
with index 1
Call Teststr(bb , Sar(1))
Call Test2
                                                            'call sub
Test2
                                                            'or use
without CALL
'Note that when calling a sub without the statement CALL, the enclosing
```

```
parentheses must be left out
Bb = 1
Call Test(1 , Bb)
                                                              'call sub
with parameters
Print Bb
                                                              'print value
that is changed
'now test all the variable types
Call Testvar(bb , I , W , L , S )
Print Bb ; I ; W ; L ; S
'now pass an array
'note that it must be passed by reference
Testarray 2 , Ar(1)
Print "ar(1) = "; Ar(1)
Print ||ar(3) = ||; Ar(3)
                                                              ' turn off
$notypecheck
type checking
Testvar Bb , I , I , I , S
'you can turn off type checking when you want to pass a block of memory
$typecheck
                                                             'turn it
back on
End
'End your code with the subprograms
'Note that the same variables and names must be used as the declared
ones
Sub Test(byval A As Byte , B1 As Byte)
                                                              'start sub
    Print A ; " " ; B1
                                                              'print
passed variables
    B1 = 3
                                                              'change
value
    'You can change A, but since a copy is passed to the SUB,
    'the change will not reflect to the calling variable
End Sub
Sub Test2
                                                              'sub without
parameters
   Print "No parameters"
End Sub
Sub Testvar(b As Byte , I As Integer , W As Word , L As Long , S As
String)
   Local X As Byte
    X = 5
                                                              'assign
local
    B = X
    I = -1
    W = 40000
    L = 20000
    S = "test"
End Sub
Sub Testarray(byval A As Byte , B1 As Byte)
                                                              'start sub
    Print A ; " " ; B1
                                                              'print
passed variables
    B1 = 3
                                                              'change
value of element with index 1
    B1(1) = 3
                                                              'specify the
index which does the same as the line above
    B1(3) = 3
                                                              'modify
```

```
822 BASCOM-AVR
```

```
other element of array
    'You can change A, but since a copy is passed to the SUB,
    'the change will not reflect to the calling variable
End Sub
'notice the empty() to indicate that a string array is passed
Sub Teststr(b As Byte , Dl() As String)
Dl(b) = Dl(b) + "add"
End Sub
```

## 6.302 LOCATE

## Action

Moves the LCD cursor to the specified position.

# **Syntax**

LOCATE y , x

### Remarks

Х	Constant or variable with the position. (1-64*)
Y	Constant or variable with the line $(1 - 4^*)$

\* Depending on the used display

# See also

CONFIG LCD [557], LCD [803], HOME [775], CLS [472]

# **Partial Example**

LCD "Hello" Locate 1,10 LCD "\*"

# 6.303 LOG

### Action

Returns the natural logarithm of a single variable.

### **Syntax**

Target = **LOG**(source)

### Remarks

Target	The single or double that is assigned with the LOG() of single target.
Source	The source single or doubler to get the LOG of.

**See also** EXP 733, LOG10 823

### **Example**

Show sample 1037

### 6.304 LOG10

### Action

Returns the base 10 logarithm of a single variable.

### **Syntax**

Target = **LOG10**(source)

# **Remarks**

	The single or double that is assigned with the base 10 logarithm of sing double target.	
Source	The source single or double to get the base 10 LOG of.	

### See also

EXP 733 , LOG 822

### Example

Show sample 1037

### 6.305 LOOKDOWN

### Action

Returns the index of a series of data.

### **Syntax**

var = **LOOKDOWN**(value, label, entries)

### Remarks

Var	The returned index value
Value	The value to search for
Label	The label where the data starts
entries	The number of entries that must be searched

When you want to look in BYTE series the VALUE variable must be dimensioned as a BYTE. When you want to look in INTEGER or WORD series the VALUE variable must be dimensioned as an INTEGER.

The LookDown function is the counterpart of the LookUp function.

Lookdown will search the data for a value and will return the index when the value is found. It will return -1 when the data is not found.

#### See also

LOOKUPSTR 8267, LOOKUP 8257

Example \_\_\_\_\_ \_\_\_\_\_ 'name : lookdown.bas : (c) 1995-2005, MCS Electronics 'copyright 'purpose : demo : LOOKDOWN : Mega48 'micro 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10 ' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim Idx As Integer , Search As Byte , Entries As Byte 'we want to search for the value 3 Search = 3'there are 5 entries in the table Entries = 5'lookup and return the index Idx = Lookdown(search , Label , Entries) Print Idx Search = 1Idx = Lookdown(search , Label , Entries) Print Idx Search = 100Idx = Lookdown(search , Label , Entries) Print Idx ' return -1 if not found 'looking for integer or word data requires that the search variable is 'of the type integer ! Dim Isearch As Integer Isearch = 400Idx = Lookdown(isearch , Label2 , Entries) Print Idx ' return 3 End Label: Data 1 , 2 , 3 , 4 , 5

```
Label2:
Data 1000% , 200% , 400% , 300%
```

# 6.306 LOOKUP

## Action

Returns a value from a table.

### **Syntax**

var = LOOKUP( value, label)

### Remarks

Var	The returned value
Value	A value with the index of the table
Label	The label where the data starts

The value can be up to 65535. 0 will return the first entry.

### See also

LOOKUPSTR 826, DATA 658, LOOKDOWN 823

### Example

<pre>\$regfile = "m48def.dat"</pre>	1	specify
the used micro		
<b>\$crystal</b> = 4000000	1	used
crystal frequency		
<b>\$baud</b> = 19200	1	use baud
rate		
<pre>\$hwstack = 32</pre>	1	default
use 32 for the hardware stack		
\$swstack = 10	1	default
use 10 for the SW stack		
<b>\$framesize</b> = 40	T.	default
use 40 for the frame space		
<pre>Dim B1 As Byte , I As Integer B1 = Lookup(2 , Dta) Print B1 (zero based)</pre>	,	Prints 3
I = Lookup(0 , Dta2) Print I End	I	print 1000
Dta:		

Dta2: Data 1000% , 2000%

### 6.307 LOOKUPSTR

826

### Action

Returns a string from a table.

### **Syntax**

var = LOOKUPSTR( value, label )

### Remarks

Var	The string returned
Value	A value with the index of the table. The index is zero-based. That is, 0 will return the first element of the table.
Label	The label where the data starts

The index value can have a maximum value of 255.

# See also

LOOKUP 825 , LOOKDOWN 823 , DATA 658

# Example

<pre>\$regfile = "m48def.dat"</pre>	' specify
the used micro	
<b>\$crystal =</b> 4000000	' used
crystal frequency	
<b>\$baud =</b> 19200	' use baud
rate	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack	
\$swstack = 10	' default
use 10 for the SW stack	
<b>\$framesize</b> = 40	' default
use 40 for the frame space	
<pre>Dim S As String * 4 , Idx As Byte Idx = 0 : S = Lookupstr(idx , Sdata) Print S 'This' End</pre>	'will print
Sdata:	

### 6.308 LOW

# Action

Retrieves the least significant byte of a variable.

Data "This" , "is" , "a test"

### **Syntax**

var = LOW(s)

### Remarks

Var	The variable that is assigned with the LSB of var S.
S	The source variable to get the LSB from.

You can also assign a byte to retrieve the LSB of a Word or Long. For example :

 $\mathsf{B}=\mathsf{L}\,$  , where  $\mathsf{B}$  is a byte and  $\mathsf{L}$  is a Long.

### See also

HIGH 774 , HIGHW 774

### **Example**

<pre>\$regfile = "m48def.dat"</pre>	' specify
the used micro	L ugod
<pre>\$crystal = 4000000 crystal frequency</pre>	' used
<b>\$baud</b> = 19200	' use baud
rate	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack	
<pre>\$swstack = 10</pre>	' default
use 10 for the SW stack	
<b>\$framesize</b> = 40	' default
use 40 for the frame space	
Dim I As Integer , Z As Byte	
I = &H1001	
Z = Low(i)	' is 1
End	T GT

### 6.309 LOWERLINE

#### Action

Reset the LCD cursor to the lower line.

#### Syntax LOWERLINE

# Remarks

NONE

#### See also

UPPERLINE [996], THIRDLINE [987], FOURTHLINE [744], HOME [775]

## **Partial Example**

```
Lcd "Test"
Lowerline
Lcd "Hello"
End
```

### 6.310 MACRO

828

### Action

This statement allow you to define a Macro.

#### Syntax MACRO name macrodef END MACRO

### Remarks

name	The name of the macro. Each macro need to have a unique name.
macrodef	The code you want to have inserted when you use the macro.

Macro's must be defined before they can be used. When a macro is defined but not used in your code, it will not be compiled. You can use \$INCLUDE to include a large number of macro's.

When the compiler encounters the name of a defined macro, it will insert the defined code at that place. While it looks similar to a sub routine, there are differences. A sub routine for example is called and has a RETURN(RET).

### See also

SUB 965 , GOSUB 769

# Example

Macro Usb\_reset\_data\_toggle Ueconx.rstdt = 1 End Macro

Macro Usb\_disable\_stall\_handshake Ueconx.stallrqc = 1 End Macro

```
Macro Set_power_down_mode
Smcr = 0
Smcr = Bits(se , Sm1)
sleep
End Macro
```

```
Usb_reset_data_toggle ' this will insert UECONRX.RSTD=1
Set_power_down_mode ' this will insert the following code :
Smcr = 0
Smcr = Bits(se , Sm1)
sleep
```

# 6.311 MAKEBCD

# Action

Convert a variable into its BCD value.

### Syntax

var1 = MAKEBCD(var2)

### Remarks

var1	Variable that will be assigned with the converted value.
Var2	Variable that holds the decimal value.

When you want to use an I2C clock device, which stores its values as BCD values you can use this function to convert variables from decimal to BCD. For printing the BCD value of a variable, you can use the BCD() function which converts a BCD number into a BCD string.

### See also

MAKEDEC 830 , BCD 448 , MAKEINT 829

# Example

```
Dim A As Byte
A = 65
Lcd A
Lowerline
Lcd Bcd(a)
A = Makebcd(a)
Lcd " " ; A
End
```

# 6.312 MAKEINT

### Action

Compact two bytes into a word or integer.

### **Syntax**

varn = **MAKEINT**(LSB , MSB)

### Remarks

Varn	Variable that will be assigned with the converted value.
LSB	Variable or constant with the LS Byte.
MSB	Variable or constant with the MS Byte.

The equivalent code is: varn = (256 \* MSB) + LSB

### See also

LOW 826 , HIGH 774 , MAKEBCD 828 , MAKEDEC 830

### Example

Dim A As Integer , I As Integer

```
A = 2
I = Makeint(a , 1)
256) + 2 = 258
End
```

6.313 MAKEDEC

# Action

Convert a BCD byte or Integer/Word variable to its DECIMAL value.

# Syntax

var1 = MAKEDEC(var2)

# Remarks

var1 Variable that will be assigned with the converted value.var2 Variable that holds the BCD value.

When you want to use an I2C clock device, which stores its values as BCD values you can use this function to convert variables from BCD to decimal.

# See also

MAKEBCD 8287, MAKEBCD 8287, MAKEINT 8297

# Example

```
Dim A As Byte
A = 65
Print A
Print Bcd(a)
A = Makedec(a)
Print Spc(3) ; A
End
```

# 6.314 MAKEMODBUS

# Action

Creates a MODBUS master/client frame.

# **Syntax**

**PRINT** [#x,] **MAKEMODBUS**(slave, function, address, varbts )

# **Remarks**

The slave to address. This is a variable or constant with a valid MODBUS slave to address.
<ul> <li>The function number. This must be a constant. At the moment the following functions are supported :</li> <li>03 : read register(s)</li> <li>06 : write single register</li> <li>16 : write multiple registers</li> </ul>

'I = (1 \*

address	The starting address of the register
varbts	For a function that sends data like function 6 and 16, this must be a variable. For function 06 which can only write a single register, this can be a byte or integer or word. For function 16 it may be a long, single or double. For function 6 and 16 the address of the variable is passed to the function. For function 3 you may also specify the number of bytes to receive. Or you can use a variable. When you specify a byte, a word will be used
	anyway since a word (2 bytes) is the minimum in MODBUS protocol. But when sending data, you can send content of a byte. For the MSB the value 0 will be sent in that case.

The MAKEMODBUS function need to be used in combination with the PRINT statement. It can only be used with the hardware UART(1-4).

The MODBUS protocol is an industry standard. The protocol can be used with RS-232, RS-485 or TCP/IP or CAN.

The current BASCOM implementation only works with RS-232 or RS485.

In MODBUS we use client/master and server/slave. You may see it as a web server and a web browser. The web server is the client/slave that reacts on the master/web browser.

A slave will only respond when it is addressed. All other slaves just keep listening till they are addressed.

An addressed slave will process the data and send a response.

In MODBUS the data is sent with MSB first and LSB last. The special CRC16 checksum is sent LSB first and MSB last.

When multiple registers are sent with function 16, the data is split up into words, and for each word, the MSB-LSB order is used.

For example a LONG is 4 bytes. LSB, NSB1, NSB2, MSB. It would be sent as : NSB1, LSB, MSB, NSB2.

In order to use the MODBUS functionality, you need to include the MODBUS.LBX with the \$LIB directive.

Notice that BASCOM only supports the MODBUS master. A MODBUS server that supports the above functions will be available from MCS.

### See also

PRINT 86

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed						
<pre>\$regfile = "m162def.dat" \$crystal = 8000000</pre>	,	specify	the	use	ed m	icı
<b>\$baud</b> = 19200		use bau	l rat	ze		
shwstack = 42		default	use	42	for	tł
\$swstack = 40	1	default	use	40	for	tł
<b>Śframesize</b> = 40	1.1	default	use	40	for	tł

' default use 40 for th

```
832 BASCOM-AVR
```

```
$lib "modbus.lbx"
                                                             ' specify the additiona
Config Print1 = Portb.1 , Mode = Set
                                                             ' specify RS-485 and d:
Rs485dir Alias Portb.1
                                                            'make an alias
Config Rs485dir = Output
                                                             'set direction register
Rs485dir = 0
                                                             ' set the pin to 0 for
                                                             ' a pin is used with a
Portc.0 = 1
'The circuit from the help is used. See Using MAX485
         TΧ
               RX
' COMO
       PD.1 PD.0
                     rs232 used for debugging
' COM1 PB.3 PB.2 rs485 used for MODBUS halve duplex
           PB.1
                       data direction rs485
'configure the first UART for RS232
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8
'configure the second UAR for RS485/MODBUS. Make sure all slaves/servers use the sa
Config Com2 = 9600, Synchrone = 0, Parity = Even, Stopbits = 1, Databits = 8,
'use OPEN/CLOSE for using the second UART
Open "COM2:" For Binary As #1
'dimension some variables
Dim B As Byte
Dim W As Word
Dim L As Long
W = \&H4567
                                                             'assign a value
L = &H12345678
                                                             'assign a value
Print "RS-485 MODBUS master"
Do
   If Pinc.0 = 0 Then
                                                             ' test switch
     Waitms 500
                                                             ' delay
     Print "send request to slave/server"
     ' Send one of the following three messages
     ' Print #1 , Makemodbus(2 , 3 , 8 , 2);
                                                            ' slave 2, function 3,
     ' Print #1 , Makemodbus(2 , 6 , 8 , W);
                                                            ' slave 2, function 6,
      Print #1 , Makemodbus(2 , 16 , 8 , L);
                                                            ' slave 2, function 16
   End If
   If Ischarwaiting(#1) <> 0 Then
                                                            'was something returned
       B = Waitkey(#1)
                                                            'then get it
       Print Hex(b) ; ",";
                                                            'print the info
   End If
Loop
```

```
End
```

# 6.315 MAKETCP

### Action

Creates a TCP/IP formatted long variable.

### Syntax

var = MAKETCP(b1,b2,b3,b4 [opt])

var = **MAKETCP**(num)

# **Remarks**

var	The target variable of the type LONG that is assigned with the IP number		
b1-b4	Four variables of numeric constants that form the IP number. b1 is the MSB of the IP/long b4 is the LSB of the IP/long example var = MakeTCP(192,168,0, varx). We can also use reverse order with the optional parameter : example var = MakeTCP(var3,0,168, 192, <b>1</b> ). A value of 1 will use reverse order while a value of 0 will result in normal order.		
	When you use a constant, provide only one parameter : example var = MakeTCP(192.168.0.2). Notice the dots !		

MakeTCP is a helper routine for the TCP/IP library.

# See also

CONFIG TCPIP 602, IP2STR 800

# **Example** NONE

# 6.316 MAX

### Action

Returns the maximum value of a byte or word array.

### **Syntax**

var1 = **MAX**(var2) MAX(ar(1), m, idx)

### **Remarks**

var1	Variable that will be assigned with the maximum value.			
var2	The first address of the array.			
	The MAX statement can return the index too			
Ar(1)	Starting element to get the maximum value and index of.			
М	Returns the maximum value of the array.			
Idx	Return the index of the array that contains the maximum value. Returns 0 if there is no maximum value.			

The MIN() and MAX() functions work on BYTE and WORD arrays only.



### Example

\_\_\_\_\_ : minmax.bas 'name : (c) 1995-2005, MCS Electronics 'copyright 'purpose : show the MIN and MAX functions 'micro : Mega48 'suited for demo : yes 'commercial addon needed : no ·-----------\_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space ' These functions only works on BYTE and WORD arrays at the moment !!!!! 'Dim some variables Dim Wb As Byte , B As Byte Dim W(10) As Word ' or use a BYTE array 'fill the word array with values from 1 to 10 **For** B = 1 **To** 10 W(b) = BNext Print "Max number " ; Max(w(1)) Print "Min number " ; Min(w(1)) Dim Idx As Word , M1 As Word Min(w(1) , M1 , Idx) Print "Min number " ; M1 ; " index " ; Idx Max(w(1) , M1 , Idx)Print "Max number " ; M1 ; " index " ; Idx End

\_\_\_\_\_

# 6.317 MEMCOPY

### Action

Copies a block of memory

### Syntax

bts = MEMCOPY(source, target , bytes[ , option])

# Remarks

835

bts	The total number of bytes copied. This must be a word or integer
source	The first address of the source variable that will be copied.
target	The first address of the target variable that will be copied to.
bytes	The number of bytes to copy from "source" to "target"
option	An optional numeric constant with one of the following values : 1 - only the source address will be increased after each copied byte 2 - only the target address will be increased after each copied byte 3 - both the source and target address will be copied after each copied byte

By default, option 3 is used as this will copy a block of memory from one memory location to another location. But it also possible to fill an entire array of memory block with the value of 1 memory location. For example to clear a whole block or preset it with a value.

And with option 2, you can for example get a number of samples from a register like PINB and store it into an array.

MEMCOPY checks the size of the target variable and it will not overwrite data if the number of bytes is greater than the size of the target data. For example : Dim tar(4) as byte, sar(8) as byte

MEMCOPY sar(1), tar(1),8

Even while 8 bytes are specified, the data size for tar() is 4 and thus only 4 bytes will be copied.

When you use MEMCOPY Inside a sub routine/function with passed parameters, there is no way to check the target size.

In this case, there is no check on the target size and the number of specified bytes will be moved, no matter the target data size.

MEMCOPY can also be used to clear an array quickly.

### See also

NONE

### ASM

NONE

# Example

'name 'copyright 'purpose 'suited for demo 'commercial addon needed 'use in simulator		
<pre>\$regfile = "m88def.dat" the used micro</pre>		' specify
\$crystal = 8000000		' used
crystal frequency <b>\$baud</b> = 19200 rate		' use baud
<pre>\$hwstack = 32 use 32 for the hardware s</pre>	tack	' default

```
\$swstack = 16
                                                              ' default
use 10 for the SW stack
$framesize = 40
Dim Ars(10) As Byte
                                                              'source
bytes
Dim Art(10) As Byte
                                                              'target
bytes
Dim J As Byte
                                                              'index
For J = 1 To 10
                                                              'fill array
  Ars(j) = J
Next
J = Memcopy(ars(1), Art(1), 4)
                                                              'copy 4
bytes
Print J ; " bytes copied"
For J = 1 To 10
 Print Art(j)
Next
J = Memcopy(ars(1), Art(1), 10, 2)
                                                              'assign them
all with element 1
Print J ; " bytes copied"
For J = 1 To 10
 Print Art(j)
Next
Dim W As Word , L As Long
W = 65511
J = Memcopy(w, L, 2)
                                                              'copy 2
bytes from word to long
End
```

# 6.318 MIN

### Action

Returns the minimum value of a byte or word array.

### Syntax

var1 = MIN(var2)
MIN(ar(1), m , idx)

### Remarks

var1	Variable that will be assigned with the minimum value.		
var2	The first address of the array.		
	The MIN statement can return the index too		
Ar(1)	Starting element to get the minimum value and index of		
М	Returns the minimum value of the array		
Idx	Return the index of the array that contains the minimum value. Returns 0 if there is no minimum value.		

The MIN() ans MAX() functions work on BYTE and WORD arrays only.

See also

<u>MAX</u> 833

### Example

```
-----
_____
'name
                       : minmax.bas
'copyright
                        : (c) 1995-2005, MCS Electronics
'purpose
                        : show the MIN and MAX functions
                        : Mega48
'micro
               · rics
: yes
'suited for demo
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                        ' specify
the used micro
$crystal = 4000000
                                                        ' used
crystal frequency
$baud = 19200
                                                        ' use baud
rate
$hwstack = 32
                                                        ' default
use 32 for the hardware stack
\$swstack = 10
                                                        ' default
use 10 for the SW stack
$framesize = 40
                                                        ' default
use 40 for the frame space
' These functions only works on BYTE and WORD arrays at the moment !!!!!
'Dim some variables
Dim Wb As Byte , B As Byte
Dim W(10) As Word
                                                        ' or use a
BYTE array
'fill the word array with values from 1 to 10
For B = 1 To 10
 W(b) = B
Next
Print "Max number " ; Max(w(1))
Print "Min number " ; Min(w(1))
Dim Idx As Word , M1 As Word
Min(w(1), M1, Idx)
Print "Min number " ; M1 ; " index " ; Idx
Max(w(1), M1, Idx)
Print "Max number " ; M1 ; " index " ; Idx
End
```

# 6.319 MID

### Action

The MID function returns part of a string (a sub string). The MID statement replaces part of a string variable with another string.

### **Syntax**

var = MID(var1 ,st [, |] )
MID(var ,st [, |] ) = var1

# Remarks

var	The string that is assigned.
Var1	The source string.
st	The starting position.
I	The number of characters to get/set.

### See also

LEFT 809 , RIGHT 895

### Example

```
Dim S As String * 15 , Z As String * 15
S = "ABCDEFG"
Z = Left(s , 5)
Print Z
Z = Right(s , 3) : Print Z
Z = Mid(s , 2 , 3) : Print Z
End
```

'ABCDE

# 6.320 MOD

### Action

Calculates the remainder of a division.

### **Syntax**

var1 = var2 MOD var3

### Remarks

var1	Variable that will be assigned with the modules of var2 and var3.
var2	A numeric variable to take the modules from
var3	The modulus

The MOD operation is similar to the division operation(/). But while a division returns the number of times a number can be divided, the MOD returns the remainder.

For example : 21 MOD 3 will result in 0 since 7x2=21. There will be no remainder. But 22 MOD 3 will result in 1 since 22-(7x3)=1

In BASCOM, the variable you assign determine which kind of math will be used. When you have 2 word variables you want to get the modulus from, you have to assign a word variable too.

When you assign a byte, byte math will be used.

### See also

Language Fundamentals 296

# Example

### 6.321 NBITS

### Action

Set all except the specified bits to 1.

### Syntax

Var = **NBITS**( b1 [,bn])

### Remarks

Var	The BYTE/PORT variable that is assigned with the constant.
B1,bn	A list of bit numbers that NOT must be set to 1.

While it is simple to assign a value to a byte, and there is special Boolean notation **&B** for assigning bits, the Bits() and NBits() function makes it simple to assign a few bits.

B = &B01111101: how many zero's are there? This would make it more readable: B = NBits(1, 7)You can read from the code that bit 1 and bit 7 are NOT set to 1. It does not save code space as the effect is the same.

The NBITS() function will set all bits to 1 except for the specified bits. It can only be used on bytes and port registers. Valid bits are in range from 0 to 7.

# See Also

BITS 454

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed 'use in simulator	
<pre>\$regfile = "m48def.dat" the used micro \$crystal = 4000000 crystal frequency \$baud = 19200 rate</pre>	' specify ' used ' use baud

\$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
use 10 for the SW stack
\$framesize = 40
use 40 for the frame space

#### Dim B As Byte

```
'while you can use &B notation for setting bits, like B = &B1000_0111
'there is also an alternative by specifying the bits to set
B = Bits(0, 1, 2, 7) 'set only
bit 0,1,2 and 7
Print B
'and while bits() will set all bits specified to 1, there is also Nbits
()
'the N is for NOT. Nbits(1,2) means, set all bits except 1 and 2
B = Nbits(7) 'do not set
bit 7
Print B
End
```

# 6.322 ON INTERRUPT

### Action

Execute subroutine when the specified interrupt occurs.

# **Syntax**

**ON** interrupt label [NOSAVE|SAVE|SAVEALL]

# Remarks

Interrupt	INT0, INT1, INT2, INT3, INT4,INT5, TIMER0,TIMER1, TIMER2, ADC, EEPROM, CAPTURE1, COMPARE1A, COMPARE1B,COMPARE1. Or you can use the AVR name convention: OC2, OVF2, ICP1, OC1A, OC1B, OVF1, OVF0, SPI, URXC, UDRE, UTXC, ADCC, ERDY and ACI.
Label	The label to jump to if the interrupt occurs.
NOSAVE	<ul> <li>When you specify NOSAVE, no registers are saved and restored in the interrupt routine. So when you use this option make sure to save and restore all used registers.</li> <li>When you omit NOSAVE all used registers will be saved. These are SREG , R31 to R16 and R11 to R0 with exception of R6,R8 and R9 .</li> <li>R12 - R15 are not saved. When you use floating point math in the ISR (not recommended) you must save and restore R12-R15 yourself in the ISR.</li> <li>My_Isr:</li> <li>Push R12 ' save registers</li> <li>Push R13</li> <li>Push R14</li> <li>Push R15</li> </ul>

' default

' default

' default

	Single = single + 1 ' we use FP
	Pop R15 'restore registers Pop R14 Pop R13 Pop R12 RETURN
	When the AVR has extended IO-space (for example ATMega48, 88 or 168, see datasheet at the end: Registersummary), the compiler uses <b>R23</b> for a number of operations. So Push and Pop R23 as well when using the NOSAVE-option when using these AVR's with extended IO-space.
SAVE	This is the default and is the same as when no parameter is provided. The most common used registers, SREG, and RAMPZ are saved and restored. Saved : SREG , R31 to R16 and R11 to R0 with exception of R6,R8 and R9. If RAMPZ exists, it will be saved as well.
SAVEALL	This will save all registers that SAVE will save, but it will also save R12-R15. You should use this option when using floating point math in the ISR.

You must return from the interrupt routine with the RETURN statement.

The first RETURN statement that is encountered that is outside a condition will generate a RETI instruction. You may have only one such RETURN statement in your interrupt routine because the compiler restores the registers and generates a RETI instruction when it encounters a RETURN statement in the ISR. All other RETURN statements are converted to a RET instruction.

The possible interrupt names can be looked up in the selected microprocessor register file. 2313def.dat for example shows that for the compare interrupt the name is COMPARE1. (look at the bottom of the file)

What are interrupts good for?

An interrupt will halt your program and will jump to a specific part of your program. You can make a DO .. LOOP and poll the status of a pin for example to execute some code when the input on a pin changes.

But with an interrupt you can perform other tasks and when then pin input changes a special part of your program will be executed. When you use INPUT "Name ", v for example to get a user name via the RS-232 interface it will wait until a RETURN is received. When you have an interrupt routine and the interrupt occurs it will branch to the interrupt code and will execute the interrupt code. When it is finished it will return to the Input statement, waiting until a RETURN is entered.

Maybe a better example is writing a clock program. You could update a variable in your program that updates a second counter. But a better way is to use a TIMER interrupt and update a seconds variable in the TIMER interrupt handler.

There are multiple interrupt sources and it depends on the used chip which are available.

To allow the use of interrupts you must set the global interrupt switch with a ENABLE INTERRUPTS statement. This only allows that interrupts can be used. You must also set the individual interrupt switches on!

ENABLE TIMER0 for example allows the TIMER0 interrupt to occur.

With the DISABLE statement you turn off the switches.

When the processor must handle an interrupt it will branch to an address at the start of flash memory. These addresses can be found in the DAT files.

The compiler normally generates a RETI instruction on these addresses so that in the event that an interrupt occurs, it will return immediately.

When you use the ON ... LABEL statement, the compiler will generate code that jumps to the specified label. The SREG and other registers are saved at the LABEL location and when the RETURN is found the compiler restores the registers and generates the RETI so that the program will continue where it was at the time the interrupt occurred.

When an interrupt is services no other interrupts can occur because the processor(not the compiler) will disable all interrupts by clearing the master interrupt enable bit. When the interrupt is services the interrupt is also cleared so that it can occur again when the conditions are met that sets the interrupt.

It is not possible to give interrupts a priority. The interrupt with the lowest address has the highest interrupt!

Finally some tips :

\* when you use a timer interrupt that occurs each 10 uS for example, be sure that the interrupt code can execute in 10 uS. Otherwise you would loose time.

\* it is best to set just a simple flag in the interrupt routine and to determine it's status in the main program. This allows you to use the NOSAVE option that saves stack space and program space. You only have to Save and Restore R24 and SREG in that case.

\* Since you can not PUSH a hardware register, you need to load it first:

PUSH R24 ; since we are going to use R24 we better save it

IN r24, SREG ; get content of SREG into R24 PUSH R24 ; we can save a register

;here goes your asm code POP R24 ;get content of SREG

OUT SREG, R24 ; save into SREG POP R24 ; get r24 back

See Also On VALUE 843

Partial Example Enable Interrupts

Enable Int0 'enable the interrupt On Int0 Label2 Nosave 'jump to label2 on INTO Do'endless loop nop Loop End Label2: Dim A As Byte If A > 1 Then Return 'generates a RET because it is inside a condition End If Return 'generates a RETI because it is the first RETURN Return 'generates a RET because it is the second RETURN

# 6.323 ON VALUE

# Action

Branch to one of several specified labels, depending on the value of a variable.

# **Syntax**

**ON** var [GOTO] [GOSUB] label1 [, label2 ] [,CHECK]

### Remarks

	The numeric variable to test. This can also be a SFR such as PORTB.
label1, label2	The labels to jump to depending on the value of var.
CHECK	An optional check for the number of provided labels.

Note that the value is zero based. So when var is 0, the first specified label is jumped/branched.

It is important that each possible value has an associated label. When there are not enough labels, the stack will get corrupted. For example : ON value label1, label2

And value = 2, there is no associated label.

You can use the optional CHECK so the compiler will check the value against the number of provided labels. When there are not enough labels for the value, there will be no GOTO or GOSUB and the next line will be executed.

### See Also

ON INTERRUPT 840

# ASM

The following code will be generated for a non-MEGA micro with ON value GOTO. Ldi R26,\$60 ; load address of variable Ldi R27,\$00 ; load constant in register

Ld R24,X Clr R25

Ldi R30, Low(ON\_1\_ \* 1) \$ ; load Z with address of the label Ldi R31, High(ON\_1\_ \* 1) \$

Add zl,r24 ; add value to Z Adc zh,r25

Ijmp ; jump to address stored in Z

ON\_1\_:

Rjmp lbl1 ; jump table Rjmp lbl2 Rjmp lbl3

The following code will be generated for a non-MEGA micro with ON value GOSUB.

;##### On X Gosub L1 , L2 Ldi R30,Low(ON\_1\_EXIT \* 1) Ldi R31,High(ON\_1\_EXIT \* 1) Push R30 ;push return address Push R31 Ldi R30,Low(ON\_1\_ \* 1) ;load table address Ldi R31,High(ON\_1\_ \* 1) Ldi R26,\$60 Ld R24,X Clr R25

Add zl,r24 ; add to address of jump table Adc zh,r25 Ijmp ; jump !!!

ON\_1\_: Rjmp L1 Rjmp L2 ON\_1\_EXIT:

As you can see a jump is used to call the routine. Therefore the return address is first saved on the stack.

# Example

```
_____
'name
                   : ongosub.bas
                   : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                   : demo : ON .. GOSUB/GOTO
                   : Mega48
'micro
'suited for demo
                  : yes
'commercial addon needed : no
· _____
                      _____
_____
$regfile = "m48def.dat"
                                              ' specify
the used micro
$crystal = 4000000
                                              ' used
```

```
crystal frequency
                                                              ' use baud
$baud = 19200
rate
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
Dim A As Byte
Input "Enter value 0-2 " , A
                                                              'ask for
input
Rem Note That The Starting Value Begins With 0
On A Gosub L0 , L1 , L2
Print "Returned"
If Portb < 2 Then
                                                              'you can
also use the portvalue
 On Portb Goto G0 , G1
End If
End_prog:
End
L0:
 Print "0 entered"
Return
L1:
 Print "1 entered"
Return
L2:
 Print "2 entered"
Return
G0:
 Print "P1 = 0"
 Goto End prog
G1:
  Print "P1 = 1"
  Goto End_prog
```

# 6.324 OPEN

### Action

Opens a device.

### **Syntax**

**OPEN** "device" for MODE As #channel **OPEN** file FOR MODE as #channel

### **Remarks**

Device	The default device is COM1 and you don't need to open a channel to use	
	INPUT/OUTPUT on this device.	

846 BASCOM-AVR
----------------

	With the implementation of the software UART, the compiler must know to which pin/device you will send/receive the data. So that is why the OPEN statement must be used. It tells the compiler about the pin you use for the serial input or output and the baud rate you
	want to use. COMB.0:9600,8,N,2 will use PORT B.0 at 9600 baud with 2 stop bits.
	The format for COM1 and COM2 is : COM1: or COM2:
	There is no speed/baud rate parameter since the default baud rate will be used that is specified with \$BAUD or \$BAUD1
	The format for the software UART is: COMpin:speed,8,N,stopbits[, INVERTED] Where pin is the name of the PORT-pin. Speed must be specified and stop bits can be 1 or 2. 7 bit data or 8 bit data may be used.
	For parity N, O or E can be used. An optional parameter ,INVERTED can be specified to use inverted RS- 232.
	Open "COMD.1:9600,8,N,1,INVERTED" For Output As #1 , will use pin PORTD.1 for output with 9600 baud, 1 stop bit and with inverted RS-232.
	For the AVR-DOS file system, Device can also be a string or filename constant like "readme.txt" or sFileName
	For the Xmega, you can also open SPIC, SPID, SPIE and SPIF for SPI communication. Or for TWI you can use TWIC, TWID, TWIE or TWIF.
MODE	You can use BINARY or RANDOM for COM1 and COM2, but for the software UART pins, you must specify INPUT or OUTPUT.
	For the AVR-DOS file system, MODE may be INPUT, OUTPUT, APPEND or BINARY.
Channel	The number of the channel to open. Must be a positive constant $>0$ .
	For the AVR-DOS file system, the channel may be a positive constant or a numeric variable. Note that the AVD-DOS file system uses real file handles. The software UART does not use real file handles.
	For the Xmega UART, you may use a variable that starts with BUART. This need to be a numeric variable like a byte. Using a variable allows you to use the UART dynamic.

# UART

The statements that support the device are  $\underline{PRINT}$  [86],  $\underline{INPUT}$  [794],  $\underline{INPUTHEX}$  [793],  $\underline{INKEY}$  [789] and  $\underline{WAITKEY}$  [100]

Every opened device must be closed using the CLOSE # channel statement. Of course, you must use the same channel number.

In DOS the #number is a DOS file number that is passed to low level routines. In BASCOM the channel number is only used to identify the channel but there are no file handles. So opening a channel, will not use a channel. Closing a channel is not needed for UARTS. When you do so, it is ignored. If you OPEN the channel again, you will get an error message.

So use OPEN in the begin of your program, and if you use CLOSE, use it at the end of your program.

# What is the difference?

In VB you can close the channel in a subroutine like this:

OPEN "com1:" for binary as #1 Call test Close #1 End

Sub test Print #1, "test" End Sub

This will work since the file number is a real variable in the OS. In BASCOM it will not work : the CLOSE must come after the last I/O statement:

```
OPEN "com1:" for binary as #1
Call test
End
```

Sub test Print #1, "test" End Sub Close #1

The INPUT statement in combination with the software UART, will not echo characters back because there is no default associated pin for this.

# **AVR-DOS**

The AVR-DOS file system uses real file handles. This means that the CLOSE statement can be used at any place in your program just as with VB.

There are a few file mode, all inherited from VB/QB. They work exactly the same.

File mode	Description
OUTPUT	Use OUTPUT to create a file, and to write ASCII data to the file. A readme. txt file on your PC is an example of an ASCII file. ASCII files have a trailing CR+LF for each line you print. The PRINT statement is used in combination with OUTPUT mode.
INPUT	This mode is intended to OPEN an ASCII file and to read data only. You can not write data in this mode. The file need to exist, and must contain ASCII data. LINEINPUT can be used to read data from the file.
APPEND	APPEND mode is used on ASCII files and will not erase the file, but will append data to the end of the file. This is useful when you want to log

data to a file. Opening in OUTPUT mode would erase the file if it existed.
In BINARY mode you have full read and write access to all data in the file. You can open a text file to get binary access, or you can open a binary file such as an image file. GET and PUT can be used with binary files.

The following information from the author is for advanced users only.

GET/PUT is not supposed to work with INPUT/OUTPUT due to the rules in VB/QBASIC. In the file CONFIG\_AVR-DOS.bas (nearly at the of the file) you will find the constants ' permission Masks for file access routine regarding to the file open mode Const cFileWrite\_Mode = &B00101010 ' Binary, Append, Output Const cFileRead\_Mode = &B00100001 ' Binary, Input Const cFileSeekSet\_Mode = &B00100000 ' Binary Const cFileInputLine = &B00100001 ' Binary, Input Const cFilePut\_Mode = &B00100000 ' Binary Const cFileGet\_Mode = &B00100000 ' Binary

Where you can control, which routines can used in each file open mode. There you can see, that in standard usage GET and PUT is only allowed in BINARY. Some time ago I wrote the Bootloader with AVR-DOS and I had the problem to keep Flash usage as low as possible. In the Bootloader I had to work with GET to read in the bytes, because the content is no ASCII text. On the other side, if you open a file in INPUT mode, you need less code. So I tested to open the File in input mode and allow to use GET in Input Mode.

I changed: Const cFileGet\_Mode = &B00100001 So GET can work in INPUT too in the BOOTLOADER.

If you switch in the constants cFileGet\_Mode the last 0 to a 1, you can use GET in INPUT Open mode to. With the bootloader.bas I changed the Config\_AVR-DOS.bas too. With this changed Config\_AVR-DOS.bas GET can used in INPUT, with the standard CONFIG\_AVR-DOS not.

This change makes no problem in code, but I think this is only something for experienced AVR-DOS user.

Whether he can use GET in INPUT mode depends only on this last bit in the constant cFileGET\_Mode in the file Config\_AVR-DOS.bas. This bit controls, what can be used in INPUT mode.

# Xmega-SPI

The Xmega has 4 SPI interfaces. The channel is used to communicate with the different devices.

And just as with the Xmega UART, you can use the SPI dynamic. When the channel variable starts with BSPI, you can pass a variable channel. An example you will find at <u>CONFIG SPIx</u> [593]

You can OPEN a SPI device only in BINARY mode.

### Xmega-TWI

The Xmega has 4 TWI interfaces. The channel is used to communicate with the different devices.

You can OPEN a TWI device only in BINARY mode. Only constants are allowed for the

channel.

#### See also

CLOSE 4761, CRYSTAL 6541, PRINT 861, LINE INPUT 8131, LOC 8171, LOF 8181, EOF 731

\_\_\_\_\_

### Example

```
$regfile = "m48def.dat"
                                                               ' specify
the used micro
                                                               ' used
$crystal = 10000000
crystal frequency
$baud = 19200
                                                               ' use baud
rate
\$hwstack = 32
                                                               ' default
use 32 for the hardware stack
\$swstack = 10
                                                               ' default
use 10 for the SW stack
$framesize = 40
                                                               ' default
use 40 for the frame space
```

Dim B As Byte

```
'Optional you can fine tune the calculated bit delay
'Why would you want to do that?
'Because chips that have an internal oscillator may not
'run at the speed specified. This depends on the voltage, temp etc.
'You can either change $CRYSTAL or you can use
'BAUD #1,9610
'In this example file we use the DT006 from www.simmstick.com
'This allows easy testing with the existing serial port
'The MAX232 is fitted for this example.
'Because we use the hardware UART pins we MAY NOT use the hardware UART
'The hardware UART is used when you use PRINT, INPUT or other related
statements
'We will use the software UART.
Waitms 100
'open channel for output
Open "comd.1:19200,8,n,1" For Output As #1
Print #1 , "serial output"
'Now open a pin for input
Open "comd.0:19200,8,n,1" For Input As #2
'since there is no relation between the input and output pin
'there is NO ECHO while keys are typed
Print #1 , "Number"
```

```
'get a number
Input #2 , B
'print the number
Print #1 , B
'now loop until ESC is pressed
'With INKEY() we can check if there is data available
'To use it with the software UART you must provide the channel
Do
   'store in byte
  B = Inkey(#2)
   'when the value > 0 we got something
   If B > 0 Then
     Print #1 , Chr(b)
                                                             'print the
character
  End If
Loop Until B = 27
Close #2
Close #1
'OPTIONAL you may use the HARDWARE UART
'The software UART will not work on the hardware UART pins
'so you must choose other pins
'use normal hardware UART for printing
'Print B
'When you dont want to use a level inverter such as the MAX-232
'You can specify ,INVERTED :
'Open "comd.0:300,8,n,1,inverted" For Input As #2
'Now the logic is inverted and there is no need for a level converter
'But the distance of the wires must be shorter with this
End
```

### Example XMEGA TWI

```
(c) 1995-2010, MCS
                    xm128-TWI.bas
' This sample demonstrates the Xmega128A1 TWI
·-----
                                              _____
$regfile = "xm128aldef.dat"
$crystal = 32000000
\$hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external xmegafix rol r1014
Dim S As String * 20
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
```

\_\_\_\_\_

```
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Dim N As String * 16 , B As Byte
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
                                                              ' CR is used
Config Input1 = Cr , Echo = Crlf
for input, we echo back CR and LF
Open "COM1:" For Binary As #1
        ^^^^ change from COM1-COM8
Print #1 , "Xmega revision:" ; Mcu_revid
                                                              ' make sure
it is 7 or higher !!! lower revs have many flaws
Const Usechannel = 1
Dim B1 As Byte , B2 As Byte
Dim W As Word At B1 Overlay
Open "twic" For Binary As #4
                                                              ' or use
TWID, TWIE OR TWIF
Config Twi = 100000
                                                              'CONFIG TWI
will ENABLE the TWI master interface
'you can also use TWIC, TWID, TWIE of TWIF
#if Usechannel = 1
  I2cinit #4
#else
 I2cinit
#endif
 I2cstart
 Waitms 20
 I2cwbyte &H70
                                                              ' slave
address write
 Waitms 20
 12cwbyte & B10101010
                                                              ' write
command
 Waitms 20
 I2cwbyte 2
 Waitms 20
 I2cstop
 Print "Error : " ; Err
                                                              ' show error
status
 'waitms 50
 Print "start"
  I2cstart
 Print "Error : " ; Err
                                                              ' show error
  I2cwbyte &H71
 Print "Error : " ; Err
                                                              ' show error
 I2crbyte B1 , Ack
 Print "Error : " ; Err
                                                              ' show error
 I2crbyte B2 , Nack
 Print "Error : " ; Err
                                                              ' show error
 I2cstop
 Print "received A/D : " ; W ; "-" ; B1 ; "-" ; B2
```

Do

```
Waitms 500
                                                                 'wait a bit
Loop
Dim J As Byte , C As Byte , K As Byte
Dim Twi_start As Byte
                                                                 ' you MUST
dim this variable since it is used by the lib
'determine if we have an i2c slave on the bus
For J = 0 To 200 Step 2
  Print J
  #if Usechannel = 1
    I2cstart #4
  #else
    I2cstart
  #endif
   I2cwbyte J
   If Err = 0 Then
                                                                 ' no errors
      Print "FOUND : " ; Hex(j)
      'write some value to the pcf8574A
      #if Usechannel = 1
         I2cwbyte &B1100_0101 , #4
      #else
         I2cwbyte &B1100_0101
      #endif
      Print Err
      Exit For
   End If
   #if Usechannel = 1
       I2cstop #4
   #else
       I2cstop
   #endif
Next
#if Usechannel = 1
    I2cstop #4
#else
    I2cstop
#endif
#if Usechannel = 1
  I2cstart #4
  12cwbyte &H71 , #4
                                                                 'read
address
  I2crbyte J , Ack , #4
  Print Bin(j) ; " err:" ; Err
  I2crbyte J , Ack , #4
  Print Bin(j) ; " err:" ; Err
  <code>I2crbyte J</code> , <code>Nack</code> , #4
  Print Bin(j) ; " err:" ; Err
  I2cstop #4
#else
  I2cstart
  I2cwbyte &H71
                                                                 'read
address
  I2crbyte J , Ack
  Print Bin(j) ; " err:" ; Err
  {\tt I2crbyte}\ {\tt J} , {\tt Ack}
  Print Bin(j) ; " err:" ; Err
  {\tt I2crbyte}\ {\tt J} , Nack
  Print Bin(j) ; " err:" ; Err
```

```
I2cstop
#endif
'try a transaction
#if Usechannel = 1
  12csend & H70 , 255 , #4
                                                               ' all 1
  Waitms 1000
                                                               'all 0
  12csend & H70 , 0 , #4
#else
  12csend & H70 , 255
  Waitms 1000
  12csend & H70 , 0
#endif
Print Err
'read transaction
Dim Var As Byte
Var = &B11111111
#if Usechannel = 1
  I2creceive &H70 , Var , 1 , 1 , #4
                                                               ' send and
receive
 Print Bin(var) ; "-" ; Err
  I2creceive &H70 , Var , 0 , 1 , #4
                                                               ' just
receive
  Print Bin(var) ; "-" ; Err
#else
  I2creceive &H70 , Var , 1 , 1
                                                               ' send and
receive
  Print Bin(var) ; "-" ; Err
  I2creceive &H70 , Var , 0 , 1
                                                               ' just
receive
 Print Bin(var) ; "-" ; Err
#endif
```

End

# 6.325 OUT

### Action

Sends a byte to a hardware port or internal or external memory address.

## **Syntax**

**OUT** address, value

# Remarks

	The address where to send the byte to in the range of 0-FFFF hex. For Xmega which supports huge memory, the address is in range from 0-&HFFFFFF.
Value	The variable or value to output.

The OUT statement can write a value to any AVR memory location.

It is advised to use Words for the address. An integer might have a negative value and will write of course to a word address. So it will be 32767 higher as supposed. This because an integer has it's most significant bit set when it is negative.

To write to XRAM locations you must enable the External RAM access in the <u>Compiler Chip Options</u>.

You do not need to use OUT when setting a port variable. Port variables and other registers of the micro can be set like this : PORTB = value, where PORTB is the name of the register.

Take special care when using register variables. The address-part of the OUT statement, expects a numeric variable or constant. When you use a hardware register like for example PORTB, what will happen is that the value of PORTB will be used. Just as when you use a variable, it will use the variable value. So when the goal is to just write to a hardware register, you need to use the normal

assignment : PORTB=3

### See also

INP [791], PEEK [854], POKE [855], SETREG [909], GETREG [766]

### Example

Out &H8000 , 1 'send 1 to the databus(d0-d7) at hex address 8000 End

### 6.326 PEEK

### Action

Returns the content of a register.

### Syntax

var = PEEK( address )

### Remarks

	Numeric variable that is assigned with the content of the memory location address
Address	Numeric variable or constant with the address location.(0-31)

Peek() will read the content of a register. Inp() can read any memory location

### See also

POKE [855], CPEEK [644], INP [791], OUT [853], SETREG [909], GETREG [766]

\_\_\_\_\_

### Example

'name 'copyright

: peek.bas : (c) 1995-2005, MCS Electronics

\_\_\_\_\_

**BASCOM Language Reference** 

#### 855

: demonstrates PEEk, POKE, CPEEK, INP and OUT 'purpose 'micro : Mega48 'suited for demo : yes 'commercial addon needed : no · \_\_\_\_\_ \_\_\_\_\_ \$regfile = "m162def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate ' default \$hwstack = 32use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim I As Integer , B1 As Byte 'dump internal memory **For** I = 0 **To** 31 'only 32 registers in AVR B1 = **Peek**(i) 'get byte from internal memory Print Hex(b1) ; " "; 'Poke I , 1 'write a value into memory Next Print 'new line 'be careful when writing into internal memory !! 'now dump a part of the code-memory(program) **For** I = 0 **To** 255 B1 = Cpeek(i) 'get byte from internal memory Print Hex(b1) ; " "; Next 'note that you can not write into codememory !! **Out** & H8000 , 1 'write 1 into XRAM at address 8000 B1 = Inp(&H8000)'return value from XRAM Print B1 End

### 6.327 POKE

### Action

Write a byte to an internal register.

### **Syntax**

POKE address , value

### Remarks

Address	Numeric variable with the address of the memory location to set. (0-31)
Value	Value to assign. (0-255)

### See also

PEEK [854], CPEEK [644], INP [791], OUT [853], SETREG [909], GETREG [766]

### Example

Poke 1, 1 'write 1 to R1 End

### 6.328 POPALL

### Action

Restores all registers that might be used by BASCOM.

### Syntax

POPALL

### Remarks

When you are writing your own ASM routines and mix them with BASIC you are unable to tell which registers are used by BASCOM because it depends on the used statements and interrupt routines that can run on the background.

That is why Pushall saves all used registers and POPALL restores all registers.

The SREG register is also saved/restored. The SREG register contains the processor flags and it is important to save these.

If the micro has a RAMPZ register, the RAMPZ register is saved/restored also. RAMPZ is used to address multiple pages in flash and SRAM memory.

# See also

6.329 **POWER** 

### Action

Returns the power of a single or double variable and its argument

### Syntax

var = POWER( source, raise )

### Remarks

	A numeric variable that is assigned with the power of variable source ^ raise.
Source	The single or double variable to get the power of.

The POWER function works for positive floating point variables only. When you use a  $^{b}$ , the sign will be preserved.

While Excel does not allow raising a negative single, QB does allow it. The Power functions uses less code compared with the code that is generated when you use ^ for floating point values.

It is important that you use single variables for both single and raise. Constants are not accepted.

In version 1.11.9.2 the power function is improved so that it returns the same result as Excel. Previously it returned the same number as QB/VB. For example :  $-2 \land 2$  would be returned as -4, but  $-2 \land 3$  would be returned as -8 which is wring since  $-2 \land 3 = -2 \times -2 \times -2 = 4 \times -2 = -8$ . Minus times a minutes makes a positive number. So it depends on the sign of the base and if the number of raise if even or odd.

The exception handling was also improved.

Base	Raise	Result
0	0	NAN
NAN	x	NAN
х	NAN	NAN
Infinity	x	NAN
х	Infinity	NAN
0	x<0	Infinity
0	x>0	0
x	0	1
x<0	x<>int(x)	NAN

### See Also

EXP 733, LOG 822, LOG10 823, SQR 954

### Example

Show sample 1037

# **Example for Double Exceptions**

\$regfile = "m128def.dat"
\$crystal = 4000000

Dim D1 As Double , D2 As Double , D3 As Double Dim dInf as Double, dNAN as Double

d1 = -1: dNAN = log(d1)d1 = 1: d2 = 0: dInf = D1 / D2

D1 = 0: D2 = 0: GoSub ShowPowerTest

D1 = dNAN: D2 = 3: GoSub ShowPowerTest

- D1 = 3: D2 = dNAN: GoSub ShowPowerTest
- D1 = dInf: D2 = 4: GoSub ShowPowerTest
- D1 = 4: D2 = dInf: GoSub ShowPowerTest
- D1 = 0: D2 = -2: GoSub ShowPowerTest
- D1 = 0: D2 = 3: GoSub ShowPowerTest
- D1 = 5: D2 = 0: GoSub ShowPowerTest
- D1 = -2: D2 = -3.5: GoSub ShowPowerTest
- D1 = -2: D2 = 3.5: GoSub ShowPowerTest
- D1 = -2: D2 = -3: GoSub ShowPowerTest
- D1 = -2: D2 = -4: GoSub ShowPowerTest
- D1 = -2: D2 = -5: GoSub ShowPowerTest
- D1 = -2: D2 = 3: GoSub ShowPowerTest
- D1 = -2: D2 = 4: GoSub ShowPowerTest
- D1 = -2: D2 = 5: GoSub ShowPowerTest

#### end

ShowPowerTest:

D3 = POWER(D1, D2)

Print "POWER( "; D1; ", "; D2; ") = "; D3

Return

-----Simulator Output -----POWER() - Test

10 wLK() = 10 st

\_\_\_\_\_

- POWER(0, 0) = NAN
- POWER(NAN, 3) = NAN
- POWER(3, NAN) = NAN
- POWER(Infinity, 4) = NAN

POWER(4, Infinity) = NAN

#### POWER(0, -2) = Infinity

POWER(0, 3) = 0

POWER(5, 0) = 1

POWER(-2, -3.5) = NAN

POWER(-2, 3.5) = NAN

POWER(-2, -3) = -125E-3

POWER(-2, -4) = 62.5E-3

POWER(-2, -5) = -31.25E-3

POWER(-2, 3) = -8

POWER(-2, 4) = 16

POWER(-2, 5) = -32

# 6.330 POWER MODE

### Action

Put the micro processor in one of the supported power reserving modes.

### **Syntax**

POWER mode

# Remarks

The mode depends on the micro processor. Some valid options are :

- IDLE
- POWERDOWN
- STANDBY
- ADCNOISE
- POWERSAVE

So for standby you would use : POWER STANDBY It is also possible to use POWERDOWN, IDLE or POWERSAVE. These modes were/are supported by most processors. It is recommended to use the new POWER command because it allows to use more modes.

POWER has nothing to do with the **POWER** () function.

THIS STATEMENT IS NOT RECOMMENDED. Please use <u>CONFIG POWERMODE</u> instead.

### See also

IDLE 785, POWERDOWN 860, POWERSAVE 860

### **Example**

POWER IDLE

# 6.331 POWERDOWN

### Action

Put processor into power down mode.

### Syntax POWERDOWN

# Remarks

In the power down mode, the external oscillator is stopped. The user can use the WATCHDOG to power up the processor when the watchdog timeout expires. Other possibilities to wake up the processor is to give an external reset or to generate an external level triggered interrupt.

You should use the new <u>CONFIG POWERMODE</u> statement.

See also IDLE 7887, POWERSAVE 8807, POWER mode 8597

# Example

Powerdown

# 6.332 POWERSAVE

# Action

Put processor into power save mode.

# Syntax

POWERSAVE

### Remarks

The POWERSAVE mode is only available in the 8535, Mega8, Mega163.

Most new chips have many options for Power down/Idle. It is advised to consult the data sheet to see if a better mode is available.

You should use the new <u>CONFIG POWERMODE</u> statement.

# See also

IDLE 785, POWERDOWN 860, POWER mode 859

# Example

Powersave

# 6.333 PRINT

# Action

Send output to the RS-232 port. Writes a string to a file. Writes data to a device.

# Syntax

**PRINT** [#channel , ] var ; " constant"

# **Remarks**

Var The variable or constant to print.

You can use a semicolon (;) to print more than one variable at one line. When you end a line with a semicolon, no linefeed and carriage return will be added.

The PRINT routine can be used when you have a RS-232 interface on your uP. The RS-232 interface can be connected to a serial communication port of your computer.

This way you can use a terminal emulator as an output device. You can also use the build in terminal emulator.

# **AVR-DOS**

The AVR-DOS file system also supports PRINT. But in that case, only strings can be written to disk.

When you need to print to the second hardware UART, or to a software UART, you need to specify a channel : PRINT #1, "test"

The channel must be opened first before you can print to it. Look at OPEN and CLOSE for more details about the optional channel. For the first hardware UART, there is no need to use channels.

PRINT " test" will always use the first hardware UART.

# Xmega-SPI

When sending data to the SPI interface, you need to activate the SS pin. Some chips might need an active low, others might need an active high. This will depends on the slave chip.

When you use the SS=AUTO option, the level of SS will be changed automatic. Thus SS is made low, then the data bytes are sent, and finally, SS is made high again.

For SPI, no CRLF will be sent. Thus a trailing ; is not needed.

# **Number of Bytes**

The compiler will send 1 byte for variable which was dimensioned as a BYTE. It will send 2 bytes for a WORD/INTEGER, 4 bytes for a LONG/SINGLE and 8 bytes for a DOUBLE.

As with all routines in BASCOM, the least significant Byte will be send first.

When you send a numeric constant, the binary value will be sent : 123 will be send a 1 byte with the value of 123.

If you send an array, it will send one element.

With an optional parameter you can provide how many bytes must be sent. You must use a comma (,) to specify this parameter. This because the semi colon (;) is used to send multiple variables.

### Sample

Dim Tmparray(5) As Byte , Spi\_send\_byte As Byte , W as Word Config Spid = Hard , Master = Yes , Mode = 0 , Clockdiv = Clk32 , Data\_order = Msb , Ss = Auto Open "SPID" For Binary As #12 Print #12 , Spi\_send\_byte ; W ' send ONE BYTE and 2 bytes of W Print #12 , Tmparray(1) , 2 ' send 2 bytes of tmparray, starting at element 1 Print #12 , Tmparray(1) ' send 1 byte Print #12 , Tmparray(3) , 2 ' send 2 bytes starting at index 3 Print #12 , 123 ; 1000 ; Tmparray(1) , B ' send byte with value 123, 2 bytes with value 1000, and 'b' bytes of array

### See also

INPUT 7947, OPEN 8457, CLOSE 4767, SPC 9497

### Example

'copyright : 'purpose :		
<pre>\$regfile = "m48def.dat" the used micro</pre>		' specify
<b>\$crystal</b> = 4000000		' used
crystal frequency <b>\$baud =</b> 19200 rate		' use baud
<pre>\$hwstack = 32</pre>		' default
<pre>use 32 for the hardware stac \$swstack = 10 use 10 for the SW stack</pre>	' default	
<b>\$framesize =</b> 40 use 40 for the frame space		' default
-		
<b>Dim</b> A <b>As Byte</b> , B1 <b>As Byte</b> , A = 1	C As Integer , S As String * 4	
<b>Print</b> "print variable a ";	A	
Print		'new line
<b>Print</b> "Text to print." print		'constant to
B1 = 10 Print Hex(b1)		'print in
		E = 1110 111

```
hexa notation
C = &HA000
                                                               'assign
value to c%
Print Hex(C)
                                                               'print in
hex notation
Print C
                                                               'print in
decimal notation
C = -32000
Print C
Print Hex(C)
Rem Note That Integers Range From -32767 To 32768
Print "You can also use multiple"
; "lines using _"
Print "use it for long lines"
'From version 1.11.6.4 :
A = \&B1010_0111
Print Bin(a)
S = "1001"
A = Binval(s)
                                                               '9 dec
Print A
End
```

### 6.334 PRINTBIN

# Action

Print binary content of a variable to the serial port.

### **Syntax**

**PRINTBIN** var [ ; varn] **PRINTBIN** #channel, var [; varn]

# Remarks

Var	The variable which value is send to the serial port.	
varn	Optional variables to send.	

The channel is optional and for use with OPEN [845] and CLOSE [476] statements.

PRINTBIN is equivalent to PRINT CHR(var); When you use a Long for example, 4 bytes are printed.

Multiple variables may be sent. They must be separated by the ; sign.

The number of bytes to send can be specified by an additional numeric parameter. This is convenient when sending the content of an array.

Printbin ar(1); 3 ' will send 3 bytes from array ar(). Printbin ar(1); 2; ar(2); 4 ' will send 2 bytes from array ar() starting at index 1, then 4 bytes from array ar() starting at index 4.

When you use Printbin ar(1) , the whole array will be printed. When you need to print the content of a big array(array with more then 255 elements) you need to use the CONFIG PRINTBIN option.

### See also

INPUTBIN 7927, CONFIG PRINTBIN 578

# Example

```
Dim A(10) As Byte, C As Byte
For C = 1 To 10
    A(c)= c 'fill array
Next
Printbin A(1) 'print content of a(1). Note that the whole array will be
sent!
End
```

# 6.335 PSET

# Action

Sets or resets a single pixel.

### **Syntax**

PSET X , Y, value

# Remarks

Х	The X location of the pixel. In range from 0-239.
Y	The Y location of the pixel. In range from 0-63.
value	The value for the pixel. 0 will clear the pixel. 1 Will set the pixel.

The PSET is handy to create a simple data logger or oscilloscope.

### See also

SHOWPIC [934], CONFIG GRAPHLCD [533], LINE [810]

# Example

'name 'copyright 'purpose 128 'micro 'suited for demo 'commercial addon needed	<pre>: t6963_240_128.bas : (c) 1995-2005, MCS Electronics : T6963C graphic display support demo 240 * : Mega8535 : yes : no</pre>
<pre>\$regfile = "m8535.dat" the used micro \$crystal = 8000000 crystal frequency \$baud = 19200 rate \$hwstack = 32 use 32 for the hardware s \$swstack = 10 use 10 for the SW stack</pre>	' specify ' used ' use baud ' default tack ' default

#### 865

**\$framesize** = 40 ' default use 40 for the frame space !\_\_\_\_\_ (c) 2001-2003 MCS Electronics T6963C graphic display support demo 240 \* 128 ·\_\_\_\_\_ \_\_\_\_\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ 'The connections of the LCD used in this demo 'LCD pin connected to ' 1 GND GND ' 2 GND GND ' 3 +5V +5V ' 4 -9V -9V potmeter /WR ' 5 PORTC.0 '6 /RD PORTC.1 ' 7 /CE PORTC.2 ' 8 C/D PORTC.3 '9 NC not conneted '10 RESET PORTC.4 '11-18 D0-D7 PA '19 FS PORTC.5 '20 NC not connected 'First we define that we use a graphic LCD ' Only 240\*64 supported yet Config Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2, Cd = 3, Wr = 0, Rd = 1, Reset = 4, Fs = 5, Mode = 8'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE, CD etc. are the pin number of the CONTROLPORT. ' For example CE =2 because it is connected to PORTC.2 'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns 'Dim variables (y not used) Dim X As Byte , Y As Byte 'Clear the screen will both clear text and graph display Cls 'Other options are : ' CLS TEXT to clear only the text display ' CLS GRAPH to clear only the graphical part Cursor Off Wait 1 'locate works like the normal LCD locate statement ' LOCATE LINE, COLUMN LINE can be 1-8 and column 0-30 Locate 1 , 1 'Show some text Lcd "MCS Electronics" 'And some othe text on line 2 Locate 2 , 1 : Lcd "T6963c support" Locate 3 , 1 : Lcd "1234567890123456789012345678901234567890" Locate 16 , 1 : Lcd "write this to the lower line" Wait 2 Cls Text

'use the new LINE statement to create a box 'LINE(X0,Y0) - (X1,Y1), on/off ' diagonal Line(0 , 0) -(239 , 127) , 255 line Line(0, 127) - (239, 0), 255 ' diagonal line Line(0, 0) - (240, 0), 255' horizontal upper line Line(0 , 127) - (239 , 127) , 255 'horizontal lower line **Line**(0 , 0) -(0 , 127) , 255 ' vertical left line Line(239, 0) - (239, 127), 255 ' vertical right line Wait 2 ' draw a line using PSET X,Y, ON/OFF ' PSET on.off param is 0 to clear a pixel and any other value to turn it on **For** X = 0 **To** 140 **Pset** X , 20 , 255 ' set the pixel Next **For** X = 0 **To** 140 **Pset** X , 127 , 255 ' set the pixel Next Wait 2 'circle time 'circle(X,Y), radius, color 'X,y is the middle of the circle,color must be 255 to show a pixel and 0 to clear a pixel **For** X = 1 **To** 10 **Circle**(20, 20), X, 255 ' show circle Wait 1 Circle(20 , 20) , X , 0 'remove circle Wait 1 Next Wait 2 **For** X = 1 **To** 10 **Circle**(20, 20), X, 255 ' show circle Waitms 200 Next Wait 2 'Now it is time to show a picture 'SHOWPIC X,Y,label 'The label points to a label that holds the image data Test: Showpic 0 , 0 , Plaatje Showpic 0 , 64 , Plaatje ' show 2 since we have a big display Wait 2 Cls Text ' clear the

text **End** 

```
'This label holds the mage data
Plaatje:
'$BGF will put the bitmap into the program at this location
$bgf "mcs.bgf"
'You could insert other picture data here
```

# 6.336 PS2MOUSEXY

# Action

Sends mouse movement and button information to the PC.

# Syntax

**PS2MOUSEXY** X , Y, button

# Remarks

х	The X-movement relative to the current position.
	The range is -255 to 255.
Y	The Y-movement relative to the current position.
	The range is -255 to 255.
Button	A variable or constant that represents the button state.
	0 – no buttons pressed 1- left button pressed 2- right button pressed 4- middle button pressed
	You can combine these values by adding them. For example, 6 would emulate that the right and middle buttons are pressed.
	To send a mouse click, you need to send two ps2mouseXY statements. The first must indicate that the button is pressed, and the second must release the button.
	Ps2mouseXY 0,0,1 ' left mouse pressed
	PsmouseXY 0,0,0 ' left mouse released

The SENDSCAN statement could also be used.

# See also

SENDSCAN [913], CONFIG PS2EMU [578]

# 6.337 PULSEIN

# Action

Returns the number of units between two occurrences of an edge of a pulse.

### **Syntax**

**PULSEIN** var , PINX , PIN , STATE

# Remarks

var	A word variable that is assigned with the result.	
PINX	A PIN register like PIND	
PIN	The pin number(0-7) to get the pulse time of.	
STATE	May be 0 or 1.	
	0 means sample 0 to 1 transition. 1 means sample 1 to 0 transition.	

ERR variable will be set to 1 in case of a time out. A time out will occur after 65535 unit counts. With 10 uS units this will be after 655.35 mS.

You can add a <u>bitwait</u> statement to be sure that the PULSEIN statement will wait for the start condition. But when using the BITWAIT statement and the start condition will never occur, your program will stay in a loop.

The PULSIN statement will wait for the specified edge.

When state 0 is used, the routine will wait until the level on the specified input pin is 0. Then a counter is started and stopped until the input level gets 1.

No hardware timer is used. A 16 bit counter is used. It will increase in 10 uS units. But this depends on the XTAL. You can change the library routine to adjust the units.

## See also

PULSEOUT 868

# ASM

The following ASM routine is called from mcs.lib \_pulse\_in (calls \_adjust\_pin)

On entry ZL points to the PINx register , R16 holds the state, R24 holds the pin number to sample. On return XL + XH hold the 16 bit value.

## Example

Dim w As Word pulsein w , PIND , 1 , 0 'detect time from 0 to 1 print w End

# 6.338 PULSEOUT

# Action

Generates a pulse on a pin of a PORT of specified period in 1uS units for 4 MHz.

# Syntax

**PULSEOUT** PORT , PIN , PERIOD

# Remarks

PORT	RT Name of the PORT. PORTB for example	
PIN	Variable or constant with the pin number (0-7).	
PERIOD	Number of periods the pulse will last. The periods are in uS when an XTAL of 4 MHz is used.	

The pulse is generated by toggling the pin twice, thus the initial state of the pin determines the polarity.

The PIN must be configured as an output pin before this statement can be used.

### See also

PULSEIN 867

# Example

'PORTB all
'all pins O
'generate
'wait a bit
'loop for

### 6.339 PUSHALL

### Action

Saves all registers that might be used by BASCOM.

# Syntax

PUSHALL

### Remarks

When you are writing your own ASM routines and mix them with BASIC you are unable to tell which registers are used by BASCOM because it depends on the used statements and interrupt routines that can run on the background.

That is why Pushall saves all used registers. Use POPALL to restore the registers.

The saved registers are : R0-R5, R7,R10,R11 and R16-R31

The SREG register is also saved. The SREG register contains the processor flags and it is important to save these.

If the micro has a RAMPZ register, the RAMPZ register is saved too. RAMPZ is used to address multiple pages in flash and SRAM memory.

### See also

POPALL 856

### 6.340 PUT

### Action

Writes a byte to the hardware or software UART. Writes data to a file opened in BINARY mode.

### Syntax

PUT #channel, var
PUT #channel, var ,[pos] [,length]

### Remarks

PUT in combination with the software/hardware UART is provided for compatibility with BASCOM-8051. It writes one byte

PUT in combination with the AVR-DOS file system is very flexible and versatile. It works on files opened in BINARY mode and you can write all data types.

A channel number, which identifies an opened file. This can be a hard coded constant or a variable.
The variable or variable array that will be written to the file
This is an optional parameter that may be used to specify the position where the data must be written. This must be a long variable.
This is an optional parameter that may be used to specify how many bytes must be written to the file.

By default you only need to provide the variable name. When the variable is a byte, 1 byte will be written. When the variable is a word or integer, 2 bytes will be written. When the variable is a long or single, 4 bytes will be written. When the variable is a string, the number of bytes that will be written is equal to the dimensioned size of the string. DIM S as string \* 10, would write 10 bytes.

Note that when you specify the length for a string, the maximum length is 255. The maximum length for a non-string array is 65535.

### Example

PUT #1, var PUT #1, var , , 2 ' write 2 bytes at default position PUT #1, var ,PS, 2 ' write 2 bytes at location storied in variable PS

### See also

INITFILESYSTEM [787], OPEN [848], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [745], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [456], KILL [807], DISKFREE [709], DISKSIZE [710], GET [747], FILEDATE [736], FILETIME [738], FILEDATETIME [736], DIR [706], FILELEN [737], WRITE [1004], INPUT [794]

# ASM

current position	Goto new position first
Byte:	
_FilePutRange_1 Input: r24: File number X: Pointer to variable T-Flag cleared	_FilePutRange_1 Input: r24: File number X: Pointer to variable r16-19 (A): New position (1-based) T-Flag Set
Word/Integer:	
_FilePutRange_2 Input: r24: File number X: Pointer to variable T-Flag cleared	_FilePutRange_2 Input: r24: File number X: Pointer to variable r16-19 (A): New position (1-based) T-Flag Set
Long/Single:	
_FilePutRange_4 Input: r24: File number X: Pointer to variable T-Flag cleared	_FilePutRange_4 Input: r24: File number X: Pointer to variable r16-19 (A): New position (1-based) T-Flag Set
String (<= 255 Bytes) with fixed length	
_FilePutRange_Bytes Input: r24: File number r20: Count of Bytes X: Pointer to variable T-Flag cleared	_FilePutRange_Bytes Input: r24: File number r20: Count of bytes X: Pointer to variable r16-19 (A): New position (1-based) T-Flag Set
Array (> 255 Bytes) with fixed length	
_FilePutRange Input: r24: File number r20/21: Count of Bytes X: Pointer to variable T-Flag cleared	_FilePutRange Input: r24: File number r20/21: Count of bytes X: Pointer to variable r16-19 (A): New position (1-based) T-Flag Set

Output from all kind of usage: r25: Error Code C-Flag on Error

# Example

'for the binary file demo we need some variables of different types Dim B AsByte, W AsWord, L AsLong, Sn AsSingle, Ltemp AsLong Dim Stxt AsString\* 10 B = 1 : W = 50000 : L = 12345678 : Sn = 123.45 : Stxt = "test"

'open the file in BINARY mode Open"test.biN"ForBinaryAs#2

#### 872 BASCOM-AVR

Put#2 , B ' write a byte
Put#2 , W ' write a word
Put#2 , L ' write a long
Ltemp =Loc(#2)+ 1 ' get the position of the next byte
Print Ltemp ;" LOC"' store the location of the file pointer
Print Seek(#2);" = LOC+1"

PrintLof(#2);" length of file" PrintFileattr(#2);" file mode"' should be 32 for binary Put#2 , Sn ' write a single Put#2 , Stxt ' write a string

Flush#2 ' flush to disk Close#2

'now open the file again and write only the single Open"test.bin"ForBinaryAs#2 L = 1 'specify the file position B =Seek(#2, L)' reset is the same as using SEEK #2,L Get#2, B ' get the byte Get#2, W ' get the word Get#2, L ' get the long Get#2, Sn ' get the single Get#2, Stxt ' get the string Close#2

# 6.341 QUOTE

### Action

The Quote function will return a string surrounded by quotes.

## **Syntax**

var = QUOTE( Source )

# Remarks

	A string variable that is assigned with the quoted string of variab source.	
Source	The string or string constant to be quoted.	

The Quote() function can be used in HTML web server pages.

## See also

NONE

```
Dim S as String * 20
S = "test"
S = Quote(s)
Print S ' would print "test"
End
```

### 6.342 RAD2DEG

# Action

Converts a value in radians to degrees.

### **Syntax**

var = **RAD2DEG**(Source)

# **Remarks**

Var	A numeric variable that is assigned with the angle of variable source.	
Source	The single or double variable to get the angle of.	

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

DEG2RAD 695

# Example

```
: (c) 1995-2005, MCS Electronics
: Mega48
'copyright
'micro
'micro : Meg
'suited for demo : yes
'commercial addon needed : no
'purpose
                     : demonstrates DEG2RAD function
·_____
_ _ _ _ _ _ _ _ _
Dim S As Single
S = 90
S = Deg2Rad(s)
Print S
S = Rad2deg(s)
Print S
End
```

# 6.343 RC5SEND

### Action

Sends RC5 remote code.

### **Syntax**

RC5SEND togglebit, address, command

### Uses

TIMER1

### Remarks

Togglebit Make the toggle bit 0 or 32 to set the toggle bit	
Address The RC5 address	
Command The RC5 command.	

The resistor must be connected to the OC1A pin. In the example a 2313 micro was used. This micro has pin portB.3 connected to OC1A.

Look in a data sheet for the proper pin when used with a different chip.

Most audio and video systems are equipped with an infra-red remote control. The RC5 code is a 14-bit word bi-phase coded signal.


The two first bits are start bits, always having the value 1.

The next bit is a control bit or toggle bit, which is inverted every time a button is pressed on the remote control transmitter.

Five system bits hold the system address so that only the right system responds to the code.

Usually, TV sets have the system address 0, VCRs the address 5 and so on. The command sequence is six bits long, allowing up to 64 different commands per address.

The bits are transmitted in bi-phase code (also known as Manchester code). An IR booster circuit is shown below:



# See also

CONFIG RC5 581, GETRC5 763, RC6SEND 877

# Example

the used micro

```
'name
                       : sendrc5.bas
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : code based on application note from Ger
Langezaal
'micro
                       : AT90S2313
                       : yes
'suited for demo
'commercial addon needed : no
! _____
------
$regfile = "2313def.dat"
                                                      ' specify
```

BASCOM Language Reference 875

```
Scrystal = 4000000
                                                              ' used
crystal frequency
$baud = 19200
                                                              ' use baud
rate
\$hwstack = 32
                                                              ' default
use 32 for the hardware stack
\$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
    +5V <---[A Led K]---[220 Ohm]---> Pb.3 for 2313.
' RC5SEND is using TIMER1, no interrupts are used
' The resistor must be connected to the OC1(A) pin , in this case PB.3
Dim Togbit As Byte , Command As Byte , Address As Byte
Command = 12
                                                              ' power on
off
Togbit = 0
                                                              ' make it 0
or 32 to set the toggle bit
Address = 0
Do
  Waitms 500
  Rc5send Togbit , Address , Command
   'or use the extended RC5 send code. You can not use both
   'make sure that the MS bit is set to 1, so you need to send
   '&B10000000 this is the minimal requirement
   '&B11000000 this is the normal RC5 mode
   '&B10100000 here the toggle bit is set
   ' Rc5sendext &B11000000 , Address , Command
Loop
End
```

## 6.344 RC5SENDEXT

### Action

Sends extended RC5 remote code.

### **Syntax**

RC5SENDEXT togglebit, address, command

### Uses

TIMER1

### Remarks

Togglebit	gglebit Make the toggle bit 0 or 32 to set the toggle bit	
Address	The RC5 address	
Command The RC5 command.		

Normal RC5 code uses 2 leading bits with the value '1'. After that the toggle bit follows.

With extended RC5, the second bit is used to select the bank. When you make it 1 (the default and normal RC5) the RC5 code is compatible. When you make it 0, you select bank 0 and thus use extended RC5 code.

#### 876 BASCOM-AVR

The resistor must be connected to the OC1A pin. In the example a 2313 micro was used. This micro has pin portB.3 connected to OC1A.

Look in a data sheet for the proper pin when used with a different chip.

Most audio and video systems are equipped with an infra-red remote control. The RC5 code is a 14-bit word bi-phase coded signal.


The two first bits are start bits, always having the value 1.

The next bit is a control bit or toggle bit, which is inverted every time a button is pressed on the remote control transmitter.

Five system bits hold the system address so that only the right system responds to the code.

Usually, TV sets have the system address 0, VCRs the address 5 and so on. The command sequence is six bits long, allowing up to 64 different commands per address.

The bits are transmitted in bi-phase code (also known as Manchester code). An IR booster circuit is shown below:



### See also

CONFIG RC5 581, GETRC5 763, RC6SEND 877

· ·	
'name	: sendrc5.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: code based on application note from Ger
Langezaal	
'micro	: AT90S2313
'suited for demo	: yes
'commercial addon needed	: no
· ·	
<pre>\$regfile = "2313def.dat"</pre>	' specify
the used micro	
<b>\$crystal</b> = 4000000	' used
crystal frequency	
<b>\$baud =</b> 19200	' use baud
rate	
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack	
\$swstack = 10 ' default	
use 10 for the SW stack	

877

```
$framesize = 40
                                                              ' default
use 40 for the frame space
   +5V <---[A Led K]---[220 Ohm]---> Pb.3 for 2313.
' RC5SEND is using TIMER1, no interrupts are used
' The resistor must be connected to the OC1(A) pin , in this case PB.3
Dim Togbit As Byte , Command As Byte , Address As Byte
Command = 12
                                                             ' power on
off
                                                              ' make it 0
Togbit = 0
or 32 to set the toggle bit
Address = 0
Do
  Waitms 500
    ' Rc5send Togbit , Address , Command
   'or use the extended RC5 send code. You can not use both
   'make sure that the MS bit is set to 1, so you need to send
   '&B10000000 this is the minimal requirement
   '&B11000000 this is the normal RC5 mode
   '&B10100000 here the toggle bit is set
  Rc5sendExt &B11000000 , Address , Command
Loop
End
```

## 6.345 RC6SEND

### Action

Sends RC6 remote code.

### Syntax

RC6SEND togglebit, address, command

### Uses

TIMER1

# **Remarks**

ľ	Togglebit	Make the toggle bit 0 or 1 to set the toggle bit
	Address	The RC6 address
	Command The RC6 command.	

The resistor must be connected to the OC1A pin. In the example a 2313 micro was used. This micro has pin portB.3 connected to OC1A.

Look in a data sheet for the proper pin when used with a different chip.


Most audio and video systems are equipped with an infrared remote control. The RC6 code is a 16-bit word bi-phase coded signal. The header is 20 bits long including the toggle bits. Eight system bits hold the system address so that only the right system responds to the code.

Usually, TV sets have the system address 0, VCRs the address 5 and so on. The command sequence is eight bits long, allowing up to 256 different commands per

address.

The bits are transmitted in bi-phase code (also known as Manchester code).

An IR booster circuit is shown below:



Device	Address
TV	0
VCR	5
SAT	8
DVD	4

This is not a complete list.

Command	Value	Command	Value
Key 0	0	Balance right	26
Key 1	1	Balance left	27
Key 2-9	2-9	Channel search+	30
Previous program	10	Channel search -	31
Standby	12	Next	32
Mute/un-mute	13	Previous	33
Personal preference	14	External 1	56
Display	15	External 2	57
Volume up	16	TXT submode	60
Volume down	17	Standby	61
Brightness up	18	Menu on	84
Brightness down	19	Menu off	85
Saturation up	20	Help	129
Saturation down	21	Zoom -	246
Bass up	22	Zoom +	247
Bass down	23		
Treble up	24		
Treble down	25		

This list is by far not complete.

Since there is little info about RC6 on the net available, use code at your own risk!

See also CONFIG RC5 जिभी , GETRC5 लिभी , RC5SEND छिन्दी

### **Example**

```
_____
_____
                       : sendrc6.bas
'name
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                       : code based on application note from Ger
Langezaal
                       : AT90S2313
'micro
'suited for demo
                       : yes
'commercial addon needed : no
·_____
                                   _____
_____
$regfile = "2313def.dat"
                                                      ' specify
the used micro
                                                      ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                      ' use baud
rate
$hwstack = 32
                                                      ' default
use 32 for the hardware stack
\$swstack = 10
                                                      ' default
use 10 for the SW stack
                                                      ' default
$framesize = 40
use 40 for the frame space
   +5V <---[A Led K]---[220 Ohm]---> Pb.3 for 2313.
' RC6SEND is using TIMER1, no interrupts are used
' The resistor must be connected to the OC1(A) pin , in this case PB.3
Dim Togbit As Byte , Command As Byte , Address As Byte
'this controls the TV but you could use rc6send to make your DVD region
free as well :-)
'Just search the net for the codes you need to send. Do not ask me for
info please.
Command = 32
                                                      ' channel
next
                                                      ' make it 0
Togbit = 0
or 32 to set the toggle bit
Address = 0
Do
  Waitms 500
  Rc6send Togbit , Address , Command
Loop
End
```

## 6.346 READ

# Action

Reads those values and assigns them to variables.

# Syntax

**READ** var

# Remarks

Variable that is assigned data value.

It is best to place the DATA set lines at the end of your program.



Var

It is important that the variable is of the same type as the stored data.

# See also

DATA 658 , <u>RESTORE</u> 892

· ·		
'copyright 'purpose		
<pre>\$regfile = "m48def.dat"</pre>		' specify
the used micro <b>\$crystal =</b> 4000000		' used
crystal frequency <b>\$baud =</b> 19200 rate		' use baud
<pre>\$hwstack = 32</pre>		' default
<pre>use 32 for the hardware s \$swstack = 10 use 10 for the SW stack</pre>	tack	' default
<b>\$framesize</b> = 40 use 40 for the frame space	e	' default
<pre>Dim A As Integer , B1 As D Dim S As String * 15 Dim L As Long Restore Dta1 stored data For Count = 1 To 3 of data items Read B1 : Print Count Next</pre>		'point to 'for number
Restore Dta2		'point to
stored data		
<pre>For Count = 1 To 2 of data items     Read A : Print Count ; Next</pre>	" ' <i>i</i> A	'for number
Restore Dta3 Read S : Print S Read S : Print S		
<b>Restore</b> Dta4 <b>Read</b> L : <b>Print</b> L		'long type

```
'demonstration of readlabel
                                                             ' location
Dim W As Iram Word At 8 Overlay
is used by restore pointer
'note that W does not use any RAM it is an overlayed pointer to the data
pointer
W = Loadlabel(dta1)
                                                              ' loadlabel
expects the labelname
Read B1
Print B1
End
Dtal:
Data &B10 , &HFF , 10
Dta2:
Data 1000% , -1%
Dta3:
Data "Hello" , "World"
'Note that integer values (>255 or <0) must end with the %-sign
'also note that the data type must match the variable type that is
'used for the READ statement
Dta4:
Data 123456789&
'Note that LONG values must end with the &-sign
'Also note that the data type must match the variable type that is used
'for the READ statement
```

# 6.347 READEEPROM

### Action

Reads the content from the DATA EEPROM and stores it into a variable.

### Syntax

**READEEPROM** var , address

## Remarks

Var	The name of the variable that must be stored
Address	The address in the EEPROM where the data must be read from.

This statement is provided for backwards compatibility with BASCOM-8051. You can also use the ERAM variable instead of READEEPROM :

Dim V as Eram Byte 'store in EEPROM Dim B As Byte 'normal variable B = 10V = B 'store variable in EEPROM B = V 'read from EEPROM

When you use the assignment version, the data types must be equal! According to a data sheet from ATMEL, the first location in the EEPROM with address 0, can be overwritten during a reset so don't use it.

You may also use ERAM variables as indexes. Like :

Dim ar(10) as Eram Byte

When you omit the address label in consecutive reads, you must use a new READEEPROM statement. It will not work in a loop:

Readeeprom B , Label1 Print B

Do Readeeprom B Print B Loop Until B = 5

This will not work since there is no pointer maintained. The way it will work :

ReadEEprom B , Label1 ' specify label ReadEEPROM B ' read next address in EEPROM ReadEEPROM B ' read next address in EEPROM

In the XMEGA, you need to set the mode to mapped : <u>CONFIG EEPROM</u> [530] = MAPPED.

### See also

WRITEEEPROM 1005, <u>\$EEPROM</u> 343

### ASM

NONE

```
_____
-----
                : eeprom2.bas
'name
'copyright
                : (c) 1995-2005, MCS Electronics
'purpose
                : shows how to use labels with READEEPROM
                : Mega48
'micro
'suited for demo
                : yes
'commercial addon needed : no
                     _____
! _____
_____
$regfile = "m48def.dat"
                                      ' specify
```

```
the used micro
$crystal = 4000000
                                                              ' used
crystal frequency
$baud = 19200
                                                              ' use baud
rate
\$hwstack = 32
                                                              ' default
use 32 for the hardware stack
$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
'first dimension a variable
Dim B As Byte
Dim Yes As String * 1
'Usage for readeeprom and writeeprom :
```

'readeeprom var, address 'A new option is to use a label for the address of the data 'Since this data is in an external file and not in the code the eeprom data 'should be specified first. This in contrast with the normal DATA lines which must 'be placed at the end of your program!! 'first tell the compiler that we are using EEPROM to store the DATA \$eeprom 'the generated EEP file is a binary file. 'Use \$EEPROMHEX to create an Intel Hex file usable with AVR Studio. '\$eepromhex 'specify a label Label1: Data 1 , 2 , 3 , 4 , 5 Label2: Data 10 , 20 , 30 , 40 , 50 'Switch back to normal data lines in case they are used \$data 'All the code above does not generate real object code 'It only creates a file with the EEP extension 'Use the new label option Readeeprom B , Label1 Print B 'prints 1 'Succesive reads will read the next value 'But the first time the label must be specified so the start is known Readeeprom B Print B 'prints 2 Readeeprom B , Label2 Print B 'prints 10 Readeeprom B Print B 'prints 20 'And it works for writing too : 'but since the programming can interfere we add a stop here Input "Ready?" , Yes B = 100Writeeeprom B , Labell B = 101 Writeeeprom B 'read it back Readeeprom B , Labell Print B 'prints 100 'Succesive reads will read the next value 'But the first time the label must be specified so the start is known **Readeeprom** B Print B 'prints 101 End

# 6.348 READHITAG

### Action

Read HITAG RFID transponder serial number.

### **Syntax**

result = **READHITAG**(var)


# Remarks

result A numeric variable that will be 0 if no serial number was read from the transponder. It will return 1 if a valid number was read.

RFID is used for entrance systems, anti theft, and many other applications where a wireless chip is an advantage over the conventional magnetic strip and chip-card. The HITAG series from Philips(NXP) is one of the oldest and best available. The HTRC110 chip is a simple to use chip that can read and write transponders. Each transponder chip has a 5 byte(40 bits) unique serial number. The only disadvantage of the HTRC110 is that you need to sign an NDA in order to

get the important documents and 8051 example code.

When the transponder is held before the coil of the receiver, the bits stream will be modulated with the bit values. Just like RC5, HITAG is using Manchester encoding. This is a simple and reliable method used in transmission systems. Manchester encoding is explained very well at the <u>Wiki</u> Manchester page.




The image above is copied from the Wiki.

There are 2 methods to decode the bits. You can detect the edges of the bits and sample on 3/4 of the bit time.

Another way is to use a state machine. The state machine will check the length between the edges of the pulse. It will start with the assumption that there is a (1). Then it will enter the MID1 state. If the next pulse is a long pulse, we have received a (0). When it received a short pulse, we enter the start1 state. Now we need to receive a short space which indicated a (1), otherwise we have an invalid state. When we are in the MID0 state, we may receive a long space(1) or a short space. All others pulses are invalid and lead to a restart of the pulse state(START).

Have a look at the image above. Then see how it really works. We start with assuming a (1). We then receive a long pulse so we receive a (0). Next we receive a long space which is a (1). And again a long pulse which is a (0) again. Then we get a short space and we are in start1 state. We get a short pulse which is a (0) and we are back in MID0 state. The long space will be a (1) and we are in MID1 state again. etc.etc. When ever we receive a pulse or space which is not defined we reset the pulse state machine.



At 125 KHz, the bit time is 512 uS. A short pulse we define as halve a bit time which is 256 uS.

We use a 1/4 of the bit time as an offset since the pulses are not always exactly precise.

So a short bit is 128-384(256-128 - 256+128 ) uS. And a long bit is 384-640 uS (512-128 - 512+128).

We use TIMER0 which is an 8 bit timer available in all AVR's to determine the time. Since most micro's have an 8 MHz internal clock, we run the program in 8 MHz. It depends on the pre scaler value of the timer, which value are used to determine the length between the edges.

You can use 64 or 256. The generated constants are : \_TAG\_MIN\_SHORT, \_TAG\_MAX\_SHORT , \_TAG\_MIN\_LONG and \_TAG\_MAX\_LONG.

We need an interrupt to detect when an edge is received. We can use the INTx for this and configure the pin to interrupt when a logic level changes. Or we can use the PIN interrupt so we can use more pins.

The sample contains both methods.

It is important that the ReadHitag() functions needs a variable that can store 5 bytes. This would be an array.

And you need to check the \_TAG constants above so that they do not exceed 255.

When you set up the interrupt, you can also use it for other tasks if needed. You only

#### 886 BASCOM-AVR

need to call the **\_checkhitag** routine in the subroutine. And you need to make sure that the additional code you write does not take up too much time.

When you use the PCINT interrupt it is important to realize that other pins must be masked off. The PCMSK register may have only 1 bit enabled. Otherwise there is no way to determine which pin was changed.

### EM4095

The EM4095 is similar to the HTRC110. The advantage of the EM4095 is that it has a synchronized clock and needs no setup and less pins.

The EM4095 library uses the same method as the RC5 decoding : the bit is sampled on 3/4 of the bit length. The parity handling is the same. The EM4095 decoding routine is smaller then the HTRC110 decoding library.

A reference design for the EM4095 will be available from MCS.

# See also

<u>READMAGCARD</u>ब्ली, <u>CONFIG HITAG</u> जिभी

## Example

See <u>CONFIG HITAG</u> 539 for 2 examples.

### 6.349 READMAGCARD

### Action

Read data from a magnetic card.

## **Syntax**

READMAGCARD var , count , coding

### Remarks

Var	A byte array the receives the data.
Count	A byte variable that returns the number of bytes read.
coding	A numeric constant that specifies if 5 or 7 bit coding is used. Valid values are 5 and 7.

There can be 3 tracks on a magnetic card.

Track 1 stores the data in 7 bit including the parity bit. This is handy to store alpha numeric data.

On track 2 and 3 the data is stored with 5 bit coding.

The ReadMagCard routine works with ISO7811-2 5 and 7 bit decoding.

ne recumed numbe	is for 5 bit county are.
Returned number	ISO characterT
0	0
1	1
2	2
3	3

#### The returned numbers for 5 bit coding are:

4	4
5	5
6	6
7	7
8	8
9	9
10	hardware control
11	start byte
12	hardware control
13	separator
14	hardware control
15	stop byte

```
_____
!_____
       _____
'name
                       : magcard.bas
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : show you how to read data from a magnetic
card
'micro
                       : Mega48
'suited for demo
                       : yes
'commercial addon needed : no
·-----
                                             _____
_____
$regfile = "m48def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
$hwstack = 32
                                                       ' default
use 32 for the hardware stack
\$swstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
'[reserve some space]
Dim Ar(100) As Byte , B As Byte , A As Byte
'the magnetic card reader has 5 wires
'red - connect to +5V
        - connect to GND
'black
'yellow - Card inserted signal CS
'green - clock
'blue
        - data
'You can find out for your reader which wires you have to use by
connecting +5V
'And moving the card through the reader. CS gets low, the clock gives a
clock pulse of equal pulses
'and the data varies
'I have little knowledge about these cards and please dont contact me
about magnectic readers
'It is important however that you pull the card from the right direction
as I was doing it wrong for
```

#### BASCOM-AVR

888

```
'some time :-)
'On the DT006 remove all the jumpers that are connected to the LEDs
'[We use ALIAS to specify the pins and PIN register]
_mport Alias Pinb
                                                              'all pins
are connected to PINB
_mdata Alias 0
                                                              'data line
(blue) PORTB.0
                                                              'CS line
_mcs Alias 1
(yellow) PORTB.1
_mclock Alias 2
                                                              'clock line
(green) PORTB.2
Config Portb = Input
                                                              'we only
need bit 0,1 and 2 for input
Portb = 255
                                                              'make them
high
Do
  Print "Insert magnetic card"
                                                              'print a
message
  Readmagcard Ar(1) , B , 5
                                                              'read the
data
  Print B ; " bytes received"
  For A = 1 To B
   Print Ar(a);
                                                              'print the
bytes
 Next
  Print
Loop
'By specifying 7 instead of 5 you can read 7 bit data
```

# 6.350 READSIG

### Action

This function reads a byte from the signature area in the XMEGA.

### Syntax

var = READSIG(offset)

### Remarks

Var	A byte that is assigned with the signature byte.
Offset	A byte variable or constant with an offset to the signature.

The Xmega has a number of signature bytes that are important. For example the ADC is calibrated in the factory and the calibration data need to be loaded into the ADC registers in order to achieve 12 bit resolution.

The following offset table is copied from the Xmega128A1 definition file. It should be the same for all other Xmega chips but it is best to check it.

Const NVM_PROD_SIGNATURES_RCOSC2M_offset = &H00	' RCOSC 2MHz
Calibration Value	
Const NVM_PROD_SIGNATURES_RCOSC32K_offset =&H02	' RCOSC
32kHz Calibration Value	
Const NVM_PROD_SIGNATURES_RCOSC32M_offset = &H03	' RCOSC 32MHz

Calibration Value	
Const NVM_PROD_SIGNATURES_LOTNUM0_offset = &H08	' Lot Number
Byte 0, ASCII	
Const NVM_PROD_SIGNATURES_LOTNUM1_offset = &H09	' Lot Number
Byte 1, ASCII	
Const NVM_PROD_SIGNATURES_LOTNUM2_offset = &H0A	' Lot Number
Byte 2, ASCII Const NVM_PROD_SIGNATURES_LOTNUM3_offset = &H0B	' Lot Number
Byte 3, ASCII	
Const NVM_PROD_SIGNATURES_LOTNUM4_offset = &H0C	' Lot Number
Byte 4, ASCII	
Const NVM PROD SIGNATURES LOTNUM5 offset = &H0D	' Lot Number
Byte 5, ASCII	
Const NVM_PROD_SIGNATURES_WAFNUM_offset = &H10	' Wafer
Number	
Const NVM_PROD_SIGNATURES_COORDX0_offset = &H12	' Wafer
Coordinate X Byte 0	
Const NVM_PROD_SIGNATURES_COORDX1_offset = &H13	' Wafer
Coordinate X Byte 1	
Const NVM_PROD_SIGNATURES_COORDY0_offset = &H14	' Wafer
Coordinate Y Byte 0	
Const NVM_PROD_SIGNATURES_COORDY1_offset = &H15	' Wafer
Coordinate Y Byte 1	
Const NVM_PROD_SIGNATURES_ADCACAL0_offset = &H20	' ADCA Calibration
Byte 0	LADCA Calibration
Const NVM_PROD_SIGNATURES_ADCACAL1_offset = &H21 Byte 1	' ADCA Calibration
Const NVM_PROD_SIGNATURES_ADCBCAL0_offset = &H24	' ADCB
Calibration Byte 0	ADED
Const NVM_PROD_SIGNATURES_ADCBCAL1_offset = &H25	' ADCB
Calibration Byte 1	
Const NVM_PROD_SIGNATURES_TEMPSENSE0_offset = &H2E	' Temperature Sensor
Calibration Byte 0	
Const NVM_PROD_SIGNATURES_TEMPSENSE1_offset = &H2F	' Temperature Sensor
Calibration Byte 0	
Const NVM_PROD_SIGNATURES_DACAOFFCAL_offset = &H30	' DACA Calibration
Byte 0	
Const NVM_PROD_SIGNATURES_DACACAINCAL_offset = &H31	' DACA Calibration
Byte 1	
Const NVM_PROD_SIGNATURES_DACBOFFCAL_offset = &H32	' DACB Calibration
Byte 0	
Const NVM_PROD_SIGNATURES_DACBGAINCAL_offset = &H33	DACE Calibration
Byte 1	

# See also

NONE

```
(c) 1995-2010, MCS
xm128-readsig.bas
This sample demonstrates how to read signature bytes
```

```
$regfile = "xm128a1def.dat"
```

#### 890 BASCOM-AVR

```
Scrystal = 32000000
\$hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be replaced since
they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
Config Com1 = 19200 , Mode = Asynchroneous , Parity = None , Stopbits =
1 , Databits = 8
Dim Offset As Byte , J As Byte
For J = 0 To 32
    Offset = Readsig(j) : Print J ; " - " ; Offset
```

```
6.351 REM
```

Next End

## Action

Instruct the compiler that comment will follow.

## **Syntax**

REM or '

# Remarks

You can and should comment your program for clarity and your later sanity. You can use REM or ' followed by your comment. All statements after REM or ' are treated as comments so you cannot use statements on the same line after a REM statement.

Block comments can be used too:

'( start block comment print "This will not be compiled') end block comment

## Example

Rem TEST.BAS version 1.00

Print A ' " this is comment : PRINT " Hello "

^ - - - This Will Not Be Executed!

# 6.352 REPLACECHARS

## Action

Replace all occurrences of a character in a string by a different character.

### Syntax

**REPLACECHARS** string , old, new

## Remarks

string	A string variable.
	A character or byte with the ASCII value of the character to search for.
new	A character of byte with the ASCII value with the new value.

When we have a string with a content of : "abcdefabc" and we want to replace the "a" by an "A" we can use : Replacechars string , "a" , "A"

All occurrences are replaced.

# See also

INSTR [798], MID [837], CHARPOS [463], DELCHAR [697], INSERTCHAR [797], DELCHARS [698]

# Example

\$regfile = "m644def.DAT"
\$hwstack = 24
32 for the hw stack
\$swstack = 24
use 10 for the SW stack
\$framesize = 24
use 40 for the frame

Dim Textout As String \* 22 Dim Var As String \* 1

Textout = "abcdefabdef"
Replacechars Textout , "a" , "A"
Print Textout

Var = "e"
Replacechars Textout , Var , "A"
Print Textout

End

### 6.353 RESET

### Action

Reset a bit to zero.

' default

'default use

' default

```
© 2012 MCS Electronics
```

Syntax RESET bit RESET var.x RESET var

### Remarks

Bit	Bit or Boolean variable.
Var	A byte, integer, word or long variable.
Х	Bit of variable to clear. Valid values are : 0-7 (byte, registers), 0-15 (Integer/Word) and (0-31) for a Long

You can also use the constants from the definition file to set or reset a bit. RESET PORTB.PB7 'will reset bin 7 of portB. This because PB7 is a defined constant in the definition file.

When the bit is not specified, bit 0 will be cleared.

## See also

SET 904 , TOGGLE 984

### **Example**

SEE SET 904

# 6.354 RESTORE

# Action

Allows READ to reread values in specified DATA statements by setting data pointer to beginning of data statement.

\_\_\_\_\_

### Syntax

**RESTORE** label

### Remarks

label The label of a DATA statement.

### See also

DATA 658 , READ 879 , LOOKUP 825

# Example

'name 'copyright 'purpose

: readdata.bas
: (c) 1995-2005, MCS Electronics
: demo : READ,RESTORE

\_\_\_\_\_

© 2012 MCS Electronics

'micro : Mega48 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack ' default \$swstack = 10use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim A As Integer , B1 As Byte , Count As Byte Dim S As String \* 15 Dim L As Long Restore Dtal 'point to stored data For Count = 1 To 3 'for number of data items Read B1 : Print Count ; " " ; B1 Next **Restore** Dta2 'point to stored data For Count = 1 To 2 'for number of data items Read A : Print Count ; " " ; A Next **Restore** Dta3 **Read** S : **Print** S **Read** S : **Print** S **Restore** Dta4 Read L : Print L 'long type 'demonstration of readlabel Dim W As Iram Word At 8 Overlay ' location is used by restore pointer 'note that W does not use any RAM it is an overlayed pointer to the data pointer ' loadlabel W = Loadlabel(dta1) expects the labelname Read B1 Print B1 End Dtal: Data &B10 , &HFF , 10 Dta2: **Data** 1000% , -1% Dta3: Data "Hello" , "World"

#### 894 **BASCOM-AVR**

```
'used for the READ statement
Dta4:
Data 123456789&
'Note that LONG values must end with the &-sign
'Also note that the data type must match the variable type that is used
'for the READ statement
```

'Note that integer values (>255 or <0) must end with the %-sign 'also note that the data type must match the variable type that is

# 6.355 **RETURN**

### Action

Return from a subroutine.

### Syntax RETURN

### Remarks

Subroutines must be ended with a related RETURN statement. Interrupt subroutines must also be terminated with the Return statement.

### See also

GOSUB 769

```
_____
_ ------
'name
                     : gosub.bas
                     : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                      : demo: GOTO, GOSUB and RETURN
'micro
                      : Mega48
                     : yes
'suited for demo
'commercial addon needed : no
·____.
                                 _____
_____
$regfile = "m48def.dat"
                                                   ' specify
the used micro
$crystal = 4000000
                                                   ' used
crystal frequency
$baud = 19200
                                                   ' use baud
rate
\$hwstack = 32
                                                   ' default
use 32 for the hardware stack
\$swstack = 10
                                                   ' default
use 10 for the SW stack
$framesize = 40
                                                   ' default
use 40 for the frame space
Goto Continue
Print "This code will not be executed"
                                                   'end a label
Continue:
with a colon
Print "We will start execution here"
```

```
Gosub Routine
Print "Back from Routine"
End
Routine:
subroutine
    Print "This will be executed"
Return
subroutine
```

'start a

'return from

# 6.356 RIGHT

# Action

Return a specified number of rightmost characters in a string.

# **Syntax**

var = RIGHT(var1 ,n )

# Remarks

var	The string that is assigned.
Var1	The source string.
st	The number of bytes to copy from the right of the string.

# See also

LEFT 8097, MID 8377

# Example

```
Dim S As String * 15 , Z As String * 15
S = "ABCDEFG"
Z = Left(s , 5)
Print Z
Z = Right(s , 3) : Print Z
Z = Mid(s , 2 , 3) : Print Z
End
```

'ABCDE

# 6.357 RND

## Action

Returns a random number.

## **Syntax**

var = **RND**( limit )

### Remarks

Limit	Word that limits the returned random number.
Var	The variable that is assigned with the random number.

The RND() function returns an Integer/Word and needs an internal storage of 2 bytes.

(\_\_\_\_RSEED). Each new call to Rnd() will give a new positive random number.

Notice that it is a software based generated number. And each time you will restart your program the same sequence will be created.

You can use a different SEED value by dimensioning and assigning \_\_\_\_RSEED yourself: Dim \_\_\_\_rseed as word : \_\_\_\_rseed = 10234 Dim I as word : I = rnd(10)

When your application uses a timer you can assign \_\_\_\_RSEED with the timer value. This will give a better random number.

\_\_\_\_\_

# See also

NONE

```
_____
'name
                       : rnd.bas
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                       : demo : RND() function
                       : Mega48
'micro
'suited for demo
                      : yes
'commercial addon needed : no
*_____
_____
$regfile = "m48def.dat"
                                                      ' specify
the used micro
$crystal = 4000000
                                                      ' used
crystal frequency
$baud = 19200
                                                      ' use baud
rate
\$hwstack = 32
                                                      ' default
use 32 for the hardware stack
\$swstack = 10
                                                      ' default
use 10 for the SW stack
$framesize = 40
                                                      ' default
use 40 for the frame space
                                                      ' dim
Dim I As Word
variable
Do
                                                      'get random
 I = Rnd(40)
number (0-39)
 Print I
                                                      'print the
value
                                                      'wait 1
 Wait 1
second
                                                      'for ever
Loop
End
```

### 6.358 ROTATE

## Action

Rotate all bits one place to the left or right.

### Syntax

**ROTATE** var , LEFT/RIGHT[ , shifts]

### **Remarks**

Var	Byte, Integer/Word or Long variable.
Shifts	The number of shifts to perform.

The ROTATE statement rotates all the bits in the variable to the left or right. All bits are preserved so no bits will be shifted out of the variable.

This means that after rotating a byte variable with a value of 1, eight times the variable will be unchanged.

When you want to shift out the MS bit or LS bit, use the SHIFT statement.

# See also

SHIFT 926 , SHIFTIN 928 , SHIFTOUT 932

# Example

\_\_\_\_\_

```
$regfile = "m48def.dat"
                                                              ' specify
the used micro
$crystal = 4000000
                                                              ' used
crystal frequency
$baud = 19200
                                                              ' use baud
rate
$hwstack = 32
                                                              ' default
use 32 for the hardware stack
$swstack = 10
                                                              ' default
use 10 for the SW stack
                                                              ' default
$framesize = 40
use 40 for the frame space
'dimension some variables
Dim B As Byte , I As Integer , L As Long
```

'the shift statement shift all the bits in a variable one 'place to the left or right 'An optional paramater can be provided for the number of shifts. 'When shifting out then number 128 in a byte, the result will be 0 'because the MS bit is shifted out

```
B = 1
Shift B , Left
Print B
'B should be 2 now
B = 128
Shift B , Left
Print B
'B should be 0 now
'The ROTATE statement preserves all the bits
'so for a byte when set to 128, after a ROTATE, LEFT , the value will
'be 1
'Now lets make a nice walking light
'First we use PORTB as an output
Config Portb = Output
'Assign value to portb
Portb = 1
Do
  For I = 1 To 8
     Rotate Portb , Left
     'wait for 1 second
    Wait 1
  Next
   'and rotate the bit back to the right
  For I = 1 To 8
    Rotate Portb , Right
     Wait 1
  Next
Loop
End
```

# 6.359 ROUND

### Action

Returns a value rounded to the nearest value.

### Syntax

var = **ROUND**(x)

### Remarks

	A single or double variable that is assigned with the ROUND of variable x.
Х	The single or double to get the ROUND of.

\_\_\_\_\_

Round(2.3) = 2 , Round(2.8) = 3 Round(-2.3) = -2 , Round(-2.8) = -3

### See Also

INT 7997, FIX 7387, SGN 9257

### Example

·\_\_\_\_\_

```
899
```

```
'name
                         : round fix int.bas
                         : (c) 1995-2005, MCS Electronics
'copyright
                         : demo : ROUND,FIX
'purpose
'micro
                         : Mega48
'suited for demo
                         : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                          ' specify
the used micro
$crystal = 4000000
                                                          ' used
crystal frequency
$baud = 19200
                                                          ' use baud
rate
\$hwstack = 32
                                                          ' default
use 32 for the hardware stack
\$swstack = 10
                                                          ' default
use 10 for the SW stack
                                                          ' default
$framesize = 40
use 40 for the frame space
Dim S As Single , Z As Single
For S = -10 To 10 Step 0.5
 Print S; Spc(3); Round(s); Spc(3); Fix(s); Spc(3); Int(s)
Next
End
```

## 6.360 RTRIM

### Action

Returns a copy of a string with trailing blanks removed

### Syntax

var = RTRIM( org )

### Remarks

var	String that is assigned with the result.
org	The string to remove the trailing spaces from

### See also

TRIM 986 , LTRIM 814

### ASM

NONE

```
Dim S As String * 6
S =" AB "
Print Ltrim(s)
Print Rtrim(s)
Print Trim(s)
End
```

# 6.361 SECELAPSED

900

# Action

Returns the elapsed Seconds to a former assigned time-stamp.

# **Syntax**

Target = **SECELAPSED**(TimeStamp)

# Remarks

Target	A variable (LONG), that is assigned with the elapsed Seconds
	A variable (LONG), which holds a timestamp like the output of an earlier
	called SecOfDay()

The Function works with the SOFTCLOCK variables \_sec, \_min and \_hour and considers a jump over midnight and gives a correct result within 24 hour between two events.

The Return-Value is in the range of 0 to 86399.

# See also

Date and Time Routines 1044, SecOfDay 1900, SysSecElapsed 1967

# **Partial Example**

```
Lsecofday = Secofday()
_hour = _hour + 1
Lvar1 = Secelapsed(lsecofday)
Print Lvar1
```

# 6.362 SECOFDAY

# Action

Returns the Seconds of a Day.

# **Syntax**

Target = **SECOFDAY**() Target = **SECOFDAY**(bSecMinHour) Target = **SECOFDAY**(strTime) Target = **SECOFDAY**(ISysSec)

# **Remarks**

Target	A variable (LONG), that is assigned with the Seconds of the Day
	A Byte, which holds the Second-value followed by Minute(Byte) and
	Hour(Byte)
strTime	A String, which holds the time in the format "hh:mm:ss"
LSysSec	A Variable (Long) which holds the System Second

The Function can be used with 4 different kind of inputs:

- Without any parameter. The internal Time of SOFTCLOCK (\_sec, \_min, \_hour) is used.
- 2. With a user defined time array. It must be arranged in same way (Second, Minute, Hour) as the internal SOFTCLOCK time. The first Byte (Second) is the input by this kind of usage. So the Second of Day can be calculated of every time.
- 3. With a time-String. The time-string must be in the Format "hh:mm:ss".
- 4. With a System Second Number (LONG)

The Return-Value is in the range of 0 to 86399 from 00:00:00 to 23:59:59. No validity-check of input is made.

#### See also

Date and Time Routines 1044, SysSec 966

#### Partial Example

```
' ========= Second of Day
_____
' Example 1 with internal RTC-Clock
_sec = 12 : _min = 30 : _hour = 18
                                                         ' Load RTC-
Clock for example - testing
Lsecofday = Secofday()
Print "Second of Day of " ; Time$ ; " is " ; Lsecofday
' Example 2 with defined Clock - Bytes (Second / Minute / Hour)
Bsec = 20 : Bmin = 1 : Bhour = 7
Lsecofday = Secofday(bsec)
Print "Second of Day of Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour
; " (" ; Time(bsec); ") is "; Lsecofday
' Example 3 with System Second
Lsyssec = 1234456789
Lsecofday = Secofday(lsyssec)
Print "Second of Day of System Second " ; Lsyssec ; "(" ; Time(lsyssec)
; ") is "; Lsecofday
' Example 4 with Time - String
Strtime = "04:58:37"
Lsecofday = Secofday(strtime)
```

# 6.363 SEEK

#### Action

Function: Returns the position of the next Byte to be read or written Statement: Sets the position of the next Byte to be read or written

**Print** "Second of Day of "; Strtime; " is "; Lsecofday

#### Syntax

Function: NextReadWrite = SEEK (#bFileNumber)
Statement: SEEk #bFileNumber, NewPos

#### **Remarks**

bFileNumber	(Byte) Filenumber, which identifies an opened file
NextReadWrit	A Long Variable, which is assigned with the Position of the next Byte
е	to be read or written (1-based)
	A Long variable that holds the new position the file pointer must be set too.

This function returns the position of the next Byte to be read or written. If an error occurs, 0 is returned. Check DOS-Error in variable gbDOSError.

The statement also returns an error in the gbDOSerror variable in the event that an error occurs.

You can for example not set the file position behinds the file size.

In VB the file is filled with 0 bytes when you set the file pointer behind the size of the file. For embedded systems this does not seem a good idea.

Seek and Loc seems to do the same function, but take care : the seek function will return the position of the next read/write, while the Loc function returns the position of the last read/write. You may say that Seek = Loc+1.

In QB/VB you can use seek to make the file bigger. When a file is 100 bytes long, setting the file pointer to 200 will increase the file with 0 bytes. By design this is not the case in AVR-DOS.

#### See also

INITFILESYSTEM 787, OPEN 1845, CLOSE 476, FLUSH 739, PRINT 1867, LINE INPUT 1813, LOC 1817), LOF 1818), EOF 737), FREEFILE 745, FILEATTR 7347, BSAVE 459, BLOAD 4557, KILL 1807, DISKFREE 709, DISKSIZE 7107, GET 7477, PUT 1870, FILEDATE 7357, FILETIME 7387, FILEDATETIME 7367, DIR 7067, FILELEN 7377, WRITE 10047, INPUT 7947

#### ASM

Function Calls	_FileSeek	
Input	r24: filenumber	X: Pointer to Long-variable, which gets the result
Output	r25: Errorcode	C-Flag: Set on Error
Statement Calls	_FileSeekSet	
Input	r24: filenumber	X: Pointer to Long-variable with the position
Output	r25: Errorcode	C-Flag: Set on Error

# **Partial Example**

' write a

' write a

' write a

' get the

' store the

```
Open "test.biN"for Binary As #2
Put#2 , B
byte
Put#2 , W
word
Put#2 , L
long
Ltemp = Loc(#2) + 1
position of the next byte
Print Ltemp ; " LOC"
location of the file pointer
Print Seek(#2) ; " = LOC+1"
Close #2
```

```
'now open the file again and write only the single
Open "test.bin" For Binary As #2
Seek#2 , Ltemp ' set the
filepointer
Sn = 1.23 ' change the
single value so we can check it better
Put #2 , Sn = 1 ' specify the
file position
Close #2
```

## 6.364 SELECT-CASE-END SELECT

#### Action

Executes one of several statement blocks depending on the value of an expression.

#### **Syntax**

SELECT CASE var CASE test1 : statements [CASE test2 : statements ] CASE ELSE : statements END SELECT

# Remarks

Var	Variable to test the value of
Test1	Value to test for.
Test2	Value to test for.

You can test for conditions to like:

CASE IS > 2 :

Another option is to test for a range :

CASE 2 TO 5 :

See also IF THEN 785

# Example

-----\_\_\_\_\_ : case.bas 'name : (c) 1995-2005, MCS Electronics 'copyright 'purpose : demonstrates SELECT CASE statement 'micro : Mega48 : yes 'suited for demo 'commercial addon needed : no !\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10 ' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim I As Byte 'dim variable Dim S As String \* 5 , Z As String \* 5 Do Input "Enter value (0-255) " , I Select Case I Case 1 : Print "1" Case 2 : Print "2" **Case** 3 **To** 5 : **Print** "3-5" **Case Is >=** 10 : **Print** ">= 10" Case Else : Print "Not in Case statement" End Select Loop End 'note that a Boolean expression like > 3 must be preceded 'by the IS keyword

# 6.365 SET

### Action

Set a bit to the value one.

#### Syntax

SET bit SET var.x SET var

## Remarks

905	
-----	--

Bit	Bit or Boolean variable.
Var	A byte, integer, word or long variable.
Х	Bit of variable to set. Valid values are : 0-7 (byte, registers), 0-15 (Integer/Word) and (0-31) for a Long

When the bit is not specified, bit 0 will be set.

Also notice that the bit range is 0-255. Using a larger value on a variable will overwrite a different variable !

When you need an array of say 128 bits you can use code like this : dim ar(32) as long

You can index these variables like : SET ar(1).127, in this case you write only to the memory of the intended variable.

### See also

RESET 897, TOGGLE 984

```
_____
_____
'name
                      : boolean.bas
'copyright
                      : (c) 1995-2009, MCS Electronics
'purpose
                      : demo: AND, OR, XOR, NOT, BIT, SET, RESET and
MOD
'suited for demo
                      : yes
'commercial add on needed : no
'use in simulator : possible
·_____
_____
'This very same program example can be used in the Help-files for
    AND, OR, XOR, NOT, BIT, SET, RESET and MOD
$baud = 19200
$crystal = 16000000
$regfile = "m32def.dat"
\$hwstack = 40
\$swstack = 20
$framesize = 20
Dim A As Byte , B1 As Byte , C As Byte
Dim Aa As Bit , I As Integer
A = 5 : B1 = 3
                                                    ' assign
values
C = A And B1
                                                    ' and a with
b
Print "A And B1 = " ; C
                                                    ' print it:
result = 1
C = A Or B1
Print "A Or B1 = " ; C
                                                    ' print it:
result = 7
C = A Xor B1
Print "A Xor B1 = " ; C
                                                    ' print it:
result = 6
```

```
906
       BASCOM-AVR
    A = 1
    C = Not A
    Print "c = Not A " ; C
                                                                   ' print it:
    result = 254
    C = C Mod 10
    Print "C Mod 10 = " ; C
                                                                   ' print it:
    result = 4
    If Portb.1 = 1 Then
      Print "Bit set"
    Else
      Print "Bit not set"
    End If
                                                                   'result =
    Bit not set
                                                                   'use this or
    Aa = 1
     . .
                                                                   'use the set
    Set Aa
    statement
    If Aa = 1 Then
      Print "Bit set (aa=1)"
    Else
      Print "Bit not set(aa=0)"
    End If
                                                                   'result =
    Bit set (aa=1)
    Aa = 0
                                                                   'now try 0
    Reset Aa
                                                                   'or use
    reset
    If Aa = 1 Then
      Print "Bit set (aa=1)"
    Else
      Print "Bit not set(aa=0)"
                                                                   'result =
    End If
    Bit not set(aa=0)
    C = 8
                                                                   'assign
    variable to &B0000_1000
    Set C
                                                                   'use the set
    statement without specifying the bit
                                                                   'print it:
    Print C
    result = 9 ; bit0 has been set
    B1 = 255
                                                                   'assign
    variable
    Reset B1.0
                                                                   'reset bit 0
    of a byte variable
    Print B1
                                                                   'print it:
    result = 254 = &B11111110
    B1 = 8
                                                                   'assign
    variable to &B00001000
    Set B1.0
                                                                   'set it
    Print B1
                                                                   'print it:
    result = 9 = \&B00001001
    End
```

# 6.366 SETFONT

#### Action

Sets the current font which can be used on some graphical displays.

# Syntax

SETFONT font

#### Remarks

font	The name of the font that need to be used with LCDAT
	statements.

Since SED-based displays do not have their own font generator, you need to define your own fonts. You can create and modify your own fonts with the FontEditor Plugin.

SETFONT will set an internal used data pointer to the location in memory where you font is stored. The name you specify is the same name you use to define the font.

You need to include the used fonts with the \$include directive:

\$INCLUDE "font8x8.font"

The order of the font files is not important. The location in your source is however important.

The \$INCLUDE statement will include binary data and this may not be accessed by the flow of your program.

When your program flow enters into font code, unpredictable results will occur. So it is best to place the \$INCLUDE files at the end of your program behind the END statement.

You need to include the glibSED library with :

\$LIB "glibsed.lbx"

While original written for the SED1521, fonts are supported on a number of displays now including color displays.

# See also

CONFIG GRAPHLCD [557], LCDAT [806], GLCDCMD [768], GLCDDATA [769]

'name 'copyright 'purpose display support 'micro 'suited for demo 'commercial addon needed '		cal
<pre>\$regfile = "m48def.dat" the used micro \$crystal = 7372800 crystal frequency \$baud = 115200 rate \$hwstack = 32 use 32 for the hardware s</pre>	' def	d baud

```
908
       BASCOM-AVR
                                                                  ' default
    \$swstack = 10
    use 10 for the SW stack
                                                                  ' default
    $framesize = 40
    use 40 for the frame space
    'I used a Staver to test
    'some routines to control the display are in the glcdSED.lib file
    'IMPORTANT : since the SED1520 uses 2 chips, the columns are split into
    2 of 60.
    'This means that data after column 60 will not print correct. You need
    to locate the data on the second halve
    'For example when you want to display a line of text that is more then 8
    chars long, (8x8=64) , byte 8 will not draw correctly
    'Frankly i find the KS0108 displays a much better choice.
    $lib "glcdSED1520.lbx"
    'First we define that we use a graphic LCD
    Config Graphlcd = 120 * 64sed , Dataport = Porta , Controlport = Portd ,
    Ce = 5, Ce2 = 7, Cd = 3, Rd = 4
    'The dataport is the portname that is connected to the data lines of the
    LCD
    'The controlport is the portname which pins are used to control the lcd
    'CE =CS Chip Enable/ Chip select
    'CE2= Chip select / chip enable of chip 2
    'CD=A0 Data direction
    'RD=Read
    'Dim variables (y not used)
    Dim X As Byte , Y As Byte
    'clear the screen
    Cls
    Wait 2
    'specify the font we want to use
    Setfont Font8x8
    'You can use locate but the columns have a range from 1-132
    'When you want to show somthing on the LCD, use the LDAT command
    'LCDAT Y , COL, value
    Lcdat 1 , 1 , "1231231"
Lcdat 3 , 80 , "11"
     'lcdat accepts an additional param for inversing the text
    'lcdat 1,1,"123" , 1 ' will inverse the text
    Wait 2
    Line(0 , 0) -(30 , 30) , 1
    Wait 2
    Showpic 0 , 0 , Plaatje
                                                                  'show a
    comnpressed picture
    End
                                                                  'end program
```

'we need to include the font files

\$include "font8x8.font"
'\$include "font16x16.font"

```
Plaatje:
'include the picture data
$bgf "smile.bgf"
```

# 6.367 SETREG

# Action

Writes a byte value to an internal register.

# Syntax

SETREG Reg , value

# Remarks

Most AVR chips have 32 registers named R0-R31. Registers R16-R31 can be assigned directly. Register R0-R15 do not accept this.

In some cases you might want to write to the internal registers. While you can include some ASM code directly, you can also use the BASIC SETREG statment.

Reg	The register name : R0-R31 or a register definition.
Value	A constant or byte value to assign to the register.

PEEK and POKE work with an address. And will return a HW register on the Xmega since Xmega has a different address map. GetReg and SetReg will read/write registers on all AVR processors.

Internally the compiler will use R24 if you write a constant to register R0-R15 : For example : Setreg R0 , 1

Compiles into: Ldi R24,\$01 Mov R0, R24

Setreg R31 , 1 Compiles into: Ldi R31,\$01

### See also

GETREG 7667, PEEK 8547, POKE 8557

# Example

# 6.368 SETTCP

# Action

(Re) Configures the TCP/IP W3100A chip.

#### **Syntax**

SETTCP MAC , IP , SUBMASK , GATEWAY

# Remarks

MAC	The MAC address you want to assign to the W3100A.
	The MAC address is a unique number that identifies your chip. You must use a different address for every W3100A chip in your network. Example : 123.00.12.34.56.78
	You need to specify 6 bytes that must be separated by dots. The bytes must be specified in decimal notation.
IP	The IP address you want to assign to the W3100A.
	The IP address must be unique for every W3100A in your network. When you have a LAN, 192.168.0.10 can be used. 192.168.0.x is used for LAN's since the address is not an assigned internet address.
SUBMASK	The submask you want to assign to the W3100A.
	The submask is in most cases 255.255.255.0
GATEWAY	This is the gateway address of the W3100A.
	The gateway address you can determine with the IPCONFIG command at the command prompt :
	C:\>ipconfig Windows 2000 IP Configuration
	Ethernet adapter Local Area Connection 2:
	Connection-specific DNS Suffix . : IP Address : 192.168.0.3 Subnet Mask : 255.255.255.0 Default Gateway : 192.168.0.1 <b>Use 192.168.0.1 in this case.</b>

The CONFIG TCPIP statement may be used only once.

When you want to set the TCP/IP settings dynamically for instance when the settings are stored in EEPROM, you can not use constants. For this purpose, SETTCP must be used.

SETTCP can take a variable or a constant for each parameter.

When you set the TCP/IP settings dynamically, you do not need to set them with CONFIG TCPIP. In the CONFIG TCPIP you can use the NOINIT parameter so that the MAC and IP are not initialized which saves code.

# See also

<u>GETSOCKET</u> (معرف), <u>SOCKETCONNECT</u> (معرف), <u>SOCKETSTAT</u> (معرف), <u>TCPWRITE</u> (معرف), <u>TCPWRITESTR</u> (معرف), <u>TCPREAD</u> (معرف), <u>CONFIG</u> (معرف), <u>SOCKETLISTEN</u> (معرف), <u>CONFIG</u> (TCPIP (معرف))

#### Example

See the DHCP.BAS example from the BASCOM Sample dir.

#### 6.369 SETTCPREGS

#### Action

Writes to a W3100A register

# **Syntax**

SETTCPREGS address, var , bytes

# **Remarks**

	The address of the register W3100A register. This must be the value of the MSB. For example in location &H92 and &H93, the timeout is stored. You need to specify &H93 then.
var	The variable to write.
bytes	The number of bytes to write.

Most W3100A options are implemented with BASCOM statements or functions. When there is a need to write to the W3100A register you can use the SETTCPREGS commands. It can write multiple bytes. It is important that you specify the highest address. This because the registers must be written starting with the highest address.

#### See also

GETTCPREGS 767

# ASM

NONE

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	<pre>: regs.bas : (c) 1995-2005, MCS Electronics : test custom regs reading writing : Mega88 : yes : no</pre>		
<pre>\$regfile = "m88def.dat" ' specify the used micro</pre>			
<pre>\$crystal = 8000000 crystal frequency \$baud = 19200 rate</pre>		used use baud	
<pre>\$hwstack = 80 use 32 for the hardware s \$swstack = 128 use 10 for the SW stack</pre>		default default	

#### 912 BASCOM-AVR

```
' default
$framesize = 80
use 40 for the frame space
Const Sock_stream = $01
                                                              ' Tcp
                                                              ' Udp
Const Sock_dgram = $02
Const Sock_ipl_raw = $03
                                                              ' Ip Layer
Raw Sock
Const Sock macl raw = $04
                                                              ' Mac Layer
Raw Sock
Const Sel_control = 0
                                                              ' Confirm
Socket Status
Const Sel_send = 1
                                                              ' Confirm Tx
Free Buffer Size
Const Sel_recv = 2
                                                              ' Confirm Rx
Data Size
'socket status
                                                              ' Status Of
Const Sock_closed = $00
Connection Closed
                                                              ' Status Of
Const Sock_arp = $01
Arp
Const Sock_listen = $02
                                                              ' Status Of
Waiting For Tcp Connection Setup
Const Sock_synsent = $03
                                                              ' Status Of
Setting Up Tcp Connection
                                                              ' Status Of
Const Sock_synsent_ack = $04
Setting Up Tcp Connection
                                                              ' Status Of
Const Sock synrecv = $05
Setting Up Tcp Connection
Const Sock_established = $06
                                                              ' Status Of
Tcp Connection Established
                                                              ' Status Of
Const Sock_close_wait = $07
Closing Tcp Connection
Const Sock_last_ack = $08
                                                              ' Status Of
Closing Tcp Connection
Const Sock_fin_wait1 = $09
                                                              ' Status Of
Closing Tcp Connection
Const Sock_fin_wait2 = $0a
                                                              ' Status Of
Closing Tcp Connection
Const Sock_closing = $0b
                                                              ' Status Of
Closing Tcp Connection
Const Sock_time_wait = $0c
                                                              ' Status Of
Closing Tcp Connection
Const Sock_reset = $0d
                                                              ' Status Of
Closing Tcp Connection
Const Sock_init = $0e
                                                              ' Status Of
Socket Initialization
                                                              ' Status Of
Const Sock_udp = $0f
Udp
Const Sock_raw = $10
                                                              ' Status of
IP RAW
'we do the usual
Print "Init TCP"
                                                              ' display a
message
Enable Interrupts
                                                              ' before we
use config tcpip , we need to enable the interrupts
Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 ,
```

```
Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx
= $55 , Rx = $55 , Twi = &H80 , Clock = 400000
Print "Init done"
```

```
'set the IP address to 192.168.0.135
Settcp 12.128.12.24.56.78 , 192.168.0.135 , 255.255.255.0 , 192.168.0.88
Dim L As Long
'now read the IP address direct from the registers
L = Gettcpregs(\&H91, 4)
Print Ip2str(1)
Dim B4 As Byte At L Overlay
                                                             ' this byte
is the same as the LSB of L
'now make the IP address 192.168.0.136 by writing to the LSB
B4 = 136
                                                             'write
Settcpregs &H91 , L , 4
'and check if it worked
L = Gettcpregs(\&H91, 4)
Print Ip2str(1)
'while the address has the right value now the chip needs a reset in
order to use the new settings
L = &B1000001
                                                             ' set
sysinit and swrest bits
                                                             ' write 1
Settcpregs &H00 , L , 1
register
'and with PING you can check again that now it works
End
```

# 6.370 SENDSCAN

#### Action

Sends scan codes to the PC.

#### Syntax

SENDSCAN label

#### Remarks

Label	The name of the label that contains the scan codes.	
-------	---	--

The SENDSCAN statement can send multiple scan codes to the PC. The label is used to specify the start of the scan codes. The first byte specifies the number of bytes that follow.

The following table lists all mouse scan codes.

Emulated Action	Data sent to host
Move up one	08,00,01
Move down one	28,00,FF
Move right one	08,01,00
Move left one	18,FF,00
Press left button	09,00,00

#### 914 BASCOM-AVR

Release left button	08,00,00
Press middle button	0C,00,00
Release middle button	08,00,00
Press right button	0A,00,00
Release right button	08,00,00

To emulate a left mouse click, the data line would look like this:

DATA 6 , &H09, &H00, &H00, &H08 , &H00, &H00 ^ send 6 bytes

^ left click

^ release

## See also

PS2MOUSEXY and , CONFIG PS2EMU 578

#### Example

\_\_\_\_\_ \_\_\_\_\_ 'name : ps2\_emul.bas : (c) 1995-2005, MCS Electronics 'copyright 'purpose : PS2 Mouse emulator 'micro : 90S2313 'suited for demo : NO, commercial addon needed 'commercial addon needed : yes 1\_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ \$regfile = "2313def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud =** 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10 ' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space \$lib "mcsbyteint.lbx" ' use optional lib since we use only bytes 'configure PS2 pins Config Ps2emu = Int1 , Data = Pind.3 , Clock = Pinb.0 ^----- used interrupt ^----- pin connected to DATA 1 ^-- pin connected to clock 'Note that the DATA must be connected to the used interrupt pin Waitms 500 ' optional delay Enable Interrupts ' you need to turn on interrupts yourself since an INT is used

```
Print "Press u,d,l,r,b, or t"
Dim Key As Byte
Do
   Key = Waitkey()
                                                             ' get key
from terminal
    Select Case Key
     Case "u" : Ps2mousexy 0 , 10 , 0
                                                             ' up
      Case "d" : Ps2mousexy 0 , -10 , 0
                                                             ' down
     Case "1" : Ps2mousexy -10 , 0 , 0
                                                             ' left
     Case "r" : Ps2mousexy 10 , 0 , 0
                                                             ' right
     Case "b" : Ps2mousexy 0 , 0 , 1
                                                             ' left
button pressed
                 Ps2mousexy 0 , 0 , 0
                                                             ' left
button released
     Case "t" : Sendscan Mouseup
                                                             ' send a
scan code
     Case Else
   End Select
Loop
```

Mouseup: Data 3 , &H08 , &H00 , &H01 by 1 unit

' mouse up

# 6.371 SENDSCANKBD

### Action

Sends keyboard scan codes to the PC.

#### Syntax

SENDSCANKBD label | var

#### Remarks

Label	The name of the label that contains the scan codes.
var	The byte variable that will be sent to the PC.

The SENDSCANKBD statement can send multiple scan codes to the PC. The label is used to specify the start of the scan codes. The first byte specifies the number of bytes that follow.

You can also send the content of a variable. This way you can send dynamic information.

You need to make sure you send the make and break codes.

The following tables lists all scan codes.

# AT KEYBOARD SCANCODES

Table reprinted with permission of Adam Chapweske

http://panda.cs.ndsu.nodak.edu/~achapwes


K		BREAK	KEY	MAKE	BREAK	KEY	MAKE	BREAK
А	1C	F0,1C	9	46	F0,46	[	54	FO,54

#### 916 BASCOM-AVR

		1		r	r			
В	32	F0,32	``	0E	F0,0E	INSERT	E0,70	E0,F0,70
С	21	F0,21	-	4E	F0,4E	HOME	E0,6C	E0,F0,6C
D	23	F0,23	=	55	FO,55	PG UP	E0,7D	E0,F0,7D
Е	24	F0,24	$\setminus$	5D	F0,5D	DELETE	E0,71	E0,F0,71
F	2B	F0,2B	BKSP	66	F0,66	END	E0,69	E0,F0,69
G	34	F0,34	SPACE	29	F0,29	PG DN	E0,7A	E0,F0,7A
Н	33	F0,33	TAB	0D	F0,0D	U ARROW	E0,75	E0,F0,75
I	43	F0,43	CAPS	58	F0,58	L ARROW	E0,6B	E0,F0,6B
J	3B	F0,3B	L SHFT	12	FO,12	D ARROW	E0,72	E0,F0,72
К	42	F0,42	L CTRL	14	FO,14	R ARROW	E0,74	E0,F0,74
L	4B	F0,4B	L GUI	E0,1F	E0, F0,1F	NUM	77	F0,77
М	3A	F0,3A	L ALT	11	F0,11	KP /	E0,4A	E0,F0,4A
N	31	F0,31	R SHFT	59	F0,59	KP *	7C	F0,7C
0	44	F0,44	R CTRL	E0,14	E0, F0,14	KP -	7B	F0,7B
Ρ	4D	F0,4D	R GUI	E0,27	E0, F0,27	KP +	79	F0,79
Q	15	F0,15	R ALT	E0,11	EO, FO,11	KP EN	E0,5A	E0,F0,5A
R	2D	F0,2D	APPS	E0,2F	E0, F0,2F	KP.	71	F0,71
S	1B	F0,1B	ENTER	5A	F0,5A	KP 0	70	F0,70
Т	2C	F0,2C	ESC	76	F0,76	KP 1	69	F0,69
U	3C	F0,3C	F1	05	F0,05	KP 2	72	F0,72
V	2A	F0,2A	F2	06	F0,06	KP 3	7A	F0,7A
W	1D	F0,1D	F3	04	F0,04	KP 4	6B	F0,6B
Х	22	F0,22	F4	0C	F0,0C	KP 5	73	F0,73
Y	35	F0,35	F5	03	F0,03	KP 6	74	F0,74
Z	1A	F0,1A	F6	0B	F0,0B	KP 7	6C	F0,6C
0	45	F0,45	F7	83	F0,83	KP 8	75	F0,75
1	16	F0,16	F8	0A	F0,0A	KP 9	7D	F0,7D
2	1E	F0,1E	F9	01	F0,01	1	5B	F0,5B
3	26	F0,26	F10	09	F0,09	;	4C	F0,4C
4	25	F0,25	F11	78	F0,78	1	52	F0,52
5	2E	F0,2E	F12	07	F0,07	ļ,	41	F0,41
6	36	F0,36	PRNT	E0,12,	E0,F0,	ľ.	49	F0,49
-			SCRN	E0,7C	7C,E0, F0,12		-	-,
7	3D	F0,3D	SCROL L	.7E	F0,7E	/	4A	F0,4A
8	3E	F0,3E	PAUSE	E1,14,7 7,	-NONE-			
				E1, F0,14,				

© 2012 MCS Electronics

917



# **ACPI Scan Codes**

1

Кеу	Make Code	Break Code
Power	E0, 37	E0, F0, 37
Sleep	E0, 3F	E0, F0, 3F
Wake	E0, 5E	E0, F0, 5E

# Windows Multimedia Scan Codes

Кеу	Make Code	Break Code
Next Track	E0, 4D	E0, F0, 4D
Previous Track	E0, 15	E0, F0, 15
Stop	E0, 3B	E0, F0, 3B
Play/Pause	E0, 34	E0, F0, 34
Mute	E0, 23	E0, F0, 23
Volume Up	E0, 32	E0, F0, 32
Volume Down	E0, 21	E0, F0, 21
Media Select	E0, 50	E0, F0, 50
E-Mail	E0, 48	E0, F0, 48
Calculator	E0, 2B E0, F0, 2B	
My Computer	E0, 40	E0, F0, 40
WWW Search	E0, 10	E0, F0, 10
WWW Home	E0, 3A	E0, F0, 3A
WWW Back	E0, 38	E0, F0, 38
WWW Forward	E0, 30	E0, F0, 30
WWW Stop	E0, 28	E0, F0, 28
WWW Refresh	E0, 20	E0, F0, 20
WWW Favorites	E0, 18	E0, F0, 18

To emulate volume up, the data line would look like this:

DATA 5 , &HE0, &H32, &HE0, &HF0 , &H32 ^ send 5 bytes ^ volume up

# See also

CONFIG ATEMU 494

```
-----
_____
                       : ps2_kbdemul.bas
'name
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : PS2 AT Keyboard emulator
'micro
                       : 90S2313
'suited for demo : no, ADD ON NEEDED
'commercial addon needed : yes
·_____
_____
$regfile = "2313def.dat"
                                                      ' specify
the used micro
                                                      ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                       ' use baud
rate
$hwstack = 32
                                                       ' default
use 32 for the hardware stack
\$swstack = 10
                                                      ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
$lib "mcsbyteint.lbx"
                                                      ' use
optional lib since we use only bytes
'configure PS2 AT pins
Enable Interrupts
                                                      ' you need
to turn on interrupts yourself since an INT is used
Config Atemu = Int1 , Data = Pind.3 , Clock = Pinb.0
                ^----- used interrupt
                            ^---- pin connected to DATA
^-- pin connected to clock
'Note that the DATA must be connected to the used interrupt pin
Waitms 500
                                                      ' optional
delay
'rcall _AT_KBD_INIT
Print "Press t for test, and set focus to the editor window"
Dim Key2 As Byte , Key As Byte
Do
   Key2 = Waitkey()
                                                       ' get key
from terminal
   Select Case Key2
     Case "t" :
     Waitms 1500
     Sendscankbd Mark
                                                       ' send a
scan code
     Case Else
   End Select
Loop
Print Hex(key)
                                                      ' send mark
Mark:
Data 12 , &H3A , &HF0 , &H3A , &H1C , &HF0 , &H1C , &H2D , &HF0 , &H2D ,
&H42 , &HF0 , &H42
```

r

```
' ^ send 12 bytes
' m a
```

## 6.372 SERIN

### Action

Reads serial data from a dynamic software UART.

# Syntax

**SERIN** var , bts , port , pin, baud , parity , dbits , sbits

# Remarks

While the OPEN and CLOSE statements can be used for software UARTS, they do not permit to use the same pin for input and output. The settings used when opened the communication channel can also not be changed at run time.

The SERIN and SEROUT statements are dynamic software UART routines to perform input and output. You can use them on the same pin for example send some data with SEROUT and get back an answer using SERIN.

Since the SERIN and SEROUT routines can use any pin and can use different
parameter values, the code size of these routines is larger.

Paramete	Description
r	
Var	A variable that will be assigned with the received data.
Bts	The number of bytes to receive. String variables will wait for a return (ASCII 13). There is no check if the variable you assign is big enough to hold the result.
Port	The name of the port to use. This must be a letter like A for portA.
Pin	The pin number you want to use of the port. This must be in the range from 0-7.
Baud	The baud rate you want to use. For example 19200.
Parity	A number that codes the parity. $0 = NONE$ , $1 = EVEN$ , $2 = ODD$
Dbits	The number of data bits. Use 7 or 8.
Sbits	The number of stop bits. 1 to 2.

The use of SERIN will create an internal variable named \_\_\_\_SER\_BAUD. This is a LONG variable. It is important that you specify the correct crystal value with \$CRYSTAL so the correct calculation can be made for the specified baud rate.

Note that \_\_\_\_SER\_BAUD will not hold the passed baud rate but will hold the bit delay used internal.

Since the SW UART is dynamic you can change all the parameters at run time. For example you can store the baud rate in a variable and pass this variable to the SERIN routine.

Your code could change the baud rate under user control this way.

It is important to realize that software timing is used for the bit timing. Any interrupt that occurs during SERIN or SEROUT will delay the transmission. Disable interrupts while you use SERIN or SEROUT.

## ASM

The routine called is named \_serin and is stored in mcs.lib For the baud rate calculation, \_calc\_baud is called.

#### See also

SEROUT 921

# Example

```
_____
'name
                     : serin_out.bas
                     : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                      : demonstration of DYNAMIC software UART
                     : AT90S2313
'micro
'suited for demo
                      : yes
'commercial addon needed : no
·_____
_____
$regfile = "2313def.dat"
                                                    ' specify
the used micro
$crystal = 4000000
                                                    ' used
crystal frequency
$baud = 19200
                                                    ' use baud
rate
                                                    ' default
$hwstack = 32
use 32 for the hardware stack
\$swstack = 10
                                                    ' default
use 10 for the SW stack
                                                    ' default
$framesize = 40
use 40 for the frame space
'tip : Also look at OPEN and CLOSE
'some variables we will use
Dim S As String * 10
Dim Mybaud As Long
'when you pass the baud rate with a variable, make sure you dimesion it
as a LONG
Mybaud = 19200
Do
 'first get some data
 Serin S , 0 , D , 0 , Mybaud , 0 , 8 , 1
 'now send it
 {\tt Serout}\ {\tt S} , 0 , D , 1 , Mybaud , 0 , 8 , 1
                                   ^ 1 stop bit
                               ^---- 8 data bits
                              ^----- even parity (0=N, 1 = E, 2=O)
                       ^----- baud rate
                     ----- pin number
               ^----- port so PORTA.0 and PORTA.1
are used
           ^----- for strings pass 0
         ----- variable
 .
 Wait 1
Loop
End
```

\_\_\_\_\_

```
'because the baud rate is passed with a variable in this example, you could change it under user control
'for example check some DIP switches and change the variable mybaud
```

# 6.373 SEROUT

# Action

Sends serial data through a dynamic software UART.

# Syntax

**SEROUT** var , bts , port , pin, baud , parity , dbits , sbits

# Remarks

While the OPEN and CLOSE statements can be used for software UARTS, they do not permit to use the same pin for input and output. The settings used when opened the communication channel can also not be changed at run time.

The SERIN and SEROUT statements are dynamic software UART routines to perform input and output. You can use them on the same pin for example send some data with SEROUT and get back an answer using SERIN.

Since the SERIN and SEROUT routines can use any pin and can use different parameter values, the code size of these routines is larger.

Parame	te Description
Var	A variable which content is send through the UART. A constant can NOT be used.
Bts	The number of bytes to receive. String variables will wait for a return (ASCII 13). There is no check if the variable you assign is big enough to hold the result.
Port	The name of the port to use. This must be a letter like A for portA.
Pin	The pin number you want to use of the port. This must be in the range from 0-7.
Baud	The baud rate you want to use. For example 19200.
Parity	A number that codes the parity. $0 = NONE$ , $1 = EVEN$ , $2 = ODD$
Dbits	The number of data bits. Use 7 or 8.
Sbits	The number of stop bits. 1 to 2.

The use of SEROUT will create an internal variable named \_\_\_\_SER\_BAUD. This is a LONG variable. It is important that you specify the correct crystal value with \$CRYSTAL so the correct calculation can be made for the specified baud rate.

Note that \_\_\_\_SER\_BAUD will not hold the passed baud rate but will hold the bit delay used internal.

Since the SW UART is dynamic you can change all the parameters at run time. For example you can store the baud rate in a variable and pass this variable to the SEROUT routine.

Your code could change the baud rate under user control this way.

It is important to realize that software timing is used for the bit timing. Any interrupt

#### 922 BASCOM-AVR

that occurs during SERIN or SEROUT will delay the transmission. Disable interrupts while you use SERIN or SEROUT.

The SEROUT will use the pin in Open Collector mode. This means that you can connect several AVR chips and poll the 'bus' with the SERIN statement.

#### ASM

The routine called is named \_serout and is stored in mcs.lib For the baud rate calculation, \_calc\_baud is called.

### See also

SERIN 919

```
_____
'name
                       : serin_out.bas
                       : (c) 1995-2005, MCS Electronics
'copyright
                      : demonstration of DYNAMIC software UART
'purpose
                      : AT90S2313
'micro
'suited for demo : yes
'commercial addon needed : no
! _____
_____
$regfile = "2313def.dat"
                                                     ' specify
the used micro
$crystal = 4000000
                                                     ' used
crystal frequency
$baud = 19200
                                                     ' use baud
rate
\$hwstack = 32
                                                     ' default
use 32 for the hardware stack
\$swstack = 10
                                                     ' default
use 10 for the SW stack
$framesize = 40
                                                     ' default
use 40 for the frame space
'tip : Also look at OPEN and CLOSE
'some variables we will use
Dim S As String * 10
Dim Mybaud As Long
'when you pass the baud rate with a variable, make sure you dimesion it
as a LONG
Mybaud = 19200
Do
 'first get some data
 Serin S , 0 , D , 0 , Mybaud , 0 , 8 , 1
 'now send it
 {\tt Serout}\ {\tt S} , 0 , D , 1 , Mybaud , 0 , 8 , 1
                                    ^ 1 stop bit
                                ^---- 8 data bits
                              ^----- even parity (0=N, 1 = E, 2=0)
                        ^----- baud rate
                  ^----- pin number
                ^----- port so PORTA.0 and PORTA.1
are used
```

923

```
' ^----- for strings pass 0
' ^----- variable
Wait 1
Loop
End
'because the baud rate is passed with a variable in this example, you
could change it under user control
```

'for example check some DIP switches and change the variable mybaud

#### 6.374 SETIPPROTOCOL

# Action

Configures socket RAW-mode protocol

#### Syntax

SETIPPROTOCOL socket, value

## Remarks

Socket	The socket number. (0-3)
Value	The IP-protocol value to set.

In order to use W3100A's IPL\_RAW Mode, the protocol value of the IP Layer to be used (e.g., 01 in case

of ICMP) needs to be set before socket initialization.

As in UDP, data transmission and reception is possible when the corresponding channel is initialized.

The PING example demonstrates the usage. As a first step, SETIPPROTOCOL is used : Setipprotocol Idx , **1** And second, the socket is initialized : Idx = Getsocket(idx , **3**, 5000, 0)

The W3100A data sheet does not provide much more details about the IPR register.

#### See also

<u>SETTCPREGS</u> 911, <u>GETSOCKET</u> 767

#### ASM

NONE

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	: (c) 1995-2005, MCS Electronics : Simple PING program : Mega88 : yes	ww.faqs.org/rfcs/rfc792.
<pre>\$regfile = "m32def.dat"</pre>		' specify the used micr

```
$crystal = 8000000
                                                              ' used crystal frequence
                                                              ' use baud rate
$baud = 19200
                                                              ' default use 32 for th
$hwstack = 80
\$swstack = 128
                                                              ' default use 10 for th
$framesize = 80
                                                              ' default use 40 for th
Const Debug = 1
Const Sock_stream = $01
                                                              ' Tcp
                                                              ' Udp
Const Sock_dgram = $02
Const Sock_ipl_raw = $03
                                                              ' Ip Layer Raw Sock
                                                              ' Mac Layer Raw Sock
Const Sock_macl_raw = $04
Const Sel_control = 0
                                                              ' Confirm Socket Status
Const Sel_send = 1
                                                              ' Confirm Tx Free Buffe
Const Sel_recv = 2
                                                              ' Confirm Rx Data Size
'socket status
                                                              ' Status Of Connection
Const Sock closed = $00
Const Sock arp = $01
                                                              ' Status Of Arp
                                                              ' Status Of Waiting For
Const Sock_listen = $02
                                                              ' Status Of Setting Up
Const Sock_synsent = $03
                                                              ' Status Of Setting Up
Const Sock_synsent_ack = $04
                                                              ' Status Of Setting Up
Const Sock_synrecv = $05
                                                              ' Status Of Tcp Connect
Const Sock_established = $06
                                                              ' Status Of Closing Tcp
Const Sock_close_wait = $07
Const Sock_last_ack = $08
                                                              ' Status Of Closing Tcp
Const Sock_fin_wait1 = $09
                                                              ' Status Of Closing Tcp
Const Sock_fin_wait2 = $0a
                                                              ' Status Of Closing Tcp
Const Sock_closing = $0b
                                                              ' Status Of Closing Tcp
Const Sock_time_wait = $0c
                                                              ' Status Of Closing Tcp
                                                              ' Status Of Closing Tcp
Const Sock_reset = $0d
Const Sock_init = $0e
                                                              ' Status Of Socket Init
Const Sock_udp = $0f
                                                              ' Status Of Udp
Const Sock_raw = $10
                                                              ' Status of IP RAW
'we do the usual
Print "Init TCP"
                                                              ' display a message
Enable Interrupts
                                                              ' before we use config
Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 , Submask = 255.2
Print "Init done"
Dim Peersize As Integer , Peeraddress As Long , Peerport As Word
Dim Idx As Byte , Result As Word , J As Byte , Res As Byte
Dim Ip As Long
Dim Dta(12) As Byte , Rec(12) As Byte
Dta(1) = 8
                                                              'type is echo
Dta(2) = 0
                                                              'code
Dta(3) = 0
                                                              ' for checksum initial:
Dta(4) = 0
                                                              ' checksum
                                                              ' a signature can be an
Dta(5) = 0
Dta(6) = 1
                                                                 signature
                                                              ' sequence number - any
Dta(7) = 0
Dta(8) = 1
Dta(9) = 65
                                                              'same as dta(3) and dta
Dim W As Word At Dta + 2 Overlay
W = Tcpchecksum(dta(1), 9)
                                                              ' calculate checksum an
#if Debug
```

```
For J = 1 To 9
   Print Dta(j)
 Next
#endif
Ip = Maketcp(192.168.0.16)
                                                              'try to check this serv
Print "Socket " ; Idx ; " " ; Idx
Setipprotocol Idx , 1
                                                             'set protocol to 1
'the protocol value must be set BEFORE the socket is openend
Idx = Getsocket(idx , 3 , 5000 , 0)
Do
   Result = Udpwrite(ip , 7 , Idx , Dta(1) , 9)
                                                             'write ping data
   Print Result
   Waitms 100
   Result = Socketstat(idx , Sel_recv)
                                                             'check for data
   Print Result
   If Result >= 11 Then
      Print "Ok"
      Res = Tcpread(idx , Rec(1) , Result)
                                                             'get data with TCPREAD
      #if Debug
                                                              r.
        Print "DATA RETURNED :" ; Res
        For J = 1 To Result
         Print Rec(j) ; " " ;
        Next
        Print
      #endif
   Else
                                                              'there might be a probl
      Print "Network not available"
   End If
   Waitms 1000
Loop
```

# 6.375 SGN

#### Action

Returns the sign of a float value.

#### **Syntax**

var = SGN(x)

### Remarks

Var	A single or double variable that is assigned with the SGNS of variable x.
Х	The single or double to get the sign of.

For values <0, -1 will be returned For 0, 0 will be returned For values >0, 1 will be returned

### See Also

INT [799], FIX [738], ROUND [898]

```
Example
```

```
Dim S As Single , X As Single , Y As Single
X = 2.3 : S = Sgn(x)
Print S
X = -2.3 : S = Sgn(x)
Print S
End
```

## 6.376 SHIFT

### Action

Shift all bits one place to the left or right.

### **Syntax**

**SHIFT** var , LEFT/RIGHT[ , shifts] [,SIGNED]

### Remarks

Var	Byte, Integer/Word, Long or Single variable.
Shifts	The number of shifts to perform.
signed	An option that only works with right shifts. It will preserve the sign bit which otherwise would be cleared by the first shift.

The SHIFT statement rotates all the bits in the variable to the left or right.

When shifting LEFT the most significant bit, will be shifted out of the variable. The LS bit becomes zero. Shifting a variable to the left, multiplies the variable with a value of two.

When shifting to the RIGHT, the least significant bit will be shifted out of the variable. The MS bit becomes zero. Shifting a variable to the right, divides the variable by two. Use the SIGNED parameter to preserve the sign.

A Shift performs faster than a multiplication or division.

# See also

ROTATE [897], SHIFTIN [928], SHIFTOUT [932]

# Example

the used micro

```
_____
------
'name
                 : shift.bas
                 : (c) 1995-2005, MCS Electronics
'copyright
                 : example for SHIFTIN and SHIFTOUT statement
'purpose
'micro
                 : Mega48
'suited for demo
                 : yes
'commercial addon needed : no
_____
                           _____
 _____
$regfile = "m48def.dat"
                                         ' specify
```

BASCOM Language Reference 927

Scrystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim L As Long Clock Alias Portb.0 Output Alias Portb.1 Sin Alias Pinb.2 'watch the PIN instead of PORT 'shiftout pinout, pinclock, var, parameter [, bits , delay] ' value for parameter : 0 - MSB first ,clock low 1 - MSB first, clock high 2 - LSB first, clock low 3 - LSB first, clock high 'The bits is a new option to indicate the number of bits to shift out 'For a byte you should specify 1-8 , for an integer 1-16 and for a long 1-32 'The delay is an optional delay is uS and when used, the bits parameter must 'be specified too! 'Now shift out 9 most significant bits of the LONG variable L Shiftout Output , Clock , L , 0 , 9 'shiftin pinin,pinclock,var,parameter [,bits ,delay] 0 - MSB first ,clock low (4) 1 1 - MSB first, clock high (5) 2 - LSB first, clock low (6) 3 - LSB first, clock high (7) 'To use an external clock, add 4 to the parameter 'The shiftin also has a new optional parameter to specify the number of bits 'The bits is a new option to indicate the number of bits to shift out 'For a byte you should specify 1-8, for an integer 1-16 and for a long 1-32 'The delay is an optional delay is uS and when used, the bits parameter must 'be specified too! 'Shift in 9 bits into a long Shiftin Sin , Clock , L , 0 , 9 'use shift to shift the bits to the right place in the long Shift L , Right , 23 End

#### BASCOM-AVR

# 6.377 SHIFTCURSOR

# Action

928

Shift the cursor of the LCD display left or right by one position.

# **Syntax**

SHIFTCURSOR LEFT | RIGHT

# See also

SHIFTLCD 933

# **Partial Example**

LCD "Hello" SHIFTCURSOR LEFT End

# 6.378 SHIFTIN

# Action

Shifts a bit stream into a variable.

### **Syntax**

**SHIFTIN** pin , pclock , var , option [, bits , delay ]

# Remarks

Pin	The port pin which serves as an input.PINB.2 for example	
Pclock	The port pin which generates the clock.	
Var	The variable that is assigned. The existing value is not preserved. For example when you shiftin 3 bits, the whole byte will be replaced with the 3 bits. See CONFIG SHIFTIN for other SHIFTIN behaviour.	
Option	<ul> <li>Option can be :</li> <li>0 - MSB shifted in first when clock goes low</li> <li>1 - MSB shifted in first when clock goes high</li> <li>2 - LSB shifted in first when clock goes low</li> <li>3 - LSB shifted in first when clock goes high</li> <li>Adding 4 to the parameter indicates that an external clock signal is used for the clock. In this case the clock will not be generated. So using 4 will be the same a 0 (MSB shifted in first when clock goes low) but the clock must be generated by an external signal.</li> <li>4 - MSB shifted in first when clock goes low with ext. clock</li> <li>5 - MSB shifted in first when clock goes low with ext. clock</li> <li>6 - LSB shifted in first when clock goes low with ext. clock</li> <li>7 - LSB shifted in first when clock goes low with ext. clock</li> </ul>	
Bits	Optional number of bits to shift in. Maximum 255. The number of bits is automatic loaded depending on the used variable. For a long for example	

	which is 4 bytes long, 32 will be loaded.
Delay	Optional delay in uS.

If you do not specify the number of bits to shift, the number of shifts will depend on the type of the variable.

When you use a byte, 8 shifts will occur and for an integer, 16 shifts will occur. For a Long and Single 32 shifts will occur.

The SHIFTIN routine can be used to interface with all kind of chips. The PIN is normally connected with the output of chip that will send information.

The PCLOCK pin can be used to clock the bits as a master, that is the clock pulses will be generated. Or it can sample a pin that generates these pulses.

The VARIABLE is a normal BASIC variable. And may be of any type except for BIT. The data read from the chip is stored in this variable.

The OPTIONS is a constant that specifies the direction of the bits. The chip that outputs the data may send the LS bit first or the MS bit first. It also controls on which edge of the clock signal the data must be stored.

When you add 4 to the constant you tell the compiler that the clock signal is not generated but that there is an external clock signal.

The number of bits may be specified. You may omit this info. In that case the number of bits of the element data type will be used.

The DELAY normally consists of 2 NOP instructions. When the clock is too fast you can specify a delay time(in uS).

#### **SHIFTIN** with option NEW

The new option <u>CONFIG SHIFTIN</u> [590]=NEW , will change the behaviour of the SHIFTIN statement.

When using this option, it will work for all SHIFTIN statements. The SHIFTIN will work more like the normal SHIFT statement. Bits are shifted from left to right or right to left.

The new SHIFTIN can preserve the value/bits when shifting in bits.

For example when the value of a word is &B101 and you shift in 3 bits with value &B111, the resulting value will be &B101**111**. When you **not** want to preserve the value, you can add a value of **8** to the parameter. When you add a value of **16**, the value will also not be preserved, but then the value will be cleared initially. You would only need this when shifting in less 8 bits then the size of the variable.

Another important difference is that the new SHIFTIN can only SHIFTIN a maximum of 8 bytes. For quick operation, register R16-R23 are used. You may specify the number of bits to shiftin. This may be a variable too. When you shiftin a value into a Word, the number of bits is automatic loaded with 16. This is true for all numeric data types.

Some of the code is stored in the MCS library. While this reduces code when SHIFTIN is used multiple times, it has the drawback that the code is written for 8 bytes and thus is not optimal for shifting in less bytes.

You can choose to generate a part of the library code instead. Add a value of 32 to the parameter to do so.

Another new option is not to set the initial pin state for the clock and input pin. By default the clock pin is made an input or output, depending on the external clock option. And the clock is set to an initial state when no external clock is used. When you want to use shiftin after a shiftout, you might not want the level to change.

Pin	The port pin which serves as an input.PINB.2 for example
Pclock	The port pin which generates the clock. An external signal can also be used for the clock. In that case, the pin is used in input mode.
Var	The variable that is assigned. The existing value is preserved. With some additional constants which you can add to the option parameter, you can influence the behaviour : - 8 - Do NOT preserve the value. This saves code. -16 - Do not preserve value, but clear the value before shifting in the bits
Option	A constant which can be one of the following values :
	0 – MS bit shifted in first when clock goes low 1 – MS bit shifted in first when clock goes high 2 – LS bit shifted in first when clock goes low 3 – LS bit shifted in first when clock goes high
	Adding 4 to the parameter indicates that an external clock signal is used for the clock. In this case the clock will not be generated. So using 4 will be the same a 0 (MSB shifted in first when clock goes low) but the clock must be generated by an external signal.
	<ul> <li>4 - MSB shifted in first when clock goes high with ext. clock</li> <li>5 - MSB shifted in first when clock goes low with ext. clock</li> <li>6 - LSB shifted in first when clock goes high with ext. clock</li> <li>7 - LSB shifted in first when clock goes low with ext. clock</li> </ul>
	Add a value of 8 to the option, so the existing variable will not be preserved.
	Add a value of 16 to the option to clear the variable first. Add a value of 32 to the option to generate code instead of using the lib code.
	Add a value of 64 to the option when you do not want the clock and input pin data direction and state want to be set. For example, when using SHIFTIN after a SHIFTOUT statement.
	Example : Shiftin Pind.3 , Portd.4 , W , <b>2 + 32 + 16</b> , 3
Bits	Optional number of bits to shift in. Maximum 64. The number of bits is automatic loaded depending on the used variable. For a long for example which is 4 bytes long, 32 will be loaded. You can use a constant or variable.
Delay	Optional delay in uS. When not specified, 2 nops are used. The delay is intended to slow down the clock frequency.

The initial state for the clock depends on the option. For option 1 and 3, it will be low. For option 0 and 2 it will be high.

Thus for example option 2 will set the clock pin high. Then the clock is brought low and the data is sampled/stored. After this the clock is made high again. This means when ready, the clock pin will be in the same state as the initial state.

# See also

SHIFTOUT 9327, SHIFT 9267

```
_____
_____
                       : shift.bas
'name
                        : (c) 1995-2005, MCS Electronics
'copyright
                        : example for SHIFTIN and SHIFTOUT statement
'purpose
'micro
                        : Mega48
'suited for demo
                        : yes
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                        ' specify
the used micro
                                                        ' used
$crystal = 4000000
crystal frequency
$baud = 19200
                                                        ' use baud
rate
$hwstack = 32
                                                        ' default
use 32 for the hardware stack
\$swstack = 10
                                                        ' default
use 10 for the SW stack
$framesize = 40
                                                        ' default
use 40 for the frame space
Dim L As Long
clock Alias Portb.0
Output Alias Portb.1
sinp Alias Pinb.2
                                                         'watch the
PIN instead of PORT
'shiftout pinout, pinclock, var, parameter [, bits , delay]
' value for parameter :
  0 - MSB first ,clock low
 1 - MSB first,clock high
 2 - LSB first, clock low
' 3 - LSB first, clock high
'The bits is a new option to indicate the number of bits to shift out
'For a byte you should specify 1-8 , for an integer 1-16 and for a long
1 - 32
'The delay is an optional delay is uS and when used, the bits parameter
must
'be specified too!
'Now shift out 9 most significant bits of the LONG variable L
Shiftout Output , Clock , L , 0 , 9
'shiftin pinin,pinclock,var,parameter [,bits ,delay]
 0 - MSB first ,clock low (4)
  1 - MSB first, clock high (5)
  2 - LSB first, clock low
                           (6)
  3 - LSB first, clock high (7)
'To use an external clock, add 4 to the parameter
'The shiftin also has a new optional parameter to specify the number of
bits
'The bits is a new option to indicate the number of bits to shift out
```

#### 932 BASCOM-AVR

```
'For a byte you should specify 1-8 , for an integer 1-16 and for a long 1-32
'The delay is an optional delay is uS and when used, the bits parameter must
'be specified too!
```

```
'Shift in 9 bits into a long
Shiftin Sinp , Clock , L , 0 , 9
'use shift to shift the bits to the right place in the long
Shift L , Right , 23
End
```

### 6.379 SHIFTOUT

#### Action

Shifts a bit stream out of a variable into a port pin .

#### Syntax

**SHIFTOUT** pin , pclock , var , option [, bits , delay ]

#### Remarks

Pin	The port pin which serves as a data output.
Pclock	The port pin which generates the clock.
Var	The variable that is shifted out.
Option	Option can be :
	0 – MSB shifted out first when clock goes low 1 – MSB shifted out first when clock goes high 2 – LSB shifted out first when clock goes low 3 – LSB shifted out first when clock goes high
Bits	Optional number of bits to shift out.
Delay	Optional delay in uS. When you specify the delay, the number of bits must also be specified. When the default must be used you can also use NULL for the number of bits.

If you do not specify the number of bits to shift, the number of shifts will depend on the type of the variable.

When you use a byte, 8 shifts will occur and for an integer, 16 shifts will occur. For a Long and Single 32 shifts will occur.

The SHIFTIN routine can be used to interface with all kind of chips.

The PIN is normally connected with the input of a chip that will receive information.

The PCLOCK pin is used to clock the bits out of the chip.

The VARIABLE is a normal BASIC variable. And may be of any type except for BIT. The data that is stored in the variable is sent with PIN.

The OPTIONS is a constant that specifies the direction of the bits. The chip that reads the data may want the LS bit first or the MS bit first. It also controls on which edge of the clock signal the data is sent to PIN.

The number of bits may be specified. You may omit this info. In that case the number

of bits of the element data type will be used.

The DELAY normally consists of 2 NOP instructions. When the clock is too fast you can specify a delay time(in uS).

The clock pin is brought to a initial level before the shifts take place. For mode 0, it is made 1. This way, the first clock can go from 1 to 0. And back to 1. You could see this as another clock cycle. So check if you use the proper mode. Or put the clock pin in the right state before you use SHIFT.

See also

# Example

See SHIFTIN 928 sample

# 6.380 SHIFTLCD

# Action

Shift the LCD display left or right by one position.

### **Syntax**

**SHIFTLCD** LEFT / RIGHT

# Remarks

NONE

# See also

SHIFTCURSOR [928], SHIFTCURSOR [928], INITLCD [788], CURSOR [655]

# **Partial Example**

Cls	'clear the
LCD display	
Lcd "Hello world."	'display
this at the top line	
Wait 1	
Lowerline	'select the
lower line	
Wait 1	
Lcd "Shift this."	'display
this at the lower line	
Wait 1	
For $A = 1$ To 10	
Shiftlcd Right	'shift the
text to the right	
Wait 1	'wait a
moment	
Next	

	934	BASCOM-AVR	
L	]	For A = 1 To 10	
		Shiftlcd Left	'shift the
	1	text to the left	
		Wait 1	'wait a
		noment	
	1	lext	
		cocate 2 , 1	'set cursor
		Lcd "*"	'display
	1	chis	
	I	Nait 1	'wait a
	I	noment	
		Shiftcursor Right Cursor	'shift the
			'display
	1	chis	

### 6.381 SHOWPIC

#### Action

Shows a BGF file on the graphic display

# Syntax

**SHOWPIC** x, y , label

# Remarks

Showpic can display a converted BMP file. The BMP must be converted into a BGF file with the Tools Graphic Converter 8.

The X and Y parameters specify where the picture must be displayed. X and Y must be 0 or a multiple of 8. The picture height and width must also be a multiple of 8.

The label tells the compiler where the graphic data is located. It points to a label where you put the graphic data with the \$BGF directive.

You can store multiple pictures when you use multiple labels and \$BGF directives,

Note that the BGF files are RLE encoded to save code space.

### See also

PSET [864], \$BGF [334], CONFIG GRAPHLCD [533], LINE [810], CIRCLE [468], SHOWPICE [934]

### Example

See <u>\$BGF</u> 334 example

# 6.382 SHOWPICE

#### Action

Shows a BGF file stored in EEPROM on the graphic display

Syntax

**SHOWPICE** x, y , label

## Remarks

Showpice can display a converted BMP file that is stored in the EEPROM of the micro processor. The BMP must be converted into a BGF file with the <u>Tools Graphic</u> Converter 8.

The X and Y parameters specify where the picture must be displayed. X and Y must be 0 or a multiple of 8. The picture height and width must also be a multiple of 8.

The label tells the compiler where the graphic data is located. It points to a label where you put the graphic data with the \$BGF directive. You can store multiple pictures when you use multiple labels and \$BGF directives,

Note that the BGF files are RLE encoded to save code space.

### See also

PSET 864), \$BGF 334), CONFIG GRAPHLCD 533), LINE 810), SHOWPIC 934), CIRCLE 468)

\_\_\_\_\_

# Example

\_\_\_\_\_

\_\_\_\_\_ : showpice.bas 'name : (c) 1995-2005, MCS Electronics 'copyright 'purpose : demonstrates showing a picture from EEPROM : AT90S8535 'micro 'suited for demo : yes 'commercial addon needed : no 1\_\_\_\_\_ \_\_\_\_\_ \$regfile = "8535def.dat" ' specify the used micro ' used **\$crystal** = 8000000 crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space 'First we define that we use a graphic LCD ' Only 240\*64 supported yet **Config** Graphlcd = 240 \* 128 , Dataport = Porta , Controlport = Portc , Ce = 2, Cd = 3, Wr = 0, Rd = 1, Reset = 4, Fs = 5, Mode = 8 'The dataport is the portname that is connected to the data lines of the LCD 'The controlport is the portname which pins are used to control the lcd 'CE, CD etc. are the pin number of the CONTROLPORT. ' For example CE =2 because it is connected to PORTC.2 'mode 8 gives 240 / 8 = 30 columns , mode=6 gives 240 / 6 = 40 columns 'we will load the picture data into EEPROM so we specify \$EEPROM 'the data must be specified before the showpicE statement.

```
$eeprom
Plaatje:
'the $BGF directive will load the data into the EEPROM or FLASH
depending on the $EEPROM or $DATA directive
$bgf "mcs.bgf"
'switch back to normal DATA (flash) mode
$data
'Clear the screen will both clear text and graph display
Cls
'showpicE is used to show a picture from EEPROM
'showpicE is used to show a picture from EEPROM
'showpic must be used when the data is located in Flash
Showpice 0 , 0 , Plaatje
End
```

# 6.383 SIN

# Action

Returns the sine of a float

#### **Syntax**

var = **SIN**( source )

#### Remarks

Var	A numeric variable that is assigned with sinus of variable source.
source	The single or double variable to get the sinus of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG 8737, DEG2RAD 6957, ATN 4427, COS 6427

### Example

0.546302195

S = 0.5 : X = Sin(s) : Print X

<pre>\$regfile = "m48def.dat"</pre>	' specify
the used micro \$crystal = 8000000	' used
crystal frequency	
<b>\$baud</b> = 19200 rate	' use baud
<pre>\$hwstack = 32</pre>	' default
use 32 for the hardware stack <b>\$swstack =</b> 10	' default
use 10 for the SW stack <b>\$framesize =</b> 40	' default
use 40 for the frame space	
<pre>Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopb: Databits = 8 , Clockpol = 0</pre>	its = 1 ,
Dim S As Single , X As Single S = 0.5 : X = Tan(s) : Print X	' prints

© 2012 MCS Electronics

' prints

```
0.479419108
S = 0.5 : X = Cos(s) : Print X
0.877588389
End
```

' prints

#### 6.384 SINH

#### Action

Returns the sinus hyperbole of a float

#### Syntax

var = **SINH**( source )

## Remarks

	A numeric variable that is assigned with sinus hyperbole of variable source.	
source	The single or double variable to get the sinus hyperbole of.	

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG [873], DEG2RAD [695], ATN [442], COS [642], SIN [936], TANH [980], COSH [643]

## **Example**

Show sample 1037

# 6.385 SOCKETCONNECT

#### Action

Establishes a connection to a TCP/IP server.

# Syntax

Result = **SOCKETCONNECT**(socket, IP, port)

# Remarks

	A byte that is assigned with 0 when the connection succeeded. It will return 1 when an error occurred.
	The IP number of the server you want to connect to. This may be a number like 192.168.0.2 or a LONG variable that is assigned with an IP number.
	Note that the LSB of the LONG, must contain the MSB of the IP number.
Port	The port number of the server you are connecting to.

You can only connect to a server. Standardized servers have dedicated port numbers. For example, the HTTP protocol(web server) uses port 80.

After you have established a connection the server might send data. This depends entirely on the used protocol. Most servers will send some welcome text, this is called a banner.

You can send or receive data once the connection is established.

The server might close the connection after this or you can close the connection yourself. This also depends on the protocol.

## See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETSTAT [947], TCPWRITE [976], TCPWRITESTR [976], TCPREAD [975], CLOSESOCKET [478], SOCKETLISTEN [940]

· ·		
		fter the chip
<pre>\$regfile = "m161def.dat" the used micro \$crystal = 4000000 crystal frequency</pre>		' specify ' used
<pre>\$baud = 19200 rate \$hwstack = 32 use 32 for the hardware st</pre>	tack	' use baud ' default
<pre>\$swstack = 10 use 10 for the SW stack \$framesize = 40 use 40 for the frame space</pre>	e	' default ' default
<pre>Const Sock_stream = \$01 Const Sock_dgram = \$02 Const Sock_ipl_raw = \$03 Raw Sock</pre>		' Tcp ' Udp ' Ip Layer
<pre>Const Sock_macl_raw = \$04 Raw Sock Const Sel_control = 0 Socket Status Const Sel_send = 1</pre>		' Mac Layer ' Confirm ' Confirm Tx
Free Buffer Size Const Sel_recv = 2 Data Size		' Confirm Rx
<pre>'socket status Const Sock_closed = \$00 Connection Closed Const Sock_arp = \$01 Arp</pre>		' Status Of ' Status Of
<b>Const</b> Sock_listen = \$02		' Status Of

' socket

' result

Waiting For Tcp Connection Setup <b>Const</b> Sock synsent = \$03	' Status Of
Setting Up Tcp Connection	Status OI
Const Sock synsent ack = \$04	' Status Of
Setting Up Tcp Connection	Status OI
Const Sock synrecy = \$05	' Status Of
Setting Up Tcp Connection	Deacab OI
Const Sock established = \$06	' Status Of
Tcp Connection Established	beacab of
Const Sock close wait = \$07	' Status Of
Closing Tcp Connection	
Const Sock last ack = \$08	' Status Of
Closing Tcp Connection	
Const Sock fin wait1 = \$09	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_fin_wait2 = \$0a	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_closing = \$0b	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_time_wait = \$0c	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_reset = \$0d	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_init = \$0e	' Status Of
Socket Initialization	
<b>Const</b> Sock_udp = \$0f	' Status Of
Udp	
<b>Const</b> Sock_raw = \$10	' Status of
IP RAW	

\$lib "tcpip.lbx" ' specify
the tcpip library
Print "Init , set IP to 192.168.0.8" ' display a
message
Enable Interrupts ' before we
use config tcpip , we need to enable the interrupts
Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 ,
Submask = 255.255.255.0 , Gateway = 0.0.0.0 , Localport = 1000 , Tx =
\$55 , Rx = \$55

'Use the line below if you have a gate way 'Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 , Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx = \$55 , Rx = \$55

Dim Bclient As Byte number Dim Idx As Byte Dim Result As Word Dim S As String \* 80 Dim Flags As Byte Dim Peer As Long

# Do For Idx = 0 To 3 Result = Socketstat(idx , 0) ' get status Select Case Result Case Sock\_established If Flags.idx = 0 Then ' if we did not send a welcome message yet Flags.idx = 1

#### BASCOM-AVR

```
Result = Tcpwrite(idx , "Hello from W3100A{013}{010}")
   ' send welcome
            End If
            Result = Socketstat(idx , Sel_recv)
                                                             ' get number
of bytes waiting
            If Result > 0 Then
               Do
                 Result = Tcpread(idx , S)
                 Print "Data from client: " ; Idx ; " " ; S
                 Peer = Getdstip(idx)
                 Print "Peer IP " ; Ip2str(peer)
                 'you could analyse the string here and send an
appropiate command
                 'only exit is recognized
                 If Lcase(s) = "exit" Then
                    Closesocket Idx
                 Elseif Lcase(s) = "time" Then
                    Result = Tcpwrite(idx , "12:00:00{013}{010}")
' you should send date$ or time$
                 End If
               Loop Until Result = 0
            End If
       Case Sock_close_wait
            Print "close_wait"
            Closesocket Idx
       Case Sock_closed
            Print "closed"
            Bclient = Getsocket(idx , Sock_stream , 5000 , 0)
get socket for server mode, specify port 5000
            Print "Socket " ; Idx ; " " ; Bclient
            Socketlisten Idx
            Print "Result " ; Result
            Flags.idx = 0
                                                             ' reset the
hello message flag
    End Select
 Next
Loop
End
```

#### 6.386 SOCKETLISTEN

#### Action

Opens a socket in server(listen) mode.

# Syntax

SOCKETLISTEN socket

#### Remarks

Socket The socket number you want to use for the server in the range of 0 -3.

The socket will listen to the port you specified with the GetSocket function. You can listen to a maximum of 4 sockets at the same time.

After the connection is closed by either the client or the server, a new connection need to be created and the SocketListen statement must be used again.

940

## See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETCONNECT [937], SOCKETSTAT [941], TCPWRITE [976], TCPWRITESTR [976], TCPREAD [975], CLOSESOCKET [478]

## Example

See <u>SOCKETCONNECT</u> 937 example

# 6.387 SOCKETSTAT

# Action

Returns information of a socket.

# **Syntax**

Result = **SOCKETSTAT**( socket , mode)

# Remarks

Result	A word variable that is assigned with the result.	
Socket	The socket number you want to get information of	
Mode	A parameter that specified what kind of information you want to retrieve.	
	SEL_CONTROL or 0 : returns the status register value	
	SEL_SEND or 1 : returns the number of bytes that might be placed into the transmission buffer.	
	SEL_RECV or 2 : returns the number of bytes that are stored in the reception buffer.	

The SocketStat function contains actual 3 functions. One to get the status of the connection, one to determine how many bytes you might write to the socket, and one to determine how many bytes you can read from the buffer.

When you specify mode 0, one of the following byte values will be returned:

Value	State	Description
0	SOCK_CLOSED	Connection closed
1	SOCK_ARP	Standing by for reply after transmitting ARP request
2	SOCK_LISTEN	Standing by for connection setup to the client when acting in passive mode
3	SOCK_SYNSENT	Standing by for SYN,ACK after transmitting SYN for connecting setup when acting in active mode
4	SOCK_SYNSENT_ACK	Connection setup is complete after SYN,ACK is received and ACK is transmitted in active mode
5	SOCK_SYNRECV	SYN,ACK is being transmitted after receiving SYN from the client in listen state, passive mode
6	SOCK_ESTABLISHED	Connection setup is complete in active, passive mode

#### 942 BASCOM-AVR

· · · · · · · · · · · · · · · · · · ·		
7	SOCK_CLOSE_WAIT	Connection being terminated
8	SOCK_LAST_ACK	Connection being terminated
9	SOCK_FIN_WAIT1	Connection being terminated
10	SOCK_FIN_WAIT2	Connection being terminated
11	SOCK_CLOSING	Connection being terminated
12	SOCK_TIME_WAIT	Connection being terminated
13	SOCK_RESET	Connection being terminated after receiving reset packet from peer.
14	SOCK_INIT	Socket initializing
15	SOCK_UDP	Applicable channel is initialized in UDP mode.
16	SOCK_RAW	Applicable channel is initialized in IP layer RAW mode
17	SOCK_UDP_ARP	Standing by for reply after transmitting ARP request packet to the destination for UDP transmission
18	SOCK_UDP_DATA	Data transmission in progress in UDP RAW mode
19	SOCK_RAW_INIT	W3100A initialized in MAC layer RAW mode

The SocketStat function is also used internally by the library.

# See also

CONFIG TCPIP 602, GETSOCKET 767, SOCKETCONNECT 937, TCPWRITE 976, TCPWRITESTR 976, TCPREAD 976, CLOSESOCKET 478, SOCKETLISTEN 940

# **Partial Example**

Tempw = Socketstat(i , 0)' get status Select Case Tempw Case Sock\_established Case Else End Select

# 6.388 SONYSEND

#### Action

Sends Sony remote IR code.

# **Syntax**

**SONYSEND** address [, bits]

#### Uses

TIMER1

# **Remarks**

Address	The address of the Sony device.	
bits	This is an optional parameter. When used, it must be 12, 15 or 20.	

Also, when you use this option, the address variable must be of the type LONG.

	note Control codes (RM-	
Function	Hex	Bin
Power	A91	1010 1001 0001
Play	4D1	0100 1101 0001
Stop	1D1	0001 1101 0001
Pause	9D1	1001 1101 0001
Continue	B91	1011 1001 0001
Shuffle	AD1	1010 1101 0001
Program	F91	1111 1001 0001
Disc	531	0101 0011 0001
1	011	0000 0001 0001
2	811	1000 0001 0001
3	411	0100 0001 0001
4	C11	1100 0001 0001
5	211	0010 0001 0001
6	A11	1010 0001 0001
7	611	0110 0001 0001
8	E11	1110 0001 0001
9	111	0001 0001 0001
0	051	0000 0101 0001
>10	E51	1110 0101 0001
enter	D11	1101 0001 0001
clear	F11	1111 0001 0001
repeat	351	0011 0101 0001
disc -	BD1	1011 1101 0001
disc +	H7D1	0111 1101 0001
<<	0D1	0000 1101 0001
>>	8D1	1000 1101 0001
<<	CD1	1100 1101 0001
>>	2D1	0010 1101 0001
SONY Cassette	RM-J901)	
Deck A		
stop	1C1	0001 1100 0001
play >	4C1	0100 1100 0001
play <	EC1	1110 1100 0001
>>	2C1	0010 1100 0001
<<	CC1	1100 1100 0001
record	6C1	0110 1100 0001
pause	9C1	1001 1100 0001
Dec B		
stop	18E	0001 1000 1110
play >	58E	0101 1000 1110
play <	04E	0000 0100 1110

#### ¢

#### BASCOM-AVR

>>	38E	0011 1000 1110	
<<	D8E	1101 1000 1110	
record	78E	0111 1000 1110	
pause	98E	1001 1000 1110	


---[ SONY TV Infrared Remote Control codes (RM-694) ]-----

```
program + = &H090 : 0000 1001 0000
program - = &H890 : 1000 1001 0000
volume + = &H490 : 0100 1001 0000
volume - = &HC90 : 1100 1001 0000
power = &HA90 : 1010 1001 0000
sound on/off = &H290 : 0010 1001 0000
1 = \&H010 : 0000 \ 0001 \ 0000
2 = &H810 : 1000 0001 0000
3 = &H410 : 0100 0001 0000
4 = &HC10 : 1100 0001 0000
5 = &H210 : 0010 0001 0000
6 = &HA10 : 1010 0001 0000
7 = &H610 : 0110 0001 0000
8 = &HE10 : 1110 0001 0000
9 = &H110 : 0001 0001 0000
0 =  H910 : 1001 0001 0000
-/-- = &HB90 : 1011 1001 0000
```

For more SONY Remote Control info: <a href="http://www.fet.uni-hannover.de/purnhage/">http://www.fet.uni-hannover.de/purnhage/</a>

The resistor must be connected to the OC1A pin. In the example a 2313 micro was used. This micro has pin portB.3 connected to OC1A. Look in a data sheet for the proper pin when used with a different chip.

An IR booster circuit is shown below:



When sending hex, prefix with **&H**. When sending binary data, prefix with **&B**. Sonysend **&H**A90 Sonysend **&B**010011010001

See also CONFIG RC5 छिने, GETRC5 ग्रिजे, RC5SEND छन्जे, RC6SEND छन्ने

944

\_\_\_\_\_

# Example

'name	: sonysend.bas
'copyright	: (c) 1995-2005, MCS Electronics
'purpose	: code based on application note from Ger
Langezaal	
'micro	: AT90S2313
'suited for demo	: yes
'commercial addon needed	: no
· ·	

```
_____
```

```
$regfile = "2313def.dat"
                                                              ' specify
the used micro
$crystal = 4000000
                                                               ' used
crystal frequency
                                                              ' use baud
$baud = 19200
rate
\$hwstack = 32
                                                               ' default
use 32 for the hardware stack
$swstack = 10
                                                              ' default
use 10 for the SW stack
$framesize = 40
                                                              ' default
use 40 for the frame space
```

```
' +5V <---[A Led K]---[220 Ohm]---> Pb.3 for 2313.
' RC5SEND is using TIMER1, no interrupts are used
' The resistor must be connected to the OC1(A) pin , in this case PB.3
Do
Waitms 500
Sonysend &HA90
```

```
Sonyse
Loop
End
```

# 6.389 SORT

# Action

Sorts an array in ascending order.

# **Syntax**

**SORT** array() [,elements]

# Remarks

array()	The first element of the array to sort.	
elements	The number of elements to sort. This is an optional value. By default all elements will be sorted.	

Sorting is implemented for byte, word and integer arrays. The routines are located in mcs.lib.

# See also

NONE

```
_____
_____
                       SORT.BAS
                (c) 1995-2011 , MCS Electronics
' This demo demonstrates the SORT statement. It will sort an array
' sort supports, byte, integer and word arrays at the first release
·-----
_____
$regfile = "m88def.dat"
$crystal = 8000000
$hwstack = 16
$swstack = 8
$framesize = 30
'Dim some arrays
Dim B(10) As Byte , I(10) As Integer , W(10) As Word
Dim J As Byte
'point to data
Restore Arraydata
'read the data
For J = 1 To 10
  Read B(j)
Next
'read the words
For J = 1 To 10
  Read W(j)
Next
'read the integers
For J = 1 To 10
  Read I(j)
Next
'now sort the arrays
                                                      ' 10
Sort B(1) , 10
elements
Sort W(1)
                                                      ' all
elements
Sort I(1)
'and show the result
For J = 1 To 10
  Print J ; " " ; B(j) ; " " ; W(j) ; " " ; I(j)
Next
End
Arraydata:
Data 1 , 4 , 8 , 9 , 2 , 5 , 3 , 7 , 6 , 4
Data 1000% , 101% , 1% , 400% , 30000% , 20000% , 15000% , 0% , 999% ,
111%
Data -1000% , 101% , -1% , 400% , 30000% , 2000% , -15000% , 0% , 999% ,
111%
```

#### 6.390 SOUND

# Action

Sends pulses to a port pin.

#### Syntax

SOUND pin, duration, pulses

#### **Remarks**

Pin	Any I/O pin such as PORTB.0 etc.
Duration	The number of pulses to send. Byte, integer/word or constant.
Pulses	The time the pin is pulled low and high.
	This is the value for a loop counter.

When you connect a speaker or a buzzer to a port pin (see hardware) , you can use the SOUND statement to generate some tones.

The port pin is switched high and low for pulses times. This loop is executed duration times.

The SOUND statement is not intended to generate accurate frequencies. Use a TIMER to do that.

# See also

NONE

```
-----
'name
                      : sound.bas
'copyright
'purpose
                      : (c) 1995-2005, MCS Electronics
                      : demo : SOUND
                      : Mega48
'micro
'suited for demo
                      : yes
'commercial addon needed : no
!_____
                             _____
_____
$regfile = "m48def.dat"
                                                     ' specify
the used micro
$crystal = 4000000
                                                     ' used
crystal frequency
$baud = 19200
                                                     ' use baud
rate
Shwstack = 32
                                                     ' default
use 32 for the hardware stack
\$swstack = 10
                                                     ' default
use 10 for the SW stack
$framesize = 40
                                                     ' default
use 40 for the frame space
Dim Pulses As Word , Periods As Word
Pulses = 65535 : Periods = 10000
                                                     'set
variables
```

```
Speaker Alias Portb.1 'define port

pin 'define port

Sound Speaker , Pulses , Periods 'make some

noice

'note that pulses and periods must have a high value for high XTALS

'sound is only intended to make some noise!

'pulses range from 1-65535

'periods range from 1-65535

End
```

# 6.391 SPACE

## Action

Returns a string that consists of spaces.

## **Syntax**

var = **SPACE**(x)

# Remarks

Х	The number of spaces.
Var	The string that is assigned.

Using 0 for x will result in a string of 255 bytes because there is no check for a zero length assign.

# See also

STRING 964 , SPC 949

```
_____
_____
'copyright
                     : (c) 1995-2005, MCS Electronics
                     : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
'purpose
                      : demonstrates DEG2RAD function
·_____
_____
$regfile = "m48def.dat"
                                                    ' specify
the used micro
$crystal = 8000000
                                                    ' used
crystal frequency
$baud = 19200
                                                    ' use baud
rate
\$hwstack = 32
                                                    ' default
use 32 for the hardware stack
                                                    ' default
\$swstack = 40
use 10 for the SW stack
$framesize = 40
                                                    ' default
use 40 for the frame space
```

'{}

```
Dim S As String * 15 , Z As String * 15
S = Space(5)
Print " {" ; S ; " }"
Dim A As Byte
A = 3
S = Space(a)
End
```

# 6.392 SPC

# Action

Prints the number of specified spaces.

## Syntax

PRINT **SPC**(x) LCD **SPC**(x)

# **Remarks**

IX.

The number of spaces to print.

Using 0 for x will result in a string of 255 bytes because there is no check for a zero length assign.

SPC can be used with LCD 363 too.

The difference with the SPACE function is that SPACE returns a number of spaces while SPC() can only be used with printing. Using SPACE() with printing is also possible but it will use a temporary buffer while SPC does not use a temporary buffer.

# See also

SPACE 948

# Example

```
'copyright
                      : (c) 1995-2005, MCS Electronics
                      : Mega48
'micro
'suited for demo
                      : yes
'commercial addon needed : no
'purpose
                       : demonstrates DEG2RAD function
.....
                                             _____
_____
$regfile = "m48def.dat"
                                                     ' specify
the used micro
                                                     ' used
$crystal = 8000000
crystal frequency
$baud = 19200
                                                     ' use baud
rate
                                                     ' default
Shwstack = 32
use 32 for the hardware stack
```

\_\_\_\_\_

```
$swstack = 40
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
Dim S As String * 15 , Z As String * 15
Print "{" ; Spc(5) ; "}"
Lcd "{" ; Spc(5) ; "}"
```

# 6.393 SPIIN

# Action

Reads a value from the SPI-bus.

### **Syntax**

SPIIN var, bytes

#### Remarks

Var	The variable which receives the value read from the SPI-bus.
Bytes	The number of bytes to read. The maximum is 255.

In order to be able to read data from the SPI slave, the master need to send some data first. The master will send the value 0.

SPI is a 16 bit shift register. Thus writing 1 byte will cause 1 byte to be clocked out of the device which the SPIIN will read.

# See also

SPIOUT [952], SPIINIT [957], CONFIG SPI [597], SPIMOVE [957]

# Example

'name 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed '	: spi.bas : (c) 1995-2005, MCS Electronics : demo :SPI : Mega48 : yes : no	
<pre>\$regfile = "m48def.dat" the used micro</pre>		' specify
<b>\$crystal</b> = 4000000		' used
crystal frequency <b>\$baud =</b> 19200		' use baud
rate <b>\$hwstack =</b> 32		' default
<pre>use 32 for the hardware s \$swstack = 10 use 10 for the SW stack</pre>	tack	' default

\_\_\_\_\_

' default

' default

'{ } '{ }

' default

```
$framesize = 40
use 40 for the frame space
Dim B As Byte
Dim A(10) As Byte
Spiinit
B = 5
Spiout A(1) , B
Spiin A(1) , B
A(1) = Spimove(a(2))
End
```

# 6.394 SPIINIT

# Action

Initiate the SPI pins.

# Syntax

SPIINIT

# Remarks

After the configuration of the SPI pins, you must initialize the SPI pins to set them for the right data direction. When the pins are not used by other hardware/software, you only need to use SPIINIT once.

When other routines change the state of the SPI pins, use SPIINIT again before using SPIIN and SPIOUT.

# See also

SPIIN 950 , SPIOUT 952

# ASM

Calls \_init\_spi

# **Example**

See SPIIN 950

# 6.395 SPIMOVE

## Action

Sends and receives a value or a variable to the SPI-bus.

# **Syntax**

var = **SPIMOVE**( byte )

#### Remarks

Var	The variable that is assigned with the received byte(s) from the SPI-bus.
Byte	The variable or constant whose content must be send to the SPI-bus.

# See also

<u>SPIIN</u> (950), <u>SPIINIT</u> (951), <u>CONFIG SPI</u> (591)

# Example

Config Spi = Soft , Din = Pinb.0 , Dout = Portb.1 , Ss = Portb.2 , Clock
= Portb.3

Spiinit

```
Dim a(10) as Byte , X As Byte
```

```
Spiout A(1) , 5
bytes
Spiout X , 1
A(1) = Spimove(5)
SPI and store result in a(1)
End
```

```
'send 5
```

'send 1 byte
' move 5 to

# 6.396 SPIOUT

# Action

Sends a value of a variable to the SPI-bus.

# **Syntax**

**SPIOUT** var , bytes

# Remarks

var	The variable whose content must be send to the SPI-bus.
bytes	The number of bytes to send. Maximum value is 255.

When SPI is used in HW(hardware) mode, there might be a small delay/pause after each byte that is sent. This is caused by the SPI hardware and the speed of the bus. After a byte is transmitted, SPSR bit 7 is checked. This bit 7 indicates that the SPI is ready for sending a new byte.

# See also

<u>SPIIN</u> जिन्ने , <u>SPIINIT</u> जिन्ने , <u>CONFIG SPI</u> जिन्ने , <u>SPIMOVE</u> जिन्ने

```
Dim A(10) As Byte
Config Spi = Soft , Din =Pinb.0 , Dout =Portb.1 , Ss =Portb.2 , Clock =
Portb.3
Spiinit
Spiout A(1), 4 'write 4 bytes a(1), a(2) , a(3) and a(4)
End
```

#### 6.397 SPLIT

# Action

Split a string into a number of array elements.

#### Syntax

count = **SPLIT** (source, array, search)

#### Remarks

	The number of elements that SPLIT() returned. When the array is not big enough to fill the array, this will be the maximum size of the array. So make sure the array is big enough to hold the results.
source	The source string or string constant to search for.
array	The index of the first element of the array that will be filled
	The character to search for. This can be a string or string constant or a byte with the ASCII value.

When you use the serial port to receive data, in some cases you need to process the data in parts.

For example when you need to split an IP number as "123.45.24.12" you could use INSTR() or you can use SPLIT().

You must DIM the array yourself. The content of the array will be overwritten.

It is also important to know that the individual elements of the array need to be big enough to store the string part.

For example when the array has 5 elements and each element may be 10 characters long, a string that is 11 bytes long will not fit. Another element will be used in that case to store the additional info.

The SPLIT function takes care not to overwrite other memory. So when you split "1.2.2.2.2.2.3.3.3" into an array of 3 elements, you will loose the data. If empty data is encountered, an empty element will be created. Thus "1,2,3,,5" will create 5 elements. Element 4 will be empty.

# See also

INSTR 7987, CHARPOS 4637

```
'_____
' mega48.bas
' mega48 sample file
' (c) 1995-2005, MCS Electronics
'_____
$regfile = "m48def.dat"
$crystal = 8000000
$baud = 19200
Config Coml = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim S As String * 80
Dim Ar(5) As String * 10
Dim Bcount As Byte
```

```
'The split function can split a string or string constant into elements
'It returns the number of elements
'You need to take care that there are enough elements and that each
element is big enough
'to hold the result
'When a result does not fit into 1 element it will be put into the next
element
'The memory is protected against overwriting.
S = "this is a test"
Bcount = Split( "this is a test" , Ar(1) , " ")
'bcount will get the number of filled elements
'ar(1) is the starting address to use
'" " means that we check for a space
'When you use " aa" , the first element will contain a space
Bcount = Split( "thiscannotfit! into the element" , Ar(1) , " ")
Dim J As Byte
For J = 1 To Bcount
 Print Ar(j)
Next
'this demonstrates that your memory is safe and will not be overwritten
when there are too many string parts
Bcount = Split( "do not overflow the array please" , Ar(1) , " ")
For J = 1 To Bcount
 Print Ar(j)
Next
End
```

# 6.398 SQR

# Action

Returns the Square root of a variable.

#### Syntax

var = **SQR**( source )

#### Remarks

	A numeric single or double variable that is assigned with the SQR of variable source.
source	The single or double variable to get the SQR of.

When SQR is used with a single, the FP\_TRIG library will be used. When SQR is used with bytes, integers, words and longs, the SQR routine from MCS. LBX will be used.



# Example

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 40
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
```

```
Dim A As Single
Dim B As Double
A = 9.0
B = 12345678.123
```

```
A =Sqr(A)
Print A
B = Sqr(b)
Print B
End
```

' prints 3.0

' specify

' use baud

' default

' default

' default

' used

# 6.399 START

# Action

Start the specified hardware source.

# **Syntax**

**START** device [, cfg]

# Remarks

Device	TIMER0, TIMER1, COUNTER0 or COUNTER1, WATCHDOG, AC (Analog comparator power), ADC(A/D converter power) or DAC(D/A converter).	
XMEGA	For the Xmega you can also specify : DACA or DACB for the Digital/ Analog Converters A and B. ADCA and ADCB for the A/D converters. For the timers you can use TCC0, TCC1, TCD0, TCD1, TCE0, TCE1, TCF0 and TCF1. To start a DMA soft transfer, you can use DMACH0, DMACH1, DMACH2 and DMACH3	
cfg	The optional cfg is only used for the TIMER when the optional CONFIGURATION is used. If <b>CONFIG TIMERx = option , CONFIGURATION=mysetting</b> was used, you would specify START TIMERx, mysetting.	

When you configure a timer (CONFIG TIMER), the TIMER is started automatically when a pre-scaler value is provided.

#### 956 BASCOM-AVR

When you want to halt the timer you can use the STOP TIMER statement. To start the timer after it has been stopped, you can use the START TIMER statement. The START TIMER statement will only work correctly when you have selected a clock source or pre-scaler value with the CONFIG TIMER statement.

When you stored settings using the option CONFIGURATION=setting , then you can specify which configuration the timer must use by providing the setting name as a parameter : START TIMER1 , mysetting

When a timer is used in interrupt mode, it must be running otherwise the interrupt will never occur.

TIMER0 and COUNTER0 are the same device. And so are TIMER1 and COUNTER1.

The AC, ADC and DAC parameters will switch power to the device and thus enabling it to work.

The WATCHDOG parameter will activate the Watchdog.

## See also

<u>STOP</u> 96मे

```
_____
                      : adc.bas
'name
                      : (c) 1995-2005, MCS Electronics
'copyright
                      : demonstration of GETADC() function for 8535
'purpose
or M163 micro
                      : Megal63
'micro
'suited for demo : yes
'commercial addon needed : no
'use in simulator : possible
' Getadc() will also work for other AVR chips that have an ADC converter
*_____
$regfile = "m163def.dat"
                                                     ' we use the
M163
$crystal = 4000000
$hwstack = 32
                                                     ' default
use 32 for the hardware stack
\$swstack = 10
                                                     'default use
10 for the SW stack
$framesize = 40
                                                     'default use
40 for the frame space
'configure single mode and auto prescaler setting
'The single mode must be used with the GETADC() function
'The prescaler divides the internal clock by 2,4,8,16,32,64 or 128
'Because the ADC needs a clock from 50-200 KHz
'The AUTO feature, will select the highest clockrate possible
Config Adc = Single , Prescaler = Auto
'Now give power to the chip
Start Adc
'With STOP ADC, you can remove the power from the chip
'Stop Adc
```

```
Dim W As Word , Channel As Byte
Channel = 0
'now read A/D value from channel 0
Do
 W = Getadc(channel)
 Print "Channel " ; Channel ; " value " ; W
 Incr Channel
  If Channel > 7 Then Channel = 0
Loop
End
'The new M163 has options for the reference voltage
'For this chip you can use the additional param :
'Config Adc = Single , Prescaler = Auto, Reference = Internal
'The reference param may be :
' OFF
         : AREF, internal reference turned off
'AVCC
         : AVCC, with external capacitor at AREF pin
'INTERNAL : Internal 2.56 voltage reference with external capacitor ar
AREF pin
```

'Using the additional param on chip that do not have the internal reference will have no effect.

# 6.400 STCHECK

# Action

Calls a routine to check for various stack overflows. This routine is intended for debug purposes.

# **Syntax**

**STCHECK** 

# Remarks

The different stack spaces used by BASCOM-AVR lead to lots of questions about them. The STCHECK routine can help to determine if the stack size are trashed by your program. The program STACK.BAS is used to explain the different settings.

Note that STCHECK should be removed form your final program. That is once you tested your program and found out is works fine, you can remove the call to STCHECK since it costs time and code space.

The settings used are : HW stack 8 Soft stack 2 Frame size 14

Below is a part of the memory of the 90S2313 used for the example: C0 C1 C2 C3 C4 C5 C6 C7 C8 C9 CA CB CC CD CE CF D0 D1 D2 D3 D4 D5 D6 D7 D8 D9 DA DB DC DD DE DF FR SP SP SP SP SP SP SP SP

Since the last memory in SRAM is DF, the hardware stack is occupied by D8-DF(8

bytes)

When a call is made or a push is used the data is saved at the position the hardware stack pointer is pointing to. After this the stack pointer is decreased.

A call uses 2 bytes so SP will be SP-2. (DF-2) =DD

When 8 bytes are stored the SP will point to D7. Another call or push will thus destroy memory position D7 which is occupied by the soft stack.

The soft stack begins directly after the hardware stack and is also growing down.

The Y pointer(r28+r29) is used to point to this data.

Since the Y pointer is decreased first and then the data is saved, the pointer must point at start up to a position higher. That is D8, the end of the hardware space.

St -y,r24 will point to D8-1=D7 and will store R24 at location D7. Since 2 bytes were allocated in this example we use D7 and D6 to store the data. When the pointer is at D6 and another St -y,r24 is used, it will write to position D5 which is the end of the frame space that is used as temporarily memory.

The frame starts at C8 and ends at D5. Writing beyond will overwrite the soft stack. And when there is no soft stack needed, it will overwrite the hardware stack space. The map above shows FR(frame), YY(soft stack data) and SP(hardware stack space)

How to determine the right values?

The stack check routine can be used to determine if there is an overflow.

It will check : -if SP is below it's size. In this case below D8. -if YY is below it's size in this case when it is D5 -if the frame is above its size in this case D6

When is YY(soft stack) used? When you use a LOCAL variable inside a SUB or function. Each local variable will use 2 bytes. When you pass variables to user Subroutines or functions it uses 2 bytes for each parameter. call mysub(x,y) will use 2 \* 2 = 4 bytes. local z as byte ' will use another 2 bytes

This space is freed when the routine ends. But when you call another sub inside the sub, you need more space. sub mysub(x as byte,y as byte) call testsub(r as byte) ' we must add another 2 bytes

When you use empty(no params) call like :

call mytest(), No space is used.

When do you need frame space? When ever you use a num<>string conversion routine like:

Print b (where b is a byte variable)

Bytes will use 4 bytes max (123+0) Integer will use 7 bytes max (-12345+0)c Longs will use 16 bytes max And the single will use 24 bytes max

When you add strings and use the original the value must be remembered by the compiler.

Consider this : s\$ = "abcd" + s\$

Here you give s\$ a new value. But you append the original value so the original value must be remembered until the operation has completed. This copy is stored in the frame too.

So when string s\$ was dimmed with a length of 20, you need a frame space of 20+1 (null byte)

When you pass a variable by VALUE (BYVAL) then you actually pass a copy of the variable.

When you pass a byte, 1 byte of frame space is used, a long will take 4 bytes. When you use a LOCAL LONG, you also need 4 bytes of frame space to store the local long.

The frame space is reused and so is the soft stack space and hardware stack space. So the hard part is to determine the right sizes!

The stack check routine must be called inside the deepest nested sub or function.

Gosub test

test: gosub test1 return

test1: ' this is the deepest level so check the stack here stcheck return

Stcheck will use 1 variable named ERROR. You must dimension it yourself.

Dim Error As Byte

Error will be set to :

1: if hardware stack grows down into the soft stack space

2: if the soft stack space grows down into the frame space

3: if the frame space grows up into the soft stack space.

The last 2 errors are not necessarily bad when you consider that when the soft stack is not used for passing data, it may be used by the frame space to store data. Confusing right.?

It is advised to use the simpler DBG/\$DBG method. This requires that you can simulate your program.

# ASM

Routines called by STCHECK : \_StackCheck : uses R24 and R25 but these are saved and restored.

Because the call uses 2 bytes of hardware stack space and the saving of R24 and R25 also costs 2 bytes, it uses 4 more bytes of hardware stack space than your final program would do that f course does not need to use STCHECK.

```
_____
_____
                       : stack.bas
'name
                       : (c) 1995-2005, MCS Electronics
'copyright
                       : shows how to check for the stack sizes
'purpose
                       : Mega48
'micro
'suited for demo
                       : yes
'commercial addon needed : no
   ------
                                           _____
_____
$regfile = "m48def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
hwstack = 8
                                                       ' default
use 32 for the hardware stack
                                                       ' default
\$swstack = 2
use 10 for the SW stack
$framesize = 14
                                                       ' default
use 40 for the frame space
'settings must be :
'HW Stack : 8
'Soft Stack : 2
'Frame size : 14
'note that the called routine (_STACKCHECK) will use 4 bytes
'ofhardware stack space
'So when your program works, you may subtract the 4 bytes of the needed
hardware stack size
'in your final program that does not include the STCHECK
'testmode =0 will work
'testmode =1 will use too much hardware stack
'testmode =2 will use too much soft stack space
'testmode =3 will use too much frame space
Const Testmode = 0
'compile and test the program with testmode from 0-3
'you need to dim the ERROR byte !!
Dim Error As Byte
```

```
#if Testmode = 2
   Declare Sub Pass(z As Long , Byval K As Long)
#else
   Declare Sub Pass()
#endif
Dim I As Long
I = 2
Print I
'call the sub in your code at the deepest level
'normally within a function or sub
#if Testmode = 2
   Call Pass(i , 1)
#else
   Call Pass()
#endif
End
#if Testmode = 2
   Sub Pass(z As Long , Byval K As Long)
#else
  Sub Pass()
#endif
    #if Testmode = 3
       Local S As String * 13
    #else
       Local S As String * 8
    #endif
    Print I
    Gosub Test
End Sub
Test:
#if Testmode = 1
 push r0 ; eat some hardware stack space
  push r1
 push r2
#endif
  ' *** here we call the routine ***
  Stcheck
  ' *** when error <>0 then there is a problem ***
#if Testmode = 1
 pop r2
  pop rl
 pop r0
#endif
Return
```

# 6.401 STOP

# Action

Stop the specified device. Or stop the program

Syntax STOP device STOP

#### Remarks

TIMER0, TIMER1, COUNTER0 or COUNTER1, WATCHDOG, AC (Analog comparator power) , ADC(A/D converter power) or DAC(D/A converter)
For the Xmega you can also specify : DACA or DACB for the Digital/ Analog Converters A and B.

The single STOP statement will end your program by generating a never ending loop. When END is used it will have the same effect but in addition it will disable all interrupts.

The STOP statement with one of the above parameters will stop the specified device.

TIMER0 and COUNTER0 are the same device. The AC and ADC parameters will switch power off the device to disable it and thus save power.

# See also

START 955 , END 730

# Example

See <u>START</u> 955 example

#### 6.402 STR

#### Action

Returns a string representation of a number.

#### Syntax

var = STR(x)

# Remarks

var	A string variable.
Х	A numeric variable.

The string must be big enough to store the result. So if you have a string like this : Dim S as string \* 4, and you use it on a single with the value 0.00000001 then there is not enough space in the string to hold the result. Strings that are assigned with Str() should be dimmed 16 characters long.

You do not need to convert a variable into a string before you print it. When you use PRINT var, then you will get the same result as when you convert the numeric variable into a string, and print that string. The PRINT routine will convert the numeric variable into a string before it gets printed

The PRINT routine will convert the numeric variable into a string before it gets printed to the serial port.

As the integer conversion routines can convert byte, integer, word and longs into a string it also means some code overhead when you do not use longs. You can include

963

the alternative library named  $\underline{\text{mcsbyte}}_{1021}$ .lbx then. This library can only print bytes. There is also a library for printing integers and words only. This library is named  $\underline{\text{mcsbyteint}}_{1021}$ .

When you use these libs to print a long you will get an error message.

# See also

VAL [996] , HEX [772] , HEXVAL [773] , MCSBYTE [1027] , BIN [450] , STR2DIGITS [963]

# **Difference with VB**

In VB STR() returns a string with a leading space. BASCOM does not return a leading space.

# Example

```
Dim A As Byte , S As String * 10
A = 123
S = Str(a)
Print S ' 123
'when you use print a, you will get the same result.
'but a string can also be manipulated with the string routines.
End
```

# 6.403 STR2DIGITS

# Action

This statement will convert a string into an array of binary numbers.

# Syntax

**STR2DIGITS** s, ar(1)

# Remarks

-	
s	A string variable that holds a number. For example "12345"
ar(1)	The first element of a byte array that will be assigned with the binary representation of the digits. After the conversion, the first element will be assigned with the number of processed digits. The next element will become the most right digit of the string, the last element will become the first character of the string. In this example with string "12345" ar(1) = 5 ar(2) = 5 ar(3) = 4 ar(4) = 3 ar(5) = 2 ar(6) = 1 Your array need to be big enough to hold all digits and the digit counter.

You can convert a string into a numer with VAL() and a number into a string with STR

```
().
```

In some cases, it is required to have access to all the individual digits of a variable. While you can use a loop and MOD to get all digits, the STR2DIGITS will work for bytes, word, and longs.

Non numeric digits will not be converted properly. For example, in a string "-0", the 0 which is ASCII 48, will be converted into a 0. The - is 45 and will result in 45-48=-3, and in byte form : 253.

The dot (.) will be converted into 254.

# See also

STR 962 , VAL 996

# Example

```
ARDUINO-Duemilanove.BAS
Also tested with ARDUINO NANO V3.0
(c) 1995-2011, MCS Electronics
This is a sample file for the Mega328P based ARDUINO board
Select Programmer 'ARDUINO', 57600 baud and the proper COM port
fregfile= "m328pdef.dat" ' used micro
fregfile= "m328pdef.dat" ' used micro
fregfile= 'm328pdef.dat" ' used micro
fregfile= 'm328pdef.dat'' ' used micro
fregfile= '' used xtal
fregfile= '' either use this or change the divider fuse
byte
```

dim w as word
dim s as string \* 6, ar(6) as byte

```
config portb=output ' make portb an output
do
    toggle portb ' toggle level
    waitms 1000 ' wait 1 sec
    print "Duemilanove" ' test serial com
    w=w+1 : s=str(w) ' convert w to a string
    str2digits s,ar(1) ' convert string into an array with binary
numbers
loop
```

# 6.404 STRING

# Action

Returns a string consisting of m repetitions of the character with ASCII Code n.

# **Syntax**

var = STRING(m ,n)

# Remarks

965

Var	The string that is assigned.
Ν	The ASCII-code that is assigned to the string.
М	The number of characters to assign.

Since a string is terminated by a 0 byte, you can't use 0 for n. Using 0 for m will result in a string of 255 bytes, because there is no check on a length assign of 0.

# See also

SPACE 948

#### Example

```
$regfile = "m48def.dat"
the used micro
$crystal = 8000000
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 40
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
```

```
Dim S As String * 15
S = String(5, 65)
Print S
End
```

'AAAAA

' specify

' use baud

' default

' default

' default

' used

#### 6.405 SUB

# Action

Defines a Sub procedure.

#### Syntax

SUB Name[(var1 , ... )]

#### Remarks

Name	Name of the sub procedure, can be any non-reserved word.
var1	The name of the parameter.

You must end each subroutine with the END SUB statement. You can copy the DECLARE SUB line and remove the DECLARE statement. This ensures that you have the right parameters.

# See Also

FUNCTION 6887, CALL 4677, CONFIG SUBMODE 5987

See the <u>DECLARE SUB</u> so topic for more details.

## 6.406 SYSSEC

## Action

Returns a Number, which represents the System Second

## **Syntax**

Target = **SYSSEC**() Target = **SYSSEC**(bSecMinHour) Target = **SYSSEC**(strTime, strDate) Target = **SYSSEC**(wSysDay)

# Remarks

Target	A Variable (LONG), that is assigned with the System-Second		
BSecMinHo ur	A Byte, which holds the Sec-value followed by Min(Byte), Hour (Byte), Day(Byte), Month(Byte) and Year(Byte)		
StrTime	A time-string in the format "hh:mm:ss"		
StrDate	A date-string in the format specified in the Config Date statement		
wSysDay	A variable (Word) which holds the System Day (SysDay)		

The Function can be used with 4 different kind of inputs:

- 1. Without any parameter. The internal Time and Date of SOFTCLOCK (\_sec, \_min, \_hour, \_day, \_month, \_year) is used.
- 2. With a user defined time and Date array. It must be arranged in same way (Second, Minute, Hour, Day, Month, Year) as the internal SOFTCLOCK time/ date. The first Byte (Second) is the input by this kind of usage. So the System Second can be calculated of every time/date.
- 3. With a time-String and a date-string. The time-string must be in the Format "hh:mm:ss". The date-string must be in the format specified in the Config Date statement
- 4. With a System Day Number (Word). The result is the System Second of this day at 00:00:00.

The Return-Value is in the Range of 0 to 2147483647. 2000-01-01 at 00:00:00 starts with 0.

The Function is valid from 2000-01-01 to 2068-01-19 03:14:07. In the year 2068 a LONG – overflow will occur.

#### See also

Date and Time Routines 1044 , SYSSECELAPSED 967, SYSDAY 968

```
Enable Interrupts
Config Clock = Soft
Config Date = YMD , Separator =.' ANSI-Format
Dim Strdate As String * 8
Dim Strtime As String * 8
```

```
Dim Bsec As Byte , Bmin As Byte , Bhour As Byte
Dim Bday As Byte , Bmonth As Byte , Byear As Byte
Dim Wsysday As Word
Dim Lsyssec As Long
' Example 1 with internal RTC-Clock
' Load RTC-Clock for example - testing
_sec = 17 : _min = 35 : _hour = 8 : _day = 16 : _month = 4 : _year = 3
Lsyssec = Syssec()
Print "System Second of "; Time$; " at "; Date$; " is "; Lsyssec
' System Second of 08:35:17 at 03.04.16 is 103797317
' Example 2 with with defined Clock - Bytes (Second, Minute, Hour, Day /
Month / Year)
Bsec = 20 : Bmin = 1 : Bhour = 7 : Bday = 22 : Bmonth = 12 : Byear = 1
Lsyssec = Syssec(bsec)
Strtime = Time sb(bsec) : Strdate = Date sb(bday)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
Lsyssec
' System Second of 07:01:20 at 01.12.22 is 62319680
' Example 3 with Time and Date - String
Strtime = "04:58:37"
strDate ="02.09.18"
Lsyssec = Syssec(strtime , Strdate)
Print "System Second of " ; Strtime ; " at " ; Strdate ; " is " ;
Lsyssec
' System Second of 04:58:37 at 02.09.18 is 85640317
' Example 4 with System Day
Wsysday = 2000
Lsyssec = Syssec(wsysday)
Print "System Second of System Day " ; Wsysday ; " (00:00:00) is " ;
Lsyssec
' System Second of System Day 2000 (00:00:00) is 172800000
```

# 6.407 SYSSECELAPSED

#### Action

Returns the elapsed Seconds to a earlier assigned system-time-stamp.

# **Syntax**

Target = **SysSecElapsed**(SystemTimeStamp)

#### Remarks

Target	A variable (LONG), that is assigned with the elapsed Seconds
	A variable (LONG), which holds a Systemtimestamp like the output of an earlier called SysSec()

The Return-Value is in the Range of 0 to 2147483647. The Function is valid from 2000-01-01 to 2068-01-19 at 03:14:07. In the year 2068 a LONG – overflow will occur.

The difference to the pair DayOfSec and SecElapsed is, that SysSec and SysSecElapsed can be used for event distances larger than 24 hours.

```
968 BASCOM-AVR
```

#### See also

Date and Time Routines 1041, SECELAPSED 9001, SYSSEC 9061

# Example

```
Enable Interrupts
Config Clock = Soft
```

Dim Lsystemtimestamp As Long Dim Lsystemsecondselapsed As Long

```
Lsystemtimestamp = Syssec()
Print "Now it's " ; Lsystemtimestamp ; " seconds past 2000-01-01
00:00:00"
```

```
' do other stuff
' some time later
```

```
Lsystemsecondselapsed = Syssecelapsed(lsystemtimestamp)
Print "Now it's " ; Lsystemsecondselapsed ; " seconds later"
```

# 6.408 SYSDAY

# Action

Returns a number, which represents the System Day

# **Syntax**

Target = **SysDay**() Target = **SysDay**(bDayMonthYear) Target = **SysDay**(strDate) Target = **SysDay**(ISysSec)

# Remarks

Target	A Variable (LONG), that is assigned with the System-Day
· ·	A Byte, which holds the Day-value followed by Month(Byte) and Year (Byte)
	A String, which holds a Date-String in the format specified in the CONFIG DATA statement
lSysSec	A variable, which holds a System Second (SysSec)

The Function can be used with 4 different kind of inputs:

- 1. Without any parameter. The internal Date-values of SOFTCLOCK (\_day, \_month, \_year) are used.
- 2. With a user defined date array. It must be arranged in same way (Day, Month, Year) as the internal SOFTCLOCK date. The first Byte (Day) is the input by this kind of usage. So the Day of the Year can be calculated of every date.
- 3. With a Date-String. The date-string must be in the Format specified in the Config Date Statement.
- 4. With a System Second Number (LONG)

The Return-Value is in the Range of 0 to 36524. 2000-01-01 starts with 0. The Function is valid in the 21th century (from 2000-01-01 to 2099-12-31).

#### See also

Date and Time Routines 1041, Config Date 512, Config Clock 500, SysSec 9061

```
Example
Enable Interrupts
Config Clock = Soft
Config Date = YMD , Separator =. ' ANSI-Format
Dim Strdate As String * 8
Dim Bday Asbyte , Bmonth As Byte , Byear As Byte
Dim Wsysday As Word
Dim Lsyssec As Long
' Example 1 with internal RTC-Clock
_day = 20 : _Month = 11 : _Year = 2 ' Load RTC-Clock for example -
testing
Wsysday = Sysday()
Print "System Day of " ; Date$ ; " is " ; Wsysday
' System Day of 02.11.20 is 1054
' Example 2 with defined Clock - Bytes (Day / Month / Year)
Bday = 24 : Bmonth = 5 : Byear = 8
Wsysday = Sysday(bday)
Print "System Day of Day=" ; Bday ; " Month=" ; Bmonth ; " Year=" ;
Byear ; " is " ; Wsysday
' System Day of Day=24 Month=5 Year=8 is 3066
' Example 3 with Date - String
Strdate = "04.10.29"
Wsysday = Sysday(strdate)
Print "System Day of " ; Strdate ; " is " ; Wsysday
' System Day of 04.10.29 is 1763
' Example 4 with System Second
Lsyssec = 123456789
Wsysday = Sysday(lsyssec)
Print "System Day of System Second " ; Lsyssec ; " is " ; Wsysday
' System Day of System Second 123456789 is 1428"Now it's ";
Lsystemsecondselapsed ; " seconds later"
```

# 6.409 SWAP

## Action

Exchange two variables of the same type. Exchange a nibbler or 2 bytes

#### Syntax SWAP var1, var2

SWAP var1, var2 SWAP var3

#### Remarks

var1	A variable of type bit, byte, integer, word, long or string.
var2	A variable of the same type as var1.
var3	A byte, integer or word.

After the swap, var1 will hold the value of var2 and var2 will hold the value of var1.

When using swap with a single variable it need to be a byte, integer or word variable. When using swap on a byte, the nibbles will be swapped. Example : byte=&B1100\_0001 : swap byte : byte will become : &B0001\_1100

When using swap on a single integer or word, the 2 bytes will be swapped so the LSB becomes the MSB and the MSB becomes the LSB.

# Example

-----\_\_\_\_\_ \_\_\_\_\_ : swap.bas 'name : (c) 1995-2005, MCS Electronics 'copyright : demo: SWAP 'purpose : Mega48 'micro 'suited for demo : yes 'commercial addon needed : no ·\_\_\_\_\_ \_\_\_\_\_ \$regfile = "m48def.dat" ' specify the used micro \$crystal = 4000000' used crystal frequency **\$baud** = 19200 ' use baud rate \$hwstack = 32' default use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space Dim A As Byte , B1 As Byte Dim Bbit1 As Bit , Bbit2 As Bit Dim S1 As String \* 10 , S2 As String \* 10 S1 = "AAA" : S2 = "BBB" Swap S1 , S2 A = 5 : B1 = 10'assign some vars **Print** A ; " " ; B1 'print them Swap A , B1 'swap them **Print** A ; " " ; B1 'print is again Set Bbit1 Swap Bbit1 , Bbit2

```
Print Bbit1 ; Bbit2
End
```

# 6.410 TAN

# Action

Returns the tangent of a float

# **Syntax**

var = TAN( source )

#### Remarks

Var	A numeric variable that is assigned with tangent of variable source.	
Source	The single or double variable to get the tangent of.	

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

RAD2DEG 873, DEG2RAD 695, ATN 442, COS 642, SIN 936, ATN2 443

# **Example**

· •	' specify		
the used micro \$crystal = 8000000	' used		
crystal frequency			
<b>\$baud</b> = 19200	' use baud		
rate			
	' default		
use 32 for the hardware stack			
	' default		
use 10 for the SW stack			
1	' default		
<pre>use 40 for the frame space Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 , Databits = 8 , Clockpol = 0</pre>			
Din C. M. dingle V. M. dingle			
Dim S As Single , X As Single	l printa		
S = 0.5 : X = Tan(s) : Print X 0.546302195	' prints		
	' prints		
0.479419108			
S = 0.5 : X = <b>Cos</b> (s) : <b>Print</b> X 0.877588389	' prints		

# 6.411 TCPCHECKSUM

# Action

End

Return a TCP/IP checksum, also called Internet Checksum, or IP Checksum.

#### **Syntax**

res = TCPCHECKSUM(buffer , bytes [,w1] [,w2])

## Remarks

Res	A word variable that is assigned with the TCP/IP checksum of the buffer	
Buffer	A variable or array to get the checksum of.	
Bytes	The number of bytes that must be examined.	
w1,w2	Optional words that will be included in the checksum.	

Checksum's are used a lot in communication protocols. A checksum is a way to verify that received data is the same as it was sent. In the many Internet Protocols (TCP, UDP, IP, ICMP ...) a special Internet checksum is used. Normally the data to calculate the checksum on is stored in an array of bytes, but in some cases like TCP, and UDP, a pseudo header is added. The optional words (w1, w2) can be used for these cases. Most often w1 and w2 will be used for the Protocol number, and the UDP or TCP packet length.

This checksum is calculated by grouping the bytes in the array into 2-byte words. If the number of Bytes is an odd number, then an extra byte of zero is used to make the last 2-byte word. All of the words are added together, keeping the total in a 4-byte Long variable. If the optional words w1, w2, are included, they are also added to the total. Next, the 4-byte Long total is split into two, 2-byte words, and these words are added together to make a new 2-byte Word total. Finally the total is inverted. This is the value returned as Res.

This function using w1, w2, are very useful when working directly with Ethernet chips like the RTL8019AS or with protocols not directly supported by the WIZnet chips.

See the samples directory for more examples of use (IP\_Checksum.bas).

You can use it for the PING sample below.

#### See also

CRC8 647 , CRC16 649, CRC32 653 , CHECKSUM 4661

# ASM

NONE

'name	: PING_TWI.bas	http://www.faqs.org/
rfcs/rfc792.html 'copyright 'purpose 'micro 'suited for demo 'commercial addon needed	: (c) 1995-2005, MCS : Simple PING program : Mega88 : yes : no	Electronics
<pre>\$regfile = "m32def.dat" the used micro</pre>		' specify
<b>\$crystal =</b> 8000000 crystal frequency		' used

BASCOM Language Reference

Sbaud = 19200       ' use baud         faite       ' use baud         faite       ' use baud         Shwstack = 80       ' default         use 10 for the SW stack       ' default         Stramesize = 80       ' default         use 40 for the frame space       ' default         Const Debug = 1       ' Tcp         Const Sock.stream = \$01       ' Tcp         Const Sock.ipt_raw = 504       ' Mac Layer         Raw Sock       ' Confirm         Const Sock.ipt_raw = 504       ' Confirm         Const Sock.ipt_raw = 500       ' Status Of         Const Sock.ipt_raw = 500       ' Status Of         Const Sock.jpt_raw = \$00       ' Status Of         Const Sock.jpt_raw = \$00       ' Status Of         Const Sock.jpt_raw = \$04       ' Status Of         Const Sock.jpt_raw = \$04       ' Status Of         Const Sock.jpt_raw = \$04       ' Status Of         Const Sock.streat.ex = \$04       ' Status Of		BASCOW Language Reference	913
Shwatack = 80       default         use 32 for the hardware stack       default         Swestack = 128       default         use 10 for the SW stack       default         Stramesize = 80       default         use 40 for the frame space       default         Const Sock_stream = \$01       Tcp         Const Sock_dram = \$02       Udg         Const Sock_dram = \$02       Udg         Const Sock_mad_raw = \$04       Mac Layer         Raw Sock       Confirm         Const Sel_control = 0       Confirm         Socket Status       Confirm Tx         Free Buffer Size       Confirm Tx         Const Sock_closed = \$00       Status Of         Const Sock_closed = \$00       Status Of         Const Sock_closed = \$00       Status Of         Const Sock_closed = \$01       Status Of         Const Sock_closed = \$02       Status Of         Const Sock_synsent_ack = \$04       Status Of         Setting Up Tcp Connection       Status Of         Const Sock_synsent_ack = \$03       Status Of         Sock synsent_ack = \$04       Status Of         Const Sock_synsent_ack = \$04       Status Of         Const Sock_close stablished       Status Of         Const S	•	' use	baud
Sewstack = 128       default         use 10 for the SW stack       default         Stramesize = 80       default         use 40 for the frame space       default         Const Debug = 1       Const Sock_stream = \$01       Tcp         Const Sock_dram = \$02       'Udp         Const Sock_dram = \$02       'Udp         Const Sock_mad_raw = \$04       Mac Layer         Raw Sock       Confirm       'Confirm         Const Sel_send = 1       'Confirm       'Confirm         Socket Status       Confirm       'Confirm         Socket status       Confirm       'Confirm         Const Sock_arp = \$01       'Status Of         Const Sock of listen = \$02       'Status Of         'socket status       Status Of         Const Sock status       Sock	<pre>\$hwstack = 80</pre>	' de	efault
Stramesize = 80       ' default         use 40 for the frame space       ' Tcp         Const Debug = 1       ' Tcp         Const Sock_stream = \$01       ' Tcp         Const Sock_gram = \$02       ' Udp         Const Sock_macl_raw = \$04       ' Mac Layer         Raw Sock       Const Sock_macl_raw = \$04         Const Sock_macl_raw = \$04       ' Confirm         Socket Status       ' Confirm         Const Sock_earp = \$01       ' Confirm         Socket Status       ' Confirm         Const Sock_earp = \$01       ' Status Of         Const Sock_arp = \$01       ' Status Of         Const Sock_arp = \$01       ' Status Of         Const Sock stream = \$02       ' Status Of         Const Sock with = \$03       ' Status Of         Const Sock stream = \$04       ' Status Of         Const Sock with = \$05       ' Status Of         Const Sock with = \$06       ' Status Of         Const Sock with = \$07       ' Status Of         Const Sock with = \$06       ' Status Of         Const Sock with = \$07       ' Status Of	\$swstack = 128	' de	əfault
use 40 for the frame space Const Debug = 1 Const Sock dgram = \$01 Const Sock dgram = \$02 Const Sock dgram = \$02 Const Sock dgram = \$04 Raw Sock Const Selcontrol = 0 Socket Status Const Sel_send = 1 Free Buffer Size Const Sel_send = 1 Const Sock_closed = \$00 Const Sock_closed = \$00 Const Sock_arp = \$01 Arp Const Sock_sristen = \$02 Const Sock_sristen = \$03 Status Of Status Of Const Sock_arpe = \$03 Status Of Const Sock_arpe = \$04 Status Of Const Sock_arpe = \$05 Const Sock_arpe = \$06 Const Sock_arpe = \$06 Const Sock_arpe = \$06 Const Sock_arpe = \$07 Const Sock_arpe = \$07 Const Sock_arpe = \$08 Const Sock_arpe = \$09 Const Sock_arpe = \$00 Const Sock_arpe = \$00 Co		' dı	efault
Const       Sock stream = \$01       'Tcp         Const       Sock_jpt_raw = \$03       'Udp         Raw Sock       'Ip       Layer         Raw Sock       Const       Sock_mcl_raw = \$04         Raw Sock       'Const       Sock_mcl_raw = \$04         Raw Sock       'Const       Sock_mcl_raw = \$04         Const       Sel_control = 0       'Confirm         Socket       Status       'Confirm         Const       Sel_cerv = 2       'Confirm         Data       Size       'Socket         'socket       status       Of         Const       Sock_listen = \$00       'Status       Of         Const       Sock_listen = \$02       'Status       Of         Const       Sock_synsent = \$03       'Status       Of         Const       Sock_synsent = \$02       'Status       Of         Const       Sock_synsent = \$02       'Status       Of         Const       Sock_synsent = \$03       'Status       Of         Setting       Up       Top Connection       'Status       Of         Const       Sock_synsent = \$04       'Status       Of       'Status       Of         Const       Sock_last ack =			
Const Sock_jdram = \$02       'Udp         Const Sock_jdraw = \$03       'Udp         Raw Sock       'Mac Layer         Const Sock_macl_raw = \$04       'Mac Layer         Raw Sock       'Confirm         Socket Status       'Confirm         Const Sel_send = 1       'Confirm         Free Buffer Size       'Confirm         Const Sel_recv = 2       'Confirm         Data Size       'Status         'socket status       'Status Of         Const Sock_closed = \$00       'Status Of         Const Sock_arp = \$01       'Status Of         Arp       'Status Of         Const Sock_synsent = \$03       'Status Of         Status Of Setting Up Tcp Connection Setup       'Status Of         Const Sock_synsent = \$03       'Status Of         Socker Sock_synsent = \$04       'Status Of         Status Of Setting Up Tcp Connection       'Status Of         Const Sock_synsent = \$05       'Status Of         Const Sock_synsent = \$06       'Status Of         Const Sock_synsent = \$07       'Status Of         Const Sock_inat Ack = \$08       'Status Of         Const Sock_inat Ack = \$08       'Status Of         Const Sock_inat Ack = \$09       'Status Of	Const Debug = 1		
Const       Sock [p]_raw = \$03       ' lp Layer         Raw Sock       ' Mac Layer         Raw Sock       ' Confirm         Socket       Status       ' Confirm         Socket       Status       ' Confirm         Socket       Status       ' Confirm         Const       Sel_recv = 2       ' Confirm         Data       Size       ' Confirm         'socket       status       ' Confirm         Const       Sock arg = \$01       ' Status         Arp       Const       Sock siten = \$02         Const       Sock siten = \$02       ' Status         Const       Sock siten = \$01       ' Status         Const       Sock siten = \$02       ' Status         Const       Sock siten = \$02       ' Status         Const       Sock siten = \$03       ' Status         Status       Of       Status       Of         Sock siten = \$05       ' Status       Status       Of         Sock siten = \$04       ' Status       Status       Of         Const       Sock siten = \$05       ' Status       Of         Const       Sock siten = \$06       ' Status       Of         Const       Sock		' Tcp	
Const       Sock_macl_raw = \$04       ' Mac Layer         Raw Sock       Sel_control = 0       ' Confirm         Socket       Status       ' Confirm         Const       Sel_send = 1       ' Confirm         Free       Buffer       Size       ' Confirm         'socket       status       ' Confirm       Rx         Const       Sock_osed = \$00       ' Status       Of         Const       Sock_osed = \$00       ' Status       Of         Const       Sock_listen = \$02       ' Status       Of         Const       Sock_listen = \$02       ' Status       Of         Const       Sock_listen = \$02       ' Status       Of         Const       Sock_synsent = \$03       ' Status       Of         Setting       Up       Top Connection       ' Status       Of         Const       Sock_established = \$06       ' Status       Of       Status       Of         Const       Sock_close_wait = \$07       ' Status       Of       Const       Sock_close_wait = \$07       ' Status       Of         Const       Sock_close_wait = \$08       ' Status       Of       Const       Sock_line_wait = \$07       ' Status       Of         Cosi	Const Sock_ipl_raw = \$03	' Ip	Layer
Const       Sel_control = 0       ' Confirm         Socket       Status       ' Confirm         Tree       Buffer       Size         'socket       status       ' Confirm         'socket       status       ' Confirm         'socket       status       ' Confirm         'socket       status       ' Status         Const       Sock_closed = \$00       ' Status       Of         Const       Sock_closed = \$02       ' Status       Of         Const       Sock_synsent = \$03       ' Status       Of         Const       Sock_synsent = \$04       ' Status       Of         Const       Sock_synsent = \$04       ' Status       Of         Const       Sock_close_wait = \$06       ' Status       Of         Const       Sock_last_ack = \$08       ' Status       Of         Const       Sock_last_ack = \$08       ' Status       Of         Cosing       Tp       Connection       ' Status       Of	Const Sock_macl_raw = \$04	' Mac	Layer
Const       Sel_send = 1       'Confirm       Tx         Free       Buffer       Size       'Confirm       Tx         Const       Sel_recv = 2       'Confirm       Rx         Data       Size       'Socket       status       Of         Const       Sock_closed = \$00       'Status       Of         Const       Sock_closed = \$01       'Status       Of         Const       Sock_closed = \$02       'Status       Of         Const       Sock_clisten = \$02       'Status       Of         Const       Sock_synsent = \$03       'Status       Of         Setting       Up       Top       Connection       'Status       Of         Const       Sock_synsent = \$02       'Status       Of       Status       Of         Const       Sock_synsent = \$02       'Status       Of       Status       Of         Const       Sock_synsent = \$02       'Status       Of       Status       Of         Const       Sock_synsent = \$06       'Status       Status       Of       Costatus       Sock_synsent = \$06       'Status       Of         Cosing       Top       Connection       Status       Status       Of       Cl	Const Sel_control = 0	' Co	nfirm
Free       Buffer       Size       Confirm       Rx         Data       Size       'Socket       status       Of         'socket       status       Status       Of         Const       Sock_closed = \$00       'Status       Of         Const       Sock_arp = \$01       'Status       Of         Arp       Const       Sock_synsent = \$02       'Status       Of         Const       Sock_synsent = \$03       'Status       Of       Status       Of         Const       Sock_synsent = \$04       'Status       Of       Status       Of         Const       Sock_synsent = \$05       'Status       Of       Status       Of         Const       Sock_close_wait = \$06       'Status       Of       Status       Of         Closing       Tcp       Connection       'Status       Of       Const       Sock_fin_wait1 = \$09       'Status       Of	Socket Status Const Sel_send = 1	' Con	firm Tx
Data       Size         'socket       status         Const       Sock_closed = \$00       'Status       Of         Const       Sock_arp = \$01       'Status       Of         Arp       'Status       Of       Status       Of         Const       Sock_arp = \$01       'Status       Of         Const       Sock_synsent = \$03       'Status       Of         Const       Sock_synsent = \$04       'Status       Of         Const       Sock_synsent = \$04       'Status       Of         Const       Sock_synsent = \$06       'Status       Of         Const       Sock_close_wait = \$06       'Status       Of         Const       Sock_last_ack = \$08       'Status       Of         Cosing       Tcp       Connection       'Status       Of         Cosing       Tcp       Connection       'Status       Of         Cosing       Tcp       Connection       'Status       Of         Cosing		' Con	firm Rx
Const       Sock_closed = \$00       'Status       Status       Of         Const       Sock_arp = \$01       'Status       Of         Arp       Const       Sock_arp = \$01       'Status       Of         Const       Sock_arp = \$02       'Status       Of         Const       Sock_synsent = \$03       'Status       Of         Const       Sock_synsent ack = \$04       'Status       Of         Const       Sock_synsent ack = \$04       'Status       Of         Setting       Up       Tcp       Connection       'Status       Of         Const       Sock_synsent ack = \$04       'Status       Of       Status       Of         Const       Sock_synsent ack = \$04       'Status       Of       Status       Of         Const       Sock_synsent ack = \$04       'Status       Of       Status       Of         Const       Sock_synsent ack = \$06       'Status       Of       Status       Of         Const       Sock_last ack = \$08       'Status       Of       Closing       Tcp       Connection         Const       Sock_fin_wait1 = \$09       'Status       Of       Closing       Tcp       Connection       Status       Of			
Const       Sock_arp = \$01       'Status       Of         Arp       'Status       Of         Const       Sock_listen = \$02       'Status       Of         Waiting       For       Tcp       Connection       'Status       Of         Const       Sock_synsent = \$03       'Status       Of       Status       Of         Setting       Up       Tcp       Connection       'Status       Of         Const       Sock_synsent ack = \$03       'Status       Of       Status       Of         Setting       Up       Tcp       Connection       'Status       Of         Const       Sock_synsent = \$03       'Status       Of       Status       Of         Const       Sock_stantext       \$04       'Status       Of       Status       Of         Const       Sock_close_wait = \$06       'Status       Of       Status       Of       Closing       Tcp       Connection       'Status       Of         Closing       Tcp       Connection       'Status       Of       Status       Of       Closing       'Status       Of       Closing       Tcp       Connection       'Status       Of       Closing       Tcp       Con	Const Sock_closed = \$00	' Stat	us Of
Arp       Status       Of         Const       Sock_synsent = \$02       'Status       Of         Setting       Up       Tcp       Connection       Status       Of         Const       Sock_synsent_ack       \$04       'Status       Of         Const       Sock_synsent_ack       \$04       'Status       Of         Const       Sock_synsent_ack       \$05       'Status       Of         Const       Sock_catablished       \$06       'Status       Of         Const       Sock_catablished       \$06       'Status       Of         Closing       Tcp       Connection       Status       Of         Closing       Tcp       Connection       'Status       Of         <		' Stat	us Of
Const       Sock synsent = \$03       ' Status       Of         Setting       Up       Tcp       Connection       ' Status       Of         Const       Sock_synsent_ack = \$04       ' Status       Of         Setting       Up       Tcp       Connection       ' Status       Of         Const       Sock_synsent_ack = \$06       ' Status       Of         Const       Sock_established       ' Status       Of         Const       Sock_close_wait = \$07       ' Status       Of         Const       Sock_close_wait = \$07       ' Status       Of         Closing       Tcp       Connection       ' Status       Of	Const Sock_listen = \$02	' Stat	us Of
Const       Sock_synsent_ack = \$04       ' Status       Of         Setting       Up       Tcp       Connection       ' Status       Of         Const       Sock_synrecv = \$05       ' Status       Of       Status       Of         Const       Sock_established = \$06       ' Status       Of       Status       Of         Const       Sock_close_wait = \$07       ' Status       Of       Closing       Tcp       Connection         Const       Sock_close_wait = \$07       ' Status       Of       Closing       Tcp       Connection         Const       Sock_close_wait = \$07       ' Status       Of       Closing       Tcp       Connection         Const       Sock_last_ack = \$08       ' Status       Of       Closing       Tcp       Connection         Const       Sock_fin_wait1 = \$09       ' Status       Of       Closing       Tcp       Connection         Const       Sock_closing = \$0b       ' Status       Of       Closing       Tcp       Connection       ' Status       Of         Const       Sock_closing = \$0b       ' Status       Of       Closing       Tcp       Connection       ' Status       Of         Const       Sock_init = \$0e	Const Sock_synsent = \$03	' Stat	us Of
Const       Sock_synrecv = \$05       ' Status       Of         Setting       Up       Tcp       Connection       ' Status       Of         Const       Sock_established = \$06       ' Status       Of         Const       Sock_close_wait = \$07       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_last_ack = \$08       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_int = \$00       ' Status       Of       ' Status	Const Sock_synsent_ack = \$04	' Stat	us Of
Const       Sock_established       \$ Status       Of         Tcp       Connection       Established       \$ Status       Of         Const       Sock_close_wait = \$07       \$ Status       Of         Closing       Tcp       Connection       \$ Status       Of         Const       Sock_init = \$0e       \$ Status       Of       \$ Statu	Const Sock_synrecv = \$05	' Stat	us Of
Const       Sock_close_wait = \$07       'Status       Of         Closing       Tcp       Connection       'Status       Of         Const       Sock_last_ack = \$08       'Status       Of         Closing       Tcp       Connection       'Status       Of	Const Sock_established = \$06	' Stat	us Of
Const       Sock_last_ack = \$08       'Status       Of         Closing       Tcp       Connection       'Status       Of         Const       Sock_udp = \$0f       'Status       Of	Const Sock_close_wait = \$07	' Stat	us Of
Const       Sock_fin_wait1 = \$09       'Status       Status       Of         Closing       Tcp       Connection       'Status       Of         Const       Sock_udp = \$06       'Status       Of       'Status       Of         Udp       Const       Sock_raw = \$10       'Status       of       'Print "Init       TCP"       'display a	Const Sock_last_ack = \$08	' Stat	us Of
Const       Sock_fin_wait2 = \$0a       'Status       Of         Closing       Tcp       Connection       'Status       Of         Const       Sock_init       = \$0e       'Status       Of         Socket       Initialization       'Status       Of         Const       Sock_raw       \$10       'Status       Of         Udp       Const       Sock_raw       \$10       'Status       Of         IP RAW       'Status       Of       'Status       Of         'we do       the usual       'Status       'Status       Of         'Print "Init       TCP"       'display a       'before       'before     <	Const Sock_fin_wait1 = \$09	' Stat	us Of
Const       Sock_closing = \$0b       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_reset = \$0d       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_reset = \$0d       ' Status       Of         Const       Sock_init = \$0e       ' Status       Of         Socket       Initialization       ' Status       Of         Const       Sock_raw = \$10       ' Status       Of         Udp       ' Status       of       ' Status       of         'We do the usual       ' Status       of       ' Status       of         'Print "Init       TCP"       ' display a       ' status       of         'we do the usual       ' display       ' before       ' before       ' before         'use config       tcpip       we need to enable the interrupts       ' before       ' before         Use config       tcpip       Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 , Submask = 255.255.25	Const Sock_fin_wait2 = \$0a	' Stat	us Of
Const       Sock_time_wait = \$0c       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_reset = \$0d       ' Status       Of         Closing       Tcp       Connection       ' Status       Of         Const       Sock_init = \$0e       ' Status       Of         Socket       Initialization       ' Status       Of         Const       Sock_udp = \$0f       ' Status       Of         Udp       Const       Sock_raw = \$10       ' Status       of         IP RAW       ' Status       of       ' Status       of         'we do the usual       ' Status       of       ' Status       of         IP RAW       ' Status       of       ' Status       of         'we do the usual       ' Status       of       ' Status       of         Print "Init       TCP"       ' display a       ' before       '' before         use config       tcpip       , we need to enable the interrupts       ' before       '' before         use config       tcpip<, we need to enable the interrupts	<b>Const</b> Sock_closing = \$0b	' Stat	us Of
Const       Sock_reset = \$0d       'Status       Of         Closing       Tcp       Connection       'Status       Of         Const       Sock_init = \$0e       'Status       Of         Socket       Initialization       'Status       Of         Const       Sock_udp = \$0f       'Status       Of         Udp       Const       Sock_raw = \$10       'Status       Of         IP RAW       'We do the usual       'Status       Of         Print       'Initi       TCP"       'Status       Of         'we do the usual       'Status       Of       'Status       Of         Print       'Initi       TCP"       'Status       Of         'we do the usual       'Status       Of       'Status       Of         'we co the usual       'Status       'Status       Of       'Status       Of         'we co the usual       'Status       'Status       'Status       Of       'Status       Of         'message       'Initialization       'Status       'Status       'Status       Of       'Status       Of         Config       Tcpip = Int0, Mac = 12.128.12.34.56.78, Ip = 192.168.0.1, Localport = 1000, Tx       'Status       Status<	Const Sock_time_wait = \$0c	' Stat	us Of
Const       Sock_init = \$0e       'Status       Of         Socket       Initialization       'Status       Of         Const       Sock_udp = \$0f       'Status       Of         Udp       Const       Sock_raw = \$10       'Status       Of         IP RAW       'Status       of       'Status       of         'we do the usual       'Status       of       'Status       of         Print "Init       TCP"       'display a       'status       'status         'message       'before       'status       'status       'status         Config       Tcpip = Int0       Mac = 12.128.12.34.56.78       Ip = 192.168.0.8       'status         Submask = 255.255.255.0       Gateway = 192.168.0.1       Localport = 1000       Tx	Const Sock_reset = \$0d	' Stat	us Of
Const Sock_udp = \$0f       ' Status Of         Udp       ' Status Of         Const Sock_raw = \$10       ' Status of         'P RAW       ' Status of         'we do the usual       ' Status of         Print "Init TCP"       ' display a         message       ' before we         use config tcpip , we need to enable the interrupts       ' before we         Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 ,       Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx	Closing Tcp Connection Const Sock_init = \$0e	' Stat	us Of
Const Sock_raw = \$10       ' Status of         IP RAW       'we do the usual         Print "Init TCP"       ' display a         message       ' before we         use config tcpip , we need to enable the interrupts       ' before we         Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 ,         Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx	Const Sock_udp = \$0f	' Stat	us Of
'we do the usual <b>Print</b> "Init TCP" ' display a message <b>Enable Interrupts</b> ' before we use config tcpip , we need to enable the interrupts <b>Config</b> Tcpip = <b>Int0</b> , Mac = 12.128.12.34.56.78, Ip = 192.168.0.8, Submask = 255.255.255.0, Gateway = 192.168.0.1, Localport = 1000, Tx	Const Sock_raw = \$10	' Sta	tus of
Print "InitTCP"' display amessageisplayaEnable Interrupts' before weuse config tcpipwe need to enable the interruptsConfig Tcpip = Int0Mac = 12.128.12.34.56.78Submask = 255.255.255.0Gateway = 192.168.0.1Localport = 1000Tx	IP RAW		
message Enable Interrupts 'before we use config tcpip , we need to enable the interrupts Config Tcpip = Int0, Mac = 12.128.12.34.56.78, Ip = 192.168.0.8, Submask = 255.255.255.0, Gateway = 192.168.0.1, Localport = 1000, Tx			
use config tcpip , we need to enable the interrupts Config Tcpip = Int0, Mac = $12.128.12.34.56.78$ , Ip = $192.168.0.8$ , Submask = $255.255.255.0$ , Gateway = $192.168.0.1$ , Localport = $1000$ , Tx	message		-
Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx	use config tcpip, we need to enable	the interrupts	
= \$55, KX = \$55, IWI = $&$ H80, Clock = 400000	Submask = 255.255.255.0 , Gateway = 19	92.168.0.1 , Localport = 100	o', Tx
	= \$55, KX = \$55, IWI = &H80, Clock =	= 40000	

Print "Init done" Dim Peersize As Integer, Peeraddress As Long, Peerport As Word Dim Idx As Byte, Result As Word, J As Byte, Res As Byte Dim Ip As Long Dim Dta(12) As Byte, Rec(12) As Byte Dta(1) = 8'type is echo Dta(2) = 0'code Dta(3) = 0۰. for checksum initialization Dta(4) = 0Dta(5) = 0checksum а signature can be any number Dta(6) = 1signature Dta(7) = 0sequence number - any number Dta(8) = 1Dta(9) = 65'same as dta Dim W As Word At Dta + 2 Overlay (3) and dta(4)W = Tcpchecksum( dta(1), 9) calculate checksum and store in dta(3) and dta(4) #i f Debug For J = 1 To 9 Print Dta(j) Next #endif lp = Maketcp(192.168.0.16) 'try to check this server Print "Socket "; Idx; "; Idx Setipprotocol ldx , 1 'set protocol to 1 the protocol value must be set BEFORE the socket is openend Idx = Getsocket(idx , 3 , 5000 , 0)Do Result = Udpwrite(ip, 7, Idx, Dta(1), 9)'write ping data Print Result Waitms 100 Result = Socketstat(idx , Sel recv) 'check for data Print Result I f Result >= 11 Then Print "Ok" Res = Tcpread(idx , Rec(1) , Result) 'get data with TCPREAD !!! #i f Debug Print "DATA RETURNED :"; Res For J = 1 To Result ÷ Print Rec(j); " Next Print #endif Else 'there might

```
be a problem
Print "Network not available"
End I f
Waitms 1000
Loop
```

# 6.412 TCPREAD

# Action

Reads data from an open socket connection.

# **Syntax**

Result = **TCPREAD**( socket , var, bytes)

# Remarks

Result	A byte variable that will be assigned with $0$ , when no errors occurred. When an error occurs, the value will be set to $1$ .	
When there are not enough bytes in the reception buffer, the rou wait until there is enough data or the socket is closed.		
socket	The socket number you want to read data from (0-3).	
Var	The name of the variable that will be assigned with the data from the socket.	
Bytes	The number of bytes to read. Only valid for non-string variables.	

When you use TCPread with a string variable, the routine will wait for CR + LF and it will return the data without the CR + LF.

For strings, the function will not overwrite the string.

For example, your string is 10 bytes long and the line you receive is 80 bytes long, you will receive only the first 10 bytes after CR + LF is encountered. Also, for string variables, you do not need to specify the number of bytes to read since the routine will wait for CR + LF.

For other data types you need to specify the number of bytes. There will be no check on the length so specifying to receive 2 bytes for a byte will overwrite the memory location after the memory location of the byte.

# See also

CONFIG TCPIP 602, GETSOCKET 767, SOCKETCONNECT 537, SOCKETSTAT 541, TCPWRITE 576, TCPWRITESTR 576, CLOSESOCKET 478, SOCKETLISTEN 540

# **Partial Example**

```
Result = Socketstat(idx , Sel_recv)
waiting
If Result > 0 Then
    Result = Tcpread(idx , S)
End If
```

' get number of bytes

## 6.413 TCPWRITE

976

## Action

Write data to a socket.

# **Syntax**

Result = **TCPWRITE**( socket , var , bytes) Result = **TCPWRITE**( socket , EPROM, address , bytes)

# Remarks

Result	A word variable that will be assigned with the number of bytes actually written to the socket.	
	When the free transmission buffer is large enough to accept all the data, the result will be the same as BYTES. When there is not enough space, the number of written bytes will be returned.	
When there is no space, 0 will be returned.		
Socket	t The socket number you want to send data to(0-3).	
Var	A constant string like "test" or a variable.	
	When you send a constant string, the number of bytes to send does not need to be specified.	
Bytes	A word variable or numeric constant that specifies how many bytes must be send.	
Address	The address of the data stored in the chips internal EEPROM. You need to specify EPROM too in that case.	
EPROM	An indication for the compiler so it knows that you will send data from EPROM.	

The TCPwrite function can be used to write data to a socket that is stored in EEPROM or in memory.

When you want to send data from an array, you need to specify the element : var (idx) for example.

# See also

CONFIG TCPIP 602, GETSOCKET 767, SOCKETCONNECT 937, SOCKETSTAT 947, TCPWRITESTR 976, TCPREAD 976, CLOSESOCKET 478, SOCKETLISTEN 946

# Example

Result = Tcpwrite(idx , "Hello from W3100A{013}{010}")

# 6.414 TCPWRITESTR

# Action

Sends a string to an open socket connection.

## **Syntax**

Result = **TCPWRITESTR**( socket , var , param)

# Remarks

Result	A word variable that will be assigned with the number of bytes actually written to the socket.	
	When the free transmission buffer is large enough to accept all the data, the result will be the same as BYTES. When there is not enough space, the number of written bytes will be returned.	
	When there is no space, 0 will be returned.	
Socket	The socket number you want to send data to (0-3).	
Var	The name of a string variable.	
Param	A parameter that might be 0 to send only the string or 255, to send the string with an additional CR + LF	
	This option was added because many protocols $expect CR + LF$ after the string.	

The TCPwriteStr function is a special variant of the TCPwrite function. It will use TCPWrite to send the data.

#### See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETCONNECT [937], SOCKETSTAT [947], TCPWRITE [976], TCPREAD [976], CLOSESOCKET [478], SOCKETLISTEN [940]

# Example

SMTP.BAS
(c) 2002 MCS Electronics
(sample that show how to send an email with SMTP protocol
)

\_\_\_\_\_

<pre>\$regfile = "m161def.dat" processor \$crystal = 4000000 amustal</pre>		used used
crystal <b>\$baud =</b> 19200 <b>\$lib</b> "tcpip.lbx" the name of the tcp ip lib		baud rate specify
<pre>'W3100A constants Const Sock_stream = \$01 Const Sock_dgram = \$02 Const Sock_ipl_raw = \$03 Raw Sock</pre>	1	Tcp Udp Ip Layer
Const Sock_macl_raw = \$04	1	Mac Layer
Raw Sock Const Sel_control = 0	,	Confirm
Socket Status Const Sel_send = 1 Free Buffer Size	,	Confirm Tx
Const Sel_recv = 2 Data Size	'	Confirm Rx

978

'socket status **Const** Sock\_closed = \$00 ' Status Of Connection Closed **Const** Sock\_arp = \$01 ' Status Of Arp **Const** Sock\_listen = \$02 ' Status Of Waiting For Tcp Connection Setup **Const** Sock synsent = \$03 ' Status Of Setting Up Tcp Connection ' Status Of **Const** Sock\_synsent\_ack = \$04 Setting Up Tcp Connection **Const** Sock\_synrecv = \$05 ' Status Of Setting Up Tcp Connection **Const** Sock established = \$06 ' Status Of Tcp Connection Established ' Status Of **Const** Sock\_close\_wait = \$07 Closing Tcp Connection ' Status Of Const Sock\_last\_ack = \$08 Closing Tcp Connection Const Sock\_fin\_wait1 = \$09 ' Status Of Closing Tcp Connection **Const** Sock\_fin\_wait2 = \$0a ' Status Of Closing Tcp Connection **Const** Sock\_closing = \$0b ' Status Of Closing Tcp Connection ' Status Of **Const** Sock time wait = \$0c Closing Tcp Connection **Const** Sock reset = \$0d ' Status Of Closing Tcp Connection Const Sock\_init = \$0e ' Status Of Socket Initialization ' Status Of **Const** Sock\_udp = \$0f Udp ' Status of **Const** Sock\_raw = \$10 IP RAW **Const** Debug = -1 ' for sending feeback to the terminal **#if** Debug Print "Start of SMTP demo" #endif Enable Interrupts ' enable interrupts 'specify MAC, IP, submask and gateway 'local port value will be used when you do not specify a port value while creating a connection 'TX and RX are setup to use 4 connections each with a 2KB buffer Config Tcpip = Int0 , Mac = 00.44.12.34.56.78 , Ip = 192.168.0.8 Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx = \$55 , Rx = \$55 'dim the used variables Dim S As String \* 50 , I As Byte , J As Byte , Tempw As Word **#if** Debug Print "setup of W3100A complete" #endif 'First we need a socket I = Getsocket(0 , Sock\_stream , 5000 , 0) **#if** Debug

```
979
```

```
Print "Socket : " ; I
  'the socket must return the asked socket number. It returns 255 if
there was an error
#endif
If I = 0 Then
                                                             ' all ok
   'connect to smtp server
   J = Socketconnect(i, 194.09.0., 25)
                                                             ' smtp
server and SMTP port 25
                     ^socket
                          ^ ip address of the smtp server
                                               ^ port 25 for smtp
   ' DO NOT FORGET to ENTER a valid IP number of your ISP smtp server
   #if Debug
     Print "Connection : " ; J
     Print S_status(1)
   #endif
   If J = 0 Then
                                                             ' all ok
      #if Debug
         Print "Connected"
      #endif
      Do
         Tempw = Socketstat(i , 0)
                                                             ' get status
         Select Case Tempw
          Case Sock established
                                                             ' connection
established
               Tempw = Tcpread(i , S)
                                                             ' read line
               #if Debug
                  Print S
                                                             ' show info
from smtp server
               #endif
               If Left(s , 3) = "220" Then
                                                             ' ok
                  Tempw = Tcpwrite(i , "HELO username{013}{010}" )
' send username
                                               ^^^ fill in username there
                  #if Debug
                   Print Tempw ; " bytes written"
                                                             ' number of
bytes actual send
                  #endif
                  Tempw = Tcpread(i , S)
                                                             ' qet
response
                  #if Debug
                     Print S
                                                             ' show
response
                  #endif
                  If Left(s , 3) = "250" Then
                                                            ' ok
                     Tempw = Tcpwrite(i , "MAIL FROM:<tcpip@test.com>
                   ' send from address
\{013\}\{010\}")
                     Tempw = Tcpread(i , S)
                                                             ' qet
response
                     #if Debug
                        Print S
                     #endif
                     If Left(s , 3) = "250" Then
                                                            ' ok
                        Tempw = Tcpwrite(i , "RCPT TO:<tcpip@test.com>
\{013\}\{010\}"\}
                   ' send TO address
                        Tempw = Tcpread(i , S)
                                                             ' get
response
                        #if Debug
                           Print S
                        #endif
                        If Left(s , 3) = "250" Then
                                                            ' ok
                           Tempw = Tcpwrite(i , "DATA{013}{010}")
```

980

```
' speicfy that we are going to send data
                            Tempw = Tcpread(i , S)
                                                              ' get
response
                            #if Debug
                               Print S
                            #endif
                            If Left(s , 3) = "354" Then
                                                            ' ok
                               Tempw = Tcpwrite(i , "From: tcpip@test.com
\{013\}\{010\}")
                               Tempw = Tcpwrite(i , "To: tcpip@test.com
\{013\}\{010\}")
                               Tempw = Tcpwrite(i , "Subject: BASCOM SMTP
test{013}{010}")
                               Tempw = Tcpwrite(i , "X-Mailer: BASCOM
SMTP{013}{010}")
                               Tempw = Tcpwrite(i , "{013}{010}")
                               Tempw = Tcpwrite(i , "This is a test email
from BASCOM SMTP{013}{010}")
                               Tempw = Tcpwrite(i , "Add more lines as
needed{013}{010}")
                               Tempw = Tcpwrite(i , ".{013}{010}")
' end with a single dot
                               Tempw = Tcpread(i , S)
                                                              ' get
response
                               #if Debug
                                 Print S
                               #endif
                                                              ' ok
                               If Left(s , 3) = "250" Then
                                  Tempw = Tcpwrite(i , "QUIT{013}{010}")
     ' quit connection
                                  Tempw = Tcpread(i , S)
                                  #if Debug
                                     Print S
                                  #endif
                               End If
                            End If
                        End If
                     End If
                  End If
               End If
           Case Sock_close_wait
              Print "CLOSE_WAIT"
              Closesocket I
                                                              ' close the
connection
           Case Sock closed
              Print "Socket CLOSED"
                                                              ' socket is
closed
              End
         End Select
      Loop
  End If
End If
End
                                                              'end program
```

### 6.415 TANH

#### Action

Returns the hyperbole of a single

#### Syntax

var = TANH( source )

## Remarks

VarA numeric variable that is assigned with hyperbole of variable source.SourceThe single or double variable to get the hyperbole of.

All trig functions work with radians. Use deg2rad and rad2deg to convert between radians and angles.

# See Also

<u>RAD2DEG</u> (क्षत्र), <u>DEG2RAD</u> (ब्रिकी), <u>ATN</u> (442), <u>COS</u> (642), <u>SIN</u> (336), <u>SINH</u> (337), <u>COSH</u> (643)

#### Example

Show sample 1037

# 6.416 THIRDLINE

#### Action

Reset LCD cursor to the third line.

Syntax THIRDLINE

# Remarks

NONE

#### See also

UPPERLINE 9967, LOWERLINE 8277, FOURTHLINE 7447

#### Example

Dim A As Byte A = 255 Cls Lcd A Thirdline Lcd A Upperline End

## 6.417 TIME\$

#### Action

Internal variable that holds the time.

# Syntax

© 2012 MCS Electronics

**TIME\$** = "hh:mm:ss" var = **TIME\$** 

# Remarks

The TIME\$ variable is used in combination with the CONFIG CLOCK and CONFIG DATE directive.

The CONFIG CLOCK statement will use the TIMER0 or TIMER2 in async mode to create a 1 second interrupt. In this interrupt routine the \_Sec, \_Min and \_Hour variables are updated. The time format is 24 hours format.

When you assign TIME\$ to a string variable these variables are assigned to the TIME\$ variable.

When you assign the TIME\$ variable with a constant or other variable, the \_sec, \_Hour and \_Min variables will be changed to the new time.

The only difference with VB is that all digits must be provided when assigning the time. This is done for minimal code. You can change this behavior of course.

The async timer is only available in the M103, 90S8535, M163 and M32(3), Mega128, Mega64, Mega8. For other chips it will not work.

As new chips are launched by Atmel, and support is added by MCS, the list above might not be complete. It is intended to serve as an example for chips with a timer that can be used in asynchrone mode. So when your micro has a timer that can be used in asynchrone mode, it should work.

**A** Do not confuse DATE\$ with the DATE function.

# ASM

The following asm routines are called from mcs.lib. When assigning TIME\$ : \_set\_time (calls \_str2byte) When reading TIME\$ : \_make\_dt (calls \_byte2str)

# See also

DATE\$ 同刊, CONFIG CLOCK 500, CONFIG DATE 512

# Example

See the sample of DATES [67]

# 6.418 TIME

## Action

Returns a time-value (String or 3 Byte for Second, Minute and Hour) depending of the Type of the Target

# Syntax

bSecMinHour = **Time**(ISecOfDay) bSecMinHour = **Time**(ISysSec) bSecMinHour = **Time**(strTime)

strTime = Time(ISecOfDay)
strTime = Time(ISysSec)
strTime = Time(bSecMinHour)

#### Remarks

	A BYTE – variable, which holds the Second-value followed by Minu (Byte) and Hour (Byte)	
strTime	A Time – String in Format "hh:mm:ss"	
lSecOfDay	A LONG – variable which holds Second Of Day (SecOfDay)	
lSysSec	A LONG – variable which holds System Second (SysSec)	

#### Converting to a time-string:

The target string strTime must have a length of at least 8 Bytes, otherwise SRAM after the target-string will be overwritten.

#### Converting to Softclock format (3 Bytes for Second, Minute and Hour):

Three Bytes for Seconds, Minutes and Hour must follow each other in SRAM. The variable-name of the first Byte, that one for Second must be passed to the function.

#### See also

Date and Time Routines 1044 , SECOFDAY 900, SYSSEC 9661

#### Partial Example

```
Enable Interrupts
Config Clock = Soft
Dim Strtime As String * 8
Dim Bsec As Byte , Bmin As Byte , Bhour As Byte
Dim Lsecofday As Long
Dim Lsyssec As Long
' Example 1: Converting defined Clock - Bytes (Second / Minute / Hour)
to Time - String
Bsec = 20 : Bmin = 1 : Bhour = 7
Strtime = Time(bsec)
Print "Time values: Sec=" ; Bsec ; " Min=" ; Bmin ; " Hour=" ; Bhour ; "
converted to string " ; Strtime
 Time values: Sec=20 Min=1 Hour=7 converted to string 07:01:20
' Example 2: Converting System Second to Time - String
Lsyssec = 123456789
Strtime = Time(lsyssec)
Print "Time of Systemsecond " ; Lsyssec ; " is " ; Strtime
' Time of Systemsecond 123456789 is 21:33:09
' Example 3: Converting Second of Day to Time - String
Lsecofday = 12345
Strtime = Time(lsecofday)
```

```
Print "Time of Second of Day "; Lsecofday; " is "; Strtime
' Time of Second of Day 12345 is 03:25:45
' Example 4: Converting System Second to defined Clock - Bytes (Second /
Minute / Hour)
Lsyssec = 123456789
Bsec = Time(lsyssec)
Print "System Second " ; Lsyssec ; " converted to Sec=" ; Bsec ; " Min="
 ; Bmin ; " Hour=" ; Bhour
' System Second 123456789 converted to Sec=9 Min=33 Hour=21
' Example 4: Converting Second of Day to defined Clock - Bytes (Second /
Minute / Hour)
Lsecofday = 12345
Bsec = Time(lsecofday)
Print "Second of Day " ; Lsecofday ; " converted to Sec=" ; Bsec ; "
Min=" ; Bmin ; " Hour=" ; Bhour
' Second of Day 12345 converted to Sec=45 Min=25 Hour=3
```

# 6.419 TOGGLE

### Action

Toggles(inverts) the state of an output pin or bit/Boolean variable. When used on a numeric variable, all bits in the variable are inverted.

#### Syntax

TOGGLE pin TOGGLE var

### Remarks

Any port pin like PORTB.0 or boolean variable. A port pin must be configured as an output pin before TOGGLE will have effect.	
A numeric variable like byte, word, integer or long. When you invert a byte, all bits of that byte will be inverted.	

With TOGGLE you can simply invert the output state of a port pin. When the pin is driving a relay for example and the relay is OFF, one TOGGLE statement will turn the relays ON. Another TOGGLE will turn the relays OFF again.

When TOGGLE is used with a variable of the type Byte, Word, Integer or Long, all bits in the variable are toggled. It has the same effect as using the EXOR boolean operand with \$FF, \$FFFF or \$FFFFFFF

Example:

Toggle Var\_byte has the same effect as

Var\_byte = Var\_byte XOR &HFF

New AVR chips have an enhanced port architecture which allow a toggle of the PORT by setting the PIN register to 1. The DAT files have a setting under the [DEVICE] section named NEWPORT.

When the value is 1, the PIN register will be set to toggle the PORT pin. When the

NEWPORT value is set to 0, an XOR will be used to toggle the port pin.

TOGGLE can also be used on numeric variables. It will invert all bits in the variable. It has the same effect as NOT. var = NOT var ' invert all bits

#### See also

CONFIG PORT 569

#### ASM

NONE

#### Example

```
'Bascom Help, Nov 16, 2008
'ToggleNov15_2008.bas
'Program example for use in the Help-files for
       TOGGLE
'Program has been compiled and tested using Bascom 1.11.9.2.003
'Nard Awater, November 16, 2008
$baud = 19200
$crystal = 16000000
$regfile = "m32def.dat"
$hwstack = 40
\$swstack = 20
$framesize = 20
Dim B As Byte , W As Word , I As Integer , L As Long
Led Alias Portb.0
                                                              'the anode
of the LED connected to PortB.0, cathode with resistor (470 Ohm) to
ground
Config Pinb.0 = Output
B = 0
Reset Led
'Toggle the led
Do
   Print "Led is off "
   Waitms 500
   Toggle Led
   Print "Led is on "
   Waitms 500
   Toggle Led
   Incr B
Loop Until B = 5
'Toggle a bit in a variable
B = &B11110000
                                                              'assign a
new value: 240 in decimal
Toggle B.0
Print "B in decimal " ; B
                                                              ' print it:
result = 241 ; bit0 is set
Print Bin(b)
                                                              ' print it:
result = 11110001
```

```
986 BASCOM-AVR
```

```
Toggle B.0
Print "B in decimal " ; B
                                                               ' print it:
result = 240 ; bit0 is reset
                                                               ' print it:
Print Bin(b)
result = 11110000
W = &H000F
                                                              '15 in
decimal
                                                               '255 in
I = \&HOOFF
decimal
L = \& H00CC00DD
                                                              '13369565 in
decimal
Toggle W
Print "toggled W= " ; W
                                                               ' print it:
result = 65520
Print Hex(w)
                                                               ' print it:
result = &HFFF0
Toggle I
Print "toggled I= " ; I
                                                               ' print it:
result = -256; two's complement !
Print Hex(i)
                                                               ' print it:
result = &HFF00
Toggle L
Print "toggled L= " ; L
                                                               ' print it:
result = -13369566 ; two's complement !
Print Hex(1)
                                                               ' print it:
result = &HFF33FF22
End
```

#### 6.420 TRIM

#### Action

Returns a copy of a string with leading and trailing blanks removed

#### **Syntax**

var = TRIM( org )

#### Remarks

Var	String that receives the result.
Org	The string to remove the spaces from

TRIM is the same as a LTRIM() and RTRIM() call. It will remove the spaces on the left and right side of the string.

#### See also

RTRIM 899 , LTRIM 814

## **Partial Example**

```
Dim S As String * 6
S =" AB "
Print Ltrim(s)
Print Rtrim(s)
```

```
Print Trim(s)
End
```

# 6.421 UCASE

## Action

Converts a string in to all upper case characters.

#### Syntax

Target = **UCASE**(source)

#### Remarks

Target	The string that is assigned with the upper case string of string target.
Source	The source string.

## See also

# ASM

The following ASM routines are called from MCS.LIB : \_UCASE X must point to the target string, Z must point to the source string. The generated ASM code : (can be different depending on the micro used ) ;##### Z = Ucase(s) Ldi R30,\$60 Ldi R31,\$00 ; load constant in register Ldi R26,\$6D Rcall \_Ucase

# Example

```
$regfile = "m48def.dat"
                                                               ' specify
the used micro
$crystal = 4000000
                                                               ' used
crystal frequency
$baud = 19200
                                                               ' use baud
rate
\$hwstack = 32
                                                               ' default
use 32 for the hardware stack
\$swstack = 10
                                                               ' default
use 10 for the SW stack
                                                               ' default
$framesize = 40
use 40 for the frame space
```

```
Dim S As String * 12 , Z As String * 12
S = "Hello World"
Z = Lcase(s)
Print Z
Z = Ucase(s)
Print Z
End
```

## 6.422 UDPREAD

988

## Action

Reads data via UDP protocol.

## **Syntax**

Result = **UDPREAD**( socket , var, bytes)

# Remarks

Result	A byte variable that will be assigned with ${f 0}$ , when no errors occurred. When an error occurs, the value will be set to ${f 1}$ .
	When there are not enough bytes in the reception buffer, the routine will wait until there is enough data or the socket is closed.
socket	The socket number you want to read data from (0-3).
Var	The name of the variable that will be assigned with the data from the socket.
Bytes	The number of bytes to read.

Reading strings is not supported for UDP.

When you need to read a string you can use the OVERLAY option of DIM.

There will be no check on the length so specifying to receive 2 bytes for a byte will overwrite the memory location after the memory location of the byte.

The socketstat function will return a length of the number of bytes + 8 for UDP. This because UDP sends also a 8 byte header. It contains the length of the data, the IP number of the peer and the port number.

The UDPread function will fill the following variables with this header data:

Peersize, PeerAddress, PeerPort

You need to DIM these variables in your program when you use UDP. Use the following line :

Dim Peersize As Integer , Peeraddress As Long , Peerport As Word

Make sure you maintain the shown order.

# See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETCONNECT [937], SOCKETSTAT [947], TCPWRITE [976], TCPWRITESTR [976], CLOSESOCKET [478], SOCKETLISTEN [946], UDPWRITE [997], UDPWRITESTR [992]

# Example

\_\_\_\_\_

-----'name 'copyright 'purpose

: udptest.bas

: (c) 1995-2005, MCS Electronics

\_\_\_\_\_

: start the easytcp.exe program after the chip

is programmed and press UDP button : Megal61 'micro 'suited for demo : no 'commercial addon needed : yes ·\_\_\_\_\_. \_\_\_\_\_ \_\_\_\_\_ \$regfile = "ml6ldef.dat" ' specify the used micro ' used Scrystal = 4000000crystal frequency **\$baud =** 19200 ' use baud rate ' default \$hwstack = 32use 32 for the hardware stack \$swstack = 10' default use 10 for the SW stack **\$framesize** = 40 ' default use 40 for the frame space ' Tcp **Const** Sock\_stream = \$01 ' Udp **Const** Sock dgram = \$02 Const Sock\_ipl\_raw = \$03 ' Ip Layer Raw Sock **Const** Sock\_macl\_raw = \$04 ' Mac Layer Raw Sock **Const** Sel\_control = 0 ' Confirm Socket Status ' Confirm Tx Const Sel\_send = 1 Free Buffer Size **Const** Sel\_recv = 2 ' Confirm Rx Data Size 'socket status **Const** Sock\_closed = \$00 ' Status Of Connection Closed Const Sock\_arp = \$01 ' Status Of Arp **Const** Sock\_listen = \$02 ' Status Of Waiting For Tcp Connection Setup **Const** Sock\_synsent = \$03 ' Status Of Setting Up Tcp Connection Const Sock\_synsent\_ack = \$04 ' Status Of Setting Up Tcp Connection Const Sock\_synrecv = \$05 ' Status Of Setting Up Tcp Connection **Const** Sock\_established = \$06 ' Status Of Tcp Connection Established ' Status Of Const Sock\_close\_wait = \$07 Closing Tcp Connection Const Sock\_last\_ack = \$08 ' Status Of Closing Tcp Connection Const Sock\_fin\_wait1 = \$09 ' Status Of Closing Tcp Connection **Const** Sock\_fin\_wait2 = \$0a ' Status Of Closing Tcp Connection Const Sock\_closing = \$0b ' Status Of Closing Tcp Connection **Const** Sock\_time\_wait = \$0c ' Status Of Closing Tcp Connection ' Status Of **Const** Sock\_reset = \$0d Closing Tcp Connection Const Sock\_init = \$0e ' Status Of

```
Socket Initialization
Const Sock_udp = $0f
                                                         ' Status Of
Udp
Const Sock_raw = $10
                                                         ' Status of
IP RAW
$lib "tcpip.lbx"
                                                         ' specify
the tcpip library
Print "Init , set IP to 192.168.0.8"
                                                         ' display a
message
                                                         ' before we
Enable Interrupts
use config tcpip , we need to enable the interrupts
Config Tcpip = Int0, Mac = 12.128.12.34.56.78, Ip = 192.168.0.8,
Submask = 255.255.255.0 , Gateway = 0.0.0.0 , Localport = 1000 , Tx =
$55 , Rx = $55
'Use the line below if you have a gate way
'Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 192.168.0.8 ,
Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Localport = 1000 , Tx
= $55 , Rx = $55
Dim Idx As Byte
                                                        ' socket
number
Dim Result As Word
                                                         ' result
Dim S(80) As Byte
Dim Sstr As String * 20
Dim Temp As Byte , Temp2 As Byte
                                                        ' temp bytes
· · ·
_____
'When you use UDP, you need to dimension the following variables in
exactly the same order !
Dim Peersize As Integer , Peeraddress As Long , Peerport As Word
·-----
                                                              _____
_____
Declare Function Ipnum(ip As Long) As String
                                                        ' a handy
function
'like with TCP, we need to get a socket first
'note that for UDP we specify sock_dgram
                                                       ' get socket
Idx = Getsocket(idx , Sock_dgram , 5000 , 0)
for UDP mode, specify port 5000
Print "Socket " ; Idx ; " " ; Idx
'UDP is a connection less protocol which means that you can not listen,
connect or can get the status
'You can just use send and receive the same way as for TCP/IP.
'But since there is no connection protocol, you need to specify the
destination IP address and port
'So compare to TCP/IP you send exactly the same, but with the addition
of the IP and PORT
Do
                                                         ' wait for
  Temp = Inkey()
terminal input
  If Temp = 27 Then
                                                         ' ESC
pressed
     Sstr = "Hello"
     Result = Udpwritestr(192.168.0.3 , 5000 , Idx , Sstr , 255)
  End If
  Result = Socketstat(idx , Sel_recv)
                                                        ' get number
of bytes waiting
  If Result > 0 Then
     Print "Bytes waiting : " ; Result
```

```
Temp2 = Result - 8
                                                             'the first 8
bytes are always the UDP header which consist of the length, IP number
and port address
      Temp = Udpread(idx , S(1) , Result)
                                                             ' read the
result
      For Temp = 1 To Temp2
          Print S(temp) ; " " ;
                                                             ' print
result
      Next
      Print
      Print Peersize ; " " ; Peeraddress ; " " ; Peerport
                                                             ' these are
assigned when you use UDPREAD
     Print Ipnum(peeraddress)
                                                             ' print IP
in usual format
     Result = Udpwrite(192.168.0.3, Peerport, Idx, S(1), Temp2)
  ' write the received data back
  End If
LOOD
'the sample above waits for data and send the data back for that reason
temp2 is subtracted with 8, the header size
'this function can be used to display an IP number in normal format
Function Ipnum(ip As Long) As String
   Local T As Byte , J As Byte
    Ipnum = ""
   For J = 1 To 4
     T = Ip And 255
      Ipnum = Ipnum + Str(t)
      If J < 4 Then Ipnum = Ipnum + "."</pre>
      Shift Ip , Right , 8
   Next
End Function
End
```

#### 6.423 UDPWRITE

#### Action

Write UDP data to a socket.

#### Syntax

Result = **UDPwrite**(IP, port, socket , var , bytes) Result = **UDPwrite**(IP, port, socket , EPROM, address , bytes)

#### Remarks

Result	A word variable that will be assigned with the number of bytes actually written to the socket.	
	When the free transmission buffer is large enough to accept all the data, the result will be the same as BYTES. When there is not enough space, the number of written bytes will be returned.	
When there is no space, 0 will be returned.		
IP	The IP number you want to send data to.	
	Use the format 192.168.0.5 or use a LONG variable that contains the IP number.	
Port	The port number you want to send data too.	

992	BASCOM-AVR
-----	------------

Socket	The socket number you want to send data to(0-3).	
Var	A constant string like "test" or a variable.	
	When you send a constant string, the number of bytes to send does not need to be specified.	
Bytes	A word variable or numeric constant that specifies how many bytes must be send.	
Address	The address of the data stored in the chips internal EEPROM. You need to specify EPROM too in that case.	
EPROM	An indication for the compiler so it knows that you will send data from EPROM.	

The UDPwrite function can be used to write data to a socket that is stored in EEPROM or in memory.

When you want to send data from an array, you need to specify the element : var (idx) for example.

Note that UDPwrite is almost the same as TCPwrite. Since UDP is a connection-less protocol, you need to specify the IP address and the port number.

UDP only requires an opened socket. The is no connect or close needed.

# See also

CONFIG TCPIP (m2), GETSOCKET [767), SOCKETCONNECT (337), SOCKETSTAT (347), TCPWRITESTR (376), TCPREAD (376), CLOSESOCKET (478), SOCKETLISTEN (346), UDPWRITESTR (392), UDPREAD (388)

# Example

See UDPwriteStr 992

# 6.424 UDPWRITESTR

## Action

Sends a string via UDP.

## **Syntax**

Result = **UDPwriteStr**( IP, port, socket , var , param)

# Remarks

Result	A word variable that will be assigned with the number of bytes actually written to the socket.		
	When the free transmission buffer is large enough to accept all the data, the result will be the same as BYTES. When there is not enough space, the number of written bytes will be returned.		
	When there is no space, 0 will be returned.		
IP	The IP number you want to send data to.		
	Use the format 192.168.0.5 or use a LONG variable that contains the IP		

	number.		
Port	The port number you want to send data too.		
Socket	The socket number you want to send data to (0-3).		
Var	The name of a string variable.		
Param	A parameter that might be 0 to send only the string or 255, to send the string with an additional CR + LF This option was added because many protocols expect CR + LF after the string.		

The UDPwriteStr function is a special variant of the UDPwrite function. It will use UDPWrite to send the data.

# See also

CONFIG TCPIP [602], GETSOCKET [767], SOCKETCONNECT [937], SOCKETSTAT [947], TCPWRITE [976], TCPREAD [976], CLOSESOCKET [478], SOCKETLISTEN [940], UDPWRITE [997], UDPREAD [988]

# Example

'		
'name 'copyright 'purpose is programmed and ' 'micro 'suited for demo 'commercial addon needed	<pre>: udptest.bas : (c) 1995-2005, MCS Electronics : start the easytcp.exe program a press UDP button : Mega161 : no : yes</pre>	fter the chip
<pre>\$regfile = "m161def.dat" the used micro \$crystal = 4000000 crystal frequency \$baud = 19200 rate \$hwstack = 32 use 32 for the hardware st \$swstack = 10 use 10 for the SW stack \$framesize = 40 use 40 for the frame space</pre>		<pre>' specify ' used ' use baud ' default ' default ' default</pre>
<pre>Const Sock_stream = \$01 Const Sock_dgram = \$02 Const Sock_ipl_raw = \$03 Raw Sock Const Sock_macl_raw = \$04 Raw Sock Const Sel_control = 0 Socket Status Const Sel_send = 1 Free Buffer Size Const Sel_recv = 2 Data Size</pre>		<ul> <li>Tcp</li> <li>Udp</li> <li>Ip Layer</li> <li>Mac Layer</li> <li>Confirm</li> <li>Confirm Tx</li> <li>Confirm Rx</li> </ul>

number

Dim Result As Word

Dim Sstr As String \* 20

\_\_\_\_\_

exactly the same order !

Dim Temp As Byte , Temp2 As Byte

·------

'When you use UDP, you need to dimension the following variables in

Dim Peersize As Integer , Peeraddress As Long , Peerport As Word

Dim S(80) As Byte

Lassbat status	
'socket status Const Sock closed = \$00	' Status Of
Connection Closed	beacab of
<b>Const</b> Sock_arp = \$01	' Status Of
Arp	
Const Sock_listen = \$02	' Status Of
Waiting For Tcp Connection Setup	
Const Sock_synsent = \$03	' Status Of
Setting Up Tcp Connection Const Sock_synsent_ack = \$04	' Status Of
Setting Up Tcp Connection	blacab of
Const Sock_synrecv = \$05	' Status Of
Setting Up Tcp Connection	
<b>Const</b> Sock_established = \$06	' Status Of
Tcp Connection Established	
Const Sock_close_wait = \$07	' Status Of
Closing Tcp Connection	
Const Sock_last_ack = \$08	' Status Of
Closing Tcp Connection Const Sock_fin_wait1 = \$09	' Status Of
Closing Tcp Connection	Status OI
Const Sock_fin_wait2 = \$0a	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_closing = \$0b	' Status Of
Closing Tcp Connection	
<b>Const</b> Sock_time_wait = \$0c	' Status Of
Closing Tcp Connection	
Const Sock_reset = \$0d	' Status Of
Closing Tcp Connection Const Sock_init = \$0e	' Status Of
Socket Initialization	Status OI
Const Sock_udp = \$0f	' Status Of
Udp	
Const Sock_raw = \$10	' Status of
IP RAW	
\$lib "tcpip.lbx"	' specify
the topip library	specity
Print "Init , set IP to 192.168.0.8"	' display a
message	
Enable Interrupts	' before we
use config tcpip , we need to enable the interrupts	
Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip = 1	
Submask = 255.255.255.0 , Gateway = 0.0.0.0 , Localport	z = 1000 , $Tx =$
\$55 , Rx = \$55	
'Use the line below if you have a gate way	
'Config Tcpip = Int0 , Mac = 12.128.12.34.56.78 , Ip =	192.168.0.8
Submask = 255.255.255.0 , Gateway = 192.168.0.1 , Local	
= \$55 , Rx = \$55	
Dim Idx As Byte	' socket
number	

994

' result

' temp bytes

\_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_ \_

\_\_\_\_\_ \_\_\_\_\_ Declare Function Ipnum(ip As Long) As String ' a handy function 'like with TCP, we need to get a socket first 'note that for UDP we specify sock dgram ' get socket Idx = Getsocket(idx , Sock\_dgram , 5000 , 0) for UDP mode, specify port 5000 Print "Socket " ; Idx ; " " ; Idx 'UDP is a connection less protocol which means that you can not listen, connect or can get the status 'You can just use send and receive the same way as for TCP/IP. 'But since there is no connection protocol, you need to specify the destination IP address and port 'So compare to TCP/IP you send exactly the same, but with the addition of the IP and PORT Do Temp = Inkey() ' wait for terminal input If Temp = 27 Then ' ESC pressed Sstr = "Hello" Result = Udpwritestr(192.168.0.3 , 5000 , Idx , Sstr , 255) End If Result = Socketstat(idx , Sel\_recv) ' get number of bytes waiting If Result > 0 Then Print "Bytes waiting : " ; Result Temp2 = Result - 8'the first 8 bytes are always the UDP header which consist of the length, IP number and port address Temp = Udpread(idx , S(1) , Result) ' read the result For Temp = 1 To Temp2 Print S(temp) ; " " ; ' print result Next Print Print Peersize ; " " ; Peeraddress ; " " ; Peerport ' these are assigned when you use UDPREAD Print Ipnum(peeraddress) ' print IP in usual format Result = Udpwrite(192.168.0.3, Peerport, Idx, S(1), Temp2) ' write the received data back End If Loop 'the sample above waits for data and send the data back for that reason temp2 is subtracted with 8, the header size 'this function can be used to display an IP number in normal format Function Ipnum(ip As Long) As String Local T As Byte , J As Byte Ipnum = "" For J = 1 To 4 T = Ip **And** 255 Ipnum = Ipnum + Str(t) If J < 4 Then Ipnum = Ipnum + "."</pre> Shift Ip , Right , 8 Next End Function End

# 6.425 UPPERLINE

996

## Action

Reset LCD cursor to the upper line.

# Syntax

UPPERLINE

# Remarks

Optional you can also use the LOCATE statement.

# See also

LOWERLINE [827], THIRDLINE [987], FOURTHLINE [744], LCD [803], CLS [472], LOCATE [822]

# Example

Dim A As Byte A = 255 Cls Lcd A Thirdline Lcd A Upperline End

# 6.426 VAL

# Action

Converts a string representation of a number into a number.

## **Syntax**

var = **VAL**( s)

## Remarks

Var	A numeric variable that is assigned with the value of s.	
S	Variable of the string type.	

It depends on the variable type which conversion routine will be used. Single and Double conversion will take more code space.

When you use INPUT, internal the compiler also uses the VAL routines.

In order to safe code, there are different conversion routines. For example BINVAL and HEXVAL are separate routines.

While they could be added to the compiler, it would mean a certain overhead as they might never be needed.

With strings as input or the INPUT statement, the string is dynamic and so all conversion routines would be needed.

# See also

STR 9627, HEXVAL 7737, HEX 7727, BIN 4507, BINVAL 4577, STR2DIGITS 9633

#### Example

```
$regfile = "m48def.dat"
                                                               ' specify
the used micro
$crystal = 8000000
                                                               ' used
crystal frequency
$baud = 19200
                                                               ' use baud
rate
\$hwstack = 32
                                                               ' default
use 32 for the hardware stack
                                                               ' default
\$swstack = 10
use 10 for the SW stack
$framesize = 40
                                                               ' default
use 40 for the frame space
Config Com1 = Dummy , Synchrone = 0 , Parity = None , Stopbits = 1 ,
Databits = 8 , Clockpol = 0
Dim A As Byte , S As String * 10
S = "123"
A = Val(s)
                                                               'convert
string
Print A
                                                               ' 123
S = "12345678"
Dim L As Long
L = Val(s)
Print L
End
```

#### 6.427 VARPTR

#### Action

Retrieves the memory-address of a variable.

#### Syntax

var = VARPTR( var2 ) var = VARPTR( "var3" )

#### Remarks

Var	The variable that receives the address of var2.	
Var2	A variable to retrieve the address from.	
var3	A constant	

Sometimes you need to know the address of a variable, for example when you like to peek at it's memory content.

The VARPTR() function assigns this address.

#### See also NONE

#### Example

Dim W As Byte

Print Hex(varptr(w)) ' 0060

#### 6.428 VER

## Action

Returns the AVR-DOS version

#### **Syntax**

result = VER()

# Remarks

Result	A numeric variable that is assigned with the AVR-DOS version. The
	version number is a byte and the first release is version 1.

When you have a problem, MCS can ask you for the AVR-DOS version number. The VER() function can be used to return the version number then.

# See also

INITFILESYSTEM 7877, OPEN 8451, CLOSE 4781, FLUSH 7391, PRINT 8671, LINE INPUT 8431, LOC 8477, LOF 8481, EOF 7371, FREEFILE 7451, FILEATTR 7347, SEEK 9077, BSAVE 4589, BLOAD 4551, KILL 8071, DISKFREE 7091, GET 7477, PUT 8701, FILEDATE 73331, FILETIME 7381, FILEDATETIME 7361, DIR 7061, WRITE 10041, INPUT 7947

The <u>VERSION</u> () function is something different. It is intended to include compile time info into the program.

# <u>ASM</u>

Calls	_AVRDOSVer	
Input	-	
Output	R16 loaded with value	

### Example

Print Ver()

## 6.429 VERSION

#### Action

Returns a string with the date and time of compilation.

#### Syntax

Var = **VERSION**(frm)

# Remarks

Var is a string variable that is assigned with a constant. This version constant is set at compilation time to MM-DD-YY hh:nn:ss

Where MM is the month, DD the day of the month, YY the year. hh is the hour is 24-hour format, nn the minutes, and ss the seconds. When frm is set to 1, the format date will be shown in European DD-MM-YY hh:nn:ss format. When frm is set to 2, the version info from \$VERSION will be used.

When frm is a string constant, the string constant will be used.

While it is simple to store the version of your program in the source code, it is harder to determine which version was used for a programmed chip.

The Version() function can print this information to the serial port, or to an LCD display.

# See Also

VER 998 , \$VERSION

# Example

Print Version()

# 6.430 WAIT

# Action

Suspends program execution for a given time.

# **Syntax**

WAIT seconds

# Remarks

seconds The number of seconds to wait.

No accurate timing is possible with this command. When you use interrupts, the delay may be extended.

# See also

DELAY [696] , WAITMS [1001]

## Example

WAIT 3 wait for three seconds Print "\*"

## 6.431 WAITKEY

1000

# Action

Wait until a character is received.

#### **Syntax**

var = WAITKEY()
var = WAITKEY(#channel)

# Remarks

var	Variable that receives the ASCII value of the serial buffer.	
	Can be a numeric variable or a string variable.	
#channel	The channel used for the software UART.	

While Inkey() returns a character from the serial buffer too, INKEY() continues when there is no character. Waitkey() waits until there is a character received. This blocks your program.

# See also

INKEY 789, ISCHARWAITING 800

# Example

```
_____
_____
                      : inkey.bas
'name
'copyright
                      : (c) 1995-2005, MCS Electronics
'purpose
                     : demo: INKEY , WAITKEY
                     : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
                                       _____
!_____
_____
$regfile = "m48def.dat"
                                                   ' specify
the used micro
$crystal = 4000000
                                                   ' used
crystal frequency
$baud = 19200
                                                   ' use baud
rate
\$hwstack = 32
                                                   ' default
use 32 for the hardware stack
\$swstack = 10
                                                   ' default
use 10 for the SW stack
$framesize = 40
                                                   ' default
use 40 for the frame space
Dim A As Byte , S As String * 2
Do
  A = Inkey()
                                                   'get ascii
value from serial port
  's = Inkey()
  If A > 0 Then
                                                   'we got
something
     Print "ASCII code " ; A ; " from serial"
```

© 2012 MCS Electronics

```
End If
Loop Until A = 27
                                                               'until ESC
is pressed
A = Waitkey()
                                                               'wait for a
key
's = waitkey()
Print Chr(a)
'wait until ESC is pressed
Do
Loop Until Inkey() = 27
'When you need to receive binary data and the bibary value {\tt 0} ,
'you can use the IScharwaiting() function.
'This will return 1 when there is a char waiting and 0 if there is no
char waiting.
'You can get the char with inkey or waitkey then.
End
```

#### 6.432 WAITMS

### Action

Suspends program execution for a given time in mS.

#### Syntax

WAITMS mS

#### Remarks

Ms

The number of milliseconds to wait. (1-65535)

No accurate timing is possible with this command. In addition, the use of interrupts can slow this routine.

#### See also

DELAY [696], WAIT [999], WAITUS [1002]

## ASM

WaitMS will call the routine \_WAITMS. R24 and R25 are loaded with the number of milliseconds to wait. Uses and saves R30 and R31. Depending on the used XTAL the asm code can look like : WaitMS: WaitMS1F: Push R30 ; save Z Push R31 \_WaitMS\_1: Ldi R30,\$E8 ;delay for 1 mS Ldi R31,\$03 WaitMS 2: Sbiw R30,1 ; -1 Brne \_WaitMS\_2 ; until 1 mS is ticked away Sbiw R24,1 Brne \_WaitMS\_1 ; for number of mS Pop R31 Pop R30

Ret

#### Example

WAITMS 10 'wait for 10 mS Print "\*"

#### 6.433 WAITUS

#### Action

Suspends program execution for a given time in uS.

# Syntax

WAITUS uS

#### Remarks

US	The number of microseconds to wait. (1-65535)		
	This must be a constant. Not a variable! In version 1.12.x.x and higher you can use a variable as well.		

No accurate timing is possible with this command. In addition, the use of interrupts can slow down this routine.

The minimum delay possible is determined by the used frequency. The number of cycles that are needed to set and save registers is 17.

When the loop is set to 1, the minimum delay is 21 uS. In this case you can better use a NOP that generates 1 clock cycle delay.

At 4 MHz the minimum delay is 5 uS. So a waitus 3 will also generate 5 uS delay. Above these values the delay will become accurate.

When you really need an accurate delay you should use a timer. Set the timer to a value and poll until the overflow flag is set. The disadvantage is that you can not use the timer for other tasks during this hardware delay.

The philosophy behind BASCOM is that it should not use hardware resources unless there is no other way to accomplish a task. The WAITUS is used internal by some statements. It was added to the BASCOM statements but it does NOT accept a variable. Only a constant is accepted.

When you use a variable for the delay, the accuracy will depend on the value of the oscillator. A higher oscillator value will result in a better accuracy. When you clock the micro with 1 MHz, it means that you have a million cycles per second. A NOP instructions takes 1 cycle and will thus delay for 1 us. If you must load registers, and call a subroutine, it means you need more cycles.

At 8 Mhz the following results were measured:

With a constant lus : 2.6 us l0us : 11.5 us 25us : 26.3 us

With	а	variable
1us	:	1.4 us
10us	:	10.2 us
25us	:	25.0 us

#### See also

DELAY [696], WAIT [999], WAITMS [1001]

#### Example

WAITUS 10 'wait for 10 uS Print "\*"

# 6.434 WHILE-WEND

#### Action

Executes a series of statements in a loop, as long as a given condition is true.

#### Syntax

WHILE condition statements WEND

#### Remarks

If the condition is true then any intervening statements are executed until the WEND statement is encountered.

BASCOM then returns to the WHILE statement and checks the condition. If it is still true, the process is repeated.

If it is not true, execution resumes with the statement following the WEND statement.

So in contrast with the DO-LOOP structure, a WHILE-WEND condition is tested first so that if the condition fails, the statements in the WHILE-WEND structure are never executed.

#### See also

DO-LOOP 714

## Example

```
_____
_____
'name
                  : while_w.bas
                 : (c) 1995-2005, MCS Electronics
'copyright
                 : demo: WHILE, WEND
'purpose
                 : Mega48
'micro
'suited for demo : yes
'commercial addon needed : no
·_____
                                  _____
                _ _ _ _ _ _
_____
$regfile = "m48def.dat"
                                          ' specify
the used micro
$crystal = 4000000
                                          ' used
```

```
1004 BASCOM-AVR
```

```
crystal frequency
$baud = 19200
rate
$hwstack = 32
use 32 for the hardware stack
$swstack = 10
use 10 for the SW stack
$framesize = 40
use 40 for the frame space
```

#### Dim A As Byte

```
A = 1
While A < 10
expression
Print A
Incr A
one
Wend
loop
End
```

'assign var 'test 'print var

'increase by

'continue

' use baud

' default

' default

' default

# 6.435 WRITE

# Action

Writes data to a sequential file

#### **Syntax**

WRITE #ch , data [,data1]

# Remarks

	A channel number, which identifies an opened file. This can be a hard coded constant or a variable.
Data , data1	A variable who's content are written to the file.

When you write a variables value, you do not write the binary representation but the ASCII representation. When you look in a file it contains readable text.

When you use PUT, to write binary info, the files are not readable or contain unreadable characters.

Strings written are surrounded by string delimiters "". Multiple variables written are separated by a comma. Consider this example :

Dim S as String \* 10 , W as Word S="hello" : W = 100 OPEN "test.txt" For OUTPUT as #1 WRITE #1, S , W CLOSE #1

The file content will look like this : "hello",100 Use INPUT to read the values from value.

# See also

BASCOM Language Reference 1005

INITFILESYSTEM [787], OPEN [845], CLOSE [476], FLUSH [739], PRINT [867], LINE INPUT [813], LOC [817], LOF [818], EOF [737], FREEFILE [745], FILEATTR [734], SEEK [907], BSAVE [459], BLOAD [455], KILL [807], DISKFREE [709], GET [747], PUT [870], FILEDATE [735], FILETIME [738], FILEDATETIME [736], DIR [706], WRITE [1004], INPUT [794]

# ASM

Calls	_FileWriteQuotationMark	_FileWriteDecInt
	_FileWriteDecByte	_FileWriteDecWord
	_FileWriteDecLong	_FileWriteDecSingle
Input	Z points to variable	
Output		

# **Partial Example**

Dim S As String \* 10 , W As Word , L As Long

```
S = "write"
Open "write.dmo"for Output As #2
Write #2 , S , W , L
also supported
Close #2
```

Open "write.dmo"for Input As #2
Input #2 , S , W , L
also supported
Close #2
Print S ; " " ; W ; " " ; L

' write is

' write is

# 6.436 WRITEEEPROM

# Action

Write a variables content to the DATA EEPROM.

# Syntax

WRITEEEPROM var , address

# Remarks

var	The name of the variable that must be stored
address	The address in the EEPROM where the variable must be stored. A new option is that you can provide a label name for the address. See example 2.

This statement is provided for compatibility with BASCOM-8051.

You can also use : Dim V as Eram Byte 'store in EEPROM Dim B As Byte 'normal variable B = 10V = B 'store variable in EEPROM

When you use the assignment version, the data types must be the same!

According to a data sheet from ATMEL, the first location in the EEPROM with address 0, can be overwritten during a reset. It is advised not to use this location.

For security, register R23 is set to a magic value before the data is written to the EEPROM.

All interrupts are disabled while the EEPROM data is written. Interrupts are enabled automatic when the data is written.

It is advised to use the Brownout circuit that is available on most AVR processors. This will prevent that data is written to the EEPROM when the voltage drops under the specified level.

When data is written to the EEPROM, all interrupts are disabled, and after the EEPROM has been written, the interrupts are re-enabled.

In the XMEGA, you need to set the mode to mapped : <u>CONFIG EEPROM</u> [sol) = MAPPED.

\_\_\_\_\_

#### See also

READEEPROM 881

#### ASM

NONE

## Example

```
_____
                       : eeprom2.bas
'name
'copyright
                       : (c) 1995-2005, MCS Electronics
'purpose
                       : shows how to use labels with READEEPROM
                       : Mega48
'micro
'suited for demo
                       : yes
'commercial addon needed : no
!_____
                           _____
_____
$regfile = "m48def.dat"
                                                       ' specify
the used micro
$crystal = 4000000
                                                       ' used
crystal frequency
$baud = 19200
                                                       ' use baud
rate
Shwstack = 32
                                                       ' default
use 32 for the hardware stack
Sswstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
'first dimension a variable
Dim B As Byte
Dim Yes As String * 1
'Usage for readeeprom and writeeprom :
'readeeprom var, address
'A new option is to use a label for the address of the data
'Since this data is in an external file and not in the code the eeprom
data
```

```
'should be specified first. This in contrast with the normal DATA lines
which must
'be placed at the end of your program!!
'first tell the compiler that we are using EEPROM to store the DATA
$eeprom
'the generated EEP file is a binary file.
'Use $EEPROMHEX to create an Intel Hex file usable with AVR Studio.
'$eepromhex
'specify a label
Label1:
Data 1 , 2 , 3 , 4 , 5
Label2:
Data 10 , 20 , 30 , 40 , 50
'Switch back to normal data lines in case they are used
$data
'All the code above does not generate real object code
'It only creates a file with the EEP extension
'Use the new label option
Readeeprom B , Label1
Print B
                                                              'prints 1
'Succesive reads will read the next value
'But the first time the label must be specified so the start is known
Readeeprom B
Print B
                                                              'prints 2
Readeeprom B , Label2
Print B
                                                              'prints 10
Readeeprom B
Print B
                                                              'prints 20
'And it works for writing too :
'but since the programming can interfere we add a stop here
Input "Ready?" , Yes
B = 100
Writeeeprom B , Labell
B = 101
Writeeeprom B
'read it back
Readeeprom B , Labell
Print B
                                                              'prints 100
'Succesive reads will read the next value
'But the first time the label must be specified so the start is known
Readeeprom B
Print B
                                                              'prints 101
End
```

#### 6.437 X10DETECT

## Action

Returns a byte that indicates if a X10 Power line interface is found.

#### Syntax

Result = **X10DETECT()** 

#### Remarks

Result	A variable that will be assigned with 0 if there is no Power Line Interface found.
	1 will be returned if the interface is found, and the detected mains frequency is 50 Hz. 2 will be returned if the interface is found and the detected mains frequency is 60 Hz.

When no TW-523 or other suitable interface is found, the other X10 routines will not work.

\_\_\_\_\_

# See also

CONFIG X10 631, X10SEND 1009

# Example

```
_____
                       : x10.bas
'name
                       : (c) 1995-2005, MCS Electronics
'copyright
'purpose
                       : example needs a TW-523 X10 interface
                       : Mega48
'micro
                       : yes
'suited for demo
'commercial addon needed : no
·_____
_____
$regfile = "m48def.dat"
                                                       ' specify
the used micro
                                                       ' used
$crystal = 8000000
crystal frequency
$baud = 19200
                                                       ' use baud
rate
\$hwstack = 32
                                                       ' default
use 32 for the hardware stack
$swstack = 10
                                                       ' default
use 10 for the SW stack
$framesize = 40
                                                       ' default
use 40 for the frame space
'define the house code
Const House = "M"
                                                       ' use code
A-P
Waitms 500
                                                       ' optional
delay not really needed
'dim the used variables
Dim X As Byte
'configure the zero cross pin and TX pin
Config X10 = Pind.4 , Tx = Portb.0
            ^--zero cross
                         ^--- transmission pin
'detect the TW-523
```

```
X = X10detect()
Print X
                                                               ' 0 means
error, 1 means 50 Hz, 2 means 60 Hz
Do
   Input "Send (1-32) " , X
   'enter a key code from 1-31
   '1-16 to address a unit
   '17 all units off
   '18 all lights on
   '19 ON
   '20 OFF
   '21 DIM
   '22 BRIGHT
   '23 All lights off
   '24 extended code
   '25 hail request
   '26 hail acknowledge
   '27 preset dim
   '28 preset dim
   '29 extended data analog
   '30 status on
   '31 status off
   '32 status request
   X10send House , X
                                                               ' send the
code
Loop
Dim Ar(4) As Byte
X10send House , X , Ar(1) , 4
                                                              ' send 4
additional bytes
End
```

# 6.438 X10SEND

#### Action

Sends a house and key code with the X10 protocol.

#### **Syntax**

X10SEND house , code

# Remarks

House	The house code in the form of a letter A-P.
	You can use a constant, or you can use a variable
Code	The code or function to send. This is a number between 1-32.

The X10SEND command needs a TW-523 interface. Only ground, TX and Zero Cross, needs to be connected for transmission. Use CONFIG X10 to specify the pins.

X10 is a popular protocol used to control equipment via the mains. A 110 KHz signal is added to the normal 50/60 Hz , 220/110 V power.

Notice that experimenting with 110V-240V can be very dangerous when you do not know exactly what you are doing !!!

In the US, X10 is very popular and wide spread. In Europe it is hard to get a TW-523 for 220/230/240 V.

I modified an 110V version so it worked for 220V. On the Internet you can find modification information. But as noticed before, MODIFY ONLY WHEN YOU UNDERSTAND WHAT YOU ARE DOING.

A bad modified device could result in a fire, and your insurance will most likely not pay. A modified device will not pass any CE, or other test.

When the TW-523 is connected to the mains and you use the X10SEND command, you will notice that the LED on the TW-523 will blink.

Code value	Description
1-16	Used to address a unit. X10 can use a maximum of 16 units per house code.
17	All units off
18	All lights on
19	ON
20	OFF
21	DIM
22	BRIGHT
23	All lights off
24	Extended ode
25	Hail request
26	Hail acknowledge
27	Preset dim
28	Preset dim
29	Extended data analog
30	Status on
31	Status off
32	Status request

The following table lists all X10 codes.

At www.x10.com you can find all X10 information. The intension of BASCOM is not to learn you everything about X10, but to show you how you can use it with BASCOM.

#### See also

CONFIG X10 631, X10DETECT 1007, X10SEND 1009

# **Example**

See X10DETECT

# 6.439 XTEADECODE

#### Action

Decrypts a variable or array using the XTEA protocol.

# Syntax

**XTEADECODE** Msg , Key , size

# Remarks

Msg	The variable to decrypt. Decryption is performed in blocks of 8 bytes. This means that you need to specify an array that has a minimal size of 8 bytes. For example, 2 Longs will be 8 bytes in size. After the decryption is performed, Msg will contain the original unencrypted data.
Кеу	The 128 bit key which is used to decrypt the message data. You need to pass this as an array of 8 bytes.
Size	The number of bytes to decrypt. This must be a multiple of 8.

The XTEA encryption/decryption is described well at <a href="http://en.wikipedia.org/wiki/XTEA">http://en.wikipedia.org/wiki/XTEA</a>

The XTEA is an enhanced version of the TEA encryption protocol.

The XTEA encoding/decoding routines have a small footprint. You could use the XTEADECODE in a bootloader and encrypt your firmware.

## See also

XTEAENCODE 1012, \$LOADER 374

# Example

XTEA.BAS This sample demonstrates the XTEA encryption/decryption statements (c) 1995-2011 MCS Electronics \$regfile = "m88def.dat" \$hwstack = 40 \$swstack = 32

'The XTEA encryption/decryption has a small footprint 'XTEA processes data in blocks of 8 bytes. So the minimum length of the data is 8 bytes. 'A 128 bit key is used to encrypt/decrypt the data. You need to supply this in an array of 8 bytes.

'Using the encoding on a string can cause problems when the data contains a 0. This is the end of the string marker.

```
'128 bit key
Dim Key(16) As Byte
Dim Msg(32) As Byte
                                                         this need to be a multiple of 8
Dim B As Byte
                                                          counter byte
For B = 1 To 16
                                                           create a simple key and also fill
the data
Key(b) = B
 Msg(b) = B
Next
                                                       ' encode the data
Xteaencode Msg(1) , Key(1) , 32
For B = 1 To 16
  Print Hex(msg(b)); ", ";
Next
Print
                                                      ' decode the data
Xteadecode Msg(1) , Key(1) , 32
```

```
For B = 1 To 16
    Print Hex(msg(b)); ", ";
Next
Print
End
```

'it should print 1-16 now

# 6.440 XTEAENCODE

#### Action

Encrypts a variable or array using the XTEA protocol.

#### Syntax

**XTEAENCODE** Msg , Key , size

## Remarks

Msg	The variable to encrypt. Encryption is performed in blocks of 8 bytes. This means that you need to specify an array that has a minimal size of 8 bytes. For example, 2 Longs will be 8 bytes in size. After the encryption is performed, Msg will contain the encrypted data. The original data will be overwritten.
Кеу	The 128 bit key which is used to encrypt the message data. You need to pass this as an array of 8 bytes.
Size	The number of bytes to encrypt. This must be a multiple of 8.

The XTEA encryption/decryption is described well at <a href="http://en.wikipedia.org/wiki/XTEA">http://en.wikipedia.org/wiki/XTEA</a>

The XTEA is an enhanced version of the TEA encryption protocol.

The XTEA encoding/decoding routines have a small footprint. You could use the XTEADECODE in a bootloader and encrypt your firmware.

# See also

XTEADECODE 1010

# Example

 XTEA.BAS

 This sample demonstrates the XTEA encryption/decryption

 statements

 (c) 1995-2011 MCS Electronics

 Sregfile = "m88def.dat"

 \*hwstack = 40

 \$swstack = 32

 'The XTEA encryption/decryption has a small footprint

 'XTEA processes data in blocks of 8 bytes. So the minimum length of the data is 8 bytes.

 'A 128 bit key is used to encrypt/decrypt the data. You need to supply this in an array of 8 bytes.

 'Using the encoding on a string can cause problems when the data contains a 0. This is the end of the string marker.

 Dim Key(16) As Byte
 '128 bit key

 'Im B As Byte
 ' counter byte

For B = 1 To 16 the data Key(b) = B Msg(b) = B Next	' create a simple key and also fill
Xteaencode Msg(1) , Key(1) , 32	' encode the data
<pre>For B = 1 To 16     Print Hex(msg(b)); ", "; Next Print</pre>	
Xteadecode Msg(1) , Key(1) , 32	' decode the data
<pre>For B = 1 To 16     Print Hex(msg(b)); ", "; Next Print</pre>	'it should print 1-16 now
End	



# 7 International Resellers

# 7.1 International Resellers

Since the resellers list changes so now and then, it is not printed in this help. You can best look at the list at the MCS website. See <u>MCS Electronics web</u>.

There is always a reseller near you. A reseller can help you in your own language and you are in the same time zone.

Sometimes there are multiple resellers in your country. All resellers have their own unique expertise. For example : industrial, robotics, educational, etc.



# 8 ASM Libraries and Add-Ons

ASM Libs are libraries that are used by the compiler. They contain machine language statements for various statements and functions.

A library can also be used to modify an existing function. For example when you use a conversion routine num<>string with a byte variable only, the routine from the MCS.LIB has some overhead as it can also convert integers, word and longs.

You can specify the MCSBYTE.LIB or MCSBYTE.LBX library then to override the function from MCS.LIB.

# 8.1 EXTENDED I2C

## Action

Instruct the compiler to use parts of the extended i2c library

## Syntax

**\$LIB** = "i2c\_extended.lib"

# Remarks

The I2C library was written when the AVR architecture did not have extended registers. The designers of the AVR chips did not preserve enough space for registers. So when they made bigger chips with more ports they ran out of registers. They solved it to use space from the RAM memory and move the RAM memory from &H60 to &H100.

In the free space from &60 to &H100 the new extended register were located.

While this is a practical solution, some ASM instructions could not be used anymore. This made it a problem to use the I2C statements on PORTF and PORTG of the Mega128.

The extended i2c library is intended to use I2C on portF and portG on the M64 and M128.

It uses a bit more space then the normal I2C lib.

Best would be that you use the TWI interface and the i2c\_twi library as this uses less code. The disadvantage is that you need fixed pins as TWI used a fix pin for SCL and SDA.

# See also

ASM NONE

# Example

© 2012 MCS Electronics

```
1018
       BASCOM-AVR
    .
                                 (c) 2005 MCS Electronics
                      This demo shows an example of I2C on the M128 portF
     ' PORTF is an extened port and requires a special I2C driver
     ·_____
    $regfile = "m128def.dat"
                                                                ' the used
    chip
    $crystal = 8000000
    $baud = 19200
                                                                ' baud rate
    $lib "i2c extended.lib"
    Config Scl = Portf.0
                                                                ' we need to
    provide the SCL pin name
    Config Sda = Portf.1
                                                                ' we need to
    provide the SDA pin name
    Dim B1 As Byte , B2 As Byte
    Dim W As Word At B1 Overlay
    I2cinit
                                                                ' we need to
    set the pins in the proper state
    Dim B As Byte , X As Byte
    Print "Mega128 master demo"
    Print "Scan start"
    For B = 1 To 254 Step 2
      I2cstart
      I2cwbyte B
      If Err = 0 Then
         Print "Slave at : " ; B
      End If
      I2cstop
    Next
    Print "End Scan"
    Do
      I2cstart
      I2cwbyte &H70
                                                                ' slave
    address write
      12cwbyte & B10101010
                                                                ' write
    command
      I2cwbyte 2
      I2cstop
      Print Err
      I2cstart
      I2cwbyte &H71
      I2crbyte B1 , Ack
      I2crbyte B2 , Nack
      I2cstop
      Print "Error : " ; Err
                                                                ' show error
      Waitms 500
                                                                'wait a bit
```

Loop End

## 8.2 FM24C16

The FM24C16 library is a library that uses a RAMTRON I2C serial EEPROM. Ramtron memory chips are as quick as RAM and can be overwritten almost unlimited times.

An external EEPROM is a safe alternative to the internal EEPROM.

By using : \$lib "fm24c16.lib" The EEPROM read and write routines from the library will be used instead of the internal EEPROM. Thus you can still use : Dim BE as ERAM Byte And you can use READEEPROM and WRITEEEPROM, but instead of using the internal EEPROM, the external I2C EEPROM is used. The lib is for the FM24C16. It uses I2C/TWI.

This library is only included in the full version. It is not included with the DEMO.

# 8.3 FM24C64\_256

The FM24C64\_256 library is a library that uses a RAMTRON I2C serial EEPROM. Ramtron memory chips are as quick as RAM and can be overwritten almost unlimited times.

An external EEPROM is a safe alternative to the internal EEPROM.

By using : \$lib "fm24c64\_256.lib" The EEPROM read and write routines from the library will be used instead of the internal EEPROM. Thus you can still use : Dim BE as ERAM Byte And you can use READEEPROM and WRITEEEPROM, but instead of using the internal EEPROM, the external I2C EEPROM is used. The lib is for the FM24C64 to FM24C256. It uses I2C/TWI.

This library is only included in the full version. It is not included with the DEMO.

#### 8.4 FM25C256

The FM24C256 library is a library that uses a RAMTRON SPI serial EEPROM. Ramtron memory chips are as quick as RAM and can be overwritten almost unlimited times.

An external EEPROM is a safe alternative to the internal EEPROM. You can also increase the size of the EEPROM this way.

By using : \$lib "fm25c256.lib" The EEPROM read and write routines from the library will be used instead of the internal EEPROM. Thus you can still use : Dim BE as ERAM Byte And you can use READEEPROM and WRITEEEPROM, but instead of using the internal

EEPROM, the external I2C EEPROM is used. The lib is for the FM25C256. It uses SPI

For the SPI you have to define the pins. The pin named fram\_so is connected to SO of the FRAM. SI is connected to SI. A sample is shown below. The clock and, cs and SI pins need to be configured as output pins.

Fram\_cs Alias Portl.7 : Const Fram\_csp = 7 : Const Fram\_csport = Portl Fram\_so Alias Pind.1 : Const Fram\_sop = 1 : Const Fram\_soport = Pind Fram\_si Alias Portd.0 : Const Fram\_sip = 0 : Const Fram\_siport = Portd Fram\_sck Alias Portl.6 : Const Fram\_sckp = 6 : Const Fram\_sckport = Portl

Of course you can also use a cheaper normal SPI EEPROM. These are slower and have less write cycles.

This library is only included in the full version. It is not included with the DEMO.

# 8.5 HEXVAL

The HEXVAL library contains an enhanced version of the HEXVAL code. The library was made by MWS.

The default HEXVAL function does not ignore spaces. The routine from the hexval.lib does ignore spaces.

It will also set the ERR flag to 1 if invalid characters are found. Valid characters are 0-9, A-F,a-f

Usage : \$lib "hexval.lbx"

# 8.6 I2C\_TWI

By default BASCOM will use software routines when you use I2C statements. This because when the first AVR chips were introduced, there was no TWI yet. Atmel named it TWI because Philips is the inventor of I2C. But TWI is the same as I2C.

So BASCOM allows you to use I2C on every AVR chip. Most newer AVR chips have build in hardware support for I2C. With the I2C\_TWI lib you can use the TWI which has advantages as it require less code.

Read more about I2C in the hardware section.

To force BASCOM to use the TWI, you need to insert the following statement into your code:

\$LIB "I2C\_TWI.LBX"

You also need to choose the correct SCL and SDA pins with the CONFIG SCL and CONFIG SDA statements.

The TWI will save code but the disadvantage is that you can only use the fixed SCL and SDA pins.

# 8.7 MCSBYTE

The numeric<>string conversion routines are optimized when used for byte, integer, word and longs.

When do you use a conversion routine ?

- When you use STR(), VAL() or HEX().
- When you print a numeric variable
- When you use INPUT on numeric variables.

To support all data types the built in routines are efficient in terms of code size. But when you use only conversion routines on bytes there is a overhead.

The mcsbyte.lib library is an optimized version that only support bytes. Use it by including : \$LIB "mcsbyte.lbx" in your code.

Note that LBX is a compiled LIB file. In order to change the routines you need the commercial edition with the source code(lib files). After a change you should compile the library with the library manager [87].

## See also

mcsbyteint.lib

# 8.8 MCSBYTEINT

The numeric<>string conversion routines are optimized when used for byte, integer, word and longs.

When do you use a conversion routine ?

-When you use STR(), VAL() or HEX().

- -When you print a numeric variable
- -When you use INPUT on numeric variables.

To support all data types the built in routines are efficient in terms of code size. But when you use only conversion routines on bytes there is a overhead.

The mcsbyteint.lib library is an optimized version that only support bytes, integers and words.

Use it by including : \$LIB "mcsbyteint.lbx" in your code.

Note that LBX is a compiled LIB file. In order to change the routines you need the commercial edition with the source code(lib files). After a change you should compile the library with the library manager.

# See also

mcsbyte.lib

# 8.9 TCPIP

The TCPIP library allows you to use the W3100A internet chip from www.iinchip.com

MCS has developed a special development board that can get you started quickly with TCP/IP communication. Look at <u>http://www.mcselec.com</u> for more info.

## The tcpip.lbx is shipped with BASCOM-AVR

CONFIG TCPIP	Configures the W3100 chip.
GETSOCKET	Creates a socket for TCP/IP communication.
	Establishes a connection to a TCP/IP server.
	Returns information of a socket.
	Write data to a socket.
<u>TCPWRITEST</u> <u>R</u> 1976ो	Sends a string to an open socket connection.
TCPREAD 975	Reads data from an open socket connection.
	Closes a socket connection.
<u>SOCKETLISTE</u> N 940	Opens a socket in server(listen) mode.
GETDSTIP 758	Returns the IP address of the peer.
	Returns the port number of the peer.
BASE64DEC	Converts Base-64 data into the original data.
BASE64ENC	Convert a string into a BASE64 encoded string.
MAKETCP 832	Encodes a constant or 4 byte constant/variables into an IP number
	Write UDP data to a socket.
UDPWRITEST R 992	Sends a string via UDP.
UDPREAD 988	Reads data via UDP protocol.

The following functions are provided:

# 8.10 LCD

#### 8.10.1 LCD4BUSY

BASCOM supports LCD displays in a way that you can choose all pins random. This is great for making a simple PCB but has the disadvantage of more code usage. BASCOM also does not use the WR-pin so that you can use this pin for other purposes.

The LCD4BUSY.LIB can be used when timing is critical.

The default LCD library uses delays to wait until the LCD is ready. The lcd4busy.lib is using an additional pin (WR) to read the status flag of the LCD.

The db4-db7 pins of the LCD must be connected to the higher nibble of the port.

The other pins can be defined.

۱\_\_\_\_\_

' (c) 2004 MCS Electronics

' Icd4busy.bas shows how to use LCD with busy check !\_\_\_\_

\_\_\_\_\_

'code tested on a 8515 \$regfile="8515def.dat"

'stk200 has 4 MHz \$crystal= 4000000

'define the custom library 'uses 184 hex bytes total

\$lib"lcd4busy.lib"

'define the used constants 'I used portA for testing Const \_lcdport =Porta Const \_lcdddr =Ddra Const Icdin = Pina Const  $\_lcd_e = 1$ Const lcd rw = 2Const lcd rs = 3

'this is like always, define the kind of LCD ConfigLcd = 16 \* 2

'and here some simple lcd code Cls Lcd"test" Lowerline Lcd"this" End

#### 8.10.2 LCD4.LIB

The built in LCD driver for the PIN mode is written to support a worst case scenario where you use random pins of the microprocessor to drive the LCD pins.

This makes it easy to design your PCB but it needs more code. When you want to have less code you need fixed pins for the LCD display.

With the statement \$LIB "LCD4.LBX" you specify that the LCD4.LIB will be used.

The following connections are used in the asm code:

Rs = PortB.0RW = PortB.1 we dont use the R/W option of the LCD in this version so connect to ground E = PortB.2E2 = PortB.3 optional for lcd with 2 chips Db4 = PortB.4 the data bits must be in a nibble to save code Db5 = PortB.5Db6 = PortB.6Db7 = PortB.7

You can change the lines from the lcd4.lib file to use another port. Just change the address used : .EQU LCDDDR=\$17; change to another address for DDRD (\$11)

.EQU LCDPORT=\$18 ; change to another address for PORTD (\$12)

See the demo lcdcustom4bit.bas in the SAMPLES dir.

Note that you still must select the display that you use with the <u>CONFIG LCD</u> statement.

See also the  $\underline{\mathsf{lcd42.lib}}_{1024}$  for driving displays with 2 E lines.

Note that LBX is a compiled LIB file. In order to change the routines you need the commercial edition with the source code(lib files). After a change you should compile the library with the library manager.

#### 8.10.3 LCD4E2

The built in LCD driver for the PIN mode is written to support a worst case scenario where you use random pins of the microprocessor to drive the LCD pins.

This makes it easy to design your PCB but it needs more code.

When you want to have less code you need fixed pins for the LCD display. With the statement \$LIB "LCD4E2.LBX" you specify that the LCD4.LIB will be used.

The following connections are used in the asm code: Rs = PortB.0 RW = PortB.1 we don't use the R/W option of the LCD in this version so connect to ground E = PortB.2 E2 = PortB.3 the second E pin of the LCD Db4 = PortB.4 the data bits must be in a nibble to save code Db5 = PortB.5 Db6 = PortB.6 Db7 = PortB.7

You can change the lines from the lcd4e2.lib file to use another port. Just change the address used : .EQU LCDDDR=\$17 ; change to another address for DDRD (\$11) .EQU LCDPORT=\$18 ; change to another address for PORTD (\$12)

See the demo lcdcustom4bit2e.bas in the SAMPLES dir.

Note that you still must select the display that you use with the <u>CONFIG LCD</u> statement.

See also the lcd4.lib for driving a display with 1 E line.

A display with 2 E lines actually is a display with 2 control chips. They must both be controlled. This library allows you to select the active E line from your code.

In your basic code you must first select the E line before you use a LCD statement.

The initialization of the display will handle both chips.

Note that LBX is a compiled LIB file. In order to change the routines you need the commercial edition with the source code(lib files). After a change you should compile

the library with the library manager.

#### 8.10.4 GLCD

GLCD.LIB (LBX) is a library for Graphic LCD's based on the T6963C chip.

The library contains code for LOCATE 822, CLS 472, PSET 864, LINE 810, CIRCLE 468, SHOWPIC 934 and SHOWPICE 934.

#### 8.10.5 GLCDSED

GLCDSED.LIB (LBX) is a library for Graphic LCD's based on the SEDXXXX chip.

The library contains modified code for this type of display. New special statements for this display are :

<u>LCDAT</u> छिले <u>SETFONT</u> छिले <u>GLCDCMD</u> 76को <u>GLCDDATA</u> 76को

See the SED.BAS sample from the sample directory

#### 8.10.6 PCF8533

# **COLOR LCD**

Color displays were always relatively expensive. The mobile phone market changed that. And <u>Display3000.com</u>, sorted out how to connect these small nice colorfully displays.

You can buy brand new Color displays from Display3000. MCS Electronics offers the same displays.

There are two different chip sets used. One chip set is from EPSON and the other from Philips. For this reason there are two different libraries. When you select the wrong one it will not work, but you will not damage anything.

LCD-EPSON.LBX need to be used with the EPSON chip set.

LCD-PCF8833.LBX need to be used with the Philips chip set.

Config Grap	hlcd = Color	, Controlport =	Portc , $Cs =$	1, Rs = 0	, Scl = 3	, Sda = 2

Controlport	The port that is used to control the pins. PORTA, PORTB, etc.	
	The chip select pin of the display screen. Specify the pin number. 1 will mean PORTC.1	
RS	The RESET pin of the display	
	The clock pin of the display	
	The data pin of the display	

As the color display does not have a built in font, you need to generate the fonts yourself.

You can use the <u>Fonteditor</u> [156] for this task.

A number of statements accept a color parameter. See the samples below in **bold**.

LINE	Line(0 , 0) -(130 , 130) , <b>Blue</b>
LCDAT	Lcdat 100 , 0 , "12345678" , <b>Blue , Yellow</b>
CIRCLE	Circle(30,30),10, <b>Blue</b>

PSET	32 , 110 , <b>Black</b>
BOX	Box(10, 30) -(60, 100), <b>Red</b>

# See Also

LCD Graphic converter

# Example

```
' The support for this display has been made possible by Peter Küsters
from (c) Display3000
You can buy the displays from Display3000 or MCS Electronics
                ----
$lib "lcd-pcf8833.lbx"
color display support
                                                                         'special
$regfile = "m88def.dat"
change if using different processors
                                                                         'ATMega 8,
srystal = 8000000
                                                                         '8 MHz
'First we define that we use a graphic LCD
Config GraphIcd = Color, Controlport = Portc, Cs = 1, Rs = 0, Scl =
3 , Sda = 2
'here we define the colors
Const Blue = &B00000011 'predefined contants are making programming
easier
Const Yellow = &B11111100
Const Red = &B11100000
Const Green = &B00011100
Const Black = &B0000000
Const White = &B1111111
ConstBrightgreen = &B001111ConstDarkgreen = &B00010100ConstDarkred = &B10100000ConstDarkblue = &B0000010Brightblue = &B0001111
         Brightgreen = &B00111110
Const Brightblue = &B00011111
Const Orange = &B11111000
'clear the display
Cls
'create a cross
Line(0,0) - (130,130), Blue
Line(130,0) - (0,130), Red
Waitms 1000
'show an RLE encoded picture
Showpic 0 , 0 , Plaatje
Showpic 40 , 40 , Plaatje
Waitms 1000
'select a font
Setfont Color16x16
'and show some text
```

```
Lcdat 100 , 0 , "12345678" , Blue , Yellow

Waitms 1000

Circle(30 , 30) , 10 , Blue

Waitms 1000

'make a box

Box(10 , 30) - (60 , 100) , Red

'set some pixels

Pset 32 , 110 , Black

Pset 38 , 110 , Black

Pset 35 , 112 , Black

End

Plaatje:

$bgf "a.bgc"

$include "color.font"
```

#### 8.10.7 LCD-EPSON

This chip is compatible with <u>PCF8533</u> 1025.

#### 8.10.8 glcdR7565R

The glcdR7565R.lib is intended to be used with 128x64 displays using the ST7565R chip.

```
_____
                                   ------
                (c) 1995-2011, MCS
                 xm128A1-ST7565R.bas
 This sample demonstrates the ST7565R chip with an Xmega128A1
 Display used : 64128N SERIES from DisplayTech
 this is a parallel display with read/write options
._____
                                       _____
                 _____
$regfile = "xm128a1def.dat"
Scrystal = 3200000
hwstack = 64
\$swstack = 40
$framesize = 40
'include the following lib and code, the routines will be
replaced since they are a workaround
$lib "xmega.lib"
$external _xmegafix_clear
$external _xmegafix_rol_r1014
'first enable the osc of your choice
Config Osc = Enabled , 32mhzosc = Enabled
'configure the systemclock
Config Sysclock = 32mhz , Prescalea = 1 , Prescalebc = 1_1
```

```
Config Com1 = 38400 , Mode = Asynchroneous , Parity = None ,
Stopbits = 1 , Databits = 8
$lib "glcdST7565r.lbx"
                                                         ' specify
the used lib
$lib "glcd.lbx"
                                                        ' and this
one of you use circle/line etc
'the display was connected with these pins
Config Graphlcd = 128 * 64eadogm ,dataport=portj, Cs1 = Porth.0
, A0 = Porth.2 , rst= Porth.1 , wr = Porth.3 , Rd = Porth.4, c86=
porth.6
cls
Setfont Font8x8tt ' set font
dim y as byte
'You can use locate but the columns have a range from 1-128
'When you want to show somthing on the LCD, use the LDAT command
'LCDAT Y , COL, value
Lcdat 1 , 1 , "11111111"
Lcdat 2 , 1 , "ABCDEFGHIJKL1234"
Lcdat 3 , 1 , "MCS Electronics" , 1 ' inverse
Lcdat 4 , 1 , "MCS Electronics"
Waitms 3000
Setfont My12_16 ' use a bigger font
Cls
Lcdat 1 , 1 , "112345678"
                                                             'a
bigger font
Waitms 3000
wait
Line(0, 0) - (127, 64), 1
                                                             'make
line
Waitms 2000 'wait 2 secs
Line(0, 0) - (127, 64), 0
'remove line by inverting the color
For Y = 1 To 20
   Circle(30 , 30) , Y , 1
growing circle
  Waitms 100
Next
End
$include "font8x8TT.font"
$include "my12_16.font"
```

#### 8.10.9 glcdSSD1325\_96x64

This lib is for SSD1325 based displays. This lib supports screen 96x64. The lib is based on bascom code from Robert Wolgajew.

SSD1325 is used for OLED displays. Each pixel can have 16 tints. The usual graphic statements are supported. Images such as bitmaps can be converted into 16 grey tone images. The ssd1325 conversion tool you can download from the MCS web server.

The sample below is using porta pins to control BS1 and BS2. Of course you would connect them to VDD directly.

The pins used, and bascom pins names are :

SSD pin	BASCOM pin
WR	WR
RD	RD
D0-D7	PORTx
D/C	A0
RES	RST
RES CS	CS1
VCC	VCC

The VCC pin controls a 12V generator.

Since the display is using a pallet of 16 grey tones, you must specify the foreground and background colors with LCDAT.

·-----(c) 1995-2011 MCS Electronics oled\_ssd1325.bas demonstrates OLED display 96x64 with SSD1325 chip Based on bascom SSD1325 code from Robert Wolgajew -----\$reqfile = "m8535.dat" \$crystal = 3686000 \$hwstack = 48\$swstack = 48 \$framesize = 48 'normally the BS1 and BS2 pins would be connected to VCC on the PCB 'but the test PCB used 2 port pins Config Porta. 0 = Output Config Porta. 1 = Output Porta. 0 = 1Porta. 1 = 1\$lib "glcdSSD1325 96x64.lbx" 1.1 include the lib vcc is 12V and must be enabled later. This means vcc needs a control pin. Config Graphled = 96x64ssd1325, Dataport = Portc, Wr = Portd. 6, Rd = Portd. 7, Cs1 = Config Graphicd = 96x64ssd1325, Dataport = Portc, Wr Portd. 3, A0 = Portd. 5, Rst = Portd. 4, Vcc = Portd. 2 Cls 'as usual clear display Dim J As Byte, K As Byte, W As Word diagonal line with diagonal line other color Pset 1 , 0 , 15 'set a pixel Setfont Color8x8 Lcdat 20 , 0 , "123" , 15 , 0 ' font to use 'and show some text

Waitms 3000

Showpic 0, 0, Plaatje

End 'include font \$include "color8x8.font" '\$include "color16x16.font"

Plaatje: **\$bgf** "ssd1325.bgc"

# 8.11 AVR-DOS

#### 8.11.1 AVR-DOS File System

The AVR-DOS file system is written by Josef Franz Vögel. He can be contacted via the BASCOM forum. Note that it is not permitted to use the AVR-DOS file system for commercial applications without the purchase of a license. A license comes with the ASM source.

You can buy a user license that is suited for most private users.

When you develop a commercial product with AVR-DOS you need the company license.

The ASM source is shipped with both licenses.

Josef has put a lot of effort in writing and especially testing the routines. Josef nor MCS Electronics can be held responsible for any damage or data loss of your CF-cards.

The File-System works with Compact – Flash Cards (see AN 123 Accessing a Compact Flash Card from BASCOM and <u>Compact Flash</u> ) and is written for the needs for embedded systems for logging data. There are further functions for binary read and write.

You do not need AN123. AN123 was used to develop AVR-DOS. So you should use AVR-DOS.

The intention in developing the DOS – file system was to keep close to the equivalent VB functions.

The Filesystem works with:

- FAT16, this means you need to use >= 32MB CF cards
- FAT32
- Short file name (8.3)
- (Files with a long file name can be accessed by their short file name alias)
- Files in Root Directory. The root dir can store 512 files. Take in mind that when you use long file names, less filenames can be stored.
- Files in SUBDIRS

Requirements:

- Hardware: see AN 123 on http://www.mcselec.com/an\_123.htm
- Software: appr. 2K-Word Code-Space (4000 Bytes)
- SRAM: 561 Bytes for File system Info and DIR-Handle buffer
- 517 Bytes if FAT is handled in own buffer (for higher speed), otherwise it is handled with the DIR Buffer
- 534 Bytes for each File handle
- This means that a Mega103 or Mega128 is the perfect chip. Other chips have too little internal memory. You could use XRAM memory too with a Mega8515

for example.

File System Configuration in CONFIG\_AVR-DOS.BAS

Count of File handles: for each file opened at same time, a file handle buffer of 534 Bytes is needed
For higher speed in handling file operations the FAT info can be stored in a own buffer, which needs additional 517 Bytes. Assign Constant cSepFATHandle with 1, if wanted, otherwise with
0.

## Memory Usage of DOS - File System:

1. General File System information

Variable Name	Туре	Usage	
gbDOSError	Byte	holds DOS Error of last file handling routine	
gbFileSystem	Byte	File System Code from Master Boot Record	
glFATFirstSector	Long	Number of first Sector of FAT Area on the Card	
gbNumberOfFATs	Byte	Count of FAT copies	
gwSectorsPerFat	Word	Count of Sectors per FAT	
glRootFirstSector	Long	Number of first Sector of Root Area on the Card	
gwRootEntries	Word	Count of Root Entries	
glDataFirstSector	Long	Number of first Sector of Data Area on the Card	
gbSectorsPerCluster	Byte	Count of Sectors per Cluster	
gwMaxClusterNumber	Word	Highest usable Cluster number	
gwLastSearchedClust er	Word	Last cluster number found as free	
gwFreeDirEntry	Word	Last directory entry number found as free	
glFS_Temp1	Long	temporary Long variable for file system	
gsTempFileName	String * 11	temporary String for converting file names	

# 2. Directory

Variable Name	Туре	Usage	
gwDirRootEntry	Word	number of last handled root entry	
glDirSectorNumber	Long	Number of current loaded Sector	
gbDirBufferStatus	Byte	Buffer Status	
gbDirBuffer	Byte (512)	Buffer for directory Sector	

#### 3. FAT

Variable Name	Туре	Usage
glFATSectorNumber	Long	Number of current loaded FAT sector

gbFATBufferStatus	Byte	Buffer status
gbFATBuffer	Byte(512)	buffer for FAT sector

## 4. File handling

Each file handle has a block of 534 Bytes in the variable abFileHandle which is a byte-array of size (534  $\ast$  cFileHandles)

Variable Name	Туре	Usage	
FileNumber	Byte	File number for identification of the file in I/O operations to the opened file	
FileMode	Byte	File open mode	
FileRootEntry	Word	Number of root entry	
FileFirstCluster	Word	First cluster	
FATCluster	Word	cluster of current loaded sector	
FileSize	Long	file size in bytes	
FilePosition	Long	file pointer (next read/write) 0-based	
FileSectorNumber	Long	number of current loaded sector	
FileBufferStatus	Byte	buffer Status	
FileBuffer	Byte(512)	buffer for the file sector	
SectorTerminator	Byte	additional 00 Byte (string terminator) for direct reading ASCII files from the buffer	

Error C	Compiler – Alias	Remark
0	cpNoError	No Error
1	cpEndOfFile	Attempt behind End of File
17	cpNoMBR	Sector 0 on Card is not a Master Boot Record
18	cpNoPBR	No Partition Sector
19	cpFileSystemNotSupported	Only FAT16 File system is supported
20	cpSectorSizeNotSupported	Only sector size of 512 Bytes is supported
21	cpSectorsPerClusterNotSupported	Only 1, 2, 4, 8, 16, 32, 64 Sectors per Cluster is supported. This are values of normal formatted partitions. Exotic sizes, which are not power of 2 are not supported
33	cpNoNextCluster	Error in file cluster chain
34	cpNoFreeCluster	No free cluster to allocate (Disk full)
35	cpClusterError	Error in file cluster chain
49	cpNoFreeDirEntry	Directory full
50	cpFileExist	
65	cpNoFreeFileNumber	No free file number available, only theoretical error, if 255 file handles in use
66	cpFileNotFound	File not found
67	cpFileNumberNotFound	No file handle with such file number

ASM Libraries and Add-Ons 1033

68	cpFileOpenNoHandle	All file handles occupied
69	cpFileOpenHandleInUse	File handle number in use, can't create a new file handle with same file number
70	cpFileOpenShareConflict	Tried to open a file in read and write modus in two file handles
71	cpFileInUse	Can't delete file, which is in use
72	cpFileReadOnly	Can't open a read only file for writing
73	cpFileNoWildCardAllowed	No wildcard allowed in this function
97	cpFilePositionError	
98	cpFileAccessError	function not allowed in this file open mode
99	cpInvalidFilePosition	new file position pointer is invalid (minus or 0)
100	cpFileSizeToGreat	File size to great for function BLoad

Buffer Status: Bit definitions of Buffer Status Byte (Directory, FAT and File)

Bit	DIR	FAT	File	Compiler Alias	Remark
0 (LSB)			•	dBOF	Bottom of File (not yet supported)
1			•	dEOF	End of File
2			•	dEOFinSector	End of File in this sector (last sector)
3	•	•	•		Something was written to sector, it must be saved to Card, before loading next sector
4		•			This is an FAT Sector, at writing to Card, Number of FAT copies must be checked and copy updated if necessary
5			•	dFileEmpty	File is empty, no sector (Cluster) is allocated in FAT to this file

Validity of the file I/O operations regarding the opening modes

	Open mode			
Action	Input	Output	Append	Binary
Attr	•	•	٠	•
Close	•	•	٠	•
Put				•
Get				•
LOF	•	•	٠	•
LOC	•	•	٠	•
EOF	•	1)	1)	•
SEEK	•	•	٠	•
SEEK-Set				•
Line Input	•			•
Print		•	•	•
Input	•			•

1034	BASCOM-AVR			
	Vrite	•	•	•

1) Position pointer is always at End of File

Supported statements and functions:

INITFILESYSTEM 787, OPEN 843, CLOSE 476, FLUSH 739, PRINT 867, LINE INPUT 813, LOC 817, LOF 818, EOF 737, FREEFILE 745, FILEATTR 734, SEEK 907, BSAVE 459, BLOAD 455, KILL 807, DISKFREE 709, DISKSIZE 710, GET 747, PUT 870, FILEDATE 735, FILETIME 738, FILEDATETIME 736, DIR 706, WRITE 1004, INPUT 794, FILELEN 737

# 8.12 CF Card

#### 8.12.1 Compact FlashCard Driver

The compact flash card driver library is written by Josef Franz Vögel. He can be contacted via the BASCOM user list.

Josef has put a lot of effort in writing and especially testing the routines. Josef nor MCS Electronics can be held responsible for any damage or data loss of your CF-cards.

Compact flash cards are very small cards that are compatible with IDE drives. They work at 3.3V or 5V and have a huge storage capacity.

The Flash Card Driver provides the functions to access a Compact Flash Card.

At the moment there are six functions: <u>DriveCheck</u> [715], <u>DriveReset</u> [718], <u>DriveInit</u> [717], <u>DriveGetIdentity</u> [716], <u>DriveWriteSector</u> [719], <u>DriveReadSector</u> [718]

The Driver can be used to access the Card directly and to read and write each sector of the card or the driver can be used in combination with a file-system with basic drive access functions.

Because the file system is separated from the driver you can write your own driver.

This way you could use the file system with a serial EEPROM for example.

For a file system at least the functions for reading (DriveReadSector / \_DriveReadSector) and writing (DriveWriteSector / \_DriveWriteSector) must be provided. The preceding under slash \_ is the label of the according asm-routine. The other functions can, if possible implemented as a NOP – Function, which only returns a No-Error (0) or a Not Supported (224) Code, depending, what makes more sense.

For writing your own Driver to the AVR-DOS File system, check the ASM-part of the functions-description.

Code	Compiler – Alias	Remark
0	CpErrDriveNoError	No Error
	cpErrDriveFunctionNo tSupported	This driver does not supports this function
225	cpErrDriveNotPresent	No Drive is attached

Error Codes:


226	cpErrDriveTimeOut	During Reading or writing a time out occurred
227	cpErrDriveWriteError	Error during writing
228	cpErrDriveReadError	Error during reading

At the <u>MCS Web AN</u> section you can find the application note 123.

More info about Compact Flash you can find at :

http://www.sandisk.com/download/Product%20Manuals/cf\_r7.pdf

A typical connection to the micro is shown below.



#### 8.12.2 Elektor CF-Interface


The popular Electronics magazine Elektor, published an article about a CF-card interface. This interface was connected to an 89S8252. This interface can be used and will use little pins of the micro.

Note that because of the FAT buffer requirement, it is not possible to use a 8051 micro.,

At this moment, only the Mega128 and the Mega103 AVR micro's are good chips to

use with AVR-DOS.

You can use external memory with other chips like the Mega162.



Changes of the hardware pins is possible in the file Config\_FlashCardDrive\_EL\_PIN. bas.

The default library is FlashCardDrive.lib but this interface uses the library FlashCardDrive\_EL\_PIN.lib.

#### 8.12.3 XRAM CF-Interface for simulation

The XRAM CF-Card interface is created for the purpose of testing the File System routines without hardware.

You can use an external RAM chip (XRAM) for the CF-interface but of course it is not practical in a real world application unless you backup the power with a battery.

For tests with the simulator it is ideal.

Just specify the Config\_XRAMDrive.bas file and select a micro that can address external memory such as the M128. Then specify that the system is equipped with 64KB of external RAM.

You can now simulate the flashdisk.bas sample program !

In order to simulate Flashdisk.bas, set the constant XRAMDRIVE to 1. Then select 64KB of external RAM and compile.

#### 8.12.4 New CF-Card Drivers

New CF-Card drivers can be made relatively simple.

Have a look at the supplied drivers.

There are always a few files needed :

- A config file in the format : CONFIG\_XXX.bas
- FlashCardDrive\_XXX.LIB
- FlashCardDrive\_XXX.lbx is derived from the LIB file

XXX stands for the name of your driver.

At the AVR-DOS web you can find more drivers.

## 8.13 Floating Point

#### 8.13.1 FP\_TRIG

The FP\_TRIG library is written by Josef Franz Vögel.

All trig functions are stored in fp\_trig.lib library. The fp\_trig.lbx contains the compiled object code and is used by BASCOM.

This sample demonstrates all the functions from the library:

```
: test_fptrig2.bas
: (c) 1995-2005, MCS Electronics
: demonstates FP trig library from Josef Franz Vögel
'name
'copyright
'purpose
'micro
                                : Mega8515
'suited for demo
'commercial addon needed
                                : no
                               : no
                                                                 -----
$regfile = "m8515.dat"
                                                                            specify the u
used crystal
                                                                         .
                                                                                          used micro
$crystal = 4000000
$baud = 19200
                                                                                              frequency
                                                                            use baud rate
$hwstack = 32
                                                                            default use
                                                                                          32 for the
hardware
          stack
                                                                           default use 10 for the SW
swstack = 10
stack
$framesize = 40
                                                                            default use 40 for the frame
space
Dim S1 As Single, S2 As Single, S3 As Single, S4 As Single, S5 As Single, S6 As
Single
Dim Vcos As Single, Vsin As S
Dim Wi As Single, B1 As Byte
Dim Ms1 As Single
                          Vsin As Single, Vtan As Single, Vatan As Single, S7 As Single
Const Pi = 3.14159265358979
'calculate
             PI
Ms1 = Atn(1) * 4
Testing_power:
Print "Testing Power X ^ Y"
```

```
x^Y"
 Print "X
                                                                           Υ
Print "X

For S1 = 0.25 To 14 Step 0.25

S2 = S1 \ 2

S3 = Power(s1 , S2)

Print S1 ; " ^ "; S2 ; " = "; S3
 Next
 Print : Print : Print
 Testing_exp_log:
Print "Testing EXP and LOG" log([exp(x)])
Print "x exp(x) log([exp(x)]) Error-abs Error-r
Print "Error is for calculating exp and back with log together"
                                                                                                                                                                                                             Error-rel"
 For S1 = -88 To 88

S2 = Exp(s1)

S3 = Log(s2)
           S4 = S3 - S1
S5 = S4 \setminus S1
           Print S1;
                                                                     "; S2; " "; S3; "
                                                                                                                                                                       "; S4; " "; S5; " ";
           Print
 Next
 Print: Print: Print
Testing_trig:

Print "Testing COS,

Print "Angle Degree

For Wi = -48 To 48

S1 = Wi * 15

S2 = Deg2rad(s1)

Vices = Content of the second sec
                                                                                                                                               Cos
                                                                                                                                                                        Sin
                                                                                                                                                                                                                                           Tan"
            V\cos = Cos(s2)
V\sin = Sin(s2)
            Vtan = Tan(s2)
          Print S1;
                                                                  "; S2; " "; Vcos; " "; Vsin; " "; Vtan
 Next
 Print: Print: Print
Testing_atan:

Print "Testing Arctan"

Print "X atan in Radiant,

S1 = 1 / 1024
                                                                                                                 Degree"
 Do
          S2 = Atn(s1)
S3 = Rad2deg(s2)
Stat S1 : " ; S2 ; " ; S3
          Print S1 ; " ;
S1 = S1 * 2
I f S1 > 1000000 Then
                    Exit Do
           End I f
 Loop
 Print: Print: Print
Testing_int_fract:

Print "Testing Int und Fract of Single"

Print "Value Int Frac"

S2 = Pi \setminus 10

For S1 = 1 To 8
           S3 = Int(s2)
          S4 = Frac(s2)
Print S2 ; "
S2 = S2 * 10
                                                                "; S3; "; S4
 Next
 Print: Print: Print
Print "Testing degree - radiant - degree converting"
Print "Degree Radiant Degree Diff-abs rel"
 For S1 = 0 To 90
       S2 = Deg2rad(s1)
S3 = Rad2deg(s2)
S4 = S3 - S1
S5 = S4 \ S1
Print S1 ; "
                                                         "; S2; " "; S3; " "; S4; " "; S5
 Next
Testing_hyperbolicus:

Print : Print : Print

Print "Testing SINH, COSH and TANH"

Print "X sinh(x) co
                                                                                            cosh(x)
                                                                                                                                                                      tanh(x)"
                                            sinh(x)
```

```
For S1 = -20 To 20
   or S1 = -20

S3 = Sinh(s1)

S2 = Cosh(s1)

S4 = Tanh(s1)

S4 = Tanh(s1)
    Print S1 ;
                            "; S3; " "; S2; " "; S4
 Next
Print: Print: Print
Testing_log10:
Print "Testing LOG10"
Print "X log1
                               log10(x)"
 S1 = 0.01
S2 = Log10(s1)
Print S1 ; " " ; S2
S1 = 0.1
S1 = 0.1

S2 = Log10(s1)

Print S1 ; " "; S2

For S1 = 1 To 100

S2 = Log10(s1)

Print S1 ; " "; S2

Next
Next
Print: Print: Print
 'test MOD on FP
S1 = 10000

S2 = 3

S3 = S1 Mod S2
Print S3
Print S1;
Next
Print
For S1 = 1000000 To 1000100
S2 = Sqr(s1)
Print S1 ; " " ; S2
Next
Testing_atn2:

Print "Testing Sin / Cos / ATN2 / Deg2Rad / Rad2Deg / Round"

Print "X[deg] X[Rad] Sin(x) Cos(x) Atn2

For S1 = -180 To 180 Step 5

S2 = Deg2rad(s1)

S3 = Sin(s2)

S4 - Cos(s2)
                                                                                                            Deg of Atn2
                                                                                                                                        Rounded"
     S3 = Sin(S2)

S4 = Cos(S2)

S5 = Atn2(S3, S4)

S6 = Rad2deg(S5)

S7 = Round(S6)

Print S1; " "; S2; " "; S3; " "; S4; " "; S5; " "; S6; " "; S7
Next
Print "note: -180° is equivalent to +180°"
Print
Testing_asin_acos:

Print "Testing ASIN, ACOS"

Print "X asin(x) acos(x)"

For S1 = -1.125 To 1.125 Step 0.0625
     S2 = Asin(s1)
S3 = Acos(s1)
Print S1 ; " "; S2 ; " "; S3
Next
Print "Note: > 1.0 and < -1.0 are invalid and shown here for error handling"
Testing_shift:
S1 = 12
For B1 = 1 To 20
     S2 = S1 : S3 = S1
Shift S2 , Left , B1
Shift S3 , Right , B1
Print S1 ; " ; S2 ; " " ; S3
Next
Print "End of testing"
End
 Back
```

#### 8.13.2 DOUBLE

1040

The double.lbx (lib) is written by Josef Franz Vögel. The library supports the basic operations :

- Addition (+)
- Subtraction (-)
- Multiplication (\*)
- Division (/)
- Val(), INPUT
- Str(), PRINT
- Int()
- Frac()
- Fix()
- Round()
- Conversion from double to single and long
- Conversion from single and long to double

The double library uses special Mega instructions not available in all AVR chips. But as the old chips are not manufactured anymore, this should not be a problem. In version 1.11.9.8 a software multiplication is performed so the trig functions can be used on any chip that has enough internal memory.

In the report file you can find out if your micro supports the HWMUL. the  $\_$ HWMUL conststant is set to 1 in that case.

When software multiplication is used, the multiply routine needs more processor cycles. A number of trig functions depend on the multiplication code and as a result, they become more slow too.

All Trig() functions are supported by the double too!

# 8.14 I2C SLAVE

#### 8.14.1 CONFIG I2CSLAVE

See <u>CONFIG I2CSLAVE</u> 545

#### 8.14.2 I2C TWI Slave

The I2C-Slave library is intended to create I2C slave chips. This is an add-on library that is not included in Bascom-AVR by default. It is a commercial add on library. It is available from  $\underline{MCS}$  Electronics

The I2C Slave add on can turn some chips into a I2C slave device. You can start your own chip plant this way.

Most new AVR chips have a so called TWI/I2C interface. As a customer of the I2C slave lib, you can get both libs.

The **i2cslave.lib** works in interrupt mode and is the best way as it adds less overhead and also less system resources.

With this add-on library you get both libraries:

• **i2cslave.lib** and **i2cslave.lbx** : This library is used for AVR's which have <u>no</u> hardware TWI/I2C interface like for example ATTINY2313 or ATTINY13. In this case TIMER0 and INT0 is used for SDA and SCL (Timer0 Pin = SCL, INT0 Pin = SDA). Only AVR' with TIMER0 and INT0 <u>on the same port</u> can use this library like for

example ATTINY2313 or ATTINY13. The i2cslave.lbx is the compiled library version of i2cslave.lib. See also Config I2CISLAVE 545

• **i2c\_TWI-slave.LBX** : This library can be used when an AVR have an TWI/I2C hardware interface like for example ATMEGA8, ATMEGA644P or ATMEGA128. In this case the hardware SDA and SCL pin's of the AVR will be used (with ATMEGA8: SCL is PORTC.5 and SDA is PORTC.4). This library will be used when USERACK = OFF. When USERACK =ON then **i2c\_TWI-slave-acknack.LBX** will be used. See also <u>Config TWISLAVE</u> [613]

#### 8.15 SPI

#### 8.15.1 SPISLAVE

SPISLAVE.LIB (LBX) is a library that can be used to create a SPI slave chip when the chip does not have a hardware SPI interface.

Although most AVR chips have an ISP interface to program the chip, the 2313 for example does not have a SPI interface.

When you want to control various micro's with the SPI protocol you can use the SPISLAVE library.

The SPI-softslave.bas sample from the samples directory shows how you can use the SPISLAVE library.

Also look at the spi-slave.bas sample that is intended to be used with hardware SPI.

The sendspi.bas sample from the samples directory shows how you can use the SPI hardware interface for the master controller chip.

```
1_____
_____
                      : spi-softslave.bas
'name
'copyright
                      : (c) 1995-2005, MCS Electronics
'purpose
                      : shows how to implement a SPI SLAVE with
software
'micro
                      : AT90S2313
'suited for demo : yes
'commercial addon needed : no
·_____
_____
$regfile = "2313def.dat"
                                                     ' specify
the used micro
$crystal = 4000000
                                                    ' used
crystal frequency
                                                    ' use baud
$baud = 19200
rate
$hwstack = 32
                                                    ' default
use 32 for the hardware stack
                                                    ' default
\$swstack = 10
use 10 for the SW stack
$framesize = 40
                                                    ' default
use 40 for the frame space
'Some atmel chips like the 2313 do not have a SPI port.
'The BASCOM SPI routines are all master mode routines
'This example show how to create a slave using the 2313
'ISP slave code
'define the constants used by the SPI slave
```

```
Const _softslavespi_port = Portd
                                                            ' we used
portD
Const _softslavespi_pin = Pind
                                                            'we use the
PIND register for reading
Const _softslavespi_ddr = Ddrd
                                                            ' data
direction of port D
Const _softslavespi_clock = 5
                                                            'pD.5 is
used for the CLOCK
Const _softslavespi_miso = 3
                                                            'pD.3 is
MISO
Const _softslavespi_mosi = 4
                                                            'pd.4 is
MOSI
Const _softslavespi_ss = 2
                                                            ' pd.2 is SS
'while you may choose all pins you must use the INTO pin for the SS
'for the 2313 this is pin 2
'PD.3(7), MISO must be output
'PD.4(8), MOSI
'Pd.5(9) , Clock
'PD.2(6), SS /INT0
'define the spi slave lib
$lib "spislave.lbx"
'sepcify wich routine to use
$external _spisoftslave
'we use the int0 interrupt to detect that our slave is addressed
On IntO Isr_sspi Nosave
'we enable the int0 interrupt
Enable Int0
'we configure the INTO interrupt to trigger when a falling edge is
detected
Config Int0 = Falling
'finally we enabled interrupts
Enable Interrupts
                                                            ' this is
Dim _ssspdr As Byte
out SPI SLAVE SPDR register
Dim _ssspif As Bit
                                                            ' SPI
interrupt revceive bit
Dim Bsend As Byte , I As Byte , B As Byte
                                                            ' some other
demo variables
ssspdr = 0
                                                            ' we send a
0 the first time the master sends data
Do
   If _ssspif = 1 Then
   Print "received: " ; _ssspdr
  Reset _ssspif
   _ssspdr = _ssspdr + 1
                                                            ' we send
this the next time
  End If
Loop
When the chip has a SPI interface, you can also use the following
example:
   _____
_____
'name
                         : spi-slave.bas
                          : (c) 1995-2005, MCS Electronics
'copyright
```

```
: shows how to create a SPI SLAVE
'purpose
'micro
                        : AT90S8515
'suited for demo
                        : yes
'commercial addon needed : no
           _____
_____
$regfile = "8515def.dat"
                                                          ' specify
the used micro
$crystal = 3680000
                                                          ' used
crystal frequency
$baud = 19200
                                                          ' use baud
rate
$hwstack = 32
                                                          ' default
use 32 for the hardware stack
\$swstack = 10
                                                          ' default
use 10 for the SW stack
$framesize = 40
                                                          ' default
use 40 for the frame space
' use together with sendspi.bas
·-----
' Tested on the STK500. The STK200 will NOT work.
' Use the STK500 or another circuit
Dim B As Byte , Rbit As Bit , Bsend As Byte
'First configure the MISO pin
Config Pinb.6 = Output
                                                          ' MISO
'Then configure the SPI hardware SPCR register
Config Spi = Hard , Interrupt = On , Data Order = Msb , Master = No ,
Polarity = Low , Phase = 0 , Clockrate = 128
'Then init the SPI pins directly after the CONFIG SPI statement.
Spiinit
'specify the SPI interrupt
On Spi Spi_isr Nosave
'enable global interrupts
Enable Interrupts
'show that we started
Print "start"
Spdr = 0
                                                          ' start with
sending 0 the first time
Do
 If Rbit = 1 Then
   Print "received : " ; B
   Reset Rbit
   Bsend = Bsend + 1 : Spdr = Bsend
                                                          'increase
SPDR
 End If
  ' your code goes here
Loop
'Interrupt routine
'since we used NOSAVE, we must save and restore the registers ourself
```

```
'when this ISR is called it will send the content from SPDR to the
master
'the first time this is 0
Spi_isr:
 push r24 ; save used register
  in r24, sreg ; save sreg
 push r24
 B = Spdr
 Set Rbit
                                                            ' we
received something
 pop r24
 !out sreg,r24 ; restore sreg
 pop r24 ; and the used register
Return
                                                            ' this will
generate a reti
```

## 8.16 DATE TIME

#### 8.16.1 EUROTIMEDATE

The CONFIG CLOCK statement for using the asynchrony timer of the 8535, M163, M103 or M128 (and others) allows you to use a software based clock. See  $\underline{\text{TIME}}$  and  $\underline{\text{DATE}}$  for h.

By default the date format is in MM/DD/YY.

By specifying: <u>\$LIB</u> [37<sup>†</sup>] "EURODATETIME.LBX"

The DATE\$ will work in European format : DD-MM-YY

Note that the eurotimedate library should not be used anymore. It is replaced by the  $\underline{DATETIME}_{1044}$  library which offers many more features.

#### 8.16.2 DATETIME

The DateTime library is written by Josef Franz Vögel. It extends the clock routines with date and time calculation.

<u>DayOfWee</u> <u>k</u> ढिने	Returns the day of the week
DayOfYear	Returns the day of the year
SecOfDay	Returns the second of the day
<u>SecElapse</u> <u>d</u> छि	Returns the elapsed Seconds to a former assigned time-stamp
SysDay 968	Returns a number, which represents the System Day
SysSec 966	Returns a Number, which represents the System Second
<u>SysSecEla</u> <u>psed</u> 96≁	Returns the elapsed Seconds to a earlier assigned system-time-stamp
Time 982	Returns a time-value (String or 3 Byte for Second, Minute and Hour) depending of the Type of the Target
Date 673	Returns a date-value (String or 3 Bytes for Day, Month and Year) depending of the Type of the Target

The following functions are available:

Date and time not to be confused with Date\$ and Time\$ !

#### 8.17 PS2-AT Mouse and Keyboard Emulation

#### 8.17.1 AT\_EMULATOR

The PS2 AT Keyboard emulator library is an optional add on library you can purchase.

The library allows you to emulate an AT PS/2 keyboard or mouse. The following statements become available:

<u>CONFIG ATEMU</u> 49की <u>SENDSCANKBD</u> [915]

#### 8.17.2 PS2MOUSE\_EMULATOR

The PS2 Mouse emulator library is an optional addon library you can purchase. The library allows you to emulate an AT PS/2 mouse. The following statements become available:

<u>CONFIG PS2EMU</u> जिसे <u>PS2MOUSEXY</u> छिन्ने <u>SENDSCAN</u> जिने

#### 8.18 BCCARD

#### 8.18.1 BCCARD


BCCARD.LIB is a commercial addon library that is available separately from  $\underline{MCS}$  <u>Electronics</u>.

With the BCCARD library you can interface with the BasicCards from <u>www.basiccard.</u> <u>com</u>

BasicCards are also available from MCS Electronics

A BasicCard is a smart card that can be programmed in BASIC.

The chip on the card looks like this :



To interface it you need a smart card connector.

Smart Card PIN	Connect to
C1	+5 Volt
C2	PORTD.4, RESET
C3	PIN 4 of 2313 , CLOCK
C5	GND
C7	PORTD.5 , I/O

In the provided example the connections are made as following:

The microprocessor must be clocked with a 3579545 crystal since that is the frequency the Smart Card is working on. The output clock of the microprocessor is connected to the clock pin of the Smart card.

Some global variables are needed by the library. They are dimensioned automatic by the compiler when you use the CONFIG BCCARD statement.

These variables are:

 $\_Bc\_pcb$  : a byte needed by the communication protocol. Sw1 and SW2 : both bytes that correspondent to the BasicCard variables SW1 and SW2

The following statements are especially for the BasicCard:

CONFIG BCCARDA97to init the libraryBCRESET1063to reset the cardBCDEF1047to define your function in the cardBCCALL1047to call the function in the card

Encryption is not supported by the library yet.

#### 8.18.2 BCDEF

#### Action

Defines a subroutine name and it's parameters in BASCOM so it can be called in the BasicCard.

#### Syntax

BCDEF name([param1 , paramn])

#### Remarks

name	The name of the procedure. It may be different than the name of the procedure in the BasicCard but it is advised to use the same names.
Param1	Optional you might want to pass parameters. For each parameter you pass, you must specify the data type. Supported data types are byte, Integer, Word, Long, Single and String

This statements uses BCCARD.LIB, a library that is available separately from MCS Electronics.

BCDEF Calc(string)

Would define a name 'Calc' with one string parameter. When you use strings, it must be the last parameter passed.

BCDEF name(byte,string)

BCDEF does not generate any code. It only informs the compiler about the data types of the passed parameters.

#### See Also

CONFIG BCCARD 497, BCCALL 1047, BCRESET 1053

#### **Partial Example**

Bcdef Calc(string)

#### 8.18.3 BCCALL

#### Action

Calls a subroutine or procedure in the BasicCard.

#### Syntax

BCCALL name( nad , cla, ins, p1, p2 [param1 , paramn])

#### Remarks

name The name of the procedure to all in the BasicCard. It must be defined first with BCDEF. The name used with BCDEF and BCCALL do not

	need to be the same as the procedure in the BasicCard but it is advised to use the same names.
NAD	Node address byte. The BasicCard responds to all node address values. Use 0 for default.
CLA	Class byte. First byte of two byte CLA-INS command. Must match the value in the BasicCard procedure.
INS	Instruction byte. Second byte of two byte CLA-INS command. Must match the value in the BasicCard procedure.
P1	Parameter 1 of CLA-INS header.
P2	Parameter 2 of CLA-INS header

This statements uses BCCARD.LIB, a library that is available separately from MCS Electronics.

When in your BasicCard basic program you use: 'test of passing parameters Command &hf6 &h01 ParamTest( b as byte, w as integer,I as long) b=b+1 w=w+1 I=I+1 end command

You need to use &HF6 for CLA and 1 for INS when you call the program:

Bccall Paramtest(0 , &HF6 , 1 , 0 , 0 , B , W , L) ^ NAD

^CLA

^INS

^P1

^P2

When you use BCCALL, the NAD, CLA, INS, P1 and P2 are sent to the BasicCard. The parameter values are also sent to the BasicCard. The BasicCard will execute the command defined with CLA and INS and will return the result in SW1 and SW2.

The parameter values altered by the BasicCard are also sent by the BasicCard.

You can not sent constant values. Only variables may be sent. This because a constant can not be changed.

See Also CONFIG BCCARD (497), BCDEF [1047], BCRESET [1053]

Example BCCARD.BAS This AN shows how to use the BasicCard from Zeitcontrol

www.basiccard.com . . . . . . . . . . . . . . . . . 'connections: C1 = +5VC2 = PORTD.4 - RESET  $C_2 = PIN_4 - CLOCK$   $C_5 = GND$ C7 = PORTD.5 - I/O/----C1 C5 C2 C3 C4 C6 C7 C8 **Config** Bccard = D , lo = 5 , **Reset** = 4 use ^----- PORTD.5 ^----- PORT D 'Load the sample calc.bas into the basiccard ' Now define the procedure in BASCOM ' We pass a string and also receive a string Bcdef Calc(string) 'We need to dim the following variables 'SW1 and SW2 are returned by the BasicCard 'BC\_PCB must be set to 0 before you start a session 'Our program uses a string to pass the data so DIM it  $\ensuremath{\text{Dim S}}$  As String \* 15 'Baudrate might be changed **\$baud =** 9600 Crystal used must be 3579545 since it is connected to the Card too \$crystal = 3579545 'Perform an ATR Bcreset 'Now we call the procedure in the BasicCard 'bccall funcname(nad,cla,ins,p1,p2,PRM as TYPE,PRM as TYPE) S = "1+1+3"we want to calculate the result of this expression Bccall Calc(0, &H20, 1, 0, 0, S) ^--- variable to pass that holds the expression ^----- P2 ^----- P1 ^----- INS ^----- CLA ^----- NAD 'For info about NAD, CLA, INS, P1 and P2 see your BasicCard manual 'if an error occurs ERR is set ' The BCCALL returns also the variables SW1 and SW2 Print "Result of calc : "; S Print "SW1 = "; Hex(sw1) Print "SW2 = "; Hex(sw2) 'Print Hex(\_bc\_pcb) ' for test you can see that it toggles between 0 and 40 Print "Error : "; Err 'You can call this or another function again in this session S = "2+2"S = 2+2 Bccall Calc(0, &H20, 1, 0, 0, S) Print "Result of calc : "; S Print "SW1 = "; Hex(sw1) Print "SW2 = "; Hex(sw2) 'Print Hex(\_bc\_pcb) ' for test you can see that it toggles between 0 and 40

```
Print "Error : "; Err
'perform another ATR Bcreset

        Bccall
        Calc(0, &H20, 1, 0, 0, S)

        Print
        ", S

'----and now perform an ATR as

Dim Buf(25) As Byte, I As Byte

Buf(1) = Bcreset()

For I = 1 To 25

Print I; " "; Hex(buf(i))

Next
                                      as a function
Next
'typical
'TS = 3B
           returns
'T0 = EF
'TB1 = 00
'TC1 = FF
'and another
                  test
define the procedure in the BasicCard program
Bcdef Paramtest(byte, Word, Long)
'dim some variables
Dim B As Byte , W As Word , L As Long
           the
                  variables
'assign
B = 1 : W = &H1234 : L = &H12345678
'try the echotest command

Bcdef Echotest(byte)

Bccall Echotest(0, &HC0, &H14, 1, 0, B)
Print B
End
                                                                                  'end program
```

#Include CALCKEYS.BAS

Declare ApplicationID = "BasicCard Mini-Calculator"

Rem This BasicCard program contains recursive procedure calls, so the Rem compiler will allocate all available RAM to the P-Code stack unless Rem otherwise advised. This slows execution, because all strings have to Rem be allocated from EEPROM. So we specify a stack size here: #Stack 120 ' Calculator Command (CLA = &H20, INS = &H01) 'Input: an ASCII expression involving integers, and these operators: \* / % + - & ^ | (Parentheses are also allowed.) Output: the value of the expression, in ASCII. ' P1 = 0: all numbers are decimal ' P1 <> 0: all numbers are hex ' Constants Const SyntaxError = &H81 Const ParenthesisMismatch = &H82 Const InvalidNumber = &H83 Const BadOperator = &H84 ' Forward references Declare Function EvaluateExpression (S\$, Precedence) As Long Declare Function EvaluateTerm (S\$) As Long Declare Sub Error (Code@) 'test for passing a string Command &H20 &H01 Calculator (S\$) Private X As Long S = Trim\$ (S\$) X = EvaluateExpression (S\$, 0)If Len (Trim\$ (S\$)) <> 0 Then Call Error (SyntaxError) If P1 = 0 Then S = Str (X) : Else S = Hex (X) End Command 'test of passing parameters Command &hf6 &h01 ParamTest( b as byte, w as integer, l as long) b=b+1w = w + 1|=|+1end command Function EvaluateExpression (S\$, Precedence) As Long EvaluateExpression = EvaluateTerm (S\$) Do S = LTrim\$ (S\$) If Len (S\$) = 0 Then Exit Function

```
Select Case S$(1)
```

```
Case "*"
  If Precedence > 5 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression * _
     EvaluateExpression (S$, 6)
Case "/"
  If Precedence > 5 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression /
     EvaluateExpression (S$, 6)
Case "%"
  If Precedence > 5 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression Mod _
     EvaluateExpression (S$, 6)
Case "+"
  If Precedence > 4 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression + _
     EvaluateExpression (S$, 5)
Case "-"
  If Precedence > 4 Then Exit Function
  S = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression -
     EvaluateExpression (S$, 5)
Case "&"
  If Precedence > 3 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression And _
     EvaluateExpression (S$, 4)
Case "^"
  If Precedence > 2 Then Exit Function
  S = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression Xor _
     EvaluateExpression (S$, 3)
Case "|"
  If Precedence > 1 Then Exit Function
  S$ = Mid$ (S$, 2)
  EvaluateExpression = EvaluateExpression Or
     EvaluateExpression (S$, 2)
Case Else
  Exit Function
End Select
```

Loop

End Function

Function EvaluateTerm (S\$) As Long

```
Do 'Ignore unary plus
S$ = LTrim$ (S$)
If Len (S$) = 0 Then Call Error (SyntaxError)
If S$(1) <> "+" Then Exit Do
S$ = Mid$ (S$, 2)
Loop
If S$(1) = "(" Then 'Expression in parentheses
```

```
S$ = Mid$ (S$, 2)
     EvaluateTerm = EvaluateExpression (S$, 0)
     S = LTrim$ (S$)
     If S$(1) <> ")" Then Call Error (ParenthesisMismatch)
     S$ = Mid$ (S$, 2)
     Exit Function
  ElseIf S$(1) = "-" Then 'Unary minus
     S$ = Mid$ (S$, 2)
     EvaluateTerm = -EvaluateTerm (S$)
     Exit Function
  Else
                          ' Must be a number
     If P1 = 0 Then
                             ' If decimal
       EvaluateTerm = Val& (S$, L@)
     Else
       EvaluateTerm = ValH (S$, L@)
     End If
     If L@ = 0 Then Call Error (InvalidNumber)
     S = Mid$ (S$, L@ + 1)
  End If
End Function
Sub Error (Code@)
  SW1 = &H64
  SW2 = Code@
  Exit
End Sub
```

#### 8.18.4 BCRESET

#### Action

Resets the BasicCard by performing an ATR.

#### **Syntax**

**BCRESET** Array(1) = **BCRESET**()

#### Remarks

Array(1)	When BCRESET is used as a function it returns the result of the	
	ATR to the array named array(1). The array must be big enough	
	to hold the result. Dim it as a byte array of 25.	

This statements uses BCCARD.LIB, a library that is available separately from MCS Electronics.

An example of the returned output when used as a function:

'TS = 3B 'T0 = EF 'TB1 = 00 'TC1 = FF 'TD1 = 81 T=1 indication 'TD2 = 31 TA3,TB3 follow T=1 indicator 'TA3 = 50 or 20 IFSC ,50 =Compact Card, 20 = Enhanced Card 'TB3 = 45 BWT block waiting time 'T1 -Tk = 42 61 73 69 63 43 61 72 64 20 5A 43 31 32 33 00 00

'BasicCardZC123

See the BasicCard manual for more information When you do not need the result you can also use the BCRESET statement.

#### See Also

CONFIG BCCARD 497, BCDEF 1047, BCCALL 1047

#### Partial Example (no init code shown)

'----and now perform an ATR as a function Dim Buf(25)AsByte, I AsByte Buf(1)=Bcreset() For I = 1 To 25 Print I ;" ";Hex(buf(i)) Next 'typical returns : 'TS = 3B'T0 = EF'TB1 = 00'TC1 = FF'TD1 = 81 T=1 indication 'TD2 = 31 TA3, TB3 follow T=1 indicator 'TA3 = 50 or 20 IFSC ,50 =Compact Card, 20 = Enhanced Card 'TB3 = 45 BWT blocl waiting time 'T1 -Tk = 42 61 73 69 63 43 61 72 64 20 5A 43 31 32 33 00 00 'BasicCardZC123

#### 8.19 USB

#### 8.19.1 USB Add On

The USB Add On is a commercial add on which is available from the MCS Electronics Web Shop.

The CONFIG USB statement needs this add on. The add on is written in BASCOM BASIC mixed with assembler. Since the examples from Atmel were not really consistent, it took some effort to create reusable code. At a later stage, a number of routines will be moved to an assembler library.

The advantage of the BASCOM code is that it is similar to the C-code examples.

Please read this entire topic first before you start with experiments.

The Add On only supports the device mode. There is no support for host mode yet. In fact the add on is just the first step into USB support.

To use the USB Add on, unzip all the files to the SAMPLES\USB directory. You will find three samples :

hid\_generic-162.bas

- virtcom-162.bas
- hid\_keyboard-162.bas

The same samples are also provided for the USB1287.

And you will find the include file : **usbinc.bas**. It is not allowed to distribute any of the files.

Further, you will find a subdirectory named VB which contains a simple VB generic HID sample that uses the HIDX.OCX from the OCX subdirectory.

The PDF directory contains a PDF with a translation between PS2 scan codes and USB key codes.

The TOOLS directory contains the USBDEVIEW.EXE which can be used to display all USB devices,

The CDC-Driver directory contains the INF file you need for the CDC/Virtual COM port example.

The USB162 has a boot loader which can be programmed by USB using FLIP. BASCOM will also support this USB boot loader in version 1.11.9.2. It is great for development but of course the boot loader uses some space which you probably need. The chip is also programmable via the normal way with the ISP protocol. when you do not use FLIP, and you erase the chip, the boot loader from Atmel is erased too! You can always reprogram the Atmel boot loader. But not using FLIP which depends on the boot loader.

For USB to work properly the chip needs a good oscillator. The internal oscillator is not good enough. For that reason, the USB162 module from MCS has a 8 MHz crystal. Your hardware should use a crystal or crystal oscillator too.

It is not the intention of MCS or the documentation to learn you everything about USB. There is a lot of information available from various sources. It is the goal of MCS to make it easy to use USB with your AVR micro. When there is enough demand for it, a special Wizard will be created to be able to generate HID applications.

#### **HID Keyboard**

Let's begin with a simple program. Load the hid\_keyboard-162.bas sample and compile it. Use either FLIP or a different programmer to program the chip. Each program has some important settings.

Const Mdbg = 1	' add print to see what is happening
Const Chiddevice = 1	' this is a HID device

**MDBG** is a constant that can be set to 0 since all the print statements will use flash code. When you are new to USB and want to look at the events, it is good to have it turned on. You can view all events from the program.

**cHIDdevice** need to be set to 1 when the application is a HID device. Most of your own devices will be HID devices. But the virtual COM example uses a different USB class and in that program, the constant is set to 0.

These constants are used in the add on to keep all code generic for all applications. Since not all USB chips have the same options, the code also checks which microprocessor is used.

The USB1287 is a kind of M128 with USB support. It supports host and device mode.

The USB162 is a cheap host chip. It does not support the HOST mode and it does not have all registers found in the USB1287. It also can not detect when a device is plugged/unplugged.

Atmel solved this in the STK526 in a simple way that we recommend too : A voltage divider is connected to PORTC.4 which serves as a simple way to detect plug/unplug. In the USB\_TASK() routine you will find this code :

### If Usb\_connected = 0 And Pinc.4 = 1 Then ' portc.4 is used as vbus detection on stk526

This is used with the STK526. If you want to use a different pin, you have to change PINC.4.

When you use the USB1287 this is not needed since the 1287 has a Usbsta register which can determine if a device is plugged or removed.

The USB program structure is always the same :

- 1. constants are defined that describe the end points, interfaces, vendor ID, product ID
- 2. you call a subroutine that initializes your variables
- 3. In a loop you call :
- 4. the generic USB\_TASK routine so that the USB communication with the PC is executed
- 5. the specific task is called
- 6. your other code is called

This is clear in the keyboard sample :

Print "init usb task" Usb\_task\_init Do Usb\_task Kbd\_task 'call your other code here Loop

While the word Task might give you the idea that multi task switching is used, this is not the case! The USB\_Task must be called by your code in order to process pending USB events. It will also find out if a device is plugged or unplugged. Events are handled in the background by the **Usb\_gen\_int** interrupt.

In the example the KBD\_TASK is a user routine which is called in regular intervals. There is always the normal USB\_TASK and there is an additional task specific to the program. In the generic-hid example this is the hid\_task routine.

HID classes are simple to use since they do not require additional drivers. FTDI chips need additional drivers. But the Atmel USB chips do not need additional drivers since they use standard implemented HID classes.

When you compile the program and program it into a chip you are ready to test it. When you use FLIP you need to switch to application mode so your device can be recognized by windows. Windows will show some info that your device is found. And after installing the driver, it will report that your device is ready to be used. On the terminal emulator, press a space, and set the focus to notepad or the bascom editor. The text data from the **keys**: label is send as if it was typed on a keyboard! You in fact created a HID-keyboard, or USB keyboard. The document translatePS2-HID.pdf contains HID key codes which are different then PS2 key scan codes.

When you do not have a terminal emulator connected you can also modify the program and connect a push button. Which makes more sense for a keyboard :-)

So modify the code into : If Inkey() = 32 Or Pinb.0 = 0 Then 'if you press SPACE BAR or make PINB.0 low

Now you can test the code without the terminal emulator.

All USB programs are similar. You specify the number of end points , the interfaces and the class. There is a lot of information available at <a href="http://www.usb.org/home">http://www.usb.org/home</a>

Atmel has a number of samples and you will find tools and info at various places. MCS will publish some convenient tools too.

#### FLIP

The USB chips are programmed with a boot loader. This is very convenient since you do not need any hardware to program the chip. FLIP can be downloaded from the Atmel site.

URL : <u>http://www.atmel.com/dyn/resources/prod\_documents/Flip%20Installer%20-%203.3.1.exe</u> The FLIP website you can find at :

http://www.atmel.com/dyn/products/tools\_card.asp?family\_id=604&family\_name=8051+ Architecture&tool\_id=3886

FLIP is a Java application. The BASCOM-IDE can use the FLIP software to program the chip too. But in order to use the FLIP programmer, you need to install FLIP first.

When FLIP is working, you can select FLIP from Options, Programmer, in order to program quickly without the FLIP executable.

On Vista there is a problem with loading some of the FLIP DLL's. In case you get an error, copy the FLIP DLL's to the BASCOM application directory.

You need to copy the following files :

- atjniisp.dll
- AtLibUsbDfu.dll
- msvcp60.dll
- msvcrt.dll

You can run the **flipDLLcopy.cmd** file from the BASCOM application directory to copy these files. The content of the command file :

copy "c:\program files\atmel\flip 3.3.1\bin\atjniisp.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\AtLibUsbDfu.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\msvcp60.dll" . copy "c:\program files\atmel\flip 3.3.1\bin\msvcrt.dll" . pause

The last line pauses so you can view the result. Notice the . (dot) that will copy the file to the current directory, which is the reason that you need to run this file from the BASCOM application directory.

As with other programmers, you press F4 to program the HEX file into the chip. A small window will become visible.

A number of dialogs are possible:

BASCOM-AVR
Device not supported : ATmega88
ОК

In this case, you try to program a chip which is not supported by FLIP. The Mega88 is not an USB chip so the error makes sense.


The next dialog informs you about a missing DFU device.

BASCOM FLIP Programmer	
<ol> <li>Push the HWB (Hardware Bootloader) button</li> <li>Push the RST (Reset) button</li> <li>Release the RST button</li> <li>Release the HWB button</li> <li>Close this message box</li> </ol>	
OK Cancel	

In this case, the boot loader is not found. You can run the boot loader by following the sequence from the dialog box.


In order to make this work, the HWB and RST input both need a small switch to ground. When HWB is pressed(low) during a reset, the boot loader will be executed.

In the device manager you will find the USB device :




When you have a different chip, a different device will be shown !

When the programming succeeds, and there is no verify error, the application mode will be selected. This will disconnect the DFU and will connect your USB device !



The FLIP programmer window will be closed automatic when the programming succeeds.



The USB device will be shown :

Since you created a keyboard device, the device will be shown under the KEYBOARDS node.

When you load a generic HID device it will be shown under HUMAN INTERFACE DEVICES



#### **HID Generic**

The generic HID class is the class that is well suited for transferring bytes between the PC and the micro processor.

As with any USB application, you specify the number of end points, The example just transfers 8 bytes in and 8 bytes out.

You need to change the Ep\_in\_length\_1, Ep\_out\_length, Length\_of\_report\_in and Length\_of\_report\_out constants when you want to transfer a different amount of bytes. You also need to take into account the maximum data size which will depend on the used chip.

The **Usb\_user\_endpoint\_init** sub routine also need to be adjusted. The size\_8 constant specifies how many bytes are used by the endpoint.

'init the user endpoints Sub Usb\_user\_endpoint\_init(byval Nm As Byte) Call Usb\_configure\_endpoint(ep\_hid\_in, Type\_interrupt, Direction\_in, Size\_8, One\_bank, Nvet enabled) Call Usb configure endpoint(ep hid out, Type interrupt, Direction out, Size 8, One bank, Nvet enabled) End Sub As with all USB program, we first initialize the USB task and the HID task. Then we call the tasks in a loop; Usb\_task\_init ' init the usb task Hid\_task\_init ' init the USB task Do Usb\_task 'call this subroutine once in a while Hid task 'call this subroutine once in a while 'you can call your sub program here Loop The Hid task itself is very simple : Sub Hid\_task() If Usb\_connected = 1 Then ' Check USB HID is enumerated Usb\_select\_endpoint Ep\_hid\_out ' Get Data Repport From Host If Ueintx.rxouti = 1 Then ' Is usb receive out()) Dummy1 = Uedatx : Print "Got : " ; Dummy1 ' it is important that you read the same amount of bytes here as were sent by the host ! Dummy2 = Uedatx : Print "Got : " ; Dummy2 Dummy = Uedatx : Print "Got : " ; Dummy Dummy = Uedatx : Print "Got : " ; Dummy Dummy = Uedatx : Print "Got : " ; Dummy Dummy = Uedatx : Print "Got : " ; Dummy Dummy = Uedatx : Print "Got : "; Dummy Dummy = Uedatx : Print "Got : " ; Dummy Usb\_ack\_receive\_out End If If Dummy1 = &H55 And Dummy2 = &HAA Then ' Check if we received DFU mode command from host Usb detach ' Detach Actual Generic Hid Application Waitms 500 Goto &H1800 'goto bootloader 'here you could call the bootloader then End If Usb\_select\_endpoint Ep\_hid\_in ' Ready to send these information to the host application If Ueintx.txini = 1 Then ' ls\_usb\_in\_ready()) Uedatx = 1Uedatx = 2Uedatx = 3Uedatx = 4Uedatx = 5Uedatx = 6Uedatx = 7 Uedatx = 8' Send data over the USB Usb\_ack\_fifocon End If End If End Sub

We first check if the device is connected to the USB bus. Then we use Usb\_select\_endpoint with

the number of the end point, to select the end point.

When we want to communicate with an end point, we always have to select this end point using the **Usb\_select\_endpoint** procedure.

In the sample, we first select the EP\_HID\_OUT end point. We check the UEINTX.RXOUTI flag to determine if we received an interrupt with data. If that is the case, we read the UEDATX register to read the data byte.

The UEDATX register is the USB data register. When you read it, you read data from the USB bus. When you write it, you write data to the USB bus.

After reading the bytes you MUST acknowledge with the **Usb\_ack\_receive\_out** macro.

The sample also shows how to run the boot loader from your code. In order to run the boot loader you must detach the current device from the USB bus. Then there is some delay to have windows process it. Finally the GOTO jumps to the boot loader address of the USB162.

If you want to write some data back, you need to select the end point, and check if you may send data. If that is the case, you assign the data to the UEDATX register and finally, you MUST acknowledge with the USB\_ACK\_FIFOCON macro.

Finally, you will find in the report data the length of the end points specified : Data &H75 , &H08 You need to adjust these values when you want to send/receive more data.

#### **HIDX.OCX**

There are plenty of examples on the internet that show how to communicate with HID devices using the windows API.

The HIDX.OCX is an OCX control that can be used for simple communication. Like all OCX controls, you must register it first with REGSVR32 : regsvr32 hidx.ocx After it has been registered you can run the VB test application named HIDdemo.exe.

The application will list all HID devices :

5. Form1		
Device VID=051D PID=0002 Device VID=16D0 PID=201D	CheckOut	
	Checkin	
	Write	
Device changed		

Our device is the device with VID 16D0 and PID 201D.

There can only be one application/process at the time that communicates with an USB device. You must click the checkout-button the device to start communication. This will call the

#### SelectDevice method of the OCX.

As soon as you do this, you will notice that the **OnDataRead** event will receive data.

5. Form1	<u> </u>
Device VID=051D PID=0002 Device VID=16D0 PID=201D	CheckOut
	Checkoux
	Checkin
	Write
Device changed	
1 selected Device : 1, report: 0, size: 8, data: 14 -•••	
Device : 1 , report: 0 , size: 8 , data: ¬□□-•□ Device : 1 , report: 0 , size: 8 , data: ¬□□-•□	
Device : 1 , report: 0 , size: 8 , data: http://www.downline.com/ Device : 1 , report: 0 , size: 8 , data: http://www.downline.com/	
Device : 1 , report: 0 , size: 8 , data: 1 U -••• Device : 1 , report: 0 , size: 8 , data: 1 U -•••	
Device : 1 , report: 0 , size: 8 , data: ¬ □  -•□ Device : 1 , report: 0 , size: 8 , data: ¬ □  -•□ Device : 1 , report: 0 , size: 8 , data: ¬ □  -•□	
Device : 1 , report: 0 , size: 8 , data: 1 4 - • • •	

The event has the following parameters : (ByVal Device As Long, ByVal ReportID As Long, ByVal Data As String, ByVal Size As Long)

The device is a number with the index of all HID devices. The first device will have number 0. The report number is passed in ReportID. The data is passed as a string. You can use MID to access this data : firstByte= Asc(Mid(data,1,1))

To write to the device, you can use the **WriteDevice** method. The same parameters are used as with the OnDataRead event.

Example : WriteDevice curdev, 0, s, 8

Curdev is the index of the device. 0 is the report ID and s contains the data. You must specify the length of the data to send.

To stop communication you can click the Checkin-button. This will call the ReleaseDevice method.

When the device changes, or will be removed or inserted, you will receive a notification. In the sample program, all these events will result in a release of the device. This is done since the curdev variable can change when a new device is added. The index will not correspond to the existing index then anymore. The sample is very simple. In an application you could add a function or procedure that will examine the new list of devices and return the index of our device. When our device is found we could open it automatic again.

Notice that you can not add too much lines to a listbox in VB. Since data arrives at a very high rate, it will not take long before VB/Windows will give some error.

Property	Description	
NumCheckedInDevic	Number of available devices	
es		
NumCheckedOutDevi	Number of devices that are checked out and communicating.	
ces		

The time in mS that the HID thread will sleep. You can see this as a timer interval. The lower the interval the more process time it will take. 100 mS is a good value for most applications.	
The version of the control	
The number of devices.	
<ul><li>Parameters</li><li>Device : LONG that specifies the index of the device to select. The index starts at 0.</li></ul>	
<ul><li>Parameters</li><li>Device : LONG that specifies the index of the device to release. The index starts at 0.</li></ul>	
<ul> <li>Parameters</li> <li>Device : LONG that specifies the index of the device to write to. The index starts at 0.</li> <li>Report : LONG that specifies the report number. This would be 0 in most cases.</li> <li>Data : string that contains the data to send.</li> <li>Size : the length of the data to send.</li> </ul>	
Parameters	
<ul> <li>none.</li> <li>This event fires when a device changes. This can be because a new device is added, or a device is removed.</li> <li>Parameters</li> </ul>	
<ul> <li>Device : LONG that specifies the index of the device that arrived. The index starts at 0.</li> <li>This event fires when a device is inserted. When a device is added or removed, the index that was used previously, does not need to match the new index anymore. For this reason you have to checkout the device again.</li> </ul>	
<ul> <li>Parameters</li> <li>Device : LONG that specifies the index of the device that has been removed. The index starts at 0.</li> <li>This event fires when a device is removed. When a device is added or removed, the index that was used previously, does not need to match the new index anymore. For this reason you have to checkout the device again.</li> </ul>	
<ul> <li>Parameters</li> <li>Device : LONG that specifies the index of the device that sent data. The index starts at 0.</li> <li>ReportID : LONG with the report ID of the device that sent the data.</li> <li>Data : string that contains the data. This string might contain 0-bytes.</li> <li>Size : LONG that contains the length of the received data.</li> </ul>	

	example : dim ar(8) as Byte For J=1 to Size ar(j) = ASC(Mid(data,J,1)) ' fill the array Next

The OCX can be used with all programming languages that can host OCX controls. The OCX was tested with Delphi and VB.

Your windows must support USB in order to use the OCX. So it will not work on Windows 95.

#### Virtual COM sample

The virtual COM demo shows how to implement an USB device with a virtual COM port. The Demo will echo data sent to the UART to the USB and vise versa.

When you compile and program the sample, you will notice that you find a new COM port in the device manager.

When you press CTRL+D, BASCOM will launch the device manager.

Device Manager	
• 🔿   📰   📴   🔽 📷   👰 📴 🍢 🞜	
Batteries	
🗄 🚛 Computer	
🗓 👝 Disk drives	
🚋 📲 Display adapters	
🗄 🔮 DVD/CD-ROM drives	
🗄 🥼 Human Interface Devices	
🗄 🚎 IDE ATA/ATAPI controllers	
🏣 🖳 🙀 IEEE 1394 Bus host controllers	
🖶 🛲 Keyboards	
🗄 🖑 Mice and other pointing devices	
🗄 🕎 Monitors	
Multifunction adapters	
🗈 🔮 Network adapters	
Portable Devices	
Ports (COM & LPT)	
AT90USBxxx CDC USB to UART MGM (COM4)	
Moschip PCI Serial Port (COM2)	
Prolific USB-to-Serial Comm Port (COM3)	
Processors	
Sound, video and game controllers	
E Storage controllers	
Bystem devices	
🗊 📲 Universal Serial Bus controllers	

As you can see, the CDC class is used for the virtual COM port. As with most virtual COM devices, you can change the settings :

AT90USBxxx CDC USB to UART MGM (COM4) Properties				
General Port Settings Driver Details				
Bits per second:       19200 ▼         Data bits:       8         Parity:       None         Stop bits:       1				
Flow control: None				
<u>A</u> dvanced <u>R</u> estore Defaults				
OK Cancel				

In the BASCOM application the procedure Cdc\_get\_line\_coding is called when the PC need to know the settings.

The Cdc\_set\_line\_coding is called when the settings are changed by the user. You need to change the settings according to the received parameters.

Notice that these settings are virtual too : for the USB it does not matter how the baud rate is set ! Only for a real UART this is important. For an USB-RS232 converter for example it is very convenient to be able to change the baud rate and other settings. But when you just use the USB port for communication, and choose to use the COM port in your program as a way for communication, then you do not really need the settings.

When you want to send date to the USB/COM you can use the Uart\_usb\_putchar procedure. Like any USB routine, it will select the proper end point. After the end point for sending data is selected it will wait if it may send data, and finally it will send this data. The Uart usb getchar() function can be used to receive data from the USB/COM.

When you create your own device, the virtual COM port has the advantage that the PC application is simple. In most cases you already have the experience to read/write data to the PC COM port. The disadvantage is that it requires mode code. It also need an INF file. This INF file you can change to suite your own needs.

When you create your own device, the HID device is the simplest way to go.

#### **CDC INF file**

The CDC INF file looks like this. The bold parts need to be changed if you want to customize with your own text and VID/PID.

; Windows 2000, XP & Vista setup File for AT90USBxx2 demo

[Version] Signature="\$Windows NT\$" Class=Ports ClassGuid={4D36E978-E325-11CE-BFC1-08002BE10318}

Provider=%ATMEL% LayoutFile=layout.inf DriverVer=10/15/1999,5.0.2153.1

[Manufacturer] %ATMEL%=ATMEL

[ATMEL] %ATMEL\_CDC%=Reader, USB\VID\_03EB&PID\_2018

[Reader\_Install.NTx86] ;Windows2000

[DestinationDirs] DefaultDestDir=12 Reader.NT.Copy=12

[Reader.NT] include=mdmcpq.inf CopyFiles=Reader.NT.Copy AddReg=Reader.NT.AddReg

[Reader.NT.Copy] usbser.sys

[Reader.NT.AddReg] HKR,,DevLoader,,\*ntkern HKR,,NTMPDriver,,usbser.sys HKR,,EnumPropPages32,,"MsPorts.dll,SerialPortPropPageProvider"

[Reader.NT.Services] AddService = usbser, 0x00000002, Service\_Inst

[Service\_Inst] DisplayName = %Serial.SvcDesc% ServiceType = 1 ; SERVICE\_KERNEL\_DRIVER StartType = 3 ; SERVICE\_DEMAND\_START ErrorControl = 1 ; SERVICE\_ERROR\_NORMAL ServiceBinary = %12%\usbser.sys LoadOrderGroup = Base

[Strings] ATMEL = "ATMEL, Inc." ATMEL\_CDC = "AT90USBxxx CDC USB to UART MGM" Serial.SvcDesc = "USB Serial emulation driver"

;---- END OF INF FILE

You can also change the key names.

#### 8.20 MODBUS Slave/Server

The MODBUS protocol is used a lot in the industry. With the MODBUS add-on, you can create a slave or server.

This add-on is a MODBUS server-RTU that implements function 03,06 and 16. (decimal)

We use the term master and slave to indicate that there is at least one master, and that there is at least one slave device that will respond.

A slave could be a master too. Another term is client/server. The server is the MODBUS device that will respond to the client. It is the same as master/slave and thus slave=server and master=client.

Like a web server, the server does not initiate the communication. It simply waits for data and when it is addressed, it will respond.

When it is not addressed, it should not respond. When it is addressed, it should process the data and send a response.

A client sends the following data : server address, function, data, checksum The server address is a byte , the function code is a byte too. The data depends on the function and the checksum is a 16 bit CRC checksum.

MODBUS uses the term registers for the data. A register is 16 bit width. You can pass words or integers with a single register.

In order to send a long, single, double or string, you need to send multiple registers.

There are a lot of functions defined in the MODBUS protocol. The add-on implements the functions that are most suited for an own MODBUS server device. These functions are :

- 03 : read (multiple) register(s)
- 06 : write a single register
- 16 : write multiple registers

If needed you can add other functions yourself. The implemented functions should be sufficient however.

#### Constants

There are a few constants that you might need to change.

Registersize : this constant defines how many registers can be processed. For example if a client asks to return 10 registers with function 03, you should set this constant to 10.

The reason for the constant is that RAM space is limited. And each register need storage space (2 bytes for each register) thus we do not want to take more bytes then needed.

Mdbg : this can be used for debugging. The add-on uses a Mega162 since it has 2 UARTS. One UART can be used for debugging. You need to set mdbg to a non-zero value to enable debugging to the serial port.

#### RS232-RS485

The protocol can be used with RS-232 and RS-485 and TCP/IP, etc. The add-on can be used with RS-232 and RS-485.

RS-485 half duplex needs a data direction pin. It is defined in the source like this :

Rs485dir Alias Portb.1 Config Rs485dir = Output

Rs485dir = 0 'Config Print1 = Portb.1 , Mode = Set

You can remark or remove the mark depending on the mode you need. For testing, RS-232 is most simple.

#### TIMER

A timer is used to detect the start of a frame. With RTU (binary data) a silence of 3.5 characters is needed between frames. A frame is a complete MODBUS message. A timer is used to detect such a silence. The statement : GENRELOAD , is used to generate the proper timer divisor and timer reload values. GENRELOAD will only work on TIMER0 and TIMER1. You pass the names of the constants which are free to chose, and in the sample are named \_RL and \_TS, and these constant values will be calculated and assigned to constants by the compiler.

The TM\_FRAME constant is the time of 4 characters. When the timer reaches this value it will overflow and execute the ISR\_TMR0 interrupt. The interrupt routine will set the start state since now the server can expect an address.

In the TM\_FRAME calculation the baud rate value is used. In the add on this is 9600. When you use a different value, you need to change the constant here as well.

#### **Server Address**

The server address need to be set. The MBSLAVE variable need to be set by you. Optional, you could change the variable into a constant.

But when you use a DIP switch for example to set the address, it is better to use a variable.

#### **Event mode**

The MODBUS handeling is coded into a state machine and executed as a task. You can call the Modbustask() in your code yourself in the main program loop, or you can have it called in the interrupt of the buffered serial input routine. The sample uses the last option :

Config Serialin1 = Buffered , Size = 50 , Bytematch = All

Notice that BYTEMATCH = ALL is used so the Serial1bytereceived routine is called for every received byte. If the state is right, the modbustask code is executed and otherwise, the data is read to remove it from the buffer. Since there can be multiple slaves, the data will keep coming and we may only handle the data when we are addressed.

#### **Functions**

Each function that is requested will call a sub routine.

Function 03 (read registers) : Sub Modbus03(addr3 As Word , Idx3 As Byte , Wval3 As Word)

addr3 contains the address that was passed by the client.

Idx3 contains an index in case multiple registers are read. It is 1 for the first register, 2 for the second, etc.

With these 2 values you can fill the wval3 value.

In the sample, a select case is used to send different values.

You should NOT change the addr3 and idx3 values ! There variables are passed by reference and changes will corrupt the data.

Notice that the function is called for each register. When the client want to read 2 word registers, the sub routine is called twice.

Function 06(write register) Sub Modbus06(addr3 As Word , Wval3 As Word) Addr3 contains the address that was passed by the client. wval3 contains a word value passed by the client. You can use the address to change some variable in your code.

Function 16 (write multiple registers) Sub Modbus16w(addr3 As Word , Idx As Byte , Bw As Word)Addr3 contains the address send by the client.Idx contain the index to a word register.Bw contains the value that was send.

Notice that the sub routine is called for each register. You can use the address and index to alter the proper variable in your code.

For functions that are not implemented, an error response will be sent.



### 9 Tools

#### 9.1 LCD RGB-8 Converter

#### Action

This tool is intended to convert normal bitmaps into BGC files. The BGC format is the **B**ascom **G**raphic **C**olor Format. This is a special RLE compressed format to save space.

The SHOWPIC statement can display graphic bitmaps. The color display uses a special RGB8 format. The LCD converter has the task to convert a normal windows bitmap into a 256-color RGB8 coded format.

When you run the tool you will see the following window :

The sector of th	onics LCD RGB-8Converter 📃 🗖 🖻	<
File Edit H	elp	-
Image Colors	Output	

You can use File , Open, to load an image from disk. Or you can use Edit, Paste, to paste an image from the clipboard.

Option	Description
File, Open	Open a graphical file from disk.
File, Save, Image	Save the file as a windows graphical file
File, Save, Binary	Save the BGC file, the file you need with SHOWPIC
File, Save , Data Lines	Save the file as data lines into a text file
File, Convert	Converts the bitmap into a RGB8 bitmap
Edit, Bitmap height	height of the image. Change it to make the image smaller or larger
Edit, Bitmap width	width of the image. Change it to make the image wider.
Edit, Select All	Select entire image
Edit, Copy	Copy selection to the clipboard
Edit, Paste	Paste clipboard to the selection. You must have an area

	selected !
Edit, Delete	Delete the selected area

The Output TAB, has an option : Save as RLE. This must be checked. By default it is checked.

When you do not want the image to be RLE encoded, you can uncheck this option.

The bottom area is used to store the DATA lines.

The Color TAB shows the effect on the table inside the color display. When a picture uses a lot of different red colors, you can put the most used into the table.

It is well explained in the manuals from display3000.

By clicking on the color , you can view which colors are used by the picture. You can match them with the color table.

You can download the LCD Converter tool from : <u>http://www.mcselec.com/index.php?</u> <u>option=com\_docman&task=doc\_download&gid=168&Itemid=54</u>

388

1073

# Index

### - # -

#AUTOCODE 329 #IF ELSE ENDIF 329

### - \$ -

\$AESKEY 331 \$ASM 331 \$BAUD 332 \$BAUD1 333 \$BGF 334 \$BIGSTRINGS 336 \$BOOT 336 \$CRYPT 337 \$CRYSTAL 338 \$DATA 338 \$DBG 340 \$DEFAULT 342 \$EEPLEAVE 343 \$EEPROM 343 \$EEPROMHEX 344 \$EEPROMSIZE 345 \$END ASM 331 \$EXTERNAL 346 \$FILE 347 \$FRAMECHECK 358 \$FRAMESIZE 347 \$HWCHECK 358 \$HWSTACK 355 \$INC 360 \$INCLUDE 361 \$INITMICRO 362 \$LCD 363 **\$LCDPUTCTRL** 366 **\$LCDPUTDATA** 367 \$LCDRS 368 \$LCDVFO 371 \$LIB 371 \$LOADER 374 \$LOADERSIZE 385 \$MAP 386 \$NOCOMPILE 386 \$NOINIT 387

\$NORAMPZ 388 \$NOTRANSFORM 389 \$PROG 390 \$PROGRAMMER 391 \$PROJECTTIME 389 \$REGFILE 392 \$RESOURCE 393 \$ROMSTART 396 \$SERIALINPUT 397 \$SERIALINPUT1 398 \$SERIALINPUT2LCD 399 \$SERIALOUTPUT 400 \$SERIALOUTPUT1 401 \$SIM 401 \$SOFTCHECK 358 \$SWSTACK 402 \$TIMEOUT 404 \$TINY 406 \$VERSION 407 \$WAITSTATE 408 \$XA 408 \$XRAMSIZE 409 \$XRAMSTART 410 \$XTEAKEY 411

\$NORAMCLEAR

### - 1 -

1WIRECOUNT 411 1WIRESEARCHNEXT 420 1WREAD 416 1WRESET 414 1WSEARCHFIRST 418 1WVERIFY 423 1WWRITE 425

### - A -

ABS 427 ACOS 428 Adding XRAM 169 Additional Hardware 160 ADR 429 ADR2 429 AESDECRYPT 433 AESENCRYPT 435 ALIAS 437 ARDUINO 139 ARRAY 296

ASC 438 ASCII chart 325 ASIN 441 Assembler mnemonics 313 AT EMULATOR 1045 AT86RF401 209 219 AT90CAN128 AT90PWM216 218 AT90PWM2-3 217 AT90S1200 209 AT90S2313 209 AT90S2323 210 AT90S2333 211 AT90S2343 211 AT90S4414 213 AT90S4433 213 AT90S4434 215 AT90S8515 216 AT90S8535 216 AT90USB162 220 ATMEGA103 238 ATMEGA128 240 ATMEGA1284P 241 ATMEGA128RFA1 241 ATMEGA16 230 ATMEGA161 243 ATMEGA162 243 ATMEGA163 244 ATMEGA164P 245 ATMEGA165 246 ATMEGA168 247 ATMEGA168P 247 ATMEGA169 248 ATMEGA16M1 233 ATMEGA16U2 233 ATMEGA16U4 231 ATMEGA2560 260 ATMEGA2561 261 ATMEGA32 232 ATMEGA323 248 ATMEGA324P 249 ATMEGA325 250 ATMEGA3250P 251 ATMEGA328 252 ATMEGA328P 252 ATMEGA329 253 ATMEGA32M1 233 ATMEGA32U 235 ATMEGA32U2 233

ATMEGA406 253 ATMEGA48 236 236 ATMEGA48P ATMEGA603 254 ATMEGA64 238 ATMEGA640 256 ATMEGA644P 257 ATMEGA645 258 ATMEGA649 259 ATMEGA64M1 233 ATMEGA8 229 ATMEGA8515 262 ATMEGA8535 262 ATMEGA88 237 ATMEGA88P 237 ATMEGA8A 230 ATMEGA8U2 233 ATN 442 ATN2 443 Attaching an LCD Display 170 ATtiny12 220 ATtiny13 221 ATtiny15 221 ATTINY167 226 ATTINY20 221 ATtiny22 222 ATtiny2313 228 ATtiny24 222 ATtiny25 222 ATtiny26 223 ATtiny261 227 ATtiny4313 229 ATtiny44 223 ATtiny45 224 ATtiny461 227 ATtiny48 224 ATtiny84 225 ATtiny85 225 ATtiny861 228 ATtiny88 225 ATXMEGA 263 ATXMEGA128A1 274 ATXMEGA128A3 276 ATXMEGA128D3 276 ATXMEGA128D4 277 ATXMEGA16A4 267 ATXMEGA16D4 268 ATXMEGA192A3 278

ATXMEGA192D3

279

1074

ATXMEGA256A3 280	
ATXMEGA256A3B 281	
ATXMEGA256D3 282	
ATXMEGA32A4 269	
ATXMEGA32D4 269	
ATXMEGA64A1 270	
ATXMEGA64A3 272	
ATXMEGA64D3 272	
ATXMEGA64D4 273	
AVR Internal Hardware 160	
AVR Internal Hardware Port B 166	
AVR Internal Hardware Port D 168	
AVR Internal Hardware Watchdog timer	166
AVR Internal Registers 161	
AVR ISP Programmer 119	
AVR-DOS File System 1030	

155

### - B -

**BASCOM Editor Keys** 444 BASE64DEC BASE64ENC 445 BAUD 446 BAUD1 447 BCCALL 1047 BCCARD 1045 BCD 448 BCDEF 1047 BCINIT 497 BCRESET 1053 BIN 450 BIN2GRAY 452 BINVAL 451 BIT 296 BITS 454 BITWAIT 453 BLOAD 455 BOX 456 BOXFILL 458 BSAVE 459 BUFSPACE 460 **BYTE 296** BYVAL 460

### - C -

CALL 461, 598 CASE 903 Changes compared to BASCOM-8051 295 CHARPOS 463 CHECKFLOAT 464 CHECKSUM 466 CHECKSUMXOR 466 CHR 467 CIRCLE 468 CLEAR 471 CLOCKDIVISION 475 CLOSE 476 CLOSESOCKET 478 CLS 472 Compact FlashCard Driver 1034 CONFIG 481 **CONFIG 1WIRE** 483 CONFIG ACI 487 CONFIG ACXX 488 CONFIG ADC 490 CONFIG ADCx 492 CONFIG ATEMU 494 CONFIG BASE 497 CONFIG CLOCK 500 CONFIG CLOCKDIV 504 CONFIG COM1 505 CONFIG COM2 507 CONFIG COMx 509 CONFIG DAC 511 CONFIG DACA 511 CONFIG DACB 511 CONFIG DATE 512 CONFIG DCF77 515 CONFIG DEBOUNCE 521 CONFIG DMA 522, 523 CONFIG DMACHx 523 CONFIG DMXSLAVE 527 CONFIG DP 529 CONFIG EEPROM 530 CONFIG ERROR 530 CONFIG EVENT\_SYSTEM 531 CONFIG EXTENDED PORT 533 CONFIG GRAPHLCD 533 CONFIG HITAG 539 CONFIG I2CDELAY 542 CONFIG I2CSLAVE 545 CONFIG INPUT 550 CONFIG INTx 551 CONFIG KBD 553 CONFIG KEYBOARD 554 CONFIG LCD 557 CONFIG LCDBUS 561

1075

CONFIG LCDMODE 564 CONFIG LCDPIN 564 CONFIG OSC 568 CONFIG PORT 569 CONFIG POWER REDUCTION 573 CONFIG POWERMODE 571 CONFIG PRINT 576 CONFIG PRINT0 576 CONFIG PRINT1 576 CONFIG PRINT2 576 CONFIG PRINT3 576 CONFIG PRINTBIN 578 CONFIG PRIORITY 575 CONFIG PS2EMU 578 CONFIG RC5 581 CONFIG SCL 582 CONFIG SDA 581 CONFIG SERIALIN 582 CONFIG SERIALOUT 587 CONFIG SERVOS 595 CONFIG SHIFTIN 590 CONFIG SINGLE 589 CONFIG SPI 591 CONFIG SPIC, SPID, SPIE, SPIF 593 CONFIG SUBMODE 598 CONFIG SYSCLOCK 599 CONFIG TC 600 CONFIG TCPIP 602 CONFIG TIMER0 605 CONFIG TIMER1 607 CONFIG TIMER2 610 CONFIG TWI 612 CONFIG TWISLAVE 613 CONFIG USB 619 CONFIG VPORT 625 CONFIG WAITSUART 627 CONFIG WATCHDOG 627 CONFIG X10 631 CONFIG XPIN 632 CONFIG XRAM 633 CONST 640 Constants 171 COS 642 COSH 643 COUNTER0 and COUNTER1 643 CPEEK 644 CPEEKH 646 CRC16 649 CRC16UNI 651

CRC32 653 CRC8 647 CRYSTAL 654 CURSOR 655 custom design 28

#### - D -

DATA 658 DATE 673 DATE\$ 671 DATETIME 1044 DAYOFWEEK 661 DAYOFYEAR 670 DBG 683 DCF77TIMEZONE 683 DEBOUNCE 685 DEBUG 684 DECLARE 598 DECLARE FUNCTION 688 DECLARE SUB 690 DECR 686 DEFBIT 694 DEFINT 694 DEFLCDCHAR 694 DEFLNG 694 DEFSNG 694 DEFWORD 694 DEFxxx 694 DEG2RAD 695 DELAY 696 DELCHAR 697 DELCHARS 698 DIM 699 DIR 706 DISABLE 707 DISKFREE 709 DISKSIZE 710 DISPLAY 711 DMACH0 523 DMACH1 523 DMACH2 523 DMACH3 523 DO 714 DOUBLE 1040 DOWNTO 742 DriveCheck 715 DriveGetIdentity 716 Drivelnit 717

File Close 50 File Exit 53 File New 50 File Open 50 File Print 51 File Print Preview 51 File Project 51 File Save 50

### - F -

Edit Find 54 Edit Find Next 57 Edit Goto 58 Edit Goto Bookmark 58 Edit Indent Block 58 Edit Paste 54 Edit Redo 54 Edit Remark Block 58 Edit Replace 57 Edit Toggle Bookmark 58 Edit Undo 54 Edit Unindent Block 58 Elektor CF-Interface 1035 ELSE 724, 785 EM4095 RFID Reader 283 ENABLE 726 ENCODER 728 ENCRYPT 58 END 730 END IF 785 END SELECT 903 EOF 731 ERAM 171 Error Codes 319 EUROTIMEDATE 1044 EXIT 732 EXP 733 EXTENDED I2C 1017

# - E -

ECHO 723

Edit Cut 54

Edit Copy 54

DriveReadSector 718 DriveReset 718 DriveWriteSector 719 DTMFOUT 720

File Save As 51 FILEATTR 734 FILEDATE 735 FILEDATETIME 736 FILELEN 737 FILETIME 738 FIX 738 FLIP 131 FLUSH 739 FM24C16 1019 FM24C256 1019 FM24C64 1019 FM25C256 1019 Font Editor 156 FOR 742 FORMAT 740 FOR-NEXT 742 FOURTHLINE 744 FP TRIG 1037 FRAC 744 FREEFILE 745 FUNCTION 688 FUSING 746

### - G -

GET 747 GETADC 750 GETATKBD 753 GETATKBDRAW 757 GETDSTIP 758 GETDSTPORT 759 GETKBD 759 GETRC 761 GETRC5 763 GETREG 766 GETSOCKET 767 GETTCPREGS 767 GLCD 1025 GLCDCMD 768 GLCDDATA 769 glcdR7565R 1027 GLCDSED 1025 GlcdSSD1325\_96x64 1029 GOSUB 769 GOTO 770 GRAY2BIN 771

# - H -

1078

Help About 150 Help Credits 154 Help Index 151 Help Knowledge Base 153 Help MCS Forum 151 Help MCS Shop 152 Help Support 153 HEX 772 HEXVAL 773, 1020 HIGH 774 HIGHW 774 HOME 775

### - | -

I2C 545 I2C TWI Slave 1040 I2C\_TWI 1020 I2CINIT 775 I2CRBYTE 779 I2CRECEIVE 776 I2CREPSTART 779 12CSEND 778 I2CSLAVE 545, 1040 I2CSTART 779 12CSTOP 779 I2CSTOP: I2CRBYTE: I2CWBYTE 779 I2CWBYTE 779 I2START 779 IDLE 571, 785 IF 785 IF-THEN-ELSE-END IF 785 INCR 787 Index 22 INITFILESYSTEM 787 INITLCD 788 INKEY 789 INP 791 INPUT 794 INPUTBIN 792 **INPUTHEX** 793 **INSERTCHAR** 797 Install on multiple computers 45 Installation of BASCOM 31 INSTR 798 INT 799

INTEGER 296 IP2STR 800 ISCHARWAITING 800 ISP programmer 109

### - K -

Keyword Reference 23 KILL 801 KITSRUS Programmer 112

### - L -

Language Fundamentals 296 Lawicel BootLoader 118 LCASE 802 LCD 803 LCD RGB-8 Converter 1071 LCD4.LIB 1023 LCD4BUSY 1022 LCD4E2 1024 LCDAT 806 LCDAUTODIM 808 LCDCONTRAST 808 LCD-EPSON 1027 LEFT 809 LEN 809 LIBUSB 139 LINE 810 LINE INPUT 813 LINEINPUT 813 LOAD 814 LOADADR 815 LOADLABEL 815 LOADWORDADR 816 LOC 817 LOCAL 819 LOCATE 822 LOF 818 LOG 822 LOG10 823 LONG 296 LOOKDOWN 823 LOOKUP 825 LOOKUPSTR 826 LOOP 714 LOW 826 LOWERLINE 827 LTRIM 814

Options Simulator

#### ON INTERRUPT 840 ON VALUE 843 OPEN 845 **Options Communication** 101 **Options Compiler** 99 **Options Compiler 1WIRE** 99 **Options Compiler Chip** 96 **Options Compiler Communication** 98 **Options Compiler I2C** 99 **Options Compiler LCD** 100 **Options Compiler Output** 97 **Options Compiler SPI** 99 **Options Environment** 102 **Options Monitor** 148 **Options Printer** 148 **Options Programmer** 107

106

# - 0 -

NBITS 839 New CF-Card Drivers 1037 Newbie problems 323 NEXT 742 NOSAVE 840

# - N -

- M -

MACRO 828 MAKEBCD 828 MAKEDEC 830 MAKEINT 829 MAKEMODBUS 830 MAKETCP 832 MAX 833 MCS Bootloader 128 MCS Universal Interface Programmer 113 MCSBYTE 1021 MCSBYTEINT 1021 MEMCOPY 834 Memory usage 171 MID 837 MIN 836 Mixing ASM and BASIC 308 MOD 838 **MODBUS Slave Server** 1067

#### OUT 853

<u> P</u>

PCF8533 1025 PEEK 854 PG302 programmer 110 855 POKE POPALL 856 POWER 571,856 POWER MODE 859 Power Up 208 POWERDOWN 860 POWERSAVE 860 PRINT 861 PRINTBIN 863 PROGGY 130 Program Compile 67 Program Development Order 156 Program Send to Chip 81 Program Show Result 69 Program Simulate 70 **Program Syntax Check** 67 51 **Project Close** Project New 51 Project Open 51 **Project Save** 51 PS2MOUSE\_EMULATOR 1045 PS2MOUSEXY 867 PSET 864 PULSEIN 867 PULSEOUT 868 PUSHALL 869 PUT 870

### - Q -

QUOTE 872

# - R -

RAD2DEG 873 RC5SEND 873 RC5SENDEXT 875 RC6SEND 877 READ 879 READEEPROM 881 READHITAG 883 READMAGCARD 886 1079

Index

SAVEALL 840 SECELAPSED 900 SECOFDAY 900 SEEK 901 SELECT 903 SELECT-CASE-END SELECT 903 SENDSCAN 913 SENDSCANKBD 915 SERIN 919 SEROUT 921 SET 904 SETFONT 906 SETIPPROTOCOL 923 SETREG 909 SETTCP 909 SETTCPREGS 911 SGN 925 SHIFT 926 SHIFTCURSOR 928 SHIFTIN 928 SHIFTLCD 933 SHIFTOUT 932 SHOWPIC 934 SHOWPICE 934 SIGNATURE 888 SIN 936 SINGLE 296 SINH 937 SOCKETCONNECT 937

### - S -

SAVE 840

READSIG 888 READSIGNATURE 888 REM 890 REPLACECHARS 891 Resellers 1015 Reserved Words 318 RESET 891 RESTORE 892 RETURN 894 RIGHT 895 RND 895 ROTATE 897 ROUND 898 RTRIM 899 Running BASCOM-AVR 47

Sample Electronics cable programmer 111

SOCKETLISTEN 940 SOCKETSTAT 941 SONYSEND 942 SORT 945 SOUND 947 SPACE 948 SPC 949 SPIIN 950 SPIINIT 951 SPIMOVE 951 SPIOUT 952 SPISLAVE 1041 SPLIT 953 SQR 954 START 955 STCHECK 957 STEP 742 STK500 Programmer 115 STK600 136 STOP 961 STR 962 STR2DIGITS 963 STRING 964 SUB 598, 965 Supported Programmers 108 SWAP 969 SYSDAY 968 SYSSEC 966 SYSSECELAPSED 967

# - T -

TAN 971 TANH 980 TCC0 600 TCC1 600 TCD0 600 TCD1 600 TCPCHECKSUM 971 TCPIP 1021 TCPREAD 975 TCPWRITE 976 TCPWRITESTR 976 THEN 785 THIRDLINE 981 TIME 982 TIME\$ 981 TIMER 600 TIMER0 163

# - W -

WAIT 999 WAITKEY 1000 WAITMS 1001 WAITUS 1002 WEND 1003

VAL 996 VARPTR 997 **VER 998** VERSION 998 **View Error Panel** 66 View PDF viewer 64 View PinOut 60 View Tip 66

### - V -

UCASE 987 UDPREAD 988 UDPWRITE 991 UDPWRITESTR 992 UPPERLINE 996 USB Addon 1054 USB162 module 292 **USB-ISP** Programmer 119 Using RS485 189 Using the 1 WIRE protocol 197 Using the I2C protocol 191 Using the SPI protocol 200 USING the UART 183

# - [] -

TIMER1 164 Tips and tricks 324 TOGGLE 984 **Tools Batch Compile** 90 **Tools Graphic Converter** 88 Tools LCD Designer 85 Tools LIB Manager 87 **Tools PDF Update** 93 Tools Plugin Manager 89 **Tools Resource Editor** 94 Tools Stack Analyzer 89 Tools Terminal Emulator 84 TRIM 986 TWI\_START 612

WHILE 1003 WHILE-WEND 1003 149 Window Arrange Icons Window Maximize All 149 Window Minimize All 149 Window Tile 149 Windows Cascade 149 WORD 296 WRITE 1004 WRITEEEPROM 1005

## - X -

X10DETECT 1007 X10SEND 1009 XRAM 171 XRAM CF-Interface for simulation 1036 XTEADECODE 1010 XTEAENCODE 1012

### $\ensuremath{\textcircled{O}}$ MCS Electronics 1995-2012

www.mcselec.com

Making BASIC and Micro's Easy